

## Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5

<https://www.2passeasy.com/dumps/201-450/>



#### NEW QUESTION 1

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

**Answer: B**

#### NEW QUESTION 2

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

- A. pidstat
- B. nfsiostat
- C. sadf
- D. cifsostat

**Answer: BD**

#### NEW QUESTION 3

Which command will report information on memory usage, paging and block input/output?

- A. free
- B. memshow
- C. ps
- D. top
- E. vmstat

**Answer: E**

#### NEW QUESTION 4

What mechanism does collectd use to gather monitoring information on systems?

- A. It uses a library of plugins.
- B. A master server connects to a collectd service on each machine to retrieve the information.
- C. It collects its own information on each server and sends that to a master server.
- D. It makes SNMP queries to the clients being monitored.

**Answer: A**

#### NEW QUESTION 5

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
procs -----memory----- ---swap-- -----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. 100
- B. 35.9
- C. 57.7
- D. 36.6

**Answer: A**

#### NEW QUESTION 6

In this example output, which descriptions match the purpose of the free, buff and cache columns? (Choose THREE correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- -----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. Used swap space
- B. RAM available for filesystem buffers
- C. Available free RAM
- D. RAM used for buffers
- E. RAM used for filesystem cache

**Answer:** CDE

#### NEW QUESTION 7

In the below example output, which columns detail the percent of time the CPU spent running non-kernel code and the percent of time the CPU spent running kernel code? (Choose TWO correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- -----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. id
- B. us
- C. wa
- D. sy

**Answer:** BD

#### NEW QUESTION 8

Which of the following tools are used to measure memory usage? (Choose THREE correct answers.)

- A. mpstat
- B. pstree
- C. sar
- D. top
- E. vmstat

**Answer:** CDE

#### NEW QUESTION 9

A database application requires a maximum shared memory segment (shmmax) of 2GB (2147483648 Bytes). Which configuration file should be modified to set this kernel parameter permanently? (Specify the full name of the file, including path.)

**Answer:**

**Explanation:** /etc/sysctl.conf

#### NEW QUESTION 10

Which directory contains the system-specific udev rule files? (Specify the absolute path including the directory name)

**Answer:**

**Explanation:** /etc/udev/rules.d, /etc/udev/rules.d/

#### NEW QUESTION 10

What is the correct parameter to pass to the kernel at boot time to force it to use only one of the available processors?

- A. maxcpus=1
- B. usecpus=1
- C. smpcpus=1
- D. vcpumx=1

**Answer:** A

#### NEW QUESTION 13

What is the purpose of the command udevadm monitor?

- A. It listens to kernel events produced by a udev rule and print information to the console.
- B. It monitors the /dev directory for new devices.
- C. It monitors the udev process and prints performance statistics to the console.
- D. It communicates with D-Bus to setup new devices.

**Answer:** A

#### NEW QUESTION 15

How can the kernel parameter for the maximum size of the shared memory segment (shmmax) be changed to 2GB (2147483648 Bytes) on a running system? (Choose TWO correct answers.)

- A. Edit /etc/shmmax and set the parameter to 2147483648.

- B. sysctl shmmax=2147483648
- C. sysctl kernel.shmmax=2147483648
- D. echo 2147483648 > /proc/sys/kernel/shmmax
- E. export kernel.shmmax=2147483648

**Answer:** CD

#### NEW QUESTION 17

Which archive format is used to create an initramfs image?

- A. gzip
- B. tar
- C. RAR
- D. cpio
- E. bzip2

**Answer:** D

#### NEW QUESTION 19

Which of the following command sequences can be used to extract files contained in a initramfs file (/boot/initramfs) which is used by the kernel at boot time?

- A. cp /boot/initramfs /tmp/initramfs.gz; gzip -c /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- B. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- C. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initramfs
- D. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -e /tmp/initramfs
- E. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initrd

**Answer:** B

#### NEW QUESTION 23

After installing a compiled kernel, it can not find any modules that are needed to be loaded. What make target was likely missed while installing the kernel?

**Answer:**

**Explanation:** make modules\_install, modules\_install

#### NEW QUESTION 27

Which of the following terms are used to describe 3.x kernel releases? (Choose TWO correct answers.)

- A. beta
- B. final
- C. longterm
- D. prerelease
- E. stable

**Answer:** CE

#### NEW QUESTION 31

What information does the file modules.dep provide?

- A. A list of all modules, compiled or not, that are available to the kernel.
- B. A list of modules trusted by the installed kernel.
- C. A list of devices and their module name.
- D. A list of all compiled modules and their dependencies.
- E. A list of modules the kernel needs to run.

**Answer:** D

#### NEW QUESTION 32

Which keyword is used in the /etc/inittab file to define the SysV-init default system runlevel?

**Answer:**

**Explanation:** initdefault

#### NEW QUESTION 37

Which file tells GRUB the paths of the filesystem partitions in both Linux format and in the GRUB syntax? (Specify the file name only with no path information)

**Answer:**

**Explanation:** device.map

#### NEW QUESTION 41

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

**Answer:** B

#### NEW QUESTION 42

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

**Answer:** B

#### NEW QUESTION 43

Why is the root file system mounted read-only during boot and remounted with write permission later on?

- A. Because if problems with the root file system are detected during the boot, fsck can be run, without risk of damage.
- B. Because this way crackers cannot collect information about root with boot sniffers.
- C. To avoid writing to the disk, unless the root password is known.
- D. To avoid other operating systems overwriting the Linux root partition.
- E. Because the disk has its own write protection that cannot be changed by the operating system.

**Answer:** A

#### NEW QUESTION 45

If all of the following files and/or symlinks exist in a SysV-init runlevel directory, which of the following will be executed first when booting the system directly into the runlevel?

- A. S99lpi
- B. K99lpi
- C. PRE-S99lpi
- D. S98lpi
- E. S99a-lpi

**Answer:** D

#### NEW QUESTION 48

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

**Answer:** BD

#### NEW QUESTION 49

During booting, when the Linux kernel loads an initramfs file, which command from the initramfs will be executed first, if present?

- A. /init
- B. /initrd
- C. /linuxrc
- D. /rc.local
- E. /sbin/init

**Answer:** A

#### NEW QUESTION 54

The main configuration file for autofs has this entry:

**Answer:**

**Explanation:** /home /etc/auto.home

#### NEW QUESTION 59

How can the label root be added to the ext2 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

**Answer:** B

#### NEW QUESTION 62

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

**Answer:** B

#### NEW QUESTION 63

After a lot of write operations, the administrator want to ensure that the kernel flushes the file system buffers to disk. Which command will accomplish this? (Specify ONLY the command without any path or parameters.)

**Answer:**

**Explanation:** sync

#### NEW QUESTION 68

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

**Answer:** C

#### NEW QUESTION 73

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
/dev/hda2 / ext2 defaults 1 1
/dev/hda3 /home ext2 defaults 1 2
none /proc proc defaults 0 0
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

**Answer:**

**Explanation:** mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

#### NEW QUESTION 76

Where would fsck put any unreferenced file or file fragments on a ext4 filesystem?

- A. recover
- B. lost+found
- C. back
- D. lost

**Answer:** B

#### NEW QUESTION 81

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

**Answer:** B

#### NEW QUESTION 84

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. lvcreate, pvcreate, vgcreate, mkfs, mount
- B. pvcreate, vgcreate, lvcreate, mkfs, mount
- C. vgcreate, lvcreate, pvcreate, mount, mkfs
- D. mkfs, pvcreate, vgcreate, lvcreate, mount
- E. pvcreate, lvcreate, vgcreate, mkfs, mount

**Answer:** B

#### NEW QUESTION 87

What is the minimum number of disks required in a fully redundant RAID5 array?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

#### NEW QUESTION 91

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/hdb
- B. /dev/sdd
- C. /dev/scd1
- D. /dev/sr0
- E. /dev/sr1

**Answer:** D

#### NEW QUESTION 92

What mount option must be used in /etc/fstab when mounting an iSCSI target?

- A. \_\_santarget
- B. iscsi
- C. waitiscsi
- D. \_\_netdev

**Answer:** D

#### NEW QUESTION 96

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

**Answer:** B

#### NEW QUESTION 101

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

**Answer:** D

#### NEW QUESTION 105

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)



**Answer:**

**Explanation:** vgreduce, /sbin/vgreduce

#### NEW QUESTION 107

Which single command will simulate a failed device within a RAID 5 array?

- A. mdadm --remove /dev/md0 /dev/sdd1
- B. mdadm --zero-superblock /dev/sdf3
- C. mdadm --force-fault /dev/md2 /dev/sde2
- D. mdadm --fail /dev/md0 /dev/sdc1
- E. mdadm /dev/md0 --offline /dev/sdc1

**Answer:** D

#### NEW QUESTION 109

Which RAID level value must be used with Linux software RAID in order to create an array of mirrored devices?

- A. 1
- B. 5
- C. 6
- D. container
- E. mirrorstripe

**Answer:** A

#### NEW QUESTION 114

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?  
pvcreate, \_\_\_\_\_, \_\_\_\_\_, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

**Answer:** D

#### NEW QUESTION 115

What action should be performed after increasing the size of a logical volume?

- A. Run vgresize.
- B. Increase the size of the filesystem used for the logical volume.
- C. Run lvresize.
- D. Remount the logical volume.

**Answer:** B

#### NEW QUESTION 119

What are the options to node.startup in the iscsid.conf file? (Choose TWO correct answers.)

- A. login
- B. initiate
- C. manual
- D. discover
- E. automatic

**Answer:** CE

#### NEW QUESTION 120

Under which of the following circumstances would the command ping output the string (DUP!)?

- A. When the ICMP packets are sent to a broadcast address and multiple hosts respond.
- B. When the host being sent ICMP packets is on a different network.
- C. When the router responds to the ICMP packet in addition to the host receiving the ICMP packets.
- D. When the host sending the ICMP packet is the same host as the one receiving the ICMP packets.

**Answer:** A

#### NEW QUESTION 122

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

**Answer:**



**Explanation:** Isof, /usr/bin/Isof

#### NEW QUESTION 123

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
203.0.113.162	0.0.0.0	255.255.255.255	UH	0	0	0	ppp0
172.16.87.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.246.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
10.10.1.0	192.168.246.11	255.255.255.0	UG	0	0	0	eth1
127.0.0.0	0.0.0.0	255.0.0.0	U	0	0	0	lo
0.0.0.0	203.0.113.162	0.0.0.0	UG	0	0	0	ppp0

A. ip net delete 10.10.1.0/24

B. route del 10.10.1.0/24

C. route del -net 10.10.1.0/24

D. route del 10.10.1.0/24 gw 192.168.246.11

E. ip route delete 10.10.1.0/24

**Answer:** CE

#### NEW QUESTION 128

A correctly formatted entry has been added to /etc/hosts.deny to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

A. tcpd needs to be sent the HUP signal.

B. The service needs to be restarted.

C. The machine needs to be restarted.

D. There is a conflicting entry in /etc/hosts.allow.

E. The service does not support tcpwrapper.

**Answer:** DE

#### NEW QUESTION 130

What should be done to ensure a client machine uses the recursive nameserver running on the IP address 192.168.1.1 ? (Choose TWO correct answers.)

A. Add nameserver 192.168.0.1 to /etc/resolv.conf.

B. Run route add nameserver 192.168.0.1.

C. Run ifconfig eth0 nameserver 192.168.0.1.

D. Ensure that the dns service is listed in the hosts entry in the /etc/nsswitch.conf file.

E. Run bind add nameserver 192.168.0.1.

**Answer:** AD

#### NEW QUESTION 133

Which of the following filter keywords for tcpdump specify the transfer direction for network packets? (Choose TWO correct answers.)

A. source

B. src

C. dest

D. src or dst

E. both

**Answer:** BD

#### NEW QUESTION 134

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

A. route add default gw 192.168.0.1 eth0

B. ifconfig eth0 defaultroute 192.168.0.1

C. ip route add default via 192.168.0.1 dev eth0

D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf

E. route add defaultgw=192.168.0.1 if=eth0

**Answer:** AC

#### NEW QUESTION 138

The users of the local network complain that name resolution is not fast enough. Enter the command, without the path or any options, that shows the time taken to resolve a DNS query.

**Answer:**

**Explanation:** dig, time dig, time host, time nslookup

#### NEW QUESTION 140

Running tcpdump -nli eth1 'tcp' shows the following output:

14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.] , ack 33051, win 1002, options

[nop,nop,TS val 36789130 ecr 1746004159], length 0

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

**Answer:**

**Explanation:** 10.1.52.145

#### NEW QUESTION 145

Which of the following wireless tools can be used to check the wireless network link quality? (Choose TWO correct answers.)

- A. iwconfig
- B. iwlink
- C. iwscan
- D. iwifi
- E. iw

**Answer:** AE

#### NEW QUESTION 147

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- A. ip add addr 192.168.1.2/32 dev eth0
- B. ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- C. ip addr add 192.168.1.2/32 dev eth0
- D. ipconfig eth0 192.168.1.2

**Answer:** C

#### NEW QUESTION 151

Which of the following commands will erase the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

**Answer:** B

#### NEW QUESTION 155

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

**Answer:** AB

#### NEW QUESTION 156

What does the -p3 option to the patch command do?

- A. It will strip off path information from each file mentioned in the patch file up to and including the third / character.
- B. patch continues execution as long as there are three or fewer errors.
- C. It instructs patch to look up to three lines of context before or after the declared line in the original file for a match.
- D. patch will keep three previous versions of each file in the output to prevent loss of change history.
- E. It instructs patch to conform more strictly to the POSIX standard.

**Answer:** A

#### NEW QUESTION 157

Which file contains the text message that is displayed after logging into the console? (Specify the full name of the file, including path.)

**Answer:**

**Explanation:** /etc/motd

#### NEW QUESTION 160

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec\_prefix, bindir, mandir

**Answer:** B

#### NEW QUESTION 164

Which one of these directories should not be backed up?

- A. /backup
- B. /etc
- C. /opt
- D. /proc
- E. /var/log

**Answer:** D

#### NEW QUESTION 165

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

**Answer:**

**Explanation:** /etc/issue

#### NEW QUESTION 170

Which sub command to cryptsetup shows information about an encrypted LUKS partition?

- A. luksDump
- B. luksInfo
- C. luksDebug
- D. luksLS
- E. luksShow

**Answer:** A

#### NEW QUESTION 174

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

**Answer:**

**Explanation:** fstrim

#### NEW QUESTION 178

What information is found in the following excerpt from the file /proc/mdstat? (Choose two.)

```
Personalities : [raid6] [raid5] [raid4]

md0 : active raid5 sdb1[3] (S) sdc1[7] sda1[4] (S) sdd1[6] sde1[5]
      1046528 blocks super 1.2 level 5, 512k chunk, algorithm 2 [3/2] [UU_]
      [===>.....] recovery = 15.9% (83808/523264) finish=0.1min
      speed=71880K/sec
      unused devices: <none>
```

- A. One of the disks in /dev/md0 has failed and a spare disk is used to recreate full redundancy
- B. The spare disk /dev/sda1 is used to restore full redundancy after the current recovery
- C. The information [UU\_] means, that the raid is missing one disk and is not fully redundant
- D. The device is using version 1.2 metadata to allow LILO and GRUB Legacy to use /dev/md0 as the boot partition
- E. This would not have been necessary with GRUB2
- F. The information [3/2] means that 3 RAID disks belong to the array and 2 disks are spare
- G. Together they equal the number of available disks

**Answer:** AC

#### NEW QUESTION 181

Which of the following commands lists IPv4 addresses and MAC addresses of network nodes that the local system has seen on its directly connected IP networks?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

**Answer:** A

#### NEW QUESTION 185

What command ensures that the file systems are written to disk after a lot of write operations? (Specify ONLY the command without any path or parameters.)

**Answer:**

**Explanation:** sync

#### NEW QUESTION 188

Which of the following commands displays the physical path of the kernel module named dummy?

- A. modprobe -i dummy
- B. modinfo -n dummy
- C. modpath -v dummy
- D. depmod -n dummy
- E. modshow -p dummy

**Answer:** A

#### NEW QUESTION 189

What is the purpose of a system mount unit?

- A. It is used by the command systemd-mount and allows users to mount partitions to mount points of their choice
- B. It is used only to mount network file systems to local mount point
- C. It cannot be used for local media
- D. It is created by the command systemd-fstab-generator to integrate entries from /etc/fstab into the system boot process
- E. It is used by the command mount when using system to mount and unmount file systems

**Answer:** A

#### NEW QUESTION 192

In the output of sar -b, what does tps stand for?

- A. Terrabyte per second
- B. Traffic per second
- C. Transfers per second
- D. Total data per second
- E. Terrabit per second

**Answer:** C

#### NEW QUESTION 197

A Linux server running systemd booted to rescue.target for maintenance. Which commands are used to restore the server to its usual target? (Choose two.)

- A. telinit 0
- B. systemctl default
- C. sync
- D. systemctl emergency
- E. systemctl reboot

**Answer:** AB

#### NEW QUESTION 199

Which of the following commands shows capabilities and usable frequencies for the wireless interface wlan0?

- A. iw phy phy0 info
- B. iw dev wlan0 info
- C. iw dev wlan0 show
- D. iw phy wlan0 show
- E. iw phy0 show

**Answer:** A

#### NEW QUESTION 202

A web application server contains 64GB of RAM and two swap partitions on normal hard disk drives, each with a size of 64 GB. Within the last month, the average number of user sessions on this server has grown by 20 percent. At the same time, the average usage of RAM increased from 65 to 75 percent, while the swap space is almost not used at all. It is expected that the number of user sessions will continue to increase by about 15 to 20 percent each month. Which of the following reactions would be appropriate in response to these observations? (Choose two.)

- A. Delay any hardware upgrade until there is a significant consumption of swap space to ensure an efficient usage of the available hardware
- B. Create a RAID 1 device on the two swap partitions to avoid data loss in case swap space has to be used in the future
- C. Consider the installation of an additional application server to distribute the load if the expected growth continues over several months
- D. Move the web application's scripts and content to a ram disk in order to ensure fast access and to avoid the need for swap space
- E. Update the hardware to increase the amount of available RAM to avoid using swap space

**Answer:** CE

#### NEW QUESTION 203

Which of the filter keywords below could be used in the following command:  
tcpdump -i eth0 \_\_\_\_\_ 203.0.113.8 (Choose three.)

- A. host
- B. ip
- C. src
- D. dst
- E. ipv6

**Answer:** ACD

#### NEW QUESTION 204

In which directory tree are files modified when changing kernel parameters using the command sysctl?

- A. /sys/kernel/
- B. /proc/kernel/
- C. /proc/sys/
- D. /lib/sys/
- E. /sys/proc/

**Answer:** C

#### NEW QUESTION 207

After the downloading patch-4.6.4.xz from <http://kernel.org>, what are the next steps to prepare the build of a version 4.6.4 Linux kernel? (Choose two.)

- A. Uncompress the file and move the resulting directory to /usr/src/linux
- B. Apply the patch file to the kernel source directory containing kernel version 4.6.0
- C. Apply the patch file to the kernel source directory containing kernel version 4.6.3
- D. Uncompress the file using xz to get the uncompressed patch file
- E. Use patch to apply the uncompressed patch file to the source directory of any previous kernel version

**Answer:** DE

#### NEW QUESTION 208

Which directory contains system-specific systemd unit files? (Specify the full path to the directory.)

**Answer:**

**Explanation:** /lib/systemd/system

#### NEW QUESTION 212

Which command is used to install a GRUB boot loader into the master boot record?

- A. grub-install
- B. grub-mkconfig
- C. grub-install-mbr
- D. grub-glue-mbr
- E. grub-mbr-setup

**Answer:** A

#### NEW QUESTION 213

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 201-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 201-450 Product From:

<https://www.2passeasy.com/dumps/201-450/>

## Money Back Guarantee

### 201-450 Practice Exam Features:

- \* 201-450 Questions and Answers Updated Frequently
- \* 201-450 Practice Questions Verified by Expert Senior Certified Staff
- \* 201-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 201-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year