



HP

Exam Questions HPE2-T37

Using HPE OneView

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?







- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Answer: A

NEW QUESTION 2

Refer to the exhibit.

Connections

ID	Name	Network	Port	Boot		
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable		
	Type	Ethernet				
	MAC address	94:40:C9:6C:24:24 (p)				
	Requested virtual functions	None				
	Requested bandwidth	2.5 Gb/s				
	Link Aggregation group	None				
2	f1	FC-A Fabric Attach	Mezzanine 3:1-b	Not bootable		
	Type	Fibre Channel				
	WWPN	20:00:94:40:c9:6c:24:26 (p)				
	WWNN	10:00:94:40:c9:6c:24:26 (p)				
	MAC address	94:40:C9:6C:24:26 (p)				
	Requested bandwidth	2.5 Gb/s				
3	f2	FC-B Fabric Attach	Mezzanine 3:2-b	Not bootable		
	Type	Fibre Channel				
	WWPN	20:00:94:40:c9:6c:24:27 (p)				
	WWNN	10:00:94:40:c9:6c:24:27 (p)				
	MAC address	94:40:C9:6C:24:27 (p)				
	Requested bandwidth	2.5 Gb/s				

Add connection

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Answer: C

NEW QUESTION 3

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.
- B. whether the appropriate license for HPE Primera Is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

Answer: A

NEW QUESTION 4

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must he installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 5

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance

- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Answer: B

NEW QUESTION 6

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.
How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.
D. As long as the server is managed using HPE OneView
E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

Answer: B

NEW QUESTION 7

Which statement regarding HPE OneView backup restore is true?

- A. During backup restore, users with Administrator privileges can still login to HPE OneView
B. An HPE OneView backup can be used to restore individual components like server profile
C. Users with Backup Administrator privileges can restore an HPE OneView backup
D. Only users with Infrastructure Administrator privileges can restore an HPE OneView backup


Answer: D

Explanation:

Only an Infrastructure administrator can restore an appliance from a backup file.

NEW QUESTION 8

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Fabric Type

NEW QUESTION 9


How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
B. As a physical appliance based on HPE ProLiant 360 Gen 10.
C. As an application running on the server with CentOS Linux system
D. As a virtual appliance running on the supported hypervisor.

Answer: D

NEW QUESTION 10

Refer to the exhibit.



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 10

Which statement about a Logical Enclosure for HPE BladeSystem is Hue?

- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C700O enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Answer: C

NEW QUESTION 13

For HPE Primera, match each task with the management tool that can be used to perform it.

HPE OneView

HPE StoreServ Management Console

Answer Area

Tool

Task

Replication configuration

Volume to host presentation

Automated zoning with SAN Manager

Adding new storage pool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 15


What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

Answer: C

NEW QUESTION 19

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Networks

NEW QUESTION 21

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

General

Name

ESXi-ClusterNode1

Description

Server profile template

None

x

Server hardware

CZ204400XB, bay 1

x

☐ Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. [Power off](#) the server. [Learn more](#).

Server hardware type

SY 480 Gen10 1

Change

Enclosure group

EG

Change

Affinity

Device bay + server hardware

v

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. [Add OS deployment server](#)

Firmware

Firmware baseline

managed manually

v

Connections

ID	Name	Network	Port	Boot
1	e1	Eth1 Untagged	Mezzanine 3:1-a	Not bootable
Type		Ethernet		
MAC address		94:40:C9:6C:24:24 (j)		
Requested virtual functions		None		
Requested bandwidth		2.5 Gb/s		
Link Aggregation group		None		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Connections

NEW QUESTION 25

what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Answer: D

NEW QUESTION 30

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 31

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What Is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

Answer: B

NEW QUESTION 35

As a part of troubleshooting, you have to reinstall the same version of the firmware on an HPE Synergy Compute Module. Click the area within the Firmware section of the server profile that will allow you to install the same firmware version.

Firmware

Firmware baseline

Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Firmware

Firmware baseline

Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

NEW QUESTION 36

Which statement about managing an HPE BiooeSystem sever is true?

- A. A multi-enclosure Virtual Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView. It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystem enclosures can be imported to HPE OneView for monitoring

Answer: B

NEW QUESTION 38

Your customer built a server profile for HPE Synergy Gen 10 server and configured boot mode to Legacy BIOS. Which feature is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

Answer: C

NEW QUESTION 41


You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to iLO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 44

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:



NEW QUESTION 47

Which statement about the volume template is true?



- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template mil not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 48


You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

NEW QUESTION 51

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 53

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Tagged

NEW QUESTION 55

Your customer added HPE Primera to HPE OneView and enabled volume provisioning on all storage pools. For security reasons, the customer wants to disable volume provisioning using HPE OneView on a specific storage pool. How can this task be completed?

- A. The storage pool should be removed from HPE OneView using a PowerShell script.
- B. The storage pool should be disabled using the array management tool.
- C. The storage pool state should be changed to discovered using HPE OneView.
- D. The storage pool should be marked as read-only using HPE OneView.

Answer: B

NEW QUESTION 58

Which statement about the presented storage pools is true?

OneView

Search

Storage Pools 11

Name	Storage System	State
Cluster-1	Cluster-1	Managed
Cluster-2	Cluster-2	Managed
cpg-growth-limit-1TiB	ThreePAR-1	Managed
CPG-SSD	ThreePAR-1	Managed
CPG-SSD-AO	ThreePAR-1	Managed
CPG_FC-AO	ThreePAR-1	Managed
default	Nimble-HasCacheCapacityAllFlash	Discovered
default	Nimble-HasCacheCapacityAllFlash	Managed
FST_CPG1	ThreePAR-1	Managed
FST_CPG2	ThreePAR-1	Managed

exhibit 21.31.4.3

Cluster-1

General

General

State

Managed

Storage system

Cluster-1

Used by

no volumes

no volume templates

Capacity

Allocated

0 GiB

GiB

20480 GiB

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools
- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 59

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.
What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 64

.....

Relate Links

100% Pass Your HPE2-T37 Exam with Examible Prep Materials

<https://www.exambible.com/HPE2-T37-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>