



HP

Exam Questions HPE2-T37

Using HPE OneView

NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Answer: A

NEW QUESTION 2

After replacing a failed Compute Module, you notice the server profile Is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. ILO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Answer: A

NEW QUESTION 3

Which statement about HPE OneView Global Dashboard is true?







- A. It is an application that can be installed on Windows or Linux system that will provide automated discovery of HPE OneView instances
- B. It is a plugin to HPE Oneview that will allow integration of HPE oneView with VMware management and monitoring components
- C. It is a virtual appliance that can aggregate health and inventory information from multiple HPE OneView appliances or HPE Composers
- D. It is a plugin to vCenter Server that will allow management of the components added to HPE Oneview from vCenter server interface

Answer: C

NEW QUESTION 4

Refer to the exhibit.

Connections

ID	Name	Network	Port	Boot		
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable		
	Type	Ethernet				
	MAC address	94:40:C9:6C:24:24 (p)				
	Requested virtual functions	None				
	Requested bandwidth	2.5 Gb/s				
	Link Aggregation group	None				
2	f1	FC-A Fabric Attach	Mezzanine 3:1-b	Not bootable		
	Type	Fibre Channel				
	WWPN	20:00:94:40:c9:6c:24:26 (p)				
	WWNN	10:00:94:40:c9:6c:24:26 (p)				
	MAC address	94:40:C9:6C:24:26 (p)				
	Requested bandwidth	2.5 Gb/s				
3	f2	FC-B Fabric Attach	Mezzanine 3:2-b	Not bootable		
	Type	Fibre Channel				
	WWPN	20:00:94:40:c9:6c:24:27 (p)				
	WWNN	10:00:94:40:c9:6c:24:27 (p)				
	MAC address	94:40:C9:6C:24:27 (p)				
	Requested bandwidth	2.5 Gb/s				

[Add connection](#)

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Answer: C

NEW QUESTION 5

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.

D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 6

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

Answer: A

NEW QUESTION 7

Which statement regarding HPE OneView backup restore is true?

- A. During backup restore, users with Administrator privileges can still login to HPE OneView
- B. An HPE OneView backup can be used to restore individual components like server profile
- C. Users with Backup Administrator privileges can restore an HPE OneView backup
- D. Only users with Infrastructure Administrator privileges can restore an HPE OneView backup

Answer: D

Explanation:

Only an Infrastructure administrator can restore an appliance from a backup file.

NEW QUESTION 8

You originally configured boot mode for HPE ProLiant Gen10 server to ‘Legacy BIOS’ in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the ‘UEFI optimized’ to leverage some features provided by this mode. What must you do next?

- A. reset an il_0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

Answer: A

NEW QUESTION 9

For HPE Primera, match each task with the management tool that can be used to perform it.

HPE OneView

HPE StoreServ Management Console

Answer Area

Tool	Task
	Replication configuration
	Volume to host presentation
	Automated zoning with SAN Manager
	Adding new storage pool

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 10

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Networks

NEW QUESTION 10

What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

Answer: B

NEW QUESTION 14

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 19


what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Answer: D

NEW QUESTION 24

Refer to the exhibit.




You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and IL0 did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.
- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

Answer: D

NEW QUESTION 27

Refer to the exhibit.



Which statement about the storage pools shown is true?

- A. Volumes created on the first storage pool cannot use data reduction technologies
- B. Both storage pools are in a managed state and can be used for volume provisioning
- C. HPE OneView can be used to configure volume replication between these pools
- D. Both storage pools have a license applied that enables management of these pools

Answer: A

NEW QUESTION 32

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

Answer: D

NEW QUESTION 34

Click the option that will allow you to update the firmware of master and satellite modules.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Settings

NEW QUESTION 38

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 39

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 44

You are deploying HPE OneView to manage a customer's HPE ProLiant servers Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features prooved by the hypervisor
- D. During hpe oneView deployment customer may select configure proprietary HA mode.

Answer: C

NEW QUESTION 48

Your customer built a sever profile for HPE Synergy Gen 10 server and configured boot mode to Legacy BIOS. Which feature Is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

Answer: C

NEW QUESTION 50

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

NameLIG-Ethernet

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect typeVirtual Connect SE 100Gb F32 Module for Synergy

Enclosure count1

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect typeVirtual Connect SE 100Gb F32 Module for Synergy

Enclosure count1

Interconnect bay set3

Redundancy

Redundant

Non-redundant (A-side only)

Non-redundant (B-side only)

Downlink speed

Interconnect choice recommends/limits: 1 choice and bay locations. [Learn](#)

Select Interconnects

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 55

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:



NEW QUESTION 56

Which statement about the volume template is true?



- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template mil not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

NEW QUESTION 58

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 60

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

Answer: B

NEW QUESTION 63

Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group Is automatically selected

Answer: A

NEW QUESTION 68

You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

NEW QUESTION 70

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation

Group. After you made the changes to the server profile, its status changed to critical. What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

Answer: C

NEW QUESTION 75

Which operation can be performed using HPE OneView for VMware vCenter Server?

- A. Remove a new node from an existing cluster
- B. Create a new VMware cluster within vCenter Server
- C. Configure VMware cluster properties for HA and DRS
- D. Create a new distributed switch for cluster connectivity

Answer: A

NEW QUESTION 77


Which statement about an HPE OneView server profile is true?

- A. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.
- B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type.
- C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage.
- D. A server profile can be used to update firmware and drivers when the operating system on the server is up and running.

Answer: B

NEW QUESTION 81

Which statement about the presented storage pools is true?



The screenshot shows the HPE OneView interface for Storage Pools. On the left, a table lists storage pools with columns for Name, Storage System, and State. On the right, the details for 'Cluster-1' are shown, including its state (Managed), storage system (Cluster-1), and capacity (0 GiB).

Name	Storage System	State
Cluster-1	Cluster-1	Managed
Cluster-2	Cluster-2	Managed
cpg-growth-limit-1TiB	ThreePAR-1	Managed
CPG-SSD	ThreePAR-1	Managed
CPG-SSD-AO	ThreePAR-1	Managed
CPG_FC-AO	ThreePAR-1	Managed
default	Nimble-HasCacheCapacityAllFlash	Discovered
default	Nimble-HasCacheCapacityAllFlash	Managed
FST_CPG1	ThreePAR-1	Managed
FST_CPG2	ThreePAR-1	Managed

Cluster-1 Details:

- State: Managed
- Storage system: Cluster-1
- Used by: no volumes, no volume templates
- Capacity: Allocated 0 GiB

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools
- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 86

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 87

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced

license.

Answer Area	License	Feature
both Standard and Advanced		Firmware management
only Advanced		Remote Support
		Reporting
		Smart Search, Activity View, Dashboard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, application Description automatically generated

NEW QUESTION 90
How will setting the Purpose field within the network definition of a server profile impact the network traffic?

- A. network purpose can give higher priority for a specific type of traffic
- B. network purpose will impact the traffic only if Virtual Connect modules are used
- C. network purpose will define QoS within Logical Interconnect
- D. network purpose does not affect the behavior of the network

Answer: C

NEW QUESTION 92
Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.
What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

Answer: A

NEW QUESTION 97
.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE2-T37 Practice Exam Features:

- * HPE2-T37 Questions and Answers Updated Frequently
- * HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE2-T37 Practice Test Here](#)