

2V0-33.22 Dumps

VMware Cloud Professional

<https://www.certleader.com/2V0-33.22-dumps.html>



NEW QUESTION 1

Exhibit:
NEW FOLDER UPLOAD FILES UPLOAD FOLDERS REGISTERED VM DOWNLOAD DATE COPY to MOVE TO RENAME TO DELETE

Name	Size	Modified	Type	Path
dvsData	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	
.s dd.sf	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	
app02-000002.vmdk	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	app02-000003.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.hlog
05/03/2022, 9.10.21 AM	Folder [vsandatastore]	app02-000002.vswap	05/03/2022, 9.10.21 AM	Folder [vsandatastore] app02-000002.vswap.lck 05/03/2022, 9.10.21 AM Folder [vsandatastore]

A cloud administrator is asked to troubleshoot a virtual machine (app02) that is performing slowly. The cloud Administrator noticed that app02 is consuming expected amount of disk space. As a first step, the cloud administrator uses VMware vCenter to check the snapshot manager for app02 and no snapshot -- cloud administrator then navigates to the app02 files on the datastore, and is presented with the information provided in the exhibits. Given the information provided, which task should the cloud administrator perform to resolve this issue?

- A. Migrate the virtual machine to a new datastore.
- B. Perform a snapshot consolidation.
- C. Power cycle the virtual machine.
- D. Execute a Delete All Snapshots task.

Answer: D

NEW QUESTION 2

Which VMware technology ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications? (Select one option)

- A. vSphere DRaaS
- B. vSphere HA
- C. vSphere DPM
- D. vSphere eDRS

Answer: B

Explanation:

The VMware technology that ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications is B.vSphere HA. vSphere HA is an agentless cluster-level availability solution that enables rapid recovery from outages and cost-effective high availability for applications. vSphere DRaaS, vSphere DPM, and vSphere eDRS are not suitable for this purpose.

NEW QUESTION 3

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 4

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

Answer: ADE

Explanation:

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/server-virtualization.html>

NEW QUESTION 5

Which two use cases can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts? (Choose two.)

- A. Administrator rights in SDDC Manager to configure and operate the solution
- B. Ability to create public services
- C. Applications needing local data processing and/or low latency integrations

- D. Critical workloads that use restricted data
- E. On demand rapid scalability

Answer: CD

Explanation:

The two use cases that can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts are Option C: Applications needing local data processing and/or low latency integrations, and Option D: Critical workloads that use restricted data.

VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts both provide local data processing and low latency integrations, making them ideal for applications that require quick and efficient access to data. Additionally, the highly secure infrastructure of both solutions make them a great choice for critical workloads that use restricted data.

For more information, please refer to the official VMware documentation on VMware Cloud on Dell EMC: <https://www.vmware.com/products/vmware-cloud-on-dellemc.html> And the official VMware documentation on VMware Cloud on AWS Outposts: <https://www.vmware.com/products/vmware-cloud-on-aws-outposts.html>

NEW QUESTION 6

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- The cluster should be able to scale automatically when additional resources are required.
- Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

Answer: B

Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met.

For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

NEW QUESTION 7

Which three organizational aspects need to be considered to successfully transition to a cloud operating model? (Choose three.)

- A. People
- B. Technology
- C. Process
- D. Branding
- E. Budget
- F. Facilities

Answer: ABC

Explanation:

<https://blogs.vmware.com/management/2020/01/the-cloud-operating-model.html>

NEW QUESTION 8

An administrator is tasked with collecting a support bundle from a Tanzu Kubernetes cluster for a support case. How can the administrator collect this support bundle for the Tanzu Kubernetes cluster?

- A. Run the -tkc-support-bundler command.
- B. Run the kubact1 logs my-pod command
- C. Run a compression tool of the log files located in /var/log/vmware/wcp/.
- D. Run the vm-support command.

Answer: A

Explanation:

<https://kb.vmware.com/s/article/80949>

Tanzu Kubernetes Grid (TKG) provides a command line tool called tkg-support-bundler which can be used to collect the necessary information and logs for troubleshooting and support cases. The command can be run on the TKG CLI and it will gather all the necessary information and logs from the TKG control plane and worker nodes, and package them into a single compressed bundle file. This bundle file can then be provided to VMware support for further analysis.

NEW QUESTION 9

A cloud administrator needs to configure a VM storage policy for virtual machines that will host a business critical application. The environment consists of a single cluster with six hosts. The application is storage I/O intensive and redundancy must be provided at the highest level possible.

Which VM storage policy settings should the administrator configure to meet these requirements?

- A. RAID-1 FTT = 3
- B. RAID-1 FTT = 2
- C. RAID-5
- D. RAID-6

Answer: B

Explanation:

RAID-1 is a mirror configuration that provides high availability by creating multiple copies of a VMDK. RAID-5 and RAID-6 are erasure coding configurations that provide fault tolerance by distributing data and parity across multiple hosts.

The number of failures to tolerate (FTT) determines how many copies or parity blocks are created for each VMDK. For example, RAID-1 FTT = 2 means that there are three copies of each VMDK.

Therefore, based on your requirements, a possible VM storage policy setting could be RAID-1 FTT = 2, which would provide redundancy at the highest level possible with six hosts.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 10

A cloud administrator is planning to migrate 1,000 VMs from their existing on-premises location into VMware Cloud on AWS. The migration will need to be completed as quickly as possible. Upon completion, the users will need the most reliable, lowest latency connection possible.

Which on-premises data center connectivity option will meet these requirements?

- A. Layer 2 VPN
- B. AWS Direct Connect
- C. VMware Transit Connect
- D. IPsec VPN

Answer: B

Explanation:

The best option to meet the requirements of quickly migrating 1,000 VMs with the lowest latency and most reliable connection possible is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as Layer 2 VPN, VMware Transit Connect, and IPsec VPN. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 10

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

PREPARING FOR VMWARE CLOUD ON AWS

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

NEW QUESTION 13

Which two networking planes are converged in a VMware NSX-T Data Center? (Choose two.)

- A. Control Plane
- B. I/O Plane
- C. Management Plane
- D. Consumption Plane
- E. Data Plane

Answer: AC

Explanation:

According to 1, VMware NSX-T Data Center implements three separate but integrated planes: management, control, and data.

➤ The management plane provides a single point of configuration and REST API entry-points for NSX-T Data Center components.

➤ The control plane is responsible for computing network state based on configuration from the management plane and topology information from transport nodes.

➤ The data plane consists of transport nodes that provide connectivity for workloads and enforce network policies.

Overview of NSX-T Data

Center:<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.2/installation/GUID-10B1A61D-4DF2-481>

NEW QUESTION 15

An administrator wants to have a global view of all managed Tanzu Kubernetes clusters and manage the policies across them. Which solution would the

administrator use?

- A. VMware Tanzu Mission Control
- B. VMware Tanzu Observability by Wavefront
- C. VMware Tanzu Service Mesh
- D. VMware Tanzu Kubernetes Grid

Answer: A

Explanation:

VMware Tanzu Mission Control provides a central platform to manage and view all Tanzu Kubernetes clusters and workloads running in the environment. It allows administrators to set policies across multiple clusters, set up cluster identities, monitor cluster health and performance, and much more. Tanzu Mission Control also provides access to a variety of cloud-native tools, such as Kubernetes Dashboard, Helm, and Kubeapps.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application-VMware-Technical-Support-Guide>

<https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager> "VMware Tanzu® Mission Control™ is a centralized management platform for consistently operating, managing, and securing Kubernetes infrastructure and modern applications across teams and clouds. It provides a global view of all of the Kubernetes clusters. You can use the resource hierarchy to manage and enforce consistent policies across Kubernetes clusters. "

NEW QUESTION 20

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 23

A user is assigned the CloudAdmin role in a VMware Cloud on AWS software-defined data center (SDDC). At which level in the inventory hierarchy can the user deploy virtual machines?

- A. Compute-ResourcePool in the Hosts and Clusters view
- B. Discovered virtual machine folder in the VMs and Templates view
- C. vsanDatastore in the Storage view
- D. Mgmt-ResourcePool in the Hosts and Clusters view

Answer: B

Explanation:

This would enable the user to have the necessary permissions to deploy virtual machines - and thus, would ensure that all of the necessary virtual machines are deployed in a timely and efficient manner.

> VMware Cloud on AWS Documentation: "Deployment of virtual machines"

> VMware Cloud on AWS Documentation: "Creating virtual machines with the VMware Cloud on AWS console"

> VMware Cloud on AWS Documentation: "Managing virtual machines with the VMware Cloud on AWS console"

NEW QUESTION 26

A cloud administrator has a portion of its on-premises infrastructure hardware that is going to be again out of its support lifecycle later this year. Due to the regulatory requirement, the applications running on this hardware cannot be migrated to the public cloud, but the Administrator is also trying to reduce its operational expenses of managing and maintaining the hardware it owns and reduce capital expenditures. Which two solutions would achieve these goals? (Choose two.)

- A. VMware Cloud on AWS Outpost
- B. VMware Cloud on Dell EMC
- C. VMware Cloud Foundation
- D. Oracle Cloud VMware Solution
- E. VMware Cloud on AWS

Answer: BE

Explanation:

VMware Cloud on Dell EMC is a service that allows customers to deploy and manage VMware Cloud Foundation in their own data center, eliminating the need to buy and maintain their own hardware. This solution allows customers to reduce costs associated with maintaining their own hardware, as well as reduce capital expenditures by not needing to buy new hardware.

VMware Cloud on AWS is a fully managed service that allows customers to run their VMware-based workloads on the AWS Cloud. This solution allows customers to take advantage of the scalability and cost savings of the public cloud, while still being able to maintain regulatory compliance for their workloads.

According to VMware's official website, "VMware Cloud on AWS is an on-demand service that enables customers to run applications across vSphere-based cloud environments with access to a broad range of AWS services. Customers get the same architecture, features, and operational experience regardless of where you deploy applications – on-premises, in the cloud, or in a hybrid or multi-cloud configuration." [1]

[1] <https://www.vmware.com/products/vmware-cloud-on-aws.html>

NEW QUESTION 29

Which Tanzu Kubernetes Grid component provides authentication, ingress, logging and service discovery?

- A. Tanzu Supervisor cluster
- B. Tanzu CU
- C. Tanzu Kubernetes cluster
- D. Tanzu Kubernetes Grid extensions

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-> <https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D->

NEW QUESTION 34

VMware Engine cloud administrator is tasked with ensuring that a dedicated, secure, high-speed, and low-latency connection exists between an on-premises VMware Engine. Which two options are available for Google Cloud VMware Engine? (Choose two.)

- A. Partner Interconnect
- B. Global Reach
- C. Dedicated Interconnect
- D. ExpressRoute
- E. Direct Connect

Answer: AC

Explanation:

<https://cloud.google.com/architecture/private-cloud-networking-for-vmware-engine>

Dedicated Interconnect provides a private[1][2], dedicated connection between your on-premises network and Google's network. It offers low latency, high bandwidth, and a secure connection. Partner Interconnect provides a connection to Google Cloud Platform through a partner's network, such as a service provider or a carrier. It offers the same low latency, high bandwidth, and secure connection, but is slightly slower than Dedicated Interconnect.

References: [1]<https://cloud.google.com/interconnect/docs/concepts/types>[2]<https://docs.vmware.com/en/VMware-Cloud-on>

NEW QUESTION 36

A cloud administrator is notified by VMware that their VMware Cloud on AWS Instance will be updated in seven days. Which action does the cloud administrator need to take to allow the update?

- A. Add capacity.
- B. Select a date for the upgrade.
- C. Respond to the notification.
- D. Nothing needs to be done.

Answer: C

Explanation:

VMware Cloud on AWS Instances are regularly updated to ensure they are running the latest version of the software, and the cloud administrator needs to respond to the notification to confirm they accept the update. They do not need to add capacity or select a date for the upgrade, and they do not need to do anything else as the update will be done automatically.

NEW QUESTION 41

An organization is running multiple applications that span different public clouds. The cloud administrator is asked to perform budget management, cost reporting and cost forecasting from a single platform.

Which VMware Cloud service can the cloud administrator use to meet this requirement?

- A. VMware vRealize Operations Cloud
- B. VMware vRealize Network Insight Cloud
- C. VMware vRealize Log Insight Cloud
- D. CloudHealth by VMware

Answer: D

Explanation:

CloudHealth by VMware is a cloud cost governance platform that provides budget management, cost reporting, and cost forecasting from a single platform. It provides comprehensive visibility and control to manage cloud costs in hybrid and multi-cloud environments. CloudHealth by VMware also provides cost optimization, resource optimization, and real-time alerting capabilities to help organizations make cost-effective decisions to reduce cloud costs.

NEW QUESTION 42

In order to provide overlapping IP address segments within a VMware cloud Environment, what must be configured?

- A. Additional NSX Edge appliances
- B. Additional Tier-1 gateways
- C. Additional network segments
- D. Additional Tier-O gateways

Answer: B

Explanation:

<https://vmc.techzone.vmware.com/understanding-segments-vmc-aws>

NEW QUESTION 44

What must a cloud administrator configure in order to allow a company's on-premises data center to access the VMware Cloud on AWS vCenter Server.

- A. Management network segment
- B. Compute gateway firewall
- C. Management gateway firewall
- D. Compute network segment

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 45

Which solution would an administrator use to manage the lifecycle operations of Tanzu Kubernetes clusters?

- A. VMware Tanzu Service Mesh
- B. VMware vSphere Lifecycle Manager
- C. VMware Tanzu Observability by Wavefront
- D. VMware Tanzu Kubernetes Grid

Answer: D

Explanation:

VMware Tanzu Kubernetes Grid is described as a comprehensive solution for operating Kubernetes-based applications in production, as well as creating, scaling and managing clusters. It provides a centralized control plane for managing the lifecycle operations of Tanzu Kubernetes clusters.

(Source:<https://tanzu.vmware.com/kubernetes>)

NEW QUESTION 46

A customer is looking to leverage a VMware Public Cloud solution to provide them with additional compute capacity as seasonal demand increases for their online business.

The current on-premises data center is configured as follows:

- VMware vSphere 7.0
- VMware vSphere Distributed Switch (vDS) 7.0
- Management and Server network - 172.18.0.0/16
- vMotion network - 192.168.120.0/24
- 250 application servers

Given the information in the scenario, which capability of VMware HCX will the customer not be able to utilize?

- A. Cold migration
- B. Layer 2 extension
- C. Bulk migration
- D. WAN optimization

Answer: B

Explanation:

According to the VMware official guide, VMware Tanzu Service Mesh is a cloud-native service mesh platform that simplifies the secure communication between microservices running in Kubernetes clusters . It provides secure and consistent network communication between services and enables policy-driven authorization and observability. With its distributed tracing capabilities, Tanzu Service Mesh can help administrators easily monitor and troubleshoot their applications. It also provides a unified platform to manage the lifecycle of Tanzu Kubernetes clusters, including provisioning, upgrades, patching, and more.

NEW QUESTION 49

Which statement describes the VMware Multi-Cloud vision?

- A. Flexibility to operate globally and consistently
- B. Flexibility to choose any hardware vendor
- C. Flexibility to manage infrastructure through outsourcing
- D. Flexibility to choose any hypervisor

Answer: A

Explanation:

<https://www.vmware.com/cloud-solutions/multi-cloud.html>

Multi-Cloud Solutions Redefine the foundation of IT to power every application on any cloud. With

Multi-Cloud solutions from VMware, you can migrate to the cloud without recoding your apps, modernize your infrastructure, and operate consistently across the data center, the edge, and any cloud.

NEW QUESTION 53

A cloud administrator is tasked with deploying two virtual machines (APP01 and APP02) to a software-defined data center (SDDC) with multiple clusters hosted in VMware Cloud on AWS based on the following requirements:

- APP01 and APP02 should NOT run on the same host.
- Only three hosts in the SDDC are entitled to run the software installed on these servers.
- All entitled hosts are in cluster 1.

Which two actions should the administrator take to meet these requirements? (Choose two)

- A. Create a Disable DRS vMotion policy.
- B. Create a VM-VM anti-affinity policy.
- C. Deploy APP01 to Cluster 1 and APP02 to cluster 2. a Create a VM-Host anti-affinity policy.
- D. Create a VM-Host affinity policy.

Answer: BD

Explanation:

VM-VM Anti-Affinity

A VM-VM anti-affinity policy describes a relationship between members of a category of VMs.

Use case:

When you want to place VMs running critical workloads on separate hosts so that the failure of one host does not affect other VMs in the category

Graphical user interface, text, application, email Description automatically generated

VM-Host Affinity

A VM-Host affinity policy describes a relationship between a category of VMs and a category of hosts.

Use cases:

- When host-based licensing requires that VMs running certain applications be placed on hosts that are licensed to run those applications
- When VMs with workload-specific configurations require placement on hosts that have certain characteristics

NEW QUESTION 57

Which statement most accurately describes the service features of VMware Cloud on Dell EMC? (Select one option)

- A. Dell technicians perform all software maintenance, as well as hardware fixes.
- B. When an onsite response is required to fix a problem related to a host, a Dell technician must arrive onsite within 24 hours.
- C. An SDDC includes a minimum of one rack with three host
- D. You can add hosts to the rack, up to the maximum supported by the rack.
- E. VMwareSite Recovery is included as part of the initial service offering.

Answer: C

Explanation:

The statement that most accurately describes the service features of VMware Cloud on Dell EMC is C. An SDDC includes a minimum of one rack with three hosts. You can add hosts to the rack, up to the maximum supported by the rack. An SDDC consists of a rack with a minimum of three hosts, which can then be expanded up to the maximum supported by the rack. VMware Site Recovery is not included as part of the initial service offering. VMware Cloud on Dell EMC provides a service that enables customers to run their VMware-based workloads on Dell EMC's hardware, in a jointly-engineered and fully-supported environment. The service allows customers to deploy a fully-configured VMware SDDC on Dell EMC VxRail or VxRack SDDC systems, with the option to add more hosts to the rack as needed.

NEW QUESTION 60

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

Answer: AD

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

NEW QUESTION 64

What is a key driver behind the multi-cloud journey?

- A. Facilitate disaster recovery
- B. Application modernization
- C. Digital transformation
- D. Cost savings

Answer: C

Explanation:

A key driver behind the multi-cloud journey is digital transformation, which is the process of using technology to optimize existing processes and systems in order to improve customer experiences, increase operational efficiency, and accelerate business growth. Multi-cloud solutions can help organizations modernize their applications and services, reduce costs, increase agility, and support digital transformation initiatives. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

NEW QUESTION 68

Which use cases apply to NSX logical routing? (Select two options)

- A. You must provide external connectivity to VMs and containers.
- B. Your organization must provide connectivity between VMs and containers that are connected to different segments.
- C. You want to provide layer 2 connectivity between VMs and microservices.
- D. You require intrinsic security for VMs connected to different segments.

Answer: AB

Explanation:

The two use cases that apply to NSX logical routing are A. You must provide external connectivity to VMs and containers, and B. Your organization must provide connectivity between VMs and containers that are connected to different segments. NSX logical routing allows you to provide external connectivity to VMs and containers, and to provide layer 3 connectivity between VMs and containers that are connected to different segments. It does not provide layer 2 connectivity between VMs and microservices or intrinsic security for VMs connected to different segments.

NEW QUESTION 72

A cloud administrator is looking for a unified solution to collect and analyze security events for troubleshooting from: VMware vSphere Windows Operating Systems Physical servers Web servers Database servers Amazon Web Services Which VMware Cloud service can meet this requirement?

- A. VMware vRealize Automation Cloud
- B. CloudHealth Secure State
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Network Insight Cloud

Answer: C

Explanation:

<https://blogs.vmware.com/management/2022/08/forwarding-vsphere-audit-and-authentication-events-from-vreal>

NEW QUESTION 76

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations. The following requirements must be met:

- A. Connectivity the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 79

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

Answer: C

Explanation:

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

NEW QUESTION 84

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower

latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c>

VMware Technical Support Guide
<https://www.vmware.com/pdf/techsupportguide.pdf>

Publishing Applications with VMware Horizon 7
<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 85

A cloud administrator is managing a VMware Cloud on AWS environment containing of a single cluster with three hosts. Which acts recovery site for the on-premises environment. The on-premises environment consists of eight hosts. what should the cloud administrator configure to optimize scaling for full disaster recovery?

- A. Configure an Elastic DRS policy and set the maximum cluster Size to 8.
- B. No Additional configuration is required Default Elastic DRS will fulfill the requirement
- C. Configure an Elastic DRS policy and select 'Optimize for Rapid scale-out'.
- D. Configure an Elastic DRS policy and set minimum cluster size to 8.

Answer: C

Explanation:

According to the VMware official documentation, in order to optimize scaling for full disaster recovery in a VMware Cloud on AWS environment, it is necessary to configure an Elastic DRS policy and select 'Optimize for Rapid scale-out' as the policy type. This option allows for a rapid increase in the number of hosts within the cluster, which is necessary for full disaster recovery. For more information, please refer to the VMware Cloud on AWS Disaster Recovery Guide, which can be found here:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/VMware-Cloud-on-AWS-Disaster-Recover>

NEW QUESTION 86

How is a Tanzu Kubernetes cluster deployed in a VMware Cloud environment?

- A. Using the VMware Cloud Console
- B. Using VMware Tanzu Mission Control
- C. Using the standard open-source kubectl
- D. Using the vSphere Plugin for kubectl

Answer: A

Explanation:

Tanzu Kubernetes clusters can be deployed in a VMware Cloud environment using the VMware Cloud Console. The VMware Cloud Console provides a user-friendly interface that allows users to quickly deploy and manage Tanzu Kubernetes clusters. The standard open-source kubectl can also be used to deploy Tanzu Kubernetes clusters. However, this requires a more in-depth knowledge of the kubectl command-line interface. Additionally, users can use the vSphere Plugin for kubectl to deploy and manage Tanzu Kubernetes clusters. This plugin provides a graphical user interface to manage the clusters, as well as additional features such as the ability to make cluster-level changes

NEW QUESTION 88

A Cloud Administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using VMWare -- need to be stretched for the migration. They will also be utilizing the capabilities of the WAN application for the migration.

HCX appliance requirements are as follows:

- > HCX Manager: 4 vCPU, 128GB Memory
- > HCX-IX Interconnect: 8 vCPU, 3GB Memory
- > HCX network Extension: 8 vCPU, 3GB Memory
- > HCX WAN Optimization: 8 vCPU, 14GB Memory

What are the on-premises vCPU and Memory component requirements for the VMWare HCX deployment?

- A. 36 vCPUs, 35GB of memory
- B. 32 vCPUs, 40GB of memory
- C. 30 vCPUs, 36GB of memory
- D. 28 vCPUs, 32GB of memory

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-D64901F4-6AB4-4820-9303-27927648A>

NEW QUESTION 89

Which hyperscaler partner is best suited for customers who need 100 GB bandwidth between SDDCs in the cloud? (Select one option)

- A. VMware Cloud on AWS
- B. Azure VMware Solution
- C. Oracle Cloud VMware Solution
- D. Google Cloud VMware Engine

Answer: A

Explanation:

VMware Cloud on AWS provides the highest level of performance, reliability, and scalability for customers who need to move large amounts of data between their SDDCs in the cloud. It is also the only hyperscaler partner that has the ability to quickly and easily provision entire SDDCs in the cloud. In addition, VMware Cloud on AWS offers the most comprehensive enterprise-grade features, such as automated backups and disaster recovery, which provide customers with peace of mind that their data is always secure and protected.

NEW QUESTION 92

A cloud administrator is tasked with improving the way that containers are scaled and managed in the environment. There is a currently no container orchestration solution implemented. Which solution can the administrator leverage to achieve this?

- A. VMware NSX Container Plugin
- B. Kubernetes
- C. VMware vRealize Suite Lifecycle Manager
- D. etcd

Answer: B

Explanation:

Kubernetes is an open-source container orchestration system for automating application deployment, scaling, and management, which provides features such as self-healing, auto-scaling, and service discovery. With Kubernetes, cloud administrators are able to easily scale and manage containers across multiple clusters and nodes, allowing them to more effectively manage container-based applications. Additionally, Kubernetes provides advanced features such as container scheduling, resource management, and service discovery, which are all essential for managing container-based applications in a production environment. For more information on Kubernetes, you can refer to the official VMware documentation [here](#).

NEW QUESTION 94

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

Answer: D

Explanation:

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

NEW QUESTION 97

Which logical switching component provides layer 2 forwarding functionality in a VMware Cloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

Answer: C

Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation [here](https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8): https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 100

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

Answer: BC

Explanation:

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC. <https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

NEW QUESTION 102

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered? (Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment

E. Floor and elevator weight capacity between loading dock and datacenter

Answer: AE

Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

NEW QUESTION 106

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC).

Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

Answer: B

Explanation:

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

NEW QUESTION 110

The VMware Cloud on Dell EMC subscription entitles companies to services and support In addition to the server and rack hardware and SDDC software. Which two services are Included In the subscription? (Choose two.)

- A. Onsite support for hardware break-fix within four hours
- B. Remote lifecycle management of the SDDC software
- C. Automated capacity forecasting and expansion
- D. Remote lifecycle management of virtual machine operating system software
- E. Professional services assistance with application migration

Answer: AB

Explanation:

VMware Cloud on Dell EMC is a fully managed VMware Cloud Service which includes a physical Dell VxRail hyper-converged infrastructure built to a customer's capacity needs and is delivered onsite preloaded with VMware vSphere®, VMware NSX®, and VMware vSAN™ software. Included with this service is full management of the hardware infrastructure, including monitoring, software patching and upgrades, security updates, lifecycle management, and break-fix service in the event of a hard failure. This service is backed by an Enterprise-grade Service Level Agreement (SLA). Figure 1 shows the VMware Cloud on Dell EMC infrastructure in greater detail, including all hardware necessary to deploy the infrastructure quickly right out of the crate.

NEW QUESTION 114

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

Answer: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR

plan.<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

NEW QUESTION 117

A cloud administrator is developing a new Private cloud in Google VMware Engine and wants to allow for Maximum growth. What are two valid subnet sizes that meets the requirement for the VMware vSphere/vSAN subnet? (Choose two.)

- A. /21
- B. /24
- C. /22
- D. /23
- E. /20

Answer: AE

Explanation:

<https://cloud.google.com/vmware-engine/docs/concepts-vlans-subnets>

NEW QUESTION 122

A cloud administrator is managing a Google Cloud VMware Engine environment with a single cluster consisting of 28 Hosts. The Administrator and, based on estimates from the application team, requires seven additional hosts. What should the administrator do?

- A. Add seven hosts to the existing cluster.
- B. Provision a new private cloud.
- C. Provision a new cluster.
- D. Nothing; the cluster will scale automatically.

Answer: C

Explanation:

<https://cloud.google.com/vmware-engine/docs/concepts-vmware-components> Node Considerations

You can specify the number of hosts to add or remove to or from their cluster. Private cloud initial setup happens in ~30 minutes.

Additional hosts can be added in ~15 minutes.

A three-node cluster is the minimum for production.

You can have up to 32 hosts per cluster.

You can have up to 64 hosts per private cloud.

NEW QUESTION 124

A cloud administrator needs to provide the security team with the ability to query and audit events and provide custom real-time alerts for the VMware NSX firewall running In VMware Cloud on AWS.

Which solution would the administrator use to accomplish this goal?

- A. CloudHealth by VMware
- B. VMware vRealize Log Insight Cloud
- C. VMware vRealize Network Insight Cloud
- D. VMware vRealize Operations Cloud

Answer: B

Explanation:

VMware vRealize Log Insight Cloud is a cloud-based log management and analytics solution that provides real-time visibility and analytics for VMware Cloud on AWS [1]. It allows security teams to query and audit events and set up custom real-time alerts. Additionally, it provides detailed insights into the activity of the VMware NSX firewall, allowing administrators to quickly identify suspicious activity and take action.

NEW QUESTION 127

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPSec VPN connection. The administrator is Informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPSec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency¹.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPSec VPN connection is unlikely to be effective as IPSec VPN has inherent limitations such as encryption overhead and packet fragmentation

NEW QUESTION 129

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates
- B. VMWare NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

Answer: ACF

Explanation:

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

NEW QUESTION 130

A cloud administrator would like the VMware Cloud on AWS cluster to automatically scale-out and scale-In based on resource demand. Which two Elastic DRS policies can be configured to meet this requirement? (Choose two.)

- A. Elastic DRS Baseline policy
- B. Optimize for Best Performance policy
- C. Optimize for Lowest Cost policy
- D. Custom Elastic DRS policy
- E. Optimize for Rapid Scale-Out policy

Answer: DE

Explanation:

The two Elastic DRS policies that can be configured to meet the requirement of automatically scaling out and in based on resource demand are the Custom Elastic DRS policy and the Optimize for Rapid Scale-Out policy. The Custom Elastic DRS policy allows you to configure the cluster to scale out when certain resource utilization thresholds are met, while the Optimize for Rapid Scale-Out policy allows you to configure the cluster to scale out when resource utilization is high and scale in when utilization is low.

Elastic DRS is a feature of VMware Cloud on AWS that enables automatic scaling of the cluster based on resource demand. To meet the requirement of automatic scaling, the administrator can configure a custom Elastic DRS policy or the Optimize for Rapid Scale-Out policy. Custom Elastic DRS policy allows administrator to define the custom rules for scale-out and scale-in based on resource utilization thresholds. Optimize for Rapid Scale-Out policy automatically scales-out the cluster when resource utilization threshold is met.

NEW QUESTION 132

Which two statements depict the VMWare Multi-cloud Vision? (Choose two)

- A. Deliver a consistent management and operations layer across any cloud
- B. Run the workloads in the cloud to eliminate security issues.
- C. Standardize at the DevSecOps and infrastructure level.
- D. Reduce the number of developers to increase productivity
- E. Modernize applications in the cloud of choice using the cloud-native services of that cloud provider

Answer: AE

Explanation:

VMware Multi-Cloud Vision enables customers to deliver a consistent management and operations layer across any cloud, and to modernize applications in the cloud of choice using the cloud-native services of that cloud provider. It does not run workloads in the cloud to eliminate security issues, standardize at the DevSecOps and infrastructure level, or reduce the number of developers to increase productivity.

NEW QUESTION 133

Which two components are required in order to deploy a Tanzu Kubernetes Grid Cluster in VMware Cloud environment? (Choose two)

- A. Tanzu CLI
- B. Supervisor namespace
- C. vSphere VM folder
- D. vSphere resource pool
- E. YAML manifest file

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.6/air-gap-reference-architecture/GUID-deploy>m

NEW QUESTION 134

What is a benefit of public cloud computing?

- A. Full control over physical data location
- B. Full control over software versions and software lifecycle
- C. Highly customizable and configurable hardware options
- D. Cost savings on capital hardware expenses

Answer: D

Explanation:

One benefit of public cloud computing is cost savings on capital hardware expenses. Since the cloud provider owns and manages the hardware, the customer does not need to invest in the purchase and maintenance of physical hardware, resulting in significant cost savings. Additionally, public cloud services often provide scalability and can be accessed from anywhere with an internet connection.

NEW QUESTION 137

Which VMware Cloud tool would an administrator use to forward all the monitored traffic to a network appliance for analysis and remediation?

- A. vRealize Log Insight
- B. Traceflow
- C. Port mirroring
- D. IPFIX

Answer: C

Explanation:

Port mirroring is a VMware Cloud tool that an administrator can use to forward all the monitored traffic to a network appliance for analysis and remediation. The network appliance can then analyze the mirrored traffic and take the appropriate remedial action. Port mirroring can also be used to identify and troubleshoot network issues, as well as monitor network activities.

Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination.

Port mirroring is used in the following scenarios:

- Troubleshooting - Analyze the traffic to detect intrusion and debug and diagnose errors on a network.
- Compliance and monitoring - Forward all of the monitored traffic to a network appliance for analysis and remediation.

Port mirroring includes a source group where the data is monitored and a destination group where the collected data is copied to. The source group membership criteria require VMs to be grouped based on the workload such as web group or application group. The destination group membership criteria require VMs to be grouped based on IP addresses. Port mirroring has one enforcement point, where you can apply policy rules to your SDDC environment.

The traffic direction for port mirroring is Ingress, Egress, or Bi Directional traffic:

- Ingress is the outbound network traffic from the VM to the logical network.
- Egress is the inbound network traffic from the logical network to the VM.
- Bi Directional is the traffic from the VM to the logical network and from the logical network to the VM. This is the default option.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 139

A cloud administrator establishes a VPN connection to the VMware Cloud data center but is unable to access the VMware Cloud vCenter. Which step can the administrator take to resolve this?

- A. Modify the default vCenter management network to participate in the on-premises IP space.
- B. Create a segment in the VMware Cloud data center for connection to the vCenter.
- C. Establish a layer 2 connection between the on-premises data center and the VMware Cloud data center.
- D. Create an NSX firewall rule in the VMware Cloud data center allowing access to the vCenter from the on-premises data center.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-ED8B8> By default, the management gateway firewall is set to deny all traffic between the internet and vCenter Server.

Verify that the appropriate firewall rules are in place.

The administrator can create an NSX firewall rule in the VMware Cloud data center that allows access to the vCenter from the on-premises data center. This would allow the VPN connection to connect to the vCenter, allowing the administrator to access and manage the VMware Cloud environment.

NEW QUESTION 142

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, which two networking constraints must be considered? (Choose two.)

- A. Fiber Channel connectivity
- B. Creating a direct connect to the nearest AWS Region
- C. Compatible top of rack switches
- D. Uplinks for local network connectivity
- E. Dedicated subnets for SDDC management network

Answer: CE

Explanation:

Compatible top of rack switches are necessary to ensure that the data center is able to support the VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts deployments [1]. The switches must support 10GE and 25GE ports, as well as Layer 3 routing protocols such as OSPF and BGP.

Dedicated subnets for SDDC management network are also needed for the deployment of VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts [1].

The SDDC management network will be used for communication between the VMware Cloud components and the data center, and must be isolated from the customer network.

NEW QUESTION 147

A cloud administrator wants to enable Enterprise Federation to the Cloud Services Portal in order to be able to authenticate with the on-premises Active Directory. The Administrator Already deployed the on-premises VMware Workspace One Access Connector. Through which port does the Cloud Service Portal communicate with Workspace ONE Access Connector?

- A. Idaps/636
- B. http/80
- C. https/443
- D. Idap/389

Answer: C

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace_one_access_install/GUID-E81 The Cloud Services Portal communicates with the Workspace ONE Access Connector via port 443 (HTTPS).

According to the VMware documentation [1], the Cloud Services Portal connects to the Access Connector on port 443 to authenticate users and authorize access to the cloud service. The Access Connector listens on port 443 and communicates with the Active Directory using LDAP over TLS (LDAPS) on port 636.

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/com.vmware.access.admi>

NEW QUESTION 150

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 2V0-33.22 Exam with Our Prep Materials Via below:

<https://www.certleader.com/2V0-33.22-dumps.html>