

## 2V0-33.22 Dumps

### VMware Cloud Professional

<https://www.certleader.com/2V0-33.22-dumps.html>



**NEW QUESTION 1**

A cloud administrator wants to restrict Junior administrators to creating, deleting, and managing virtual machines in the Development folder In the VMware Cloud on AWS vCenter Server instance.

Which type of access should be granted to these junior administrators?

- A. CloudAdmin role and global permissions
- B. CloudAdmin role on the Development folder
- C. Administrator role on the Development folder
- D. Administrator role on the cloud vCenter Server instance

**Answer: B**

**Explanation:**

This role is designed to give administrators access to manage virtual machines, networks, and other settings within the folder. The CloudAdmin role will also give the junior administrators access to all global permissions that are associated with the Development folder.

"The CloudAdmin role is designed to give administrators access to manage a single folder. This role grants access to manage virtual machines, networks, and other settings within the folder. Additionally, this role grants access to all global permissions that are associated with the folder. Foreexample, if the folder has global permissions that allow users to create or delete virtual machines, the CloudAdmin role will grant access to those permissions within the folder."

The CloudAdmin user can grant other users or groups read-only access to VMware Cloud on AWS vCenter management objects such as the Mgmt-ResourcePool, Management VMs folder, Discovered Virtual Machines folder, vmc-hostswitch, and vsanDatastore. Because this read-only access does not propagate to management objects, you cannot grant it as a Global Permission and instead must explicitly grant it for each management object. VMware Cloud on AWS runs a script once a day that updates any newly-created management objects (such as objects in a new cluster) so that the CloudAdmin user and CloudAdminGroup SSO group have the updated role applied. The script itself does not grant additional access to any user or group, so you'll need to wait until it completes before the CloudAdmin can use this workflow to grant read-only access to those objects.

**NEW QUESTION 2**

Exhibit:

NEW FOLDER UPLOAD FILES UPLOAD FOLDERS REGISTERED VM DOWNLOAD DATE COPY to MOVE TO RENAME TO DELETE

Name Size Modified Type Path

dvsData 05/03/2022, 9.10.21 AM Folder [vsandatastore]

.s dd.sf 05/03/2022, 9.10.21 AM Folder [vsandatastore]

app02-000002.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000003.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.hlog

05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap.lck 05/03/2022,

9.10.21 AM Folder [vsandatastore]

A cloud administrator is asked to troubleshoot a virtual machine (app02) that is performing slowly. The cloud Administrator noticed that app02 is consuming expected amount of disk space. As a first step, the cloud administrator uses VMware vCenter to check the snapshot manager for app02 and no snapshot -- cloud administrator then navigates to the app02 files on the datastore, and is presented with the information provided in the exhibits. Given the information provided, which task should the cloud administrator perform to resolve this issue?

- A. Migrate the virtual machine to a new datastore.
- B. Perform a snapshot consolidation.
- C. Power cycle the virtual machine.
- D. Execute a Delete All Snapshots task.

**Answer: D**

**NEW QUESTION 3**

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

**Answer: A**

**Explanation:**

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

**NEW QUESTION 4**

A Cloud Administrator is managing a VMware Cloud environment consisting of a single cluster with two hosts. The administrator is trying to create a new virtual machine and is getting the following error message: cannot complete file creation operation. There are currently 2 unable failure domains. the operation requires 3 more usable fault domain. failed to create object.

- A. The VM storage policy is configured Incorrectly for the cluster.
- B. There is insufficient CPU and memory based on the current virtual machine resource reservation settings.
- C. One of the hosts is in maintenance mode.
- D. vSphere Distributed Resource Scheduler (DRS) is enabled.

**Answer: C**

**Explanation:**

The error message that the Cloud Administrator is receiving indicates that the cluster is not able to meet the requirements of the new virtual machine due to insufficient fault domains. The most likely cause of this is that one of the hosts is in maintenance mode. When a host is in maintenance mode, it is not available to the cluster, and thus cannot provide the necessary fault domains. To correct this issue, the Cloud Administrator should ensure that all hosts in the cluster are available and not in maintenance mode before attempting to create the new virtual machine.

**NEW QUESTION 5**

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

**Answer:** ADE

**Explanation:**

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/server-virtualization.html>

**NEW QUESTION 6**

In VMware Cloud Disaster Recovery (VCDR), a protection group consists of which two components? (Choose two.)

- A. Members
- B. Policies for snapshots
- C. Virtual Machine File System (VMFS) datastores
- D. VM customizations
- E. Clusters

**Answer:** AB

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery/GUID> A protection group in VMware Cloud Disaster Recovery (VCDR) consists of members (virtual machines or VMs) and policies for snapshots. These policies define the consistent point-in-time copies of the VMs, which are used for disaster recovery. The protection group also includes virtual machine file system (VMFS) datastores, which are used to store the copies of the VMs, and VM customizations, which are used to customize the VMs. Clusters are not part of a protection group in VCDR.

**NEW QUESTION 7**

A cloud administrator is using VMware HCX to migrate application workloads between an on-premises data center and a VMware Public Cloud (UI!) capability of VMware HCX is being used to extend a number of on-premises network segments into the cloud to avoid IP re-addressing concerns. When the cloud administrator tries to extend a native layer 2 network segment from the cloud back into the on-premises data center, an error is encountered and the extension fails. What should the administrator do to enable network extension from the cloud side to on-premises in this scenario?

- A. Enable reverse L2E in the advanced configuration menu of HC
- B. Make the appropriate change and re-deploy the HCX Service Mesh.
- C. Ensure that the on-premises environment that has at minimum a VMware vSphere Distributed Switch with version 6.5 configured.
- D. Install VMware NSXT into the on-premise data center.
- E. Enable reverse L2E in the advanced configuration menu of HC
- F. Make the appropriate change, re-deploy the on-premise HCX Manager and re-pair the sites together.

**Answer:** B

**Explanation:**

The best solution for enabling network extension from the cloud side to the on-premises data center in this scenario is to ensure that the on-premises environment has at least a VMware vSphere Distributed Switch with version 6.5 configured. This will enable the reverse L2E feature, which is necessary for extending the native layer 2 network segment from the cloud back into the on-premises data center. For more information on how to configure reverse L2E and extend a network segment from the cloud to the on-premises data center, please refer to the official VMware documentation [here](#).

**NEW QUESTION 8**

Which three items should be considered when performing a hot migration of a virtual machine (VM)? (Choose three.)

- A. The source and destination host management network IP address families must match
- B. The vGPU configuration of the VM
- C. The status of the guest operating system in the VM
- D. The CPU instruction set required by the VM
- E. The source and destination host must have shared access to the storage that contains the VM
- F. The status of VMware Tools on the VM

**Answer:** CEF

**Explanation:**

For the source and destination host to have shared access to the storage that contains the VM, they must be able to access the same datastore. This requires that the datastore be available to both hosts and that the datastore has the same name on both hosts.

The status of VMware Tools on the VM should also be checked before performing a hot migration. VMware Tools is a suite of utilities that enhances the performance of a virtual machine's guest operating system and improves the management of the virtual machine. If VMware Tools is not installed or not up to date, the hot migration may fail.

Finally, the status of the guest operating system in the VM should also be checked before performing a hot migration. The guest operating system should be up and running and not in a suspended state. If the guest operating system is in a suspended state, the hot migration may fail.

The CPU instruction set required by the VM and the vGPU configuration of the VM are not items to consider when performing a hot migration of a virtual machine.

The source and destination host management network IP address families do not need to match for the hot migration to be successful.

References:

[1] [https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm\\_admin.doc/GUID-B2B7F78A](https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-B2B7F78A)

#### NEW QUESTION 9

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- The cluster should be able to scale automatically when additional resources are required.
- Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

**Answer: B**

#### Explanation:

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met.

For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

#### NEW QUESTION 10

How much throughput does a Google Cloud VMware Engine private cloud network provide?

- A. 25 Gbps
- B. 40 Gbps
- C. 100 Gbps
- D. 10 Gbps

**Answer: C**

#### Explanation:

The throughput provided by a Google Cloud VMware Engine private cloud network is 100 Gbps. This allows for a high level of performance and scalability, and supports a variety of services and applications. Additionally, the private cloud network is secure and reliable, providing support for different authentication methods and encryption standards.

#### NEW QUESTION 10

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations.

The following requirements must be met:

- Connectivity to the VMware Cloud on AWS environment must support high-throughput data transfer.
- Connectivity to the VMware Cloud on AWS environment must NOT have a single point of failure.
- Any network traffic between on-premises company locations must be sent over a private IP address space. Which design decisions should be made to meet these network connectivity requirements?

- A. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a secondary, standby Direct Connect from headquarters using a public VIF. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- B. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a public VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- C. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.
- D. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a policy-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

**Answer: C**

#### Explanation:

Option C is the best design decision that meets the network connectivity requirements. Configuring a Direct Connect from headquarters to VMware Cloud on AWS with a private VIF will ensure high-throughput data transfer and eliminate the single point of failure. To ensure that all network traffic between on-premises company locations is sent over a private IP address space, a route-based IPsec VPN tunnel should be configured as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. Finally, dual, redundant, route-based IPsec VPN connections should be configured from each regional office to VMware Cloud on AWS.

#### NEW QUESTION 12

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet

- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

**Answer:** D

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

**PREPARING FOR VMWARE CLOUD ON AWS**

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

**NEW QUESTION 14**

Which vSphere HA default response is applied when a virtual machine crashes on a VMware Cloud cluster?

- A. Restart the impacted virtual machine on the same host in the same SDDC cluster
- B. Shut down the impacted virtual machine and do not restart it anywhere
- C. Restart the impacted virtual machine on other hosts in other SDDC Cluster
- D. Restart the impacted virtual machine on other hosts in the same SDDC Cluster

**Answer:** D

**Explanation:**

VMware High Availability (HA) is a feature of the VMware Cloud platform that monitors the health of virtual machines and restarts virtual machines on other hosts if they crash or become unresponsive. This ensures that the virtual machines are always available and that no downtime is experienced. The default response is to restart the impacted virtual machine on other hosts in the same SDDC Cluster, however, this can be customized to suit the needs of the customer.

References:

[1][https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability\\_and\\_scala](https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.availability_and_scala)

**NEW QUESTION 16**

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

**Answer:** AD

**Explanation:**

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

**LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual**

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

**NEW QUESTION 19**

A cloud administrator has a portion of its on-premises infrastructure hardware that is going to be again out of its support lifecycle later this year. Due to the regulatory requirement, the applications running on this hardware cannot be migrated to the public cloud, but the Administrator is also trying to reduce its operational expenses of managing and maintaining the hardware it owns and reduce capital expenditures. Which two solutions would achieve these goals? (Choose two.)

- A. VMware Cloud on AWS Outpost

- B. VMware Cloud on Dell EMC
- C. VMware Cloud Foundation
- D. Oracle Cloud VMware Solution
- E. VMware Cloud on AWS

**Answer:** BE

**Explanation:**

VMware Cloud on Dell EMC is a service that allows customers to deploy and manage VMware Cloud Foundation in their own data center, eliminating the need to buy and maintain their own hardware. This solution allows customers to reduce costs associated with maintaining their own hardware, as well as reduce capital expenditures by not needing to buy new hardware.

VMware Cloud on AWS is a fully managed service that allows customers to run their VMware-based workloads on the AWS Cloud. This solution allows customers to take advantage of the scalability and cost savings of the public cloud, while still being able to maintain regulatory compliance for their workloads.

According to VMware's official website, "VMware Cloud on AWS is an on-demand service that enables customers to run applications across vSphere-based cloud environments with access to a broad range of AWS services. Customers get the same architecture, features, and operational experience regardless of where you deploy applications – on-premises, in the cloud, or in a hybrid or multi-cloud configuration." [1]

[1] <https://www.vmware.com/products/vmware-cloud-on-aws.html>

**NEW QUESTION 22**

A company needs to Increase its Infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

**Answer:** A

**Explanation:**

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

**NEW QUESTION 26**

A cloud administrator successfully configures a policy-based VPN between an on-premises data center and an instance of VMware Cloud Software-defined data center (SDDC). Although the workloads are reachable from both locations over the IP network, the cloud virtual machines cannot access an on-premises web service. What should the cloud administrator check first to resolve this issue?

- A. On-premises DNS settings
- B. VMware Cloud DNS settings
- C. On-premises gateway settings
- D. VMware Cloud gateway settings

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

**NEW QUESTION 28**

What is one way in which VMware Multi-Cloud addresses challenges with the cloud computing model?

- A. Provides savings on capital expenses and the use of a flexible payment structure where payment is only done based on the resources used.
- B. Provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment.
- C. Eliminates worry associated with managing IT infrastructures and shifts focus to application development and other priorities using the most up-to-date technology.
- D. Increases agility that encompasses scalability, customizability, and access to the cloud service from anywhere and on any device.

**Answer:** B

**Explanation:**

<https://www.vmware.com/topics/glossary/content/multi-cloud.html>

VMware Multi-Cloud provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment. This eliminates the need to manage multiple cloud environments in different clouds and provides a unified view of all cloud resources and applications. This makes it easier to monitor and manage workloads across clouds, reducing complexity and increasing agility.

VMware Multi-Cloud also provides powerful automation and orchestration capabilities to help streamline operations and improve efficiency. [1]

[1] <https://www.vmware.com/products/vmware-multi-cloud.html>

**NEW QUESTION 32**

A cloud administrator is managing a VMware Cloud on AWS environment consisting of a single cluster with six hosts. There have been no changes made to the Elastic DRS configuration.

In which two situations will Elastic DRS add another a host to the cluster? (Choose two.)

- A. When availability zone failure occurs
- B. When memory utilization reaches 90%
- C. When network utilization reaches 90%
- D. When CPU utilization reaches 90%
- E. When storage utilization reaches 80%

**Answer:** AE

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>  
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>

**NEW QUESTION 36**

Which out-of-the-box role is required in order to create a content library In VMware Cloud on AWS?

- A. CloudGlobalAdmin
- B. CloudAdmin
- C. Active Directory ESXi Admin
- D. Administrator@vSphere
- E. local

**Answer: B**

**Explanation:**

The CloudAdmin role has the privileges necessary to create and manage SDDC workloads and related objects such as storage policies, content libraries, vSphere tags, and resource pools

**NEW QUESTION 40**

What must a cloud administrator configure in order to allow a company's on-premises data center to access the VMware Cloud on AWS vCenter Server.

- A. Management network segment
- B. Compute gateway firewall
- C. Management gateway firewall
- D. Compute network segment

**Answer: C**

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

**NEW QUESTION 41**

What is the purpose of the VMware Cloud on AWS Compute Gateway (CGW)?

- A. A Tier-1 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- B. A Tier-1 router that handles workload traffic that is connected to routed compute network segments
- C. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- D. A Tier-0 router that handles workload traffic that is connected to routed compute network segments

**Answer: B**

**Explanation:**

Compute Gateway (CGW) The CGW is a Tier 1 router that handles network traffic for workload VMs connected to routed compute network segments. Compute gateway firewall rules, along with NAT rules, run on the Tier 0 router. In the default configuration, these rules block all traffic to and from compute network segments (see Configure Compute Gateway Networking and Security).

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-on-aws-networking-security.pdf>

**NEW QUESTION 46**

Given what you know about cloud, which examples illustrate its benefits? Select all options that apply.

- A. An organization requires fewer developers when it uses the cloud.
- B. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- C. A business stores infrequently accessed data in the cloud to benefit from reduced on-premises storage costs.
- D. An organization manages its cloud resources by using different cloud providers that are separate and isolated from each other.
- E. A developer codes an application in a cloud-based environment, and, with a few simple commands, deploys the application on the business website.
- F. In seconds, you receive a large amount of storage using a cloud option.

**Answer: BCEF**

**Explanation:**

Example B illustrates the benefit of cloud computing where an organization can manage its cloud resources by using different cloud providers that are separate and isolated from each other. This allows the organization to make use of features and services offered by different cloud providers in order to benefit from the best of different services.

Example C illustrates the benefit of cloud computing where a business can store infrequently accessed data in the cloud in order to benefit from reduced on-premises storage costs, as cloud storage is usually cheaper than on-premise storage.

Example E illustrates the benefit of cloud computing where a developer can code an application in a cloud-based environment, and, with a few simple commands, deploy the application on the business website. This eliminates the need for the developer to set up and manage the application on their own, as the cloud platform handles the deployment and hosting of the application.

Example F illustrates the benefit of cloud computing where a large amount of storage can be made available in seconds using a cloud option. This is useful for businesses that require a large amount of storage but don't have the resources to set up and manage their own storage solution.

For more information on the benefits of cloud computing, see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-getting-started/GUID-F>

**NEW QUESTION 50**

What is a key driver behind the multi-cloud journey?

- A. Facilitate disaster recovery
- B. Application modernization
- C. Digital transformation
- D. Cost savings

**Answer: C**

**Explanation:**

A key driver behind the multi-cloud journey is digital transformation, which is the process of using technology to optimize existing processes and systems in order to improve customer experiences, increase operational efficiency, and accelerate business growth. Multi-cloud solutions can help organizations modernize their applications and services, reduce costs, increase agility, and support digital transformation initiatives. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

**NEW QUESTION 55**

Refer to the exhibit.



A cloud administrator is investigating a reported performance issue on a virtual machine (VM). The administrator observes low latency on the datastore but high latency within the VM. The administrator notes that it is a standard operating procedure to take a snapshot of the VM whenever there is an application or operating system upgrade on this VM.

Based on the exhibit, which snapshot characteristic will result in performance degradation?

- A. Snapshot chain length
- B. Snapshot size
- C. Snapshot type
- D. Snapshot age

**Answer: A**

**Explanation:**

<https://www.nakivo.com/blog/vmware-snapshots-vsphere-how-to/#title-12> Follow these recommendations to get the best performance when using snapshots:

- Use snapshots as a temporary measure only. The presence of snapshots can have a significant impact on guest application performance, especially in a VMFS environment, for I/O intensive workloads. The guest applications fully recover performance after snapshots are deleted.
- Keep the snapshot chain length short when possible, to minimize the guest application performance impact. Performance degradation is higher as the snapshot chain length increases.
- If you need to increase the size of a virtual disk that has snapshots associated with it, you must delete the snapshots first before you can increase the virtual disk's size.

**NEW QUESTION 58**

A customer is concerned about threats propagating out to their cloud disaster recovery site. Which VMware Cloud solution offers the capability for an operational air-gap to stop ransomware?

- A. VMware Cloud Disaster Recovery
- B. VMware Hybrid Cloud Extension
- C. VMware Site Recovery
- D. VMware Secure Access Service Edge

**Answer: A**

**Explanation:**

<https://blogs.vmware.com/virtualblocks/2021/09/28/operational-air-gaps/>

Operational isolation (operational “air-gapping”) is critical to DR. VMware Cloud DR was designed from the very beginning for its systems and repository to be operationally isolated and for instantiating isolated recovery environments.

**NEW QUESTION 60**

If a company connects their data center to a VMware Cloud on AWS software-defined data center (SDDC) Instance through a virtual private network (VPN) and advertises a 0.0.0.0/0 route, what is the expected behavior of the SDDC compute network traffic?

- A. All compute and management traffic will egress to the data center.
- B. All compute network traffic destined for the data center will egress through the VPN but all Internet traffic will egress through the cloud provider Internet gateway.
- C. All compute network traffic will egress through the cloud provider Internet gateway.
- D. All compute network traffic will egress to the data center.

**Answer: D**

**Explanation:**

When a VPN is established between the data center and the SDDC Instance, it allows the organization to create a private and secure connection between their on-premises infrastructure and their workloads running in the cloud. By advertising a 0.0.0.0/0 route, the organization is essentially routing all traffic to the VPN tunnel, which means that all traffic including traffic destined for the data center and internet traffic, will be sent through the VPN tunnel to the company's data center. It is important to note that this configuration depends on the company's network architecture and security policies, and that there may be other alternatives that better fit the organization's needs.

**NEW QUESTION 61**

What are two incident management services included in the VMware Cloud on AWS service management process? (Choose two)

- A. VMware Tools management
- B. Incident Management
- C. Microsoft License management
- D. Capacity management
- E. Workload OS management

**Answer:** BD

**Explanation:**

The two incident management services included in the VMware Cloud on AWS Service Management process are Incident Management and Capacity Management.

Incident Management is responsible for detecting, classifying, and resolving incidents quickly and effectively. It includes monitoring and alerting, incident response, and problem management. Capacity Management is responsible for predicting, measuring, and managing the capacity of the infrastructure. It includes capacity planning, performance analysis, and resource optimization.

References:

[1]<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/cloud-management/vmware-cloud-o>

**NEW QUESTION 63**

A cloud administrator is looking for a unified solution to collect and analyze security events for troubleshooting from: VMware vSphere Windows Operating Systems Physical servers Web servers Database servers Amazon Web Services Which VMware Cloud service can meet this requirement?

- A. VMware vRealize Automation Cloud
- B. CloudHealth Secure State
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Network Insight Cloud

**Answer:** C

**Explanation:**

<https://blogs.vmware.com/management/2022/08/forwarding-vsphere-audit-and-authentication-events-from-vreal>

**NEW QUESTION 65**

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

**Answer:** B

**Explanation:**

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

**NEW QUESTION 67**

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

**Answer:** A

**Explanation:**

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

#### NEW QUESTION 71

A Cloud administrator is starting to plan a workload migration and wants to estimate the cost of running those workloads on VMware Cloud. Which VMware Cloud service should the administrator use to achieve this goal?

- A. VMware vRealize Network Insight Cloud
- B. VMware vRealize Operations Cloud
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Automation Cloud

**Answer: B**

#### Explanation:

Managing Costs:

With its capacity and cost management features, vRealize Operations Cloud can predict future demand and provide actionable recommendations to help in managing costs.

Reclamation of Existing Resources:

Assess workload status and resource contention in data centers across your environment:

- > Determine the time remaining until CPU, memory, or storage resources run out.
- > Realize cost savings when underutilized VMs are identified and reclaimed to be deployed more effectively.

Future Infrastructure Requirements

Run what-if scenarios:

- > Identify how much capacity remains after you add or remove VMs or hosts.
- > Add hyperconverged infrastructure (HCI) nodes.
- > Get a recommendation based on the cost relative to workload placement on different hosts, clusters, data centers, and even different clouds.

Cloud Migration Planning:

Migration planning shows you the capacity and cost information after the migration to a cloud-based infrastructure.

Cost Overview

vRealize Operations Cloud supports costing for private clouds, public clouds, and VMware Cloud infrastructure.

You can track expenses for a single virtual machine, and identify how these expenses attribute to the overall cost associated with your private cloud accounts and VMware Cloud infrastructure accounts.

On the Cost Overview

home page in vRealize Operations Cloud, you can find details about the costs

associated with your VMware Cloud infrastructure accounts, public cloud accounts, and your private cloud accounts.



You can view the Total Cost of Ownership, Potential Savings, and Realized Savings for your VMware Cloud infrastructure cloud accounts and vSphere private cloud accounts, and Total Cost of Ownership for your private cloud accounts.

#### NEW QUESTION 74

Refer to the exhibit.



A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

**Answer: A**

#### Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-on-aws> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises

DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

**NEW QUESTION 75**

A Cloud Administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using VMware -- need to be stretched for the migration. They will also be utilizing the capabilities of the WAN application for the migration.

HCX appliance requirements are as follows:

- HCX Manager: 4 vCPU, 128GB Memory
- HCX-IX Interconnect: 8 vCPU, 3GB Memory
- HCX network Extension: 8 vCPU, 3GB Memory
- HCX WAN Optimization: 8 vCPU, 14GB Memory

What are the on-premises vCPU and Memory component requirements for the VMware HCX deployment?

- A. 36 vCPUs, 35GB of memory
- B. 32 vCPUs, 40GB of memory
- C. 30 vCPUs, 36GB of memory
- D. 28 vCPUs, 32GB of memory

**Answer:** A

**Explanation:**

<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-D64901F4-6AB4-4820-9303-27927648A>

**NEW QUESTION 79**

Which Tanzu Kubernetes Grid component is used to create, scale, upgrade and delete workload clusters?

- A. Tanzu Kubernetes cluster
- B. Tanzu CLI
- C. Tanzu Supervisor cluster
- D. Tanzu Kubernetes Grid extensions

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D>

Tanzu CLI is a command-line interface used to create, scale, upgrade, and delete workload clusters that are part of the Tanzu Kubernetes Grid [1]. Tanzu CLI also allows you to manage the components of the Tanzu Kubernetes Grid [1], such as the Tanzu Kubernetes cluster and the Tanzu Supervisor cluster. It also provides access to the Tanzu Kubernetes Grid extensions [1], which allow you to extend the functionality of the Tanzu Kubernetes cluster.

**NEW QUESTION 80**

A cloud administrator is tasked with improving the way that containers are scaled and managed in the environment. There is a currently no container orchestration solution implemented. Which solution can the administrator leverage to achieve this?

- A. VMware NSX Container Plugin
- B. Kubernetes
- C. VMware vRealize Suite Lifecycle Manager
- D. etcd

**Answer:** B

**Explanation:**

Kubernetes is an open-source container orchestration system for automating application deployment, scaling, and management, which provides features such as self-healing, auto-scaling, and service discovery. With Kubernetes, cloud administrators are able to easily scale and manage containers across multiple clusters and nodes, allowing them to more effectively manage container-based applications. Additionally, Kubernetes provides advanced features such as container scheduling, resource management, and service discovery, which are all essential for managing container-based applications in a production environment. For more information on Kubernetes, you can refer to the official VMware documentation [here](#).

**NEW QUESTION 81**

A cloud administrator is establishing connectivity between their on-premises data center and VMware Cloud. The Administrator wants to leverage Border gateway Protocol (BGP) to Dynamically learn when new networks are created. Which type of VPN should the administrator configure to accomplish this?

- A. Layer 2 VPN
- B. SSL VPN
- C. Policy-based IPSec VPN
- D. Route-based IPSec VPN

**Answer:** D

**Explanation:**

Route-based IPSec VPNs provide the flexibility to dynamically learn when new networks are created, making them the ideal choice for establishing connectivity between an on-premises data center and VMware Cloud. Route-based IPSec VPNs use the Border Gateway Protocol (BGP) to dynamically learn and propagate routes over the VPN tunnel, allowing for scalable and secure connectivity. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-ED>

**NEW QUESTION 83**

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud

software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

**NEW QUESTION 88**

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

**Answer:** B

**Explanation:**

Customer responsibility “Security in the Cloud” – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

**NEW QUESTION 93**

Which two steps does a cloud administrator need to take when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery? (Choose Two.)

- A. Deploy the vSphere Replication virtual appliance.
- B. Deploy the Site Recovery manager virtual Appliance.
- C. Connect the Site Recovery manager instance on the protected recovery site.
- D. Register the vSphere Replication appliance with vCenter Single Sign-On
- E. Set the NSX-T Edge management gateway firewall rules.

**Answer:** AC

**Explanation:**

A cloud administrator needs to deploy the vSphere Replication virtual appliance and the Site Recovery manager virtual appliance when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery.

The vSphere Replication virtual appliance is responsible for replicating the virtual machines from the source to the target site. Site Recovery Manager virtual appliance acts as the central management and orchestration platform for the entire disaster recovery process.

**NEW QUESTION 96**

Which types of networks are available when creating a segment in VMware Cloud on AWS?

- A. Routed, Extended, Disconnected
- B. Advertised, Extended, Isolated
- C. Routed, Stretched, Disconnected
- D. Advertised, Stretched, Isolated

**Answer:** A

**Explanation:**

VMware Cloud on AWS GovCloud supports three types of network segments: routed, extended and disconnected.

Routed networks: Routed networks allow you to route traffic between the on-premises data center and the VMware Cloud on AWS environment using a VPN or AWS Direct Connect.

Extended networks: Extended networks allow you to extend the on-premises network to the VMware Cloud on AWS environment using VXLAN. This type of network allows you to extend the on-premises VLANs to the cloud environment, providing a seamless network extension.

Disconnected networks: Disconnected networks are used when there is no direct connectivity between the on-premises data center and the VMware Cloud on AWS environment. This type of network allows you to create isolated networks in the cloud environment for specific use cases, such as disaster recovery or testing.

[https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-\(US\)/services/vmc-govcloud-networking-secu](https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-(US)/services/vmc-govcloud-networking-secu)

**NEW QUESTION 98**

The VMware Cloud on Dell EMC subscription entitles companies to services and support In addition to the server and rack hardware and SDDC software. Which two services are Included In the subscription? (Choose two.)

- A. Onsite support for hardware break-fix within four hours
- B. Remote lifecycle management of the SDDC software
- C. Automated capacity forecasting and expansion
- D. Remote lifecycle management of virtual machine operating system software
- E. Professional services assistance with application migration

**Answer:** AB

**Explanation:**

VMware Cloud on Dell EMC is a fully managed VMware Cloud Service which includes a physical Dell VxRail hyper-converged infrastructure built to a customer's capacity needs and is delivered onsite preloaded with VMware vSphere®, VMware NSX®, and VMware vSAN™ software. Included with this service is full management of the hardware infrastructure, including monitoring, software patching and upgrades, security updates, lifecycle management, and break-fix service in the event of a hard failure. This service is backed by an Enterprise-grade Service Level Agreement (SLA). Figure 1 shows the VMware Cloud on Dell EMC infrastructure in greater detail, including all hardware necessary to deploy the infrastructure quickly right out of the crate.

**NEW QUESTION 100**

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. \* 1- Create a new segment attached to the Tier-0 gateway\* 2. Configure the segment DHCP ip-helper
- B. \* 1. Create a DHCP server profile\* 2. Create a new segment attached to the Tier-0 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. \* 1. Create a new segment attached to the Tier-1 gateway\* 2. Configure the segment DHCP ip-helper
- D. \* 1. Create a DHCP relay profile\* 2. Create a new segment attached to the Tier-1 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

**Answer:** B

**Explanation:**

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam

([https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www\\_edu&a=one&id\\_subject=45954](https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954)), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

**NEW QUESTION 105**

Which three factors should a cloud administrator consider when sizing a new VMware Cloud software-defined data center (SDDC) to support the migration of workloads from an on-premises SDDC? (Choose three.)

- A. Total number of 10Gb network ports required
- B. Host hardware type in the target VMware Cloud
- C. Total number of on-premises hosts
- D. Total number of workloads
- E. Total amount of available storage across all on-premises datastores
- F. Average size of workload resources (CPU & RAM)

**Answer:** DEF

**Explanation:**

- Total number of workloads. This determines how many hosts are needed in the VMware Cloud SDDC cluster.
- Total amount of available storage across all on-premises datastores. This determines how much storage capacity is needed in the VMware Cloud SDDC cluster.
- Average size of workload resources (CPU & RAM). This determines how much compute capacity is needed in the VMware Cloud SDDC cluster.

<https://docs.vmware.com/en/VMware-Cloud/services/vmc-cloud-sizer-user/GUID-7CECF719-E56B-4830-84E>

**NEW QUESTION 107**

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPsec VPN connection. The administrator is informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPsec VPN connection.

**Answer:** B

**Explanation:**

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPsec VPN connection is unlikely to be effective as IPsec VPN has inherent limitations such as encryption overhead and packet fragmentation.

**NEW QUESTION 109**

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory
- C. Minimal overhead is required in the on-premises data center.
- D. Centralized administration is available through the VMware vSphere Client.

**Answer:** A

**Explanation:**

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

**NEW QUESTION 113**

Which statements accurately describe gateway firewalls and distributed firewalls? (Select two options)

- A. Gateway firewalls and distributed firewalls can share the same sets of rules and policies.
- B. Only gateway firewalls use stateful rules.
- C. A distributed firewall controls the I/O path to and from a VM's virtual NIC.
- D. A gateway firewall protects north-south traffic.

**Answer:** BD

**Explanation:**

Gateway firewalls are used to protect east-west traffic, while distributed firewalls control the I/O path to and from a VM's virtual NIC. Furthermore, gateway firewalls and distributed firewalls cannot share the same sets of rules and policies.

**NEW QUESTION 118**

Which two statements depict the VMware Multi-cloud Vision? (Choose two)

- A. Deliver a consistent management and operations layer across any cloud
- B. Run the workloads in the cloud to eliminate security issues.
- C. Standardize at the DevSecOps and infrastructure level.
- D. Reduce the number of developers to increase productivity
- E. Modernize applications in the cloud of choice using the cloud-native services of that cloud provider

**Answer:** AE

**Explanation:**

VMware Multi-Cloud Vision enables customers to deliver a consistent management and operations layer across any cloud, and to modernize applications in the cloud of choice using the cloud-native services of that cloud provider. It does not run workloads in the cloud to eliminate security issues, standardize at the DevSecOps and infrastructure level, or reduce the number of developers to increase productivity.

**NEW QUESTION 119**

What is a benefit of public cloud computing?

- A. Full control over physical data location
- B. Full control over software versions and software lifecycle
- C. Highly customizable and configurable hardware options
- D. Cost savings on capital hardware expenses

**Answer:** D

**Explanation:**

One benefit of public cloud computing is cost savings on capital hardware expenses. Since the cloud provider owns and manages the hardware, the customer does not need to invest in the purchase and maintenance of physical hardware, resulting in significant cost savings. Additionally, public cloud services often provide scalability and can be accessed from anywhere with an internet connection.

**NEW QUESTION 124**

With which solution is the cloud administrator interfacing when defining storage policies in a VMware Cloud software-defined data center (SDDC)?

- A. VMware Virtual Volumes (vVols)
- B. VMware vSAN
- C. iSCSI
- D. VMware Virtual Machine File System (VMFS)

**Answer:** B

**Explanation:**

VMware vSAN is a distributed storage platform that is integrated into the VMware Cloud software-defined data center (SDDC). It provides policy-based storage management, allowing cloud administrators to define storage policies that can be applied to virtual machines and other workloads. These policies govern how data is stored, replicated, and secured, and are used to ensure that data is stored in a consistent and compliant manner.  
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

**NEW QUESTION 129**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 2V0-33.22 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/2V0-33.22-dumps.html>