



Microsoft

Exam Questions MS-203

Microsoft 365 Messaging

NEW QUESTION 1

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > Go to the Microsoft 365 admin center and then click on Users
- > Select Pradeep Gupta.
- > Active users.
- > On the properties flyout page, click the Mail hold tab, and then under More actions, click Manage litigation Graphical user interface, application Description automatically generated



Abraham McMahon

Reset password Block sign-in Delete user

Change photo

Account Devices Licenses and apps **Mail** OneDrive

Mailbox permissions

Full control Full control Full control Full control Full control Full control

Email apps

POP blocked
 OWA blocked
 IMAP blocked
 Other email apps allowed
[Manage email apps](#)

Show in global address list

Yes
[Manage global address list visibility](#)

Email forwarding

None
[Manage email forwarding](#)

Automatic replies

On
[Manage automatic replies](#)

More actions

[Convert to shared mailbox](#)
[Edit Exchange properties](#)
[Manage litigation hold](#)

➤ On the Manage litigation hold flyout page, select the turn on litigation hold checkbox and then enter the following optional information:
 Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.
 Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.
 Web page with more information for the user: Use this box to direct the user to a website for more information.
 Click Save changes on the litigation hold flyout page to create the hold.
 The system displays a banner saying it might take up to 240 minutes for the change to take effect. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-litigation-hold?view=o365-worldwide>

NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.

Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,bookinp*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy         : {/o=ExchangeLabs/ou=Exchange Administrative Group
                      (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfdd211974ea68d22dae2c891db02-Managers}
RequestOutOfPolicy   : {}
RequestInPolicy      : {/o=ExchangeLabs/ou=Exchange Administrative Group
                      (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ecla8f94-User2}
ResourceDelegates    : {User4}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
 The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.
 Box 2: No
 The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.
 Box 3: No
 The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.
 Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-calendarprocessing?view=exchange-ps>

NEW QUESTION 3

- (Exam Topic 5)
 You manage an Exchange Online tenant.
 You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.
 You need to grant the required permissions to the migration administrator account to complete the migration. The solution must use the principle of least privilege.
 Which three permissions should you grant? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. the FullAccess permission on each on-premises mailbox and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- C. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization
- D. the FullAccess permission on each on-premises mailbox
- E. the Receive As permission on the on-premises mailbox database that stores the user mailboxes

Answer: CDE

Explanation:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration>

NEW QUESTION 4

- (Exam Topic 5)
 You have a Microsoft Exchange Online tenant.
 Users report that legitimate email messages are delivered to their Junk Email folder.
 You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue. Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 5

- (Exam Topic 5)
 You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device. You need to enable Exchange ActiveSync logging

for User1 and retrieve the log files.

Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-sched>

NEW QUESTION 6

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You need to prevent all users from performing the following tasks:

- > Sending out-of-office replies to an email domain named fabrikam.com.
- > Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create one mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 7

- (Exam Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com. The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

- Office 365
- Your organization's email server
- Partner organization
- Internet

Answer Area

To:

From:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 8

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal

- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:
<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 9

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA). You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete <https://mail.contoso.com> from the ExternalUrl value.
- D. Modify the InternalUrl value to <http://mail.contoso.com>.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthen>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online. You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege. Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchse>

NEW QUESTION 10

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress> Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 12

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 14

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'."

You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-er>

NEW QUESTION 15

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files.

You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online.

What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 16

- (Exam Topic 5)

You run the Get-WebServicesVirtualDirectory cmdlet as shown in the following exhibit.

```
PowerShell I-preview o(64)
PS C:\> Get-WebServicesVirtualDirectory | FOPMAT-Table

Identity MRSProxyEnabled InternalURL ExternalURL
-----
MBX1      False https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX2      True  https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX3      False https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx

PS C:\> Get-ExchangeCertificate | Format-Table

Thumbprint RootCAType ISSelfSigned Services
-----
A80VE8IE410PCANGPTG14VPXYC51H9AGRN72KFZG6 None True SMTP
TTVQY2WYH851594CZ06ZNNWF5JK98I6N667RF9XK4 ThirdParty False IIS, IMAP, POP

PS C:\>
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

What should you do to ensure that all mailboxes can be synced successfully?

▼

Enable the MRS proxy endpoint on all servers.

Disable the MRS proxy endpoint on all servers.

Update the external URL to outlook.office365.com.

What should you do to ensure that email can be delivered between on-premises users and Microsoft Exchange Online users?

▼

Configure IMAP to use a self-signed certificate.

Configure SMTP to use a third-party certificate.

Disable the MRS proxy endpoint on all servers.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

The MRS proxy endpoint needs to be enabled on all mailbox servers.

Box 2:

SMTP is used to deliver email between on-premise users and Exchange Online users. This requires a third-party (public CA) certificate.

Reference:

<https://docs.microsoft.com/en-us/Exchange/architecture/mailbox-servers/mrs-proxy-endpoint?view=exchserver>

NEW QUESTION 17

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you modify the properties of the Send connectors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 21

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

From Exchange Online, create the target public folder mailboxes.

From Exchange Online, run the Set-organizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command

From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script

From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script

From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command

From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 25

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 27

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 30

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Another administrator at contoso.com plans to deploy an SMTP smart host that uses an IP address of 131.107.2.200.

You need to prepare a solution to route all emails sent to users in the @contoso.com domain from your organization by using the SMTP host. The solution must have a status set to Off until the administrator deploys the smart host.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the EAC, navigate to Mail flow >Send connectors, and then click Add +. This starts the New Send connector wizard.

> On the first page, enter the following information:
 - Name: Enter a descriptive name for the Send connector, for example, Smart host to Internet.
 - Type: Select a descriptive value. For example, Internet oCr ustom.

When you're finished, click Next.

> On the next page, select Route mail through smart hosts, and then click Add +. In the Add smart host dialog box that appears, identify the smart host by using one of the following values:

- IP address: For example, 192.168.3.2.
- Fully qualified domain name (FQDN): For example, securitydevice01.contoso.com. Note that the Exchange source servers for the Send connector must be able to resolve the smart host in DNS by using this FQDN.

When you're finished, click Save.

➤ You can enter multiple smart hosts by repeating Step 3. When you're finished, click Next.

➤ On the next page, in the Route mail through smart hosts that's required by the smart host. Valid values are:

section, select the authentication method

Table Description automatically generated

TABLE 1

Authentication mechanism	Description
None	No authentication. For example, when access to the smart host is restricted by the source IP address.
Basic authentication	Basic authentication. Requires a username and password. The username and password are sent in clear text.
Offer basic authentication only after starting TLS	Basic authentication that's encrypted with TLS. This requires a server certificate on the smart host that contains the exact FQDN of the smart host that's defined on the Send connector.
Exchange Server authentication	Generic Security Services application programming interface (GSSAPI) and Mutual GSSAPI authentication.
Externally secured	The connection is presumed to be secured by using a security mechanism that's external to Exchange. The connection may be an Internet Protocol security (IPsec) association or a virtual private network (VPN). Alternatively, the servers may reside in a trusted, physically controlled network.

➤ When you're finished, click Next.

➤ On the next page, in the Address space

appears, enter the following information:

section, clickAdd +. In the Add domain dialog box that

- Type: Verify SMTP is entered.

- Fully Qualified Domain Name (FQDN): Enter an asterisk (*) to indicate the Send connector applies to messages addressed to all external domains. Alternatively, you can enter a specific external domain (for example, contoso.com), or a domain and all subdomains (for example, *.contoso.com).

- Cost: Verify 1 is entered. A lower value indicates a more preferred route for the domains you specified. When you're finished, click Save.

➤ Back on the previous page, the Scoped send connector

setting is important if your organization has

Exchange servers installed in multiple Active Directory sites:

- If you don't select Scoped send connector, the connector is usable by all transport servers (Exchange 2013 or later Mailbox servers and Exchange 2010 Hub Transport servers) in the entire Active Directory forest. This is the default value.

- If you select Scoped send connector, the connector is only usable by other transport servers in the same Active Directory site.

When you're finished, click Next.

➤ On the next page, in the Source server

section, clickAdd +. In the Select a Server

dialog box that

appears, select one or more Mailbox servers that you want to use to send outbound mail to the smart host. If you have multiple Mailbox servers in your environment, select the ones that can route mail to the smart host. If you have only one Mailbox server, select that one. After you've selected at least one Mailbox server, click Add, click OK, and then click Finish.

After you create the Send connector, it appears in the Send connector list. From the Send connector list, you can turn the connector on or off. Reference: <https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/outbound-smart-host-routing?view=exchserver>

NEW QUESTION 33

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy**

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy**
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy**
- select a different quarantine policy for the default anti-malware policy**

NEW QUESTION 34

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 39

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com. You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

- > All email messages received from the internet must be filtered for spam by Microsoft 365.
- > Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites>

NEW QUESTION 42

- (Exam Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy.
- B. From the Security & Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:
<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 47

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) when they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C

Explanation:

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 48

- (Exam Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung.

What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log

- D. Run an administrator role group report
- E. Export the mailbox audit logs

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditi>

NEW QUESTION 50

- (Exam Topic 4)

You need to ensure that Allan Deyoung can create a new public folder for the sales department. Which two actions should you perform first? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add Allan Deyoung to the Organization Management role group
- B. Create a new public folder mailbox
- C. Add Allan Deyoung to the Recipient Management role group
- D. Create a new shared mailbox
- E. Modify Sales Policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/set-up-public-folders>

NEW QUESTION 54

- (Exam Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoun
- D. set ElcProcessingDisabled to true
- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

NEW QUESTION 55

- (Exam Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start. You need to troubleshoot the issue. From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

Answer: D

Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

NEW QUESTION 57

- (Exam Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationshi>

NEW QUESTION 62

- (Exam Topic 4)

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact1 only
- B. Contact2 only
- C. Contact1 and Contact3 only
- D. Contact2 and Contact3 only
- E. Contact1, Contact2. and Contact3

Answer: D

NEW QUESTION 64

- (Exam Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

▼

0

1

2

3

4

RPTs:

▼

0

1

2

3

4

5

6

7

Personal tags:

▼

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Table Description automatically generated

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:

- Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:

- Automatically delete items in the Junk Email folder after 30 days.
- Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

- Enable users to tag items for deletion after one year.
- Enable users to tag items for deletion after two years.
- Enable users to tag items to be archived after one year.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 66

- (Exam Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>

NEW QUESTION 67

- (Exam Topic 3)

You need to generate a report for the mobile devices that meets the technical requirements. Which PowerShell cmdlet should you use?

- A. Get-DevicePolicy
- B. Get-MobileDevice
- C. Get-MobileDeviceStatistics
- D. Get-DeviceTenantPolicy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mobiledevice?view=exchange-ps>

NEW QUESTION 68

- (Exam Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com" Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

<input type="checkbox"/>	All data is deleted.
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

<input type="checkbox"/>	All data is deleted.
<input type="checkbox"/>	Only email messages are deleted.
<input type="checkbox"/>	Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 70

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 75

- (Exam Topic 2)

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:

<input type="checkbox"/>	
<input type="checkbox"/>	1
<input type="checkbox"/>	2
<input type="checkbox"/>	3
<input type="checkbox"/>	14
<input type="checkbox"/>	30

Retention policies:

<input type="checkbox"/>	
<input type="checkbox"/>	1
<input type="checkbox"/>	2
<input type="checkbox"/>	3
<input type="checkbox"/>	14
<input type="checkbox"/>	30

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Retention tags:

	▼
1	
2	
3	
14	
30	

Retention policies:

	▼
1	
2	
3	
14	
30	

NEW QUESTION 79

- (Exam Topic 2)

You need to configure the required objects for the branch office administrators. What should you create for each administrator?

- A. a management role assignment policy and a management role group
- B. a management role scope and a management role assignment
- C. a management role scope and a management role group
- D. a management role and a management role assignment policy

Answer: C

Explanation:

Reference:

<https://practical365.com/exchange-server/exchange-server-role-based-access-control-in-action/>

NEW QUESTION 82

- (Exam Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements. What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

NEW QUESTION 85

- (Exam Topic 2)

You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 87

- (Exam Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements

Yes

No

- For User1 to share contacts with the users at Fabrikam, a federation trust is required. Yes No
- User2 can share free/busy hours, subject, and location with the users at Contoso. Yes No
- User3 can share calendars with the users at Litware. Yes No

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements

Yes

No

- For User1 to share contacts with the users at Fabrikam, a federation trust is required. Yes No
- User2 can share free/busy hours, subject, and location with the users at Contoso. Yes No
- User3 can share calendars with the users at Litware. Yes No

NEW QUESTION 92

- (Exam Topic 1)

You need to configure the Exchange organization to meet the security requirements for sending email messages to distribution groups. Which cmdlet should you run?

- A. Set-OrganizationConfig
- B. Set-DistributionGroup
- C. Set-Mailbox
- D. New-PolicyipConfig

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 93

- (Exam Topic 1)

You need to configure the environment to support the planned changes for email addresses. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```

-Name 'UserMailboxes'

Set-Mailbox
Set-MailboxPlan
Update-EmailAddressPolicy
New-EmailAddressPolicy

-RecipientFilter {(RecipientType -eq 'UserMailbox')}
-EnabledEmailAddressesTempates 'SMTP.%s%2g@contoso.com
SMTP.%g%2s@contoso.com
SMTP.%d%2g@contoso.com
SMTP.%2d%s@contoso.com'

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-emailad> <https://docs.microsoft.com/en-us/Exchange/email-addresses-and-address-books/email-address-policies/email-ad>

NEW QUESTION 98

- (Exam Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter
- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

Answer: BE

NEW QUESTION 100

- (Exam Topic 1)

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 104

- (Exam Topic 1)

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.

	▼
AssociatedAcceptedDomains	
ConnectorSource	
SenderDomains	

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

	▼
back to a sender in fabrikam.com	
to the Edge Transport server encrypted	
to the Edge Transport server unencrypted	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 107

- (Exam Topic 1)

You need to recommend a solution that meets the security requirements for protecting users. What should you recommend?

- A. From the Security & Compliance admin center, create an ATP safe attachments policy.
- B. From the Exchange admin center in Exchange Online, create a spam filter policy.
- C. From the Security & Compliance admin center, create an ATP anti-phishing policy.
- D. From the Security & Compliance admin center, create an ATP Safe Links policy.

Answer: D

Explanation:

All users must be protected from accessing unsecure websites when they click on URLs embedded in email messages.

NEW QUESTION 112

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 117

- (Exam Topic 5)

You recently migrated all the on-premises mailboxes from Microsoft Exchange Server 2019 to Exchange Online.

You decommission the on-premises Exchange Server 2019 servers.

The finance department at your company reports that email delivery from several printers fails after Exchange Server 2019 is decommissioned.

You need to ensure that the printers can deliver email successfully to the users in the finance department. What should you do?

- A. Create a resource mailbox for each printer.
- B. Create an Inbound connector that has certificate validation disabled.
- C. Create an Inbound connector that is configured to allow SMTP relay.
- D. Create an Office 365 group for each printer.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use>

NEW QUESTION 122

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests.

A recent security breach at the company required that the passwords of all privileged accounts be changed. Since the password change, mailbox move requests are failing.

You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view>

NEW QUESTION 125

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2.

What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

User2: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 128

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined. From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

- Last 7 days
- Last 15 days
- Last 30 days
- Last 90 days

Report type:

- Extended report
- Summary report
- Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-and-view-re> <https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-modern-eac>

NEW QUESTION 130

- (Exam Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 134

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days. User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	"User1"	
<ul style="list-style-type: none"> Set-CASMailbox Set-Mailbox Set-OutlookProtectionRule Set-RetentionPolicy 		<ul style="list-style-type: none"> -ECPEnabled \$true -ElcProcessingDisabled \$true -RetentionEnabled \$true -RetentionHoldEnabled \$true

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application, Word Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/mailbox-re>

NEW QUESTION 138

- (Exam Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU           :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy         :
MailTipsGroupMetricsEnabled          : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled                 : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink            :
DefaultGroupAccessType                : Private
IsMIPLabelForGroupsEnabled           : False
OcmGroupId                            :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.
 NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼

Only administrators

Only administrators and group owners

All users

[Answer choice] can view the contents of a group mailbox

▼

Only administrators

Only administrators and group owners

All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 142

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

The company has 10,000 mailboxes. Each department at the company has 1,000 mailboxes.

You need to ensure that when users query the global address list (GAL), they can view only the list of the users in their department.

What should you create?

- A. One GAL, 10 offline address books (OABs), 10 address lists, 10 address policies (ABPs), and one email address policy
- B. 10 GALs, 10 offline address books (OABs), 10 address lists, 10 room lists, and 10 address book policies (ABPs)
- C. One GAL, 10 offline address books (OABs), 10 address lists, 10 room lists, and one address book policy (ABP)
- D. 10 GALs, 10 offline address books (OABs), 10 address lists, and 10 email address policies

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/address-books/address-lists/create-global-address-list> <https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 147

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace. Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 148

- (Exam Topic 5)

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information. What should you do?

- A. From the Exchange admin center, create a new role assignment policy.
- B. From PowerShell, run the New-Ro1eAssignmentPolicy cmdlet and specify the-isDefault parameter.
- C. From the Exchange admin center, create a new role group and assign the role group to Domain Users.
- D. From PowerShell, run the New-RoleGroup cmdlet and specify the-CustomRecipientWriteScope parameter.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/role-based-access-control/newroleassignmentpol>

NEW QUESTION 152

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Yes No

If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.

Yes No

If User2 receives an email message that has detected malware, the message will be placed in quarantine.

Yes No

If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.

Yes No

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Dynamic Delivery cannot make changes to on-premise mailboxes after the message has been delivered. Box 2: Yes

Policy2 applies to User2. Policy2 has a block action so the message will be placed in quarantine. Box 3: No

User3 does not have a policy assigned so the attachment will be forwarded without being scanned. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w>

NEW QUESTION 153

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on-premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers.

You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365.

You discover that the certificate for an on-premises Exchange server expired.

You need to resolve the issue as quickly as possible. The solution must minimize administrative effort. What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.
- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

Answer: B

Explanation:

Reference:

<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request-exchange-2016/>

NEW QUESTION 158

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You run the Install-AntispamAgents.ps1 PowerShell script on the MBX1 Mailbox server. Does this meet the goal?

- A. yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox>

NEW QUESTION 159

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

- The Exchange admin center from an on-premises server
- The Exchange admin center from Exchange Online
- The Microsoft 265 admin center
- The Security and Compliance admin center

Answer Area

User1: Admin Center

User2: Admin Center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 164

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 167


- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Unified Messaging

NEW QUESTION 168

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-

premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 172

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

Answer: CD

Explanation:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 176

- (Exam Topic 5)

You plan to migrate to Microsoft Exchange Online. The solution must meet the following requirements.

➤ Messages sent by the research & development department at your company must be routed to the internet through an on-premises data loss prevention (DLP) appliance.

➤ The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified.

What features should you use to meet the requirements? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Exchange Features	Answer Area
Conditional mail routing	Messages sent by the research & development department must be routed to the internet through an on-premises data loss prevention (DLP) appliance:
Directory Based Edge Blocking (DBEB)	
Enhanced Filtering	The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified:
Remote domains	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enhanced-filtering>

NEW QUESTION 181

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
- B. From the Exchange admin center, run a message trace.
- C. From the Security & Compliance admin center, export the mailbox audit logs.
- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
- E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re> <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchang>

NEW QUESTION 182

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

NEW QUESTION 186

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Sales
User2	Managers

You have a connector for a remote domain named contoso.com as shown in the following exhibit.

Mail flow scenario

From: Office 365
 To: Partner organization

Name

TLS to Contoso

Description

None

Status

Turn it on after saving

When to use the connector

Use only when I have a transport rule set up that redirects messages to this connector.

Routing method

Use the MX record associated with the partner's domain.

Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

You have a transport rule as shown in the following exhibit.
 new rule

Name:

* Apply this rule if...

* A recipient's domain is...
 and

* The subject or body includes...

* Do the following...

Use the following connector...

Except if...

* The sender is a member of...

Properties of this rule:
 Audit this rule with severity level:

User1 sends an email message to user3@contoso.com that has a subject line containing the word Confidential.
 User2 sends an email message to user4@contoso.com that has a subject line of New report. The body of the message contains the word confidential.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/compliance/assurance/assurance-encryption-in-transit>

NEW QUESTION 189

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > From the Microsoft 365 admin center dashboard, go to Admin >Exchange.
- > Go to Organization >Sharing.
- > Under Organization Sharing, click New +.
- > In new organization relationship, in the Relationship name organization relationship.

box, type a friendly name for the

> In the Domains to share with

box, type the domain for the external Microsoft 365, Office 365, or

Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

> Select the Enable calendar free/busy information sharing

check box to turn on calendar sharing with

the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

> To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

> Click Browse

to pick the security group from a list, then click OK.

> Click Save

to create the organization relationship.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationships>

NEW QUESTION 192

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 196

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 198

- (Exam Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365>

NEW QUESTION 201

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

An incoming email messages route through an third-party filtering service named Filter1 to connector named Connector1.

You discover that incoming messages contain headers that specify the source IP address as Filter1.

You to ensure that incoming email messages contain headers that specify source IP address of the original sender. The solution must prevent any charges to the service.

What should you do?

- A. From Microsoft 365 Defender portal configure enhanced filtering for Connector1.
- B. Configure Connector' to authenticate messages by using the IP address of Filter' service.
- C. Configure the MX Of contoso.com to point to contoso-can.mailgotection.outbok.com.
- D. From the Exchange admin cente
- E. create a transport rule to rewrite header for incoming messages.

Answer: C

NEW QUESTION 205

- (Exam Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 208

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name * Outlook on the Web Policy

Include Exclude

None

All users

Select users and groups

All guest and external users ⓘ

Directory roles ⓘ

Users and groups

Select

1 group

A Finance ...

Assignments

Users and groups ⓘ

Specific users included >

Cloud apps or actions ⓘ

1 app included >

Conditions ⓘ

0 conditions selected >

Access controls

Grant ⓘ

0 controls selected >

Session ⓘ

Use app enforced restrictions >

From Microsoft Exchange Online PowerShell, you run the following cmdlet. Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 211

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).

You create a new distribution group named Contoso.

You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.

How should you complete the PowerShell commands?

Cmdlets

- Set-Addresslist
- Set-GlobalAddresslist
- Set-Group
- Set-OrganizationConfig
- Set-UnifiedGroup

Answer Area

```

Cmdlet -HierarchicalAddressBookRoot "Contoso"
Cmdlet -Identity "Contoso" -IsHierarchicalGroup $true
        
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarch>

NEW QUESTION 213

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 218

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and under Email & collaboration policy.

> An alert policy consists of the following settings and conditions.

select Policies & rules

>Alert

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

> You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

> If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the

activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.
- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

➤ When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts based on category.

page in the compliance center because you can sort and filter alerts

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy.

Again, this allows you to track and manage alerts that have the same severity setting on the Alerts

page. For

example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts

page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide#how-alert-pol>

NEW QUESTION 223

- (Exam Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.

You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Priority	1
Status	On
Last modified	December 10, 2018

Policy setting	Policy name Description Applied to	Test
		If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
	Mailbox intelligence	<input type="text" value="On"/>
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=>

NEW QUESTION 227

- (Exam Topic 5)

You have an address book policy named Contoso-US that contains an address list named Contoso-Finance. You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

	-Identity	
<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>
-AddressLists		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/change-the-settings-of-an-addr>

NEW QUESTION 228

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

> From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

> Go to organization > sharing.

> Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/sharing-policies/modify-a-sharing-policy>

NEW QUESTION 231

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows.

User1 receives the following error message: "Encrypted connection to your mail server is not available." You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

A. Run the Microsoft Support and Recovery Assistant for Office 365.

B. Activate the installation of Office 365 ProPlus.

C. Modify the license assigned to User1.

D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 235

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

A. Add User1 to the Discovery Management management role group.

B. Assign the Legal Hold and Mailbox Import Export management roles to User1.

C. Add User1 to the Records Management management role group.

D. Add User1 to the Compliance Management management role group.

Answer: A

Explanation:

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 237

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

- In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.
- Click the New retention policy link.
- Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.
- In the retention period, enter 180 days and click Next.
- Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.
- Click the Choose recipients link for Exchange email.
- Click the Choose recipients button to open a list of recipients.
- Select Admin1 and click the Choose button then click the Done button.
- Click Next.
- Click the Create this policy button.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies>

NEW QUESTION 238

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 239

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼
Internet
Office 365
Partner organization
Your organization's email server

To:

▼
Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-ap>

NEW QUESTION 240

- (Exam Topic 5)

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the on-premises Active Directory Recycle Bin, recover the user account	
Run the New-MailboxRestoreRequest cmdlet	➤
Assign a Microsoft 365 license to User1	➤
From the on-premises Active Directory domain, create a new user named User1	⬅
Run the New-Mailbox -InactiveMailbox cmdlet	⬅
Run the Restore-MsolUser cmdlet	
Force a synchronization from Azure AD Connect	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-e>

NEW QUESTION 243

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

➤ Click the Safe Links tab to examine all existing Safe Links policies:

➤ After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

➤ In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

➤ Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

➤ The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

➤ Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

➤ Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

➤ Finally, we will select the scope for the rule under the Applied to

section.

> Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

> The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:

<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 248

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 250

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 has an Exchange Online mailbox. User1 leaves your company.

You need to configure the user account of User1 to meet the following requirements:

- > The Microsoft 365 license assigned to User1 must be available for another user.
- > Manager1 must be able to manage all the contents in the mailbox of User1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

NEW QUESTION 252

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard. Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION 256

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global settings Safe Links policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-li>

NEW QUESTION 260

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault You receive the output shown in the following exhibit.

```
Name : Default
BypassInboundMessages : False
BypassOutboundMessages : False
Action : DeleteAttachmentAndUseDefaultAlertText
IsDefault : True
EnableInternalSenderNotifications : True
EnableExternalSenderNotifications : True
```

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

NEW QUESTION 264

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- > Sending out-of-office replies to an email domain named fabrikam.com.
- > Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 267

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> From the Microsoft 365 compliance center, select Policies > Retention.

> Select New retention policy retention policy.

to start the create retention policy configuration, and name your new

> For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

> Depending on your selected scope:

- On the Choose locations

page, toggle on or off any of the locations except the locations for Teams and

Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

> Information specific to locations:

- Exchange email and Exchange public folders

- SharePoint sites and OneDrive accounts

- Microsoft 365 Groups

- Skype for Business

> For Decide if you want to retain content, delete it, or both retaining and deleting content.

page, specify the configuration options for

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

> Complete the configuration and save your settings. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies?view=o365-worldwide>

NEW QUESTION 268

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 272

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to migrate to Exchange Online incrementally during a 12-month period.

You need to ensure that during the migration, the following features continue to work for all users:

- > Free/Busy synchronization
- > Microsoft Teams calendar integration
- > The Microsoft Outlook mobile app for Android

Which hybrid configuration should you implement?

A. Modern Hybrid Configuration

B. Minimal Hybrid Configuration

C. Classic Hybrid

Answer: C

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 276

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

Answer: CD

NEW QUESTION 280

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 285

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)