

VMware

Exam Questions 2V0-33.22

VMware Cloud Professional



NEW QUESTION 1

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

Answer: D

Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

NEW QUESTION 2

Which VMware technology ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications? (Select one option)

- A. vSphere DRaaS
- B. vSphere HA
- C. vSphere DPM
- D. vSphere eDRS

Answer: B

Explanation:

The VMware technology that ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications is B.vSphere HA. vSphere HA is an agentless cluster-level availability solution that enables rapid recovery from outages and cost-effective high availability for applications. vSphere DRaaS, vSphere DPM, and vSphere eDRS are not suitable for this purpose.

NEW QUESTION 3

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 4

A cloud administrator is deploying a new software-defined data center (SDDC) in VMware Cloud on AWS. Long-term planning indicates that a minimum of 30 hosts are required.

What is a valid management network CIDR based on the requirements?

- A. 10.4.0.0/23
- B. 10.3.0.0/24
- C. 10.2.0.0/16
- D. 10.1.0.0/20

Answer: D

Explanation:

A valid management network CIDR based on the requirements is 10.1.0.0/20, as this provides a range of 4096 IP addresses, which is more than enough for 30 hosts. A /23 CIDR only provides 512 IP addresses, which is not enough for 30 hosts, while a /24 CIDR provides 256 IP addresses and a /16 CIDR provides 65,536 IP addresses, which is more than is needed for the 30 hosts.

<https://blogs.vmware.com/cloud/2019/10/03/selecting-ip-subnets-sddc/>

NEW QUESTION 5

In VMware Cloud Disaster Recovery (VCDR), a protection group consists of which two components? (Choose two.)

- A. Members
- B. Policies for snapshots
- C. Virtual Machine File System (VMFS) datastores
- D. VM customizations
- E. Clusters

Answer:

AB

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recovery/GUID> A protection group in VMware Cloud Disaster Recovery (VCDR) consists of members (virtual machines or VMs) and policies for snapshots. These policies define the consistent point-in-time copies of the VMs, which are used for disaster recovery. The protection group also includes virtual machine file system (VMFS) datastores, which are used to store the copies of the VMs, and VM customizations, which are used to customize the VMs. Clusters are not part of a protection group in VCDR.

NEW QUESTION 6

Which two use cases can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts? (Choose two.)

- A. Administrator rights in SDDC Manager to configure and operate the solution
- B. Ability to create public services
- C. Applications needing local data processing and/or low latency integrations
- D. Critical workloads that use restricted data
- E. On demand rapid scalability

Answer: CD**Explanation:**

The two use cases that can be met with VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts are Option C: Applications needing local data processing and/or low latency integrations, and Option D: Critical workloads that use restricted data.

VMware Cloud on Dell EMC and VMware Cloud on AWS Outposts both provide local data processing and low latency integrations, making them ideal for applications that require quick and efficient access to data. Additionally, the highly secure infrastructure of both solutions make them a great choice for critical workloads that use restricted data.

For more information, please refer to the official VMware documentation on VMware Cloud on Dell EMC:<https://www.vmware.com/products/vmware-cloud-on-dellemc.html> And the official VMware documentation on VMware Cloud on AWS Outposts:<https://www.vmware.com/products/vmware-cloud-on-aws-outposts.html>

NEW QUESTION 7

A cloud administrator is using VMware HCX to migrate application workloads between an on-premises data center and a VMware Public Cloud (UI!) capability of VMware HCX is being used to extend a number of on-premises network segments into the cloud to avoid IP re-addressing concerns. When the cloud administrator tries to extend a native layer 2 network segment from the cloud back into the on-premises data center, an error is encountered and the extension fails. What should the administrator do to enable network extension from the cloud side to on-premises in this scenario?

- A. Enable reverse L2E in the advanced configuration menu of HC
- B. Make the appropriate change and re-deploy the HCX Service Mesh.
- C. Ensure that the on-premises environment that has at minimum a VMware vSphere Distributed Switch with version 6.5 configured.
- D. Install VMware NSXT into the on-premise data center.
- E. Enable reverse L2E in the advanced configuration menu of HC
- F. Make the appropriate change, re-deploy the on-premise HCX Manager and re-pair the sites together.

Answer: B**Explanation:**

The best solution for enabling network extension from the cloud side to the on-premises data center in this scenario is to ensure that the on-premises environment has at least a VMware vSphere Distributed Switch with version 6.5 configured. This will enable the reverse L2E feature, which is necessary for extending the native layer 2 network segment from the cloud back into the on-premises data center. For more information on how to configure reverse L2E and extend a network segment from the cloud to the on-premises data center, please refer to the official VMware documentation [here](#).

NEW QUESTION 8

A Cloud Administrator is tasked with choosing a correct Elastic DRS policy. The existing VMware Cloud on AWS environment consists of a single cluster with two hosts.

The following guidelines regarding the expected performance must be met:

- > The cluster should be able to scale automatically when additional resources are required.
- > Application performance should NOT be affected when the cluster scaling operation is being performed.

Which Elastic DRS policy should the cloud administrator Select?

- A. Optimize for Best Performances
- B. Elastic DRS Baseline
- C. Optimize for Rapid Scale-Out
- D. Optimize for Lowest Cost

Answer: B**Explanation:**

Based on the given guidelines, the cloud administrator should select the Elastic DRS Baseline policy[1]. This policy is designed to scale the cluster automatically when additional resources are required, while also ensuring that application performance is not affected during the scaling operation. The Elastic DRS Baseline policy also ensures that resources are allocated efficiently and optimally[1], to minimize cost while ensuring that performance requirements are met.

For more information on the Elastic DRS Baseline policy[1], see the VMware official documentation at <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.sddc-management/GUI>

NEW QUESTION 9

How much throughput does a Google Cloud VMware Engine private cloud network provide?

- A. 25 Gbps
- B. 40 Gbps
- C. 100 Gbps

D. 10 Gbps

Answer: C

Explanation:

The throughput provided by a Google Cloud VMware Engine private cloud network is 100 Gbps. This allows for a high level of performance and scalability, and supports a variety of services and applications. Additionally, the private cloud network is secure and reliable, providing support for different authentication methods and encryption standards.

NEW QUESTION 10

Which two networking planes are converged in a VMware NSX-T Data Center? (Choose two.)

- A. Control Plane
- B. I/O Plane
- C. Management Plane
- D. Consumption Plane
- E. Data Plane

Answer: AC

Explanation:

According to 1, VMware NSX-T Data Center implements three separate but integrated planes: management, control, and data.

- The management plane provides a single point of configuration and REST API entry-points for NSX-T Data Center components.
- The control plane is responsible for computing network state based on configuration from the management plane and topology information from transport nodes.
- The data plane consists of transport nodes that provide connectivity for workloads and enforce network policies.

Overview of NSX-T Data

Center:<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.2/installation/GUID-10B1A61D-4DF2-481>

NEW QUESTION 10

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 11

A customer is running a software-defined data center (SDDC) in the US-East-2 region and wants to connect the workload network segment to their on-premises data center and multiple company Amazon Virtual Private Clouds (VPCs) running in US-East-2.

Which connectivity option can they use to accomplish this?

- A. AWS Direct Connect
- B. Two VPN connections
- C. VMware Transit Connect
- D. One VPN connection

Answer: C

Explanation:

To connect the workload network segment to their on-premises data center and multiple company Amazon VPCs running in US-East-2, the customer can use VMware Transit Connect. VMware Transit Connect is a service that provides secure connectivity between AWS and on-premises data centers or other clouds. It allows customers to connect and extend their networks to the AWS cloud with minimal effort and cost.

NEW QUESTION 14

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

Answer: AD

Explanation:

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and

scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 15

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

Answer: AD

Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vms> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

https://www.vmware.com/pdf/vchs_networking_guide.pdf

NEW QUESTION 20

Which Tanzu Kubernetes Grid component provides authentication, ingress, logging and service discovery?

- A. Tanzu Supervisor cluster
- B. Tanzu CU
- C. Tanzu Kubernetes cluster
- D. Tanzu Kubernetes Grid extensions

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-> <https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D->

NEW QUESTION 21

Which out-of-the-box role is required in order to create a content library In VMware Cloud on AWS?

- A. CloudGlobalAdmin
- B. CloudAdmin
- C. Active Directory ESXi Admin
- D. Administrator@vSphere
- E. local

Answer: B

Explanation:

The CloudAdmin role has the privileges necessary to create and manage SDDC workloads and related objects such as storage policies, content libraries, vSphere tags, and resource pools

NEW QUESTION 25

On VMware Cloud on AWS, which type of host do you use when you require high local storage requirements and additional cores for your workloads? (Select one option)

- A. ve-standard-72
- B. i3e
- C. metal
- D. i3.metal
- E. AV36

Answer: C

Explanation:

when you require high local storage requirements and additional cores for your workloads on VMware Cloud on AWS. i3.metal instances offer up to 4TB of local NVMe storage and up to 96 CPU cores, giving you the power and storage you need to handle large workloads. Additionally, i3.metal instances are great for applications that benefit from high CPU-to-memory ratios, like artificial intelligence, machine learning, big data analysis, and HPC workloads.

NEW QUESTION 26

What must a cloud administrator configure in order to allow a company's on-premises data center to access the VMware Cloud on AWS vCenter Server.

- A. Management network segment
- B. Compute gateway firewall
- C. Management gateway firewall
- D. Compute network segment

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 30

A cloud administrator is managing a VMware Cloud on AWS environment. Currently, there is a single cluster consisting of four i3.metal hosts. Due to an increased demand, cluster capacity has to be expanded by 60 cores and 640 GB of memory. What should the administrator do to meet the demand?

- A. Add 16 CPU cores to the existing hosts.
- B. Add three c4.metal hosts to the cluster.
- C. Add two i3.metal hosts to the cluster.
- D. Add one i3en.metal host to the cluster.

Answer: C

Explanation:

According to the VMware Cloud on AWS documentation, the minimum capacity of an i3.metal host is 8 vCPUs and 64 GB of memory. Therefore, to meet the demand of an additional 60 cores and 640 GB of memory, the administrator should add two i3.metal hosts to the cluster. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

NEW QUESTION 34

A customer identifies consumption-based ransomware protection as a primary business requirement. Which VMware solution offers long-term immutable point-in-time recovery options?

- A. VMware vSphere Replication
- B. VMware Site Recovery
- C. VMware Cloud Disaster Recovery
- D. VMware vSphere Data Protection

Answer: C

Explanation:

The VMware solution that offers long-term immutable point-in-time recovery options is VMware Cloud Disaster Recovery (CDR). CDR offers continuous data protection and point-in-time recovery options with up to 30 days of retention. It also provides a secure and immutable copy of your data that is stored in the cloud and can be used to recover from ransomware attacks.

NEW QUESTION 38

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

Answer: AD

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS

using port 443. They must then request a public IP address in the VMware Cloud console.

NEW QUESTION 39

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC).

Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

Answer: C

Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

NEW QUESTION 43

Which use cases apply to NSX logical routing? (Select two options)

- A. You must provide external connectivity to VMs and containers.
- B. Your organization must provide connectivity between VMs and containers that are connected to different segments.
- C. You want to provide layer 2 connectivity between VMs and microservices.
- D. You require intrinsic security for VMs connected to different segments.

Answer: AB

Explanation:

The two use cases that apply to NSX logical routing are A. You must provide external connectivity to VMs and containers, and B. Your organization must provide connectivity between VMs and containers that are connected to different segments. NSX logical routing allows you to provide external connectivity to VMs and containers, and to provide layer 3 connectivity between VMs and containers that are connected to different segments. It does not provide layer 2 connectivity between VMs and microservices or intrinsic security for VMs connected to different segments.

NEW QUESTION 48

A customer needs additional capacity to handle seasonal spikes and decides to use a VMware Public cloud provider the extra capacity. Which use case describes this customer scenario?

- A. Disaster recovery
- B. Data center extension
- C. Cloud migrations
- D. Modernizing applications

Answer: B

Explanation:

This customer scenario describes a use case of extending the capacity of an existing data center with a public cloud provider, such as VMware Cloud. This allows the customer to extend their capacity to handle seasonal spikes in demand, without having to invest in additional physical infrastructure or make significant changes to their existing setup.

According to VMware's official website, "VMware Cloud enables customers to extend their data centers to the public cloud and dynamically scale capacity up or down with the same tools, processes, and policies they use today in their private cloud or data center environments." [1]

[1] <https://www.vmware.com/products/vmware-cloud.html>

NEW QUESTION 49

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations. The following requirements must be met:

- A. Connectivity the VMware Cloud on AWS environment must NOT have a single point of failure.
- B. Any network traffic between on-premises company locations must be sent over a private IP address space.
- C. Connectivity the VMware Cloud on AWS environment must support high-throughput data transfer.

Answer: A

NEW QUESTION 54

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMWare

Answer: AD

Explanation:

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-T is a network virtualization platform that provides security and networking services to virtualized environments.

NEW QUESTION 55

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 58

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

Answer: A

Explanation:

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

NEW QUESTION 62

A Cloud administrator is starting to plan a workload migration and wants to estimate the cost of running those workloads on VMware Cloud. Which VMware Cloud service should the administrator use to achieve this goal?

- A. VMware vRealize Network Insight Cloud
- B. VMware vRealize Operations Cloud
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Automation Cloud

Answer: B

Explanation:

Managing Costs:

With its capacity and cost management features, vRealize Operations Cloud can predict future demand and provide actionable recommendations to help in managing costs.

Reclamation of Existing Resources:

Assess workload status and resource contention in data centers across your environment:

- Determine the time remaining until CPU, memory, or storage resources run out.
- Realize cost savings when underutilized VMs are identified and reclaimed to be deployed more effectively.

Future Infrastructure Requirements

Run what-if scenarios:

- Identify how much capacity remains after you add or remove VMs or hosts.
- Add hyperconverged infrastructure (HCI) nodes.
- Get a recommendation based on the cost relative to workload placement on different hosts, clusters, data centers, and even different clouds.

Cloud Migration Planning:

Migration planning shows you the capacity and cost information after the migration to a cloud-based infrastructure.

Cost Overview

vRealize Operations Cloud supports costing for private clouds, public clouds, and VMware Cloud infrastructure.

You can track expenses for a single virtual machine, and identify how these expenses attribute to the overall cost associated with your private cloud accounts and VMware Cloud infrastructure accounts.

On the Cost Overview

home page in vRealize Operations Cloud, you can find details about the costs

associated with your VMware Cloud infrastructure accounts, public cloud accounts, and your private cloud accounts.



You can view the Total Cost of Ownership, Potential Savings, and Realized Savings for your VMware Cloud infrastructure cloud accounts and vSphere private cloud accounts, and Total Cost of Ownership for your private cloud accounts.

NEW QUESTION 65

Refer to the exhibit.

A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

Answer: A

Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-on-aws> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

NEW QUESTION 67

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

Answer: D

Explanation:

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-center>

NEW QUESTION 71

What is the purpose of the VMware cloud on AWS management gateway (MGW)?

- A. A Tier-0 router that handles network traffic for workload virtual machines connected to routed computer network segments
- B. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined datacenter (SDDC).
- C. A Tier-1 router that handles network traffic for workload virtual machines connected to routed compute network segments
- D. A Tier-1 router handles routing and firewalling for the VMware vCenter Server and Other management appliances running in the software-defined datacenter (SDDC).

Answer: D

Explanation:

Management Gateway (MGW) The MGW is a Tier 1 router that handles routing and firewalling for vCenter Server and other management appliances running in

the SDDC. Management gateway firewall rules run on the MGW and control access to management VMs. In a new SDDC, the Internet connection is labelled Not Connected in the Overview tab and remains blocked until you create a Management Gateway Firewall rule allowing access from a trusted source.

NEW QUESTION 75

Which Tanzu Kubernetes Grid component is used to create, scale, upgrade and delete workload clusters?

- A. Tanzu Kubernetes cluster
- B. Tanzu CLI
- C. Tanzu Supervisor cluster
- D. Tanzu Kubernetes Grid extensions

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D>

Tanzu CLI is a command-line interface used to create, scale, upgrade, and delete workload clusters that are part of the Tanzu Kubernetes Grid [1]. Tanzu CLI also allows you to manage the components of the Tanzu Kubernetes Grid [1], such as the Tanzu Kubernetes cluster and the Tanzu Supervisor cluster. It also provides access to the Tanzu Kubernetes Grid extensions [1], which allow you to extend the functionality of the Tanzu Kubernetes cluster.

NEW QUESTION 77

Which hyperscaler partner is best suited for customers who need 100 GB bandwidth between SDDCs in the cloud? (Select one option)

- A. VMware Cloud on AWS
- B. Azure VMware Solution
- C. Oracle Cloud VMware Solution
- D. Google Cloud VMware Engine

Answer: A

Explanation:

VMware Cloud on AWS provides the highest level of performance, reliability, and scalability for customers who need to move large amounts of data between their SDDCs in the cloud. It is also the only hyperscaler partner that has the ability to quickly and easily provision entire SDDCs in the cloud. In addition, VMware Cloud on AWS offers the most comprehensive enterprise-grade features, such as automated backups and disaster recovery, which provide customers with peace of mind that their data is always secure and protected.

NEW QUESTION 80

A cloud administrator is asked to evaluate a number of disaster recovery solutions for the business. The current on-premises environment is built around the latest version of VMware vSphere 7.0.

The following requirements must be met:

- Follow an on-demand cloud consumption model
- Must be a managed offering
- Deliver a recovery point objective (RPO) of no more than 30 minutes
- Rapid power-on of recovered virtual machines/ assuming cloud capacity availability
- Must accommodate for single region failure Which solution would meet these requirements?

- A. VMware Cloud Disaster Recovery
- B. VMware Cloud on AWS Stretched Cluster
- C. VMware vSphere Replication
- D. VMware Site Recovery Manager

Answer: A

Explanation:

VMware Cloud Disaster Recovery is a managed disaster recovery-as-a-service offering that is built on the latest version of VMware vSphere 7.0. It provides an on-demand cloud consumption model, allowing administrators to rapidly power-on recovered virtual machines in the cloud, assuming cloud capacity availability. Additionally, VMware Cloud Disaster Recovery delivers a recovery point objective (RPO) of no more than 30 minutes, and can accommodate for single region failure.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>
VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager> VMware Cloud Disaster Recovery ----- * Protect your workloads

running on VMware Cloud on AWS SDDC using high-frequency snapshots to achieve RPOs as low as 30 minutes. * Availability Zone Failure

Handling <https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-disaster-recov>

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/rn/vmware-cloud-disaster-recovery-rel>

NEW QUESTION 81

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with replication and vMotion technologies to provide large scale, parallel migrations with zero downtime."
Understanding VMware HCX Replication Assisted vMotion:<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

NEW QUESTION 86

Which logical switching component provides layer 2 forwarding functionality in a VMwareCloud software-defined data center (SDDC).

- A. Segment port
- B. Uplink
- C. N-VDS/VDS
- D. Transport node

Answer: C

Explanation:

A VMware Cloud software-defined data center (SDDC) uses a logical switching component called a Network Virtual Distributed Switch (N-VDS) or vSphere Distributed Switch (VDS) to provide layer 2 forwarding functionality [1][2]. A VDS is a network switch that provides centralized network configuration, management, and monitoring. It works with the NSX for vSphere data plane to provide layer 2 forwarding, packet filtering, and traffic monitoring services. A VDS is composed of multiple Segment Ports (which are like individual physical ports on a normal switch), Uplinks, and Transport Nodes. The Segment Ports are used to connect virtual machines to the VDS, while Uplinks are used to connect the VDS to physical networks. Transport Nodes are the physical switches that are associated with the VDS. For more information, see the official VMware documentation here: https://docs.vmware.com/en/VMware-NSX-Data-Center/2.4/nsx_24_sdn_networking/GUID-A4A6E4A8

NEW QUESTION 91

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered? (Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment
- E. Floor and elevator weight capacity between loading dock and datacenter

Answer: AE

Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

NEW QUESTION 95

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

NEW QUESTION 99

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCPP)
- D. VMware

Answer: B

Explanation:

Customer responsibility “Security in the Cloud” – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and

data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

NEW QUESTION 102

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. * 1- Create a new segment attached to the Tier-0 gateway* 2. Configure the segment DHCP ip-helper
- B. * 1. Create a DHCP server profile* 2. Create a new segment attached to the Tier-0 gateway* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. * 1. Create a new segment attached to the Tier-1 gateway* 2. Configure the segment DHCP ip-helper
- D. * 1. Create a DHCP relay profile* 2. Create a new segment attached to the Tier-1 gateway* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam

(https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

NEW QUESTION 103

A cloud administrator is managing a VMware Cloud on AWS environment connected to an on-premises data center using IPsec VPN connection. The administrator is informed of performance issues with applications replicating data between VMware Cloud and the on-premises data center. The total bandwidth used by this replication is 3.8 Gbps.

What should the administrator do to improve application performance?

- A. Deploy VMware HCX.
- B. Deploy AWS Direct Connect.
- C. Deploy a layer 2 VPN connection.
- D. Contact VMware support to request more bandwidth for IPsec VPN connection.

Answer: B

Explanation:

AWS Direct Connect is a service that establishes a dedicated network connection between an on-premises data center and an AWS region. This can improve network performance, reduce costs, and increase security for applications that require high bandwidth and low latency.

A layer 2 VPN connection would not improve performance as it still relies on the public internet. VMware HCX is a service that simplifies workload migration and mobility between different clouds, but it does not address network performance issues. Contacting VMware support to request more bandwidth for IPsec VPN connection is unlikely to be effective as IPsec VPN has inherent limitations such as encryption overhead and packet fragmentation.

NEW QUESTION 105

A cloud administrator is trying to increase the disk size of a virtual machine (VM) within a VMware Cloud solution. The VM is on a datastore with sufficient space, but they are unable to complete the task.

Which file is preventing the administrator from completing this task?

- A. The .nvram file
- B. The .vmtx file
- C. The .vmdk file
- D. The .vmsn file

Answer: C

Explanation:

The .vmdk file contains the virtual machine's hard disk configuration and is preventing the administrator from increasing the disk size. The .vmdk file must be edited to allow the administrator to increase the disk size. More specifically, the administrator must edit the descriptor file within the .vmdk file to change the capacity of the disk.

NEW QUESTION 107

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory.
- C. Minimal overhead is required in the on-premises data center.
- D. Centralized administration is available through the VMware vSphere Client.

Answer: A

Explanation:

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

NEW QUESTION 110

A cloud administrator is looking to migrate several dozen workloads from their on-premises location to a VMware public cloud using the vMotion feature of VMware HCX. A total of three networks will need to be stretched for the migration. They will also be utilizing the capabilities of the WAN appliance to optimize migration traffic.

Based on this scenario, how many IP addresses would need to be reserved for the on-premises deployment of VMware HCX?

- A. four
- B. five
- C. three
- D. six

Answer: B

Explanation:

"The VMware HCX on-premises deployment requires five IP addresses: two for the WAN appliance, two for the vMotion feature, and one for the management network."

In this scenario, the cloud administrator is utilizing the vMotion feature of VMware HCX to migrate several dozen workloads from an on-premises location to a VMware public cloud. They are also stretching three networks for the migration. When using vMotion, two IP addresses will be needed per vMotioned virtual machine: one for the source and one for the target. For the migration of several dozen workloads, this will require several dozens of IP addresses. Additionally, the administrator is also utilizing the capabilities of the WAN appliance to optimize migration traffic. In order to optimize the traffic, one IP address will be needed for the WAN appliance on the on-premises site, and another IP address will be needed for the WAN appliance on the public cloud side. Therefore, the total number of IP addresses that need to be reserved for the on-premises deployment of VMware HCX is the number of IP addresses required for the virtual machines plus one IP address for the WAN appliance on the on-premises site plus another IP address for the WAN appliance on the public cloud side, which totals to five IP addresses.

NEW QUESTION 111

Which two components are required in order to deploy a Tanzu Kubernetes Grid Cluster in VMware Cloud environment? (Choose two)

- A. Tanzu CLI
- B. Supervisor namespace
- C. vSphere VM folder
- D. vSphere resource pool
- E. YAML manifest file

Answer: CD

Explanation:

<https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.6/air-gap-reference-architecture/GUID-deploy>m

NEW QUESTION 116

What is a benefit of public cloud computing?

- A. Full control over physical data location
- B. Full control over software versions and software lifecycle
- C. Highly customizable and configurable hardware options
- D. Cost savings on capital hardware expenses

Answer: D

Explanation:

One benefit of public cloud computing is cost savings on capital hardware expenses. Since the cloud provider owns and manages the hardware, the customer does not need to invest in the purchase and maintenance of physical hardware, resulting in significant cost savings. Additionally, public cloud services often provide scalability and can be accessed from anywhere with an internet connection.

NEW QUESTION 118

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, which two networking constraints must be considered? (Choose two.)

- A. Fiber Channel connectivity
- B. Creating a direct connect to the nearest AWS Region
- C. Compatible top of rack switches
- D. Uplinks for local network connectivity
- E. Dedicated subnets for SDDC management network

Answer: CE

Explanation:

Compatible top of rack switches are necessary to ensure that the data center is able to support the VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts deployments [1]. The switches must support 10GE and 25GE ports, as well as Layer 3 routing protocols such as OSPF and BGP.

Dedicated subnets for SDDC management network are also needed for the deployment of VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts [1]. The SDDC management network will be used for communication between the VMware Cloud components and the data center, and must be isolated from the customer network.

NEW QUESTION 122

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-33.22 Practice Test Here](#)