


350-801 Dumps

Implementing and Operating Cisco Collaboration Core Technologies

<https://www.certleader.com/350-801-dumps.html>



NEW QUESTION 1

An engineer with troubleshoots poor voice quality on multiple calls. After looking at packet captures, the engineer notices high levels of jitter. Which two areas does the engineer check to prevent jitter? (Choose two.)

- A. The network meets bandwidth requirements.
- B. MTP is enabled on the SIP trunk to Cisco Unified Border Element.
- C. Cisco UBE manages voice traffic, not data traffic.
- D. All devices use wired connections instead of wireless connections.
- E. Voice packets are classified and marked.

Answer: AE

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/voice/voice-quality/20371-troubleshoot-qos-voice.html>

NEW QUESTION 2

A customer has Cisco Unity Connections that is integrated with LDAP. As a Unity Connection administrator, you have received a request to change the first name for VM user. Where must the change be performed?

- A. Cisco Unity Connection
- B. Cisco Unified Communications Manager end user
- C. Active Directory
- D. Cisco IM and Presence

Answer: C

NEW QUESTION 3

Refer to the exhibit.

```
INVITE sip:4000@172.16.1.1:5061 SIP/2.0
Via: SIP/2.0/TLS 172.16.2.143:5061;branch=z9hG4bK8FD315E7
Remote-Party-ID: <sip:+14088335000@172.16.2.143>;party=calling;screen=no; privacy=off
From: <sip:+14088335000@172.27.2.143>;tag=7B42E5F6-9B8
To: <sip:4000@172.16.1.1>
Date: Tue, 06 Aug 2019 15:03:05 GMT
Call-ID: 4EA4363-B77111E9-8A4AFFCF-10B6D71B@172.16.2.143
Supported: 100rel,timer,resource-priority, replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 0082391505-3077640681-2319777743-0280418075
User-Agent: Cisco-SIPGateway/IOS-15.5.3.S4b
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Timestamp: 1565089565
Contact: <sip:+ 14088335000@172.16.2.143:5061;transport=tls>
Expires: 180
Allow-Events: telephone-event
Max-Forwards: 68
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 416
v=0
o=CiscoSystemsSIP-GW-UserAgent 8486 8298 IN IP4 172.16.2.143
s=SIP Call
c=IN IP4 172.16.2.143
t=0 0
m=audio 44612 RTP/SAVP 0 101
c=IN IP4 172.16.2.143
a=crypto:XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
a=crypto:XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20
```

This INVITE is sent to an endpoint that only supports G729. What must be done for this call to succeed?

- A. Nothing: both sides support G.729.
- B. Add a transcoder that supports G711ulaw and G.729.
- C. Add a media termination point that supports G.711ulaw and G.729.
- D. Nothing: both sides support payload type 101.

Answer: D

NEW QUESTION 4

Which action prevents toll fraud in Cisco Unified Communications Manager?

- A. Implement toll fraud restriction in the Cisco IOS router.
- B. Implement route patterns in Cisco Unified CM.
- C. Allow off-net to off-net transfers.
- D. Configure ad hoc conference restriction.

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/voice-unified-communications/unified-communications-manager-express/107626-cme-toll-fraud.html>

NEW QUESTION 5

Calls are being delivered to the end user in the globalized format. Where does an engineer configure the calling number into a localized format?

- A. route pattern
- B. service parameters
- C. IP phone
- D. gateway

Answer: C

NEW QUESTION 6

On which protocol and port combination does Cisco Prime Collaboration receive notifications (Traps and InformRequests) from several network devices in the Collaboration infrastructure for which it has requested notifications?

- A. UDP 162
- B. TCP 80
- C. UDP 161
- D. TCP 161

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/net_mgmt/prime/collaboration/12-1/assurance/advanced/guide/cpcob_cisco-prime-collaboration-assurance-guide-advanced-12-1/cpcob_cisco-prime-collaboration-assurance-guideadvanced-12-1_chapter_01111.html

NEW QUESTION 7

Which command in the MGCP gateway configuration defines the secondary Cisco Unified Communications Manager server?

- A. mgcapp
- B. ccm-manager fallback-mgcp
- C. mgcp call-agent
- D. ccm-manager redundant-host

Answer: B

NEW QUESTION 8

Refer to the exhibit.

Endpoint A:

```
m=audio 21796 RTP/AVP 108 9 104 105 101
b=TIAS:64000
a=extmap:14 http://protocols.cisco.com/timestamp#100us
a=rtpmap:108 MP4A-LATM/90000
a=fmtp:108 bitrate=64000;profile-level-id=24;object=23
a=rtpmap:9 G722/8000
a=rtpmap:104 G7221/16000
a=fmtp:104 bitrate=32000
a=rtpmap:105 G7221/16000
a=fmtp:105 bitrate=24000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=trafficclass:conversational.audio.immersive.aq:admitted
```

Endpoint B:

```
m=audio 21796 RTP/AVP 105 0 8 18 101
b=TIAS:64000
a=extmap:14 http://protocols.cisco.com/timestamp#100us
a=rtpmap:105 G7221/16000
a=fmtp:105 bitrate=24000
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:18 G729/8000
a=fmtp:18 annexb=no
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=trafficclass:conversational.audio.immersive.aq:admitted
```

Endpoint A calls endpoint B. What is the only audio codec that can be used for the call?

- A. Telephone-event/8000

- B. G7221/16000
- C. PCMA/8000
- D. G722/8000

Answer: B

NEW QUESTION 9

An engineer wants to manually deploy a Cisco Webex DX80 video endpoint to an end user. Which type of provisioning can be configured on the endpoint?

- A. CUBE
- B. CMS
- C. CUCM
- D. Edge

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/desktop-collaboration-experience-dx600-series/datasheet-c78-731879.html>

NEW QUESTION 10

What field is configured to change the caller ID information on a SIP route pattern?

- A. Route Partition
- B. Called Party Transformation Mask
- C. Calling Party Transformation Mask
- D. Connected Line ID Presentation

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/10_0_1/ccmcfg/CUCM_BK_C95ABA82_00_admin-guide-100/CUCM_BK_C95ABA82_00_admin-guide-100_chapter_0100111.pdf

NEW QUESTION 10

An engineer configures Cisco Unified Communications Manager to prevent toll fraud. At which two points does the engineer block the pattern in Cisco Unified CM to complete this task? (Choose two.)

- A. route pattern
- B. route group
- C. translation pattern
- D. partition
- E. CSS

Answer: CE

NEW QUESTION 11

What is a software-based media resource that is provided by the Cisco IP Voice Media Streaming Application?

- A. video conference bridge
- B. auto-attendant
- C. transcoder
- D. annunciator

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab09/clb09/media.html

NEW QUESTION 16

How can an engineer determine location-based CAC bandwidth requirements for Cisco Unified Communications Manager?

- A. Set the requirements in the service parameters.
- B. Add the requirements for each audio and video codec and how many calls must be supported.
- C. Execute the Resource Reservation Protocol to return location-based requirements.
- D. Calculate the number of calls against the license for Cisco Unified Border Element to determine calls per location.

Answer: A

NEW QUESTION 21

Which DHCP option must be set up for new phones to obtain the TFTP server IP address?

- A. option 15
- B. option 6
- C. option 66
- D. option 120

Answer: C

Explanation:

Reference: <https://blog.router-switch.com/2013/03/dhcp-option-150-dhcp-option-66/>

NEW QUESTION 24

An engineer implements QoS in the enterprise network. Which command can be used to verify the correct classification and marking on a Cisco IOS switch?

- A. show class-map interface GigabitEthernet 1/0/1
- B. show policy-map interface GigabitEthernet 1/0/1
- C. show policy-map
- D. show access-lists

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/qos_classn/configuration/xr-16/qos-classn-xr-16-book/qos-classn-mrkg-ntwk-trfc-xr.html

NEW QUESTION 29

An engineer with ID012345678 must build an international dial plan in Cisco Unified Communications Manager. Which action should be taken when building a variable-length route pattern?

- A. reduce the T302 timer to less than 4 seconds
- B. configure single route pattern for international calls
- C. create a second route pattern followed by the # wildcard
- D. set up all international route patterns to 0.!

Answer: A

NEW QUESTION 31

Which two functionalities does Cisco Expressway provide in the Cisco Collaboration architecture? (Choose two.)

- A. Survivable Remote Site Telephony functionality
- B. customer interaction management services
- C. secure firewall and NAT traversal for mobile or remote Cisco Jabber and TelePresence Video endpoints
- D. MGCP gateway registration
- E. Secure business-to-business communications

Answer: CE

NEW QUESTION 32

An engineer is configuring a BOT device for a Jabber user in Cisco Unified Communication Manager Which phone type must be selected?

- A. third-party SIP device
- B. Cisco Dual Mode for iPhone
- C. Cisco Dual Mode for Android
- D. Cisco Unified Client Services Framework

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_5/CJAB_BK_D00D8CBD_00_deployment-installation-guide-cisco-jabber115/CJAB_BK_D00D8CBD_00_deployment-installation-guide-ciscojabber115_chapter_01000.html

NEW QUESTION 34

Which access control group is required on an end user to allow Jabber to do deskphone mode?

- A. Allow Control of Device from CTI
- B. Standard CTI Enabled
- C. Standard CTI Allow Reception of SRTP Key Material
- D. Standard CTI Secure Connection

Answer: B

NEW QUESTION 35

A Cisco TelePresence SX80 suddenly has issues displaying main video to a display over HDMI. Which command can you use from the SX80 admin CLI to check the video output status to the monitor?

- A. xStatus Video Output
- B. xCommand Video Status
- C. xConfiguration Video Output
- D. xStatus HDMI Output

Answer: C

NEW QUESTION 40

Which transport protocol does the application layer protocol SNMP use?

- A. XML
- B. UDP
- C. SIP
- D. HTTP

Answer: B

Explanation:

Reference: <https://www.geeksforgeeks.org/simple-network-management-protocol-snmp/>

NEW QUESTION 44

Which statement about Cisco Unified Communications Manager and Cisco IM and Presence backups is true?

- A. Backups should be scheduled during off-peak hours to avoid system performance issues.
- B. Backups are saved as .tar files and encrypted using the web administrator account.
- C. Backups are saved as unencrypted .tar files.
- D. Backups are not needed for subscriber Cisco Unified Communications Manager and Cisco IM and Presence servers.

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/11_5_1_SU1/Administration/cucm_b_administration-guide-1151su1/cucm_b_administration-guide-1151su1_chapter_01010.html#CUCM_TK_S7FC26D5_00

NEW QUESTION 47

Which configuration step is necessary for a Cisco SIP phone to synchronize its time with a specific source?

- A. Add a Phone NTP Reference to the Date/Time Group.
- B. Assign the device to the correct region.
- C. Change the Time Format from 24-hour to 12-hour.
- D. Change the Time Zone from "America/Los_Angeles" to "Etc/GMT+8".

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/10_0_1/ccmcfg/CUCM_BK_C95ABA82_00_admin-guide-100/CUCM_BK_C95ABA82_00_admin-guide-100_chapter_0110.html

NEW QUESTION 52

Why would we not include an end user's PC device in a QoS trust boundary?

- A. The end user could incorrectly tag their traffic to bypass firewalls.
- B. The end user may incorrectly tag their traffic to be prioritized over other network traffic.
- C. There is no reason not to include an end user's PC device in a QoS trust boundary.
- D. The end user could incorrectly tag their traffic to advertise their PC as a default gateway.

Answer: B

NEW QUESTION 57

A DTMF mismatch is occurring between an MGCP gateway registered FXS port and a Cisco Unified Communications Manager SIP trunk. Which media resource can be leveraged to interwork this mismatch?

- A. Conference Bridge
- B. Trusted Relay Point
- C. Media Termination Point
- D. Annunciator

Answer: C

NEW QUESTION 58

DRAG DROP

According to the QoS Baseline Model, drag and drop the applications from the left onto the correct Per-Hop Behavior values on the right.

voice	AF11
interactive video	CS2
bulk data	EF
call-signaling	AF31/CS3
network management	AF41

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

voice	bulk data
interactive video	network management
bulk data	voice
call-signaling	call-signaling
network management	interactive video

NEW QUESTION 59

When a new SIP phone is registered to Cisco Unified Communications Manager, it keeps failing and showing an “unprovisioned” error message in the phone display. Which problem is a possible cause of this issue?

- A. Auto-registration is disabled on the Cisco Unified Communications Manager nodes and the phone device does not have a DN configured.
- B. The DN assigned to the phone is already in use by another SIP phone.
- C. The phone cannot download and install the latest firmware.
- D. The DHCP settings are set incorrectly and the phone does not have an alternate TFTP defined.
- E. The DN configuration for this phone is shared with an SCCP phone.
- F. which is not supported.

Answer: C

NEW QUESTION 60

Which description of the function of call handlers in Cisco Unity Connection is true?

- A. They answer calls, take messages, and provide menus of options.
- B. They provide access to a corporate directory by playing an audio list that users and outside callers use to reach users and leave messages.
- C. They collect information from callers by playing a series of questions and recording the answers.
- D. They control outgoing calls by allowing you to specify the numbers that Cisco Unity Connection can dial to transfer calls, notify users of messages, and deliver faxes.

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/administration/guide/10xcucsagx/10xcucsag080.html

NEW QUESTION 65

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 350-801 Exam with Our Prep Materials Via below:

<https://www.certleader.com/350-801-dumps.html>