

Exam Questions 350-801

Implementing and Operating Cisco Collaboration Core Technologies

<https://www.2passeasy.com/dumps/350-801/>



NEW QUESTION 1

Multiple route patterns match a number. How does Cisco Unified Communications Managers determine which pattern to use?

- A. the one that comes first in numerical order
- B. the one with the longest match
- C. the one with the closest match
- D. the one that discards everything PreDot

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/voice-unified-communications/unified-communications-manager-callmanager/13920-call-routing.html#bcr>

NEW QUESTION 2

An engineer must extend the corporate phone system to mobile users connecting through the internet with their own devices. One requirement is to keep that as simple as possible for end users. Which infrastructure element achieves these goals?

- A. Cisco Express Mobility
- B. Cisco Expressway-C and Expressway-E
- C. Cisco Unified Border Element
- D. Cisco Unified Instant Messaging and Presence

Answer: C

NEW QUESTION 3

Which issue causes slips on a PRI?

- A. incorrect clock source
- B. incorrect encapsulation
- C. incorrectly configured time zone
- D. change in the line code

Answer: A

NEW QUESTION 4

Refer to the exhibit.

When a UC Administrator is troubleshooting DTMF negotiated by this SIP INVITE, which two messages should be examined next to further troubleshoot the issue? (Choose two.)

- A. REGISTER
- B. UPDATE
- C. PRACK
- D. NOTIFY
- E. SUBSCRIBE

Answer: DE

NEW QUESTION 5

Which description of the Mobile and Remote Access feature is true?

- A. Collaboration Edge feature that enables remote individuals to perform international calls from Jabber with a VPN connection.
- B. Collaboration Edge feature that enables remote individuals to access all enterprise collaboration services using a PC within the corporate environment.
- C. Collaboration Edge feature that enables remote individuals to access enterprise collaboration services via Jabber without the use of a VPN connection.
- D. Collaboration Edge feature that enables remote individuals to access enterprise collaboration services via Jabber with the use of a VPN connection.

Answer: C

NEW QUESTION 6

Refer to the exhibit.

The translation rule is configured on the voice gateway to translate DNIS. What is the outcome if the gateway receives 0255-343-1234 as DNIS?

- A. The translation is not matched because DNIS contains “-”.
- B. The translation is not matched because DNIS does not end with a “\$”.
- C. The translation is matched and the translated number is 02553431234.
- D. The translation is matched and the translated number is 025553431234.

Answer: A

NEW QUESTION 7

What field is configured to change the caller ID information on a SIP route pattern?

- A. Route Partition

- B. Called Party Transformation Mask
- C. Calling Party Transformation Mask
- D. Connected Line ID Presentation

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/10_0_1/ccmcfg/CUCM_BK_C95ABA82_00_admin-guide-100/CUCM_BK_C95ABA82_00_admin-guide-100_chapter_0100111.pdf

NEW QUESTION 8

Which action is required if an engineer wants to have Cisco Unified Communications Manager control the configuration for an MGCP gateway?

- A. Apply the ccm-manager configuration commands to the gateway.
- B. Upload the custom configuration in the TFTP server in Cisco Unified CM.
- C. From Cisco Unified CM > Device > Gateway > Add gateway, check the auto-configuration check box.
- D. Configure the Cisco Unified CM's IP in voice service VoIP.

Answer: C

NEW QUESTION 9

Which call flow matches traffic from a Mobile and Remote Access registered endpoint to central call control?

- A. Endpoint > Expressway-E > Expressway-C > Cisco Unified CM
- B. Endpoint > Expressway-E > Cisco Unified CM
- C. Endpoint > Expressway-C > Cisco Unified CM
- D. Endpoint > Expressway-C > Expressway-E > Cisco Unified CM

Answer: A

NEW QUESTION 10

Regarding SIP integrations with Cisco Unified Communications Manager, if the Cisco Unity Connection is configured to listen for incoming IPv4 and IPv6 traffic, how should the addressing mode be set up in the Cisco Unity Connection?

- A. Set up is not required.
- B. Set up for each group to use IPv4 and IPv6.
- C. Set up media ports for each port group to use IPv4.
- D. Set up IPv4 and IPv6 in Cisco Unified CM.

Answer: B

NEW QUESTION 10

Refer to the exhibit

The SDP offer/answer has been completed successfully but there is no DTMF when users press keys. What is the cause of the issue?

- A. DTMF was negotiated properly in these messages.
- B. G.729 rather than G.711ulaw was negotiated.
- C. Payload type 110 was negotiated rather than type 101.
- D. DTMF was not negotiated on the call.

Answer: D

NEW QUESTION 15

Which two types of device are supported by the Bulk Administration Tool? (Choose two.)

- A. H.322 clients
- B. Cisco Unified IP phones (all models)
- C. SIP trunks
- D. H.225 trunks
- E. music on hold servers

Answer: AB

NEW QUESTION 17

Which method is used to avoid toll fraud with Cisco Unified Communications Manager calls?

- A. call policy service
- B. TOLLFRAUD_APP
- C. default zone access rules
- D. class of service

Answer: D

NEW QUESTION 21

An incoming off-net call to a user fails. An engineer notices that the off-net call is G.711, but the phone accepts only G.729. Which media resource on a Cisco Unified Border Element and Cisco Unified Communications Manager must the engineer configure to manage the codec negotiation?

- A. transcoder
- B. CFB
- C. MOH
- D. MTP

Answer: A

NEW QUESTION 25

Which transport protocol does the application layer protocol SNMP use?

- A. XML
- B. UDP
- C. SIP
- D. HTTP

Answer: B

Explanation:

Reference: <https://www.geeksforgeeks.org/simple-network-management-protocol-snmp/>

NEW QUESTION 29

Why would we not include an end user's PC device in a QoS trust boundary?

- A. The end user could incorrectly tag their traffic to bypass firewalls.
- B. The end user may incorrectly tag their traffic to be prioritized over other network traffic.
- C. There is no reason not to include an end user's PC device in a QoS trust boundary.
- D. The end user could incorrectly tag their traffic to advertise their PC as a default gateway.

Answer: B

NEW QUESTION 31

Which endpoint feature is supported using Mobile and Remote Access through Cisco Expressway?

- A. SRST
- B. SSO
- C. H.323 registration proxy to Cisco Unified Communications Manager
- D. MGCP gateway registration

Answer: C

NEW QUESTION 33

A DTMF mismatch is occurring between an MGCP gateway registered FXS port and a Cisco Unified Communications Manager SIP trunk. Which media resource can be leveraged to interwork this mismatch?

- A. Conference Bridge
- B. Trusted Relay Point
- C. Media Termination Point
- D. Annunciator

Answer: C

NEW QUESTION 36

As a voice engineer, which two recommendations do you make to your company to optimize Cisco Unified Communications Manager configuration to reduce the number of toll fraud incidents? (Choose two.)

- A. Classify all route patterns as on-net and prohibit on-net to on-net call transfers in Cisco Unified CM service parameters.
- B. Classify all route patterns as off-net and prohibit off-net to off-net call transfers in Cisco Unified CM service parameters.
- C. Classify all route patterns as on-net or off-net and prohibit off-net to off-net call transfers in Cisco Unified CM service parameters.
- D. Inbound CSS on any gateway typically should have access to internal destinations and PSTN destinations.
- E. Inbound CSS on any gateway typically should have access to internal destinations only and not PSTN destinations.

Answer: BE

NEW QUESTION 37

DRAG DROP

According to the QoS Baseline Model, drag and drop the applications from the left onto the correct Per-Hop Behavior values on the right.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 42

Which configuration on Cisco Unified Communications Manager is required for SIP MWI to work?

- A. The line partition must be inside the inbound CSS assigned to the CUC SIP trunk.
- B. The line partition must be inside the rerouting CSS assigned to the Cisco Unity Connection SIP trunk.
- C. Set the “Enable message waiting indicator” on the part group.
- D. Assign a MWI extension on the mailbox.

Answer: C

NEW QUESTION 43

Which packet delay is the maximum supported between Cisco Unified Communications Manager nodes for clustering over WAN deployments?

- A. 150 ms round trip
- B. 510 ms round trip
- C. 40 ms round trip
- D. 80 ms round trip

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab11/collab11/callpros.html

NEW QUESTION 46

A user dials 9011841234567 to reach Vietnam. Which steps send the call to the PSTN provider as 011841234567?

A.

A.

B.

C.

Answer: A

NEW QUESTION 49

When a phone is registered over Mobile and Remote Access, where does it register?

- A. Cisco Unified Presence Server
- B. Expressway-E
- C. Cisco Unified Communications Manager
- D. Expressway-C

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/12_0_1/systemConfig/cucm_b_system-configuration-guide-1201/cucm_b_system-configuration-guide-1201_chapter_01011010.html QUESTION

NEW QUESTION 52

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 350-801 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 350-801 Product From:

<https://www.2passeasy.com/dumps/350-801/>

Money Back Guarantee

350-801 Practice Exam Features:

- * 350-801 Questions and Answers Updated Frequently
- * 350-801 Practice Questions Verified by Expert Senior Certified Staff
- * 350-801 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 350-801 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year