



Cisco

Exam Questions 300-415

Implementing Cisco SD-WAN Solutions (ENSDWI)

NEW QUESTION 1

Which component of the Cisco SD-WAN architecture oversees the control plane of overlay network to establish, adjust, and maintain the connections that form the Cisco SD-WAN fabric?

- A. APIC-EM
- B. vSmart
- C. vManage
- D. vBond

Answer: B

NEW QUESTION 2

Which Cisco SD-WAN WAN Edge platform supports LTE and Wi-Fi?

- A. ISR 1101
- B. ASR 1001
- C. CSR 1000v
- D. vEdge 2000

Answer: A

NEW QUESTION 3

Which two image formats are supported for controller codes? (Choose two.)

- A. .nxos
- B. .qcow2
- C. .iso
- D. .ova
- E. .tgz

Answer: BD

NEW QUESTION 4

Which two platforms for the Cisco SD-WAN architecture are deployable in a hypervisor on-premises or in IAAS Cloud? (Choose two.)

- A. CSR 1000v
- B. ISR 4431
- C. vEdge 100c
- D. vEdge 2000
- E. vEdge Cloud

Answer: AE

NEW QUESTION 5

PEER			SITE DOMAIN		PEER	PEER	CONTROLLER				GROUP	
PEER	PEER	PEER	IP	ID	ID	PRIVATE IP	PORT	PUBLIC IP	PORT	LOCAL	COLOR	STATE
UPTIME	PROTOCOL	SYSTEM ID										
vbond	dtls	-	0	0	1.3.25.25	12346	1.3.25.25	12346	gold	connect	0	
vbond	dtls	-	0	0	1.3.25.25	12346	1.3.25.25	12346	silver	connect	0	

Refer to the exhibit. An engineer is troubleshooting a control connection issue. What does “connect” mean in this show control connections output?

- A. Control connection is down
- B. Control connection is up
- C. Control connection attempt is in progress
- D. Control connection is connected

Answer: C

NEW QUESTION 6

When redistribution is configured between OMP and BGP at two Data Center sites that have Direct Connection Interlink, which step avoids learning the same routes on WAN Edge routers of the DCs from LAN?

- A. Set down-bit on Edge routers on DC1
- B. Define different VRFs on both DCs
- C. Set OMP admin distance lower than BGP admin distance
- D. Set same overlay AS on both DC WAN Edge routers

Answer: BD

NEW QUESTION 7

Which configuration step is taken on vManage after WAN Edge list is uploaded to support the on-boarding process before the device comes online?

- A. Verify the device certificate
- B. Enable the ZTP process
- C. Set the device as valid
- D. Send the list to controllers

Answer: C

NEW QUESTION 8

Which attributes are configured to uniquely identify and represent a TLOC route?

- A. system IP address, link color, and encapsulation
- B. origin, originator, and preference
- C. site ID, tag, and VPN
- D. firewall, IPS, and application optimization

Answer: A

NEW QUESTION 9

Two sites have one WAN Edge each. Each WAN Edge has two public TLOCs with no restrict configured. There is full reachability between the TLOCs. How many data tunnels are formed on each Edge router?

- A. 6
- B. 2
- C. 4
- D. 8

Answer: A

NEW QUESTION 10

What is a benefit of the application- aware firewall?

- A. It blocks traffic by MTU of the packet
- B. It blocks encrypted traffic
- C. It blocks traffic by application
- D. It blocks traffic by MAC address

Answer: C

NEW QUESTION 10

Which alarm setting is configured to monitor serious events that affect, but do not shut down, the operation of a network function?

- A. Critical
- B. Medium
- C. Major
- D. Minor

Answer: C

NEW QUESTION 14

Which pathway under Monitor > Network > Select Device is used to verify service insertion configuration?

- A. System Status
- B. Troubleshooting
- C. Real Time
- D. Events

Answer: B

NEW QUESTION 19

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-415 Practice Exam Features:

- * 300-415 Questions and Answers Updated Frequently
- * 300-415 Practice Questions Verified by Expert Senior Certified Staff
- * 300-415 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-415 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-415 Practice Test Here](#)