

Exam Questions 300-715

Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.2passeasy.com/dumps/300-715/>



NEW QUESTION 1

DRAG DROP

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.

Select the check box next to the current node, and then click Edit.	Step 1
Click Save.	Step 2
Choose Administration > System > Deployment.	Step 3
Click Make Primary.	Step 4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 2

Which two features are available when the primary admin node is down and the secondary admin node has not been promoted? (Choose two.)

- A. new AD user 802.1X authentication
- B. hotspot
- C. posture
- D. guest AUP
- E. BYOD

Answer: BD

NEW QUESTION 3

Which supplicant(s) and server(s) are capable of supporting EAP-CHAINING?

- A. Cisco Secure Services Client and Cisco Access Control Server
- B. Cisco AnyConnect NAM and Cisco Identity Service Engine
- C. Cisco AnyConnect NAM and Cisco Access Control Server
- D. Windows Native Supplicant and Cisco Identity Service Engine

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/wireless-mobility/eap-fast/200322-Understanding-EAP-FAST-and-Chaining-imp.html>

NEW QUESTION 4

When configuring Active Directory groups, what does the Cisco ISE use to resolve ambiguous group names?

- A. MIB
- B. SID
- C. MAB
- D. TGT

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-0/ise_active_directory_integration/b_ISE_AD_integration_2x.html

NEW QUESTION 5

Which permission is common to the Active Directory Join and Leave operations?

- A. Remove the Cisco ISE machine account from the domain.
- B. Search Active Directory to see if a Cisco ISE machine account already exists.
- C. Set attributes on the Cisco ISE machine account.
- D. Create a Cisco ISE machine account in the domain if the machine account does not already exist.

Answer: B

NEW QUESTION 6

Which interface-level command is needed to turn on 802.1X authentication?

- A. dot1x system-auth-control
- B. dot1x pae authenticator
- C. aaa server radius dynamic-author
- D. authentication host-mode single- host

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/12-2/31sg/configuration/guide/conf/dot1x.html>

NEW QUESTION 7

Which RADIUS attribute is used to dynamically assign the Inactivity active timer for MAB users from the Cisco ISE node?

- A. session-timeout
- B. termination-action
- C. radius-server timeout
- D. idle-timeout

Answer: D

NEW QUESTION 8


What must be configured on the Cisco ISE authentication policy for unknown MAC addresses/identities for successful authentication?

- A. continue
- B. pass
- C. drop
- D. reject

Answer: A

NEW QUESTION 9

Refer to the exhibit.



Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

Answer: A

NEW QUESTION 10

What gives Cisco ISE an option to scan endpoints for vulnerabilities?

- A. authentication policy
- B. authorization profile
- C. authentication profile
- D. authorization policy

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010100.html

NEW QUESTION 10

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html

NEW QUESTION 14

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html

NEW QUESTION 18

What is the purpose of the ip http server command on a switch?

- A. It enables the https server for users for web authentication.
- B. It enables dot1x authentication on the switch.
- C. It enables MAB authentication on the switch.
- D. It enables the switch to redirect users for web authentication.

Answer: C

NEW QUESTION 23

Which advanced option within a WLAN must be enabled to trigger Central Web Authentication for Wireless users on AireOS controller?

- A. DHCP server
- B. override Interface ACL
- C. static IP tunneling
- D. AAA override

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/wireless/controller/7-4/configuration/guides/consolidated/b_cg74_CONSOLIDATED/b_cg74_CONSOLIDATED_chapter_010110111.html

NEW QUESTION 26

What sends the redirect ACL that is configured in the authorization profile back to the Cisco WLC?

- A. State attribute
- B. Class attribute
- C. Event
- D. Cisco-av-pair

Answer: D

Explanation:

Reference: <https://community.cisco.com/t5/network-access-control/ise-airespace-acl-wlc-problem/td-p/2110491>

NEW QUESTION 29

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

Answer: B

NEW QUESTION 32

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html

NEW QUESTION 36

Which two probes must be enabled for the ARP cache to function in the Cisco ISE profiling service so that a user can reliably bind the IP addresses and MAC addresses of endpoints? (Choose two.)

- A. SNMP
- B. HTTP
- C. RADIUS
- D. DHCP
- E. NetFlow

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 38

Which three default endpoint identity groups does Cisco ISE create? (Choose three.)

- A. endpoint
- B. unknown
- C. blacklist
- D. profiled
- E. whitelist

Answer: BCD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html#wp1203054

NEW QUESTION 39

Which statement about configuring certificates for BYOD is true?

- A. The SAN field is populated with the end user name.
- B. The CN field is populated with the endpoint host name.
- C. An endpoint certificate is mandatory for the Cisco ISE BYOD.
- D. An Android endpoint uses EST, whereas other operating systems use SCEP for enrollment.

Answer: C

NEW QUESTION 43

What allows an endpoint to obtain a digital certificate from Cisco ISE during a BYOD flow?

- A. Application Visibility and Control
- B. Supplicant Provisioning Wizard
- C. My Devices Portal
- D. Network Access Control

Answer: C

NEW QUESTION 47

Which two components are required for creating a Native Supplicant Profile within a BYOD flow? (Choose two.)

- A. Redirect ACL
- B. Connection Type
- C. Operating System
- D. Windows Settings
- E. iOS Settings

Answer: CE

NEW QUESTION 51

Which portal is used to customize the settings for a user to log in and download the compliance module?

- A. Client Provisioning
- B. Client Endpoint
- C. Client Profiling
- D. Client Guest

Answer: A

NEW QUESTION 54
DRAG DROP
Drag the Cisco ISE node types from the left onto the appropriate purposes on the right.

Administration	provides advanced troubleshooting tools that can be used to effectively manage the network and resources
Policy Service	shares context-sensitive information from Cisco ISE to subscribers
Monitoring	manages all system-related configuration and configurations that relate to functionality such as authentication, authorization, and auditing
pxGrid	provides network access, posture, guest access, client provisioning and profiling services, and evaluates the policies to make all decisions

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

uses username and password for authentication	PEAP-MSCHAPv2
uses certificates for authentication	
changes credentials through the admin portal	
supports fragmentation after the tunnel is established	PEAP-EAP-TLS
uses the X.509 format	
supports auto-enrollment for obtaining credentials	

NEW QUESTION 56
What is a characteristic of the UDP protocol?

A. UDP can detect when a server is down.
B. UDP can detect when a server is slow.
C. UDP offers best-effort delivery.
D. UDP offers information about a non-existent server.

Answer: C

NEW QUESTION 58
.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-715 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-715 Product From:

<https://www.2passeasy.com/dumps/300-715/>

Money Back Guarantee

300-715 Practice Exam Features:

- * 300-715 Questions and Answers Updated Frequently
- * 300-715 Practice Questions Verified by Expert Senior Certified Staff
- * 300-715 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-715 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year