



CompTIA

Exam Questions CAS-004

CompTIA Advanced Security Practitioner (CASP+) Exam

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

An IT administrator is reviewing all the servers in an organization and notices that a server is missing crucial practice against a recent exploit that could gain root access.

Which of the following describes the administrator's discovery?

- A. A vulnerability
- B. A threat
- C. A breach
- D. A risk

Answer: A

Explanation:

Reference: <https://www.beyondtrust.com/blog/entry/privilege-escalation-attack-defense-explained>

NEW QUESTION 2

A security engineer needs to implement a solution to increase the security posture of user endpoints by providing more visibility and control over local administrator accounts. The endpoint security team is overwhelmed with alerts and wants a solution that has minimal operational burdens. Additionally, the solution must maintain a positive user experience after implementation.

Which of the following is the BEST solution to meet these objectives?

- A. Implement Privileged Access Management (PAM), keep users in the local administrators group, and enable local administrator account monitoring.
- B. Implement PAM, remove users from the local administrators group, and prompt users for explicit approval when elevated privileges are required.
- C. Implement EDR, remove users from the local administrators group, and enable privilege escalation monitoring.
- D. Implement EDR, keep users in the local administrators group, and enable user behavior analytics.

Answer: A

Explanation:

Reference: <https://www.cyberark.com/what-is/privileged-access-management/>

NEW QUESTION 3

An organization is referencing NIST best practices for BCP creation while reviewing current internal organizational processes for mission-essential items. Which of the following phases establishes the identification and prioritization of critical systems and functions?

- A. Review a recent gap analysis.
- B. Perform a cost-benefit analysis.
- C. Conduct a business impact analysis.
- D. Develop an exposure factor matrix.

Answer: C

Explanation:

Reference: <https://itsm.ucsf.edu/business-impact-analysis-bia-0>

What are the types of BIAs?

There are two types of BIAs:

1. Comprehensive BIA: A Comprehensive BIA is conducted for all critical applications or systems that must be restored within 24 hours following a disaster.
2. Basic BIA: A Basic BIA is an abbreviated version of the Comprehensive BIA and is conducted for less critical applications or systems.

NEW QUESTION 4

Which of the following terms refers to the delivery of encryption keys to a CASB or a third-party entity?

- A. Key sharing
- B. Key distribution
- C. Key recovery
- D. Key escrow

Answer: B

Explanation:

Reference: <https://www.open.edu/openlearn/ocw/mod/oucontent/view.php?id=48322&ion=1.3>

NEW QUESTION 5

A company hired a third party to develop software as part of its strategy to be quicker to market. The company's policy outlines the following requirements: The credentials used to publish production software to the container registry should be stored in a secure location.

Access should be restricted to the pipeline service account, without the ability for the third-party developer to read the credentials directly. Which of the following would be the BEST recommendation for storing and monitoring access to these shared credentials?

- A. TPM
- B. Local secure password file
- C. MFA
- D. Key vault

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/information-protection/tpm/tpm-fundamentals>

NEW QUESTION 6

A customer reports being unable to connect to a website at www.test.com to consume services. The customer notices the web application has the following published cipher suite:

```
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
Signature hash algorithm:
sha256
Public key:
RSA (2048 Bits)
.htaccess config:
<VirtualHost> *:80>
ServerName www.test.com
Redirect / https://www.test.com
</VirtualHost>
<VirtualHost _default_:443>
ServerName www.test.com
DocumentRoot /usr/local/apache2/htdocs
SSLEngine On
...
</VirtualHost>
```

Which of the following is the MOST likely cause of the customer's inability to connect?

- A. Weak ciphers are being used.
- B. The public key should be using ECDSA.
- C. The default should be on port 80.
- D. The server name should be test.com.

Answer: B

Explanation:

Reference: <https://security.stackexchange.com/questions/23383/ssh-key-type-rsa-dsa-ecdsa-are-there-easy-answers-forwhich-to-choose-when>

NEW QUESTION 7

A company is migrating from company-owned phones to a BYOD strategy for mobile devices. The pilot program will start with the executive management team and be rolled out to the rest of the staff in phases. The company's Chief Financial Officer loses a phone multiple times a year.

Which of the following will MOST likely secure the data on the lost device?

- A. Require a VPN to be active to access company data.
- B. Set up different profiles based on the person's risk.
- C. Remotely wipe the device.
- D. Require MFA to access company applications.

Answer: D

NEW QUESTION 8

A security engineer has been asked to close all non-secure connections from the corporate network. The engineer is attempting to understand why the corporate UTM will not allow users to download email via IMAPS. The engineer formulates a theory and begins testing by creating the firewall ID 58, and users are able to download emails correctly by using IMAP instead. The network comprises three VLANs:

- VLAN 30	Guest networks	192.168.20.0/25
- VLAN 20	Corporate user network	192.168.0.0/28
- VLAN 110	Corporate server network	192.168.0.16/29

The security engineer looks at the UTM firewall rules and finds the following:

Rule active	Firewall ID	Source	Destination	Ports	Action	TLS decryption
Yes	58	VLAN 20	15.22.33.45	143	Allow and log	Enabled
Yes	33	VLAN 30	Any	80, 443	Allow and log	Disabled
Yes	22	VLAN 110	VLAN 20	Any	Allow and log	Disabled
No	21	VLAN 20	15.22.33.45	990	Allow and log	Disabled
Yes	20	VLAN 20	VLAN 110	Any	Allow and log	Enabled
Yes	19	VLAN 20	Any	993, 587	Allow and log	Enabled

Which of the following should the security engineer do to ensure IMAPS functions properly on the corporate user network?

- A. Contact the email service provider and ask if the company IP is blocked.
- B. Confirm the email server certificate is installed on the corporate computers.
- C. Make sure the UTM certificate is imported on the corporate computers.
- D. Create an IMAPS firewall rule to ensure email is allowed.

Answer: C

NEW QUESTION 9

An organization's hunt team thinks a persistent threats exists and already has a foothold in the enterprise network.

Which of the following techniques would be BEST for the hunt team to use to entice the adversary to uncover malicious activity?

- A. Deploy a SOAR tool.

- B. Modify user password history and length requirements.
- C. Apply new isolation and segmentation schemes.
- D. Implement decoy files on adjacent hosts.

Answer: C

Explanation:

Reference: <https://www.cynet.com/network-attacks/network-attacks-and-network-security-threats/>

NEW QUESTION 10

A company is looking to fortify its cybersecurity defenses and is focusing on its network infrastructure. The solution cannot affect the availability of the company's services to ensure false positives do not drop legitimate traffic.

Which of the following would satisfy the requirement?

- A. NIDS
- B. NIPS
- C. WAF
- D. Reverse proxy

Answer: B

Explanation:

Reference: <https://subscription.packtpub.com/book/networking-and-servers/9781782174905/5/ch05lv1sec38/differentiatingbetween-nids-and-nips>

NEW QUESTION 10

An organization is designing a network architecture that must meet the following requirements: Users will only be able to access predefined services.

Each user will have a unique allow list defined for access.

The system will construct one-to-one subject/object access paths dynamically.

Which of the following architectural designs should the organization use to meet these requirements?

- A. Peer-to-peer secure communications enabled by mobile applications
- B. Proxied application data connections enabled by API gateways
- C. Microsegmentation enabled by software-defined networking
- D. VLANs enabled by network infrastructure devices

Answer: C

NEW QUESTION 15

A satellite communications ISP frequently experiences outages and degraded modes of operation over one of its legacy satellite links due to the use of deprecated hardware and software. Three days per week, on average, a contracted company must follow a checklist of 16 different high-latency commands that must be run in serial to restore nominal performance. The ISP wants this process to be automated.

Which of the following techniques would be BEST suited for this requirement?

- A. Deploy SOAR utilities and runbooks.
- B. Replace the associated hardware.
- C. Provide the contractors with direct access to satellite telemetry data.
- D. Reduce link latency on the affected ground and satellite segments.

Answer: A

NEW QUESTION 18


DRAG DROP

An organization is planning for disaster recovery and continuity of operations. INSTRUCTIONS

Review the following scenarios and instructions. Match each relevant finding to the affected host.

After associating scenario 3 with the appropriate host(s), click the host to select the appropriate corrective action for that finding. Each finding may be used more than once.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button. Select and Place:



A.

A.

Answer: A

NEW QUESTION 21

An organization is preparing to migrate its production environment systems from an on-premises environment to a cloud service. The lead security architect is concerned that the organization's current methods for addressing risk may not be possible in the cloud environment. Which of the following BEST describes the reason why traditional methods of addressing risk may not be possible in the cloud?

- A. Migrating operations assumes the acceptance of all risk.
- B. Cloud providers are unable to avoid risk.
- C. Specific risks cannot be transferred to the cloud provider.
- D. Risks to data in the cloud cannot be mitigated.

Answer: C

Explanation:

Reference: <https://arxiv.org/ftp/arxiv/papers/1303/1303.4814.pdf>

NEW QUESTION 23

A security engineer needs to recommend a solution that will meet the following requirements: Identify sensitive data in the provider's network
 Maintain compliance with company and regulatory guidelines
 Detect and respond to insider threats, privileged user threats, and compromised accounts Enforce datacentric security, such as encryption, tokenization, and access control Which of the following solutions should the security engineer recommend to address these requirements?

- A. WAF
- B. CASB
- C. SWG
- D. DLP

Answer: A

NEW QUESTION 27

An analyst execute a vulnerability scan against an internet-facing DNS server and receives the following report:

```
*Vulnerabilities in Kernel-Mode Driver Could Allow Elevation of Privilege
*SSL Medium Strength Cipher Suites Supported
*Vulnerability in DNS Resolution Could Allow Remote Code Execution
*DNS Host SIDs allows Local User Enumeration
```

Which of the following tools should the analyst use FIRST to validate the most critical vulnerability?

- A. Password cracker
- B. Port scanner
- C. Account enumerator
- D. Exploitation framework

Answer: A

NEW QUESTION 29

An application developer is including third-party background security fixes in an application. The fixes seem to resolve a currently identified security issue. However, when the application is released to the public, report come In that a previously vulnerability has returned . Which of the following should the developer integrate into the process to BEST prevent this type of behavior?

- A. Peer review
- B. Regression testing
- C. User acceptance
- D. Dynamic analysis

Answer: A

NEW QUESTION 34

The Chief information Officer (CIO) wants to establish a non-banding agreement with a third party that outlines the objectives of the mutual arrangement dealing with data transfers between both organizations before establishing a format partnership .

Which of the follow would MOST likely be used?

- A. MOU
- B. OLA
- C. NDA
- D. SLA

Answer: A

NEW QUESTION 38

Company A is establishing a contractual with Company B. The terms of the agreement are formalized in a document covering the payment terms, limitation of liability, and intellectual property rights .

Which of the following documents will MOST likely contain these elements?

- A. Company A-B SLA v2.docx
- B. Company A OLA v1b.docx
- C. Company A MSA v3.docx
- D. Company A MOU v1.docx
- E. Company A-B NDA v03.docx

Answer: A

NEW QUESTION 43

.....

Relate Links

100% Pass Your CAS-004 Exam with Exam Bible Prep Materials

<https://www.exambible.com/CAS-004-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>