

MD-102 Dumps

Endpoint Administrator

<https://www.certleader.com/MD-102-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

User1 and User2 plan to use Sync your settings.

On which devices can the users use Sync your settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:	<div>No devices</div> <div>Device4 and Device5 only</div> <div>Device1, Device2 and Device3 only</div> <div>Device1, Device2, Device3, Device4, and Device5</div>
User2:	<div>No devices</div> <div>Device4 and Device5 only</div> <div>Device1, Device2 and Device3 only</div> <div>Device1, Device2, Device3, Device4, and Device5</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://www.jeffgilb.com/managing-local-administrators-with-azure-ad-and-intune/>

NEW QUESTION 2

- (Exam Topic 1)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 adds a shortcut to the desktop of Device1, when User1 signs in to Device3, the same shortcut will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
If User1 sets the desktop background to blue on Device2, when User1 signs in to Device4, the desktop background will be blue.	<input type="radio"/>	<input type="radio"/>
If User2 increases the size of the font in the command prompt of Device2, when User2 signs in to Device3, the command prompt will show the increased font size.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, letter Description automatically generated

NEW QUESTION 3

- (Exam Topic 3)

You have an Azure AD tenant named contoso.com that contains the devices shown in the following table.

Name	Operating system
Device1	Windows 10
Device2	Android 8.0
Device3	Android 9
Device4	iOS 11.0
Device5	iOS 11.4.1

AH devices contain an app named App1 and are enrolled in Microsoft Intune.

You need to prevent users from copying data from App1 and pasting the data into other apps.

Which type of policy and how many policies should you create in Intune? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

Minimum number of policies:

1
2
3
4
5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

of Corre Answer Only: The correct answer is app protection policy because it allows you to customize the settings of apps for iOS/iPadOS or Android devices1. One of the settings you can configure is Restrict cut, copy, and paste between other apps, which lets you prevent users from copying data from App1 and pasting the data into other apps2. You only need one policy to apply this setting to all devices that have App1 installed. References: 1: App configuration policies for Microsoft Intune | Microsoft Learn <https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview> 2: Troubleshoot restricting cut, copy, and paste between applications - Intune | Microsoft Learn <https://learn.microsoft.com/en-us/troubleshoot/mem/intune/app-protection-policies/troubleshoot-cut-copy-paste>

NEW QUESTION 4

- (Exam Topic 3)

You have 100 computers that run Windows 10 and connect to an Azure Log Analytics workspace.

Which three types of data can you collect from the computers by using Log Analytics? Each correct answer a complete solution.

NOTE: Each correct selection is worth one point.

- A. error events from the System log
- B. failure events from the Security log
- C. third-party application logs stored as text files
- D. the list of processes and their execution times
- E. the average processor utilization

Answer: ACE

Explanation:

You can collect error events from the System log, third-party application logs stored as text files, and the average processor utilization from the computers by using Log Analytics. These are some of the types of data that you can collect by using data sources such as Windows event logs, custom logs, and performance counters. You cannot collect failure events from the Security log or the list of processes and their execution times by using Log Analytics. References: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/data-sources-overview>

NEW QUESTION 5

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription that contains 100 iOS devices enrolled in Microsoft Intune. You need to deploy a custom line-of-business (LOB) app to the devices by using Intune.

Which extension should you select for the app package file?

- A. .intunemac
- B. apk
- C. .ipa
- D. .appx

Answer: C

Explanation:

iOS/iPadOS LOB apps: Select Line-of-business app as the app type, select the App package file, and then enter an iOS/iPadOS installation file with the extension .ipa.

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

NEW QUESTION 6

- (Exam Topic 3)

You have a server named Server1 and computers that run Windows 8.1. Server1 has the Microsoft Deployment Toolkit (MDT) installed.

You plan to upgrade the Windows 8.1 computers to Windows 10 by using the MDT deployment wizard. You need to create a deployment share on Server1.

What should you do on Server1, and what are the minimum components you should add to the MDT deployment share? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

On Server1:	<div>Import the Deployment Image Servicing and Management (DISM) PowerShell module. Import the WindowsAutopilotIntune Windows PowerShell module. Install the Windows Assessment and Deployment Kit (Windows ADK). Install the Windows Deployment Services server role.</div>
Add to the MDT deployment share:	<div>Windows 10 image and package only Windows 10 image and task sequence only Windows 10 image only Windows 10 image, task sequence, and package</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Install the Windows Deployment Services role. Install and initialize Windows Deployment Services (WDS) On the server:
Open an elevated Windows PowerShell prompt and enter the following command: `Install-WindowsFeature -Name WDS -IncludeManagementTools WDSUTIL /Verbose /Progress /Initialize-Server /Server:MDT01 /RemInst:"D:\RemoteInstall" WDSUTIL /Set-Server /AnswerClients:All`
Box 2: Windows 10 image and task sequence only Create the reference image task sequence
In order to build and capture your Windows 10 reference image for deployment using MDT, you will create a task sequence.
Reference:
<https://docs.microsoft.com/en-us/windows/deployment/deploy-windows-mdt/prepare-for-windows-deployment>
<https://docs.microsoft.com/en-us/windows/deployment/deploy-windows-mdt/create-a-windows-10-reference-im>

NEW QUESTION 7

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription that contains a user named User1 and a web app named Appl. App1 must only accept modern authentication requests. You plan to create a Conditional Access policy named CAPolicy1 that will have the following settings:

- Assignments
 - Users or workload identities: User1
 - Cloud apps or actions: App1
- Access controls
 - Grant: Block access

You need to block only legacy authentication requests to Appl. Which condition should you add to CAPolicy1?

- A. Filter for devices
B. Device platforms
C. User risk
D. Sign-in risk
E. Client apps

Answer: E

Explanation:

you can use the client apps condition to block legacy authentication requests to App11. Legacy authentication is a term that refers to authentication protocols that do not support modern authentication features such as multi-factor authentication or conditional access2. Examples of legacy authentication protocols include Basic Authentication, Digest Authentication, NTLM, and Kerberos2. To block legacy authentication requests, you need to configure the client apps condition to include Other clients, which covers any client that uses legacy authentication protocols13. References: 1: Conditional Access: Block legacy authentication | Microsoft Learn <https://learn.microsoft.com/en-us/mem/identity-protection/conditional-access/block-legacy-authentication> 2: What is legacy authentication? | Microsoft Learn <https://learn.microsoft.com/en-us/mem/identity-protection/conditional-access/legacy-authentication> 3: Client apps condition in Azure Active Directory Conditional Access | Microsoft Learn <https://learn.microsoft.com/en-us/mem/identity-protection/conditional-access/client-apps-condition>

NEW QUESTION 8

- (Exam Topic 3)

You have an on-premises server named Server1 that hosts a Microsoft Deployment Toolkit (MDT) deployment share named MDT1. You need to ensure that MDT1 supports multicast deployments. What should you install on Server1?

- A. Multipath I/O (MPIO)
B. Multipoint Connector
C. Windows Deployment Services (WDS)
D. Windows Server Update Services (WSUS)

Answer: C

NEW QUESTION 9

- (Exam Topic 3)


You have 100 Windows 10 devices enrolled in Microsoft Intune.

You need to configure the devices to retrieve Windows updates from the internet and from other computers on a local network.

Which Delivery Optimization setting should you configure, and which type of Intune object should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Delivery Optimization setting: B. Download mode Intune object: A configuration profile

To configure the devices to retrieve Windows updates from the internet and from other computers on a local network, you need to configure the Download mode setting in a Delivery Optimization device configuration profile. This setting specifies how the devices use Delivery Optimization to download updates. You can choose from several options, such as HTTP only, LAN only, or Group. For example, you can set the Download mode to Group and specify a group ID for the devices to share updates among themselves and with other devices that have the same group ID. You can also set the Download mode to Internet to allow the devices to download updates from Microsoft or other devices on the internet that use Delivery Optimization. References: <https://docs.microsoft.com/en-us/mem/intune/configuration/delivery-optimization-windows>

NEW QUESTION 10

- (Exam Topic 3)

Your network contains an Active Directory domain. The domain contains a user named Admin1. All computers run Windows 10.

You enable Windows PowerShell remoting on the computers.

You need to ensure that Admin1 can establish remote PowerShell connections to the computers. The solution must use the principle of least privilege.

To which group should you add Admin1?

- A. Access Control Assistance Operators
- B. Remote Desktop Users
- C. Power Users
- D. Remote Management Users

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft Intune subscription.

You have devices enrolled in intune as shown in the following table.

Name	Operating system
Device1	Android 8.1.0
Device2	Android 9
Device3	iOS 11.4.1
Device4	iOS 12.3.1
Device5	iOS 12.3.2

An app named App1 is installed on each device.

What is the minimum number of app configuration policies required to manage Appl ?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: B

Explanation:

The correct answer is B because you need to create two app configuration policies for managed devices, one for iOS/iPadOS devices and one for Android devices1. App configuration policies let you customize the settings of apps for iOS/iPadOS or Android devices1. The settings are assigned to user groups and applied when the app runs1. The app developer or supplier provides the configuration settings (keys and values) that are exposed to Intune1. You can't use a single app configuration policy for both iOS/iPadOS and Android devices because they have different configuration settings2. References: 1: App configuration policies for Microsoft Intune | Microsoft Learn

<https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview> 2: Add app configuration policies for managed iOS/iPadOS devices | Microsoft Learn <https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-use-ios>

NEW QUESTION 15

- (Exam Topic 3)

Your network contains an on-premises Active Directory domain and an Azure AD tenant.

The Default Domain Policy Group Policy Object (GPO) contains the settings shown in the following table.

Name	GPO value
LockoutBadCount	0
MaximumPasswordAge	42
MinimumPasswordAge	1
MinimumPasswordLength	7
PasswordComplexity	True
PasswordHistorySize	24

Which device configuration profile type template should you use?

- A. Administrative Templates
- B. Endpoint protection
- C. Device restrictions
- D. Custom

Answer: A

Explanation:

To configure the settings shown in the table, you need to use the Administrative Templates device configuration profile type template. This template allows you to configure hundreds of settings that are also available in Group Policy. You can use this template to configure settings such as password policies, account lockout policies, and audit policies. References:

<https://docs.microsoft.com/en-us/mem/intune/configuration/administrative-templates-windows>

NEW QUESTION 19

- (Exam Topic 3)

You have an Azure Active Directory Premium Plan 2 subscription that contains the users shown in the following table.

Name	Member of	Assigned license
User1	Group1	Enterprise Mobility + Security E5
User2	Group2	Enterprise Mobility + Security E5

You purchase the devices shown in the following table.

Name	Type
Device1	Windows 10
Device2	Android

You configure automatic mobile device management (MDM) and mobile application management (MAM) enrollment by using the following settings:

- > MDM user scope: Group1
- > MAM user scope: Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can enroll Device1 in Intune by using automatic enrollment.	<input type="radio"/>	<input type="radio"/>
User1 can enroll Device2 in Intune by using automatic enrollment.	<input type="radio"/>	<input type="radio"/>
User2 can enroll Device1 in Intune by using automatic enrollment.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference: <https://docs.microsoft.com/en-us/mem/intune/enrollment/android-enroll> <https://powerautomate.microsoft.com/fr-fr/blog/mam-flow-mobile/>

NEW QUESTION 21

- (Exam Topic 3)

You have a Microsoft 365 subscription that uses Microsoft Intune Suite. You use Microsoft Intune to manage devices.

You need to review the startup times and restart frequencies of the devices. What should you use?

- A. Azure Monitor
- B. intune Data Warehouse
- C. Microsoft Defender for Endpoint
- D. Endpoint analytics

Answer: D

Explanation:

Endpoint analytics is a feature of Microsoft Intune that provides insights into the performance and health of devices. You can use endpoint analytics to review the startup times and restart frequencies of the devices, as well as other metrics such as sign-in times, battery life, app reliability, and software inventory. References:

<https://docs.microsoft.com/en-us/mem/analytics/overview>

NEW QUESTION 24

- (Exam Topic 3)

Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure AD tenant by using Azure AD Connect.

You use Microsoft Intune and Configuration Manager to manage devices.

You need to recommend a deployment plan for new Windows 11 devices. The solution must meet the following requirements:

- Devices for the marketing department must be joined to the AD DS domain only. The IT department will install complex applications on the devices at build time, before giving the devices to the marketing department users.
- Devices for The sales department must be Azure AD joined. The devices will be shipped directly from the manufacturer to The homes of the sales department users.
- Administrative effort must be minimized.

Which deployment method should you recommend for each department? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sales:

Marketing:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Sales:

Marketing:

NEW QUESTION 27

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription. The subscription contains 25 computers that run Windows 11 and are enrolled in Microsoft Intune. You need to onboard the devices to Microsoft Defender for Endpoint. What should you create in the Microsoft Intune admin center?

- A. an attack surface reduction (ASR) policy
B. a security baseline
C. an endpoint detection and response (EDR) policy
D. an account protection policy
E. an antivirus policy

Answer: C

Explanation:

To onboard the devices to Microsoft Defender for Endpoint, you need to create an endpoint detection and response (EDR) policy in the Microsoft Intune admin center. This policy enables EDR capabilities on devices that are enrolled in Intune and allows you to configure various settings for EDR functionality. You can then assign the policy to groups of users or devices. References:

<https://docs.microsoft.com/en-us/mem/intune/protect/edr-windows>

NEW QUESTION 31

- (Exam Topic 3)

You have a Microsoft 365 subscription that contains the devices shown in the following table.

Name	Type
Device1	Windows 10
Device2	iOS
Device3	Android Enterprise

You need to ensure that only devices running trusted firmware or operating system build can access network resources.

Which compliance policy setting should you configure for each device? To answer, drag the appropriate settings to the correct devices. Each setting may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Settings

Require BitLocker.

Prevent jailbroken devices from having corporate access.

Prevent rooted devices from having corporate access.

Require Secure Boot to be enabled on the device.

Answer Area

Device1:

Device2:

Device3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Settings

Require BitLocker.

Prevent jailbroken devices from having corporate access.

Prevent rooted devices from having corporate access.

Require Secure Boot to be enabled on the device.

Answer Area

Device1: Require BitLocker.

Device2: Prevent jailbroken devices from having corporate access.

Device3: Prevent rooted devices from having corporate access.

NEW QUESTION 32

- (Exam Topic 3)

Your company uses Microsoft Intune to manage devices.

You need to ensure that only Android devices that use Android work profiles can enroll in intune. Which two configurations should you perform in the device enrollment restrictions? Each correct answer presents part of the solution.

NOTE Each correct selection is worth one point.

- A. From Platform Settings, set Android device administrator Personally Owned to Block.
- B. From Platform Settings, set Android Enterprise (work profile) to Allow.
- C. From Platform Settings, set Android device administrator Personally Owned to Allow
- D. From Platform Settings, set Android device administrator to Block.

Answer: AB

Explanation:

To ensure that only Android devices that use Android work profiles can enroll in Intune, you need to perform two configurations in the device enrollment restrictions. First, you need to set Android device administrator Personally Owned to Block. This prevents users from enrolling personal Android devices that use device administrator mode. Second, you need to set Android Enterprise (work profile) to Allow. This allows users to enroll corporate-owned or personal Android devices that use work profiles. References: <https://docs.microsoft.com/en-us/mem/intune/enrollment/enrollment-restrictions-set>

NEW QUESTION 34

- (Exam Topic 3)

You have a Microsoft Intune subscription.

You are creating a Windows Autopilot deployment profile named Profile1 as shown in the following exhibit.

Create profile

Windows PC

1 Basics

2 Out-of-box experience (OOBE)

3 Scope tags

4 Assignments

5 Review + create

Configure the out-of-box experience for your Autopilot devices

* Deployment mode ⓘ

User-Driven

* Join to Azure AD as ⓘ

Azure AD joined

Microsoft Software License Terms ⓘ

Show

Hide

Important information about hiding license terms

Privacy settings ⓘ

Show

Hide

The default value for diagnostic data collection has changed for devices running Windows 10, version 1903 and later. [Learn more](#)

Hide change account options ⓘ

Show

Hide

User account type ⓘ

Administrator

Standard

Allow White Glove OOBE ⓘ

No

Yes

Language (Region) ⓘ

Operating system default

Automatically configure keyboard ⓘ

No

Yes

Apply device name template ⓘ

No

Yes

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Users who deploy a device by using Profile1
[answer choice].

are prevented from modifying any desktop settings	▼
can create additional local users on the device	
can modify the desktop settings for all device users	
can modify the desktop settings only for themselves	

Users can configure the [answer choice] during
the deployment.

computer name	▼
Cortana settings	
keyboard layout	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users who deploy a device by using Profile1
[answer choice].

are prevented from modifying any desktop settings	▼
can create additional local users on the device	
can modify the desktop settings for all device users	
can modify the desktop settings only for themselves	

Users can configure the [answer choice] during
the deployment.

computer name	▼
Cortana settings	
keyboard layout	

NEW QUESTION 38

- (Exam Topic 3)

Your company has devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform
Device1	Windows 10
Device2	Android device administrator
Device3	iOS

In Microsoft Endpoint Manager, you define the company's network as a location named Location1.
Which devices can use network location-based compliance policies?

- A. Device2 and Device3 only
- B. Device2 only
- C. Device1 and Device2 only
- D. Device1 only
- E. Device1, Device2, and Device3

Answer: E

Explanation:

Intune supported operating systems

Intune supports devices running the following operating systems (OS): iOS

Android Windows macOS

Note: View the device compliance settings for the different device platforms: Android device administrator

Android Enterprise iOS

macOS

Windows Holographic for Business Windows 8.1 and later

Windows 10/11

Reference: <https://docs.microsoft.com/en-us/mem/intune/fundamentals/supported-devices-browsers> <https://docs.microsoft.com/en-us/mem/intune/protect/device-compliance-get-started>

NEW QUESTION 39

- (Exam Topic 3)

You have a Microsoft 365 subscription that contains 1,000 Windows 11 devices enrolled in Microsoft Intune.

You plan to create and monitor the results of a compliance policy used to validate the BIOS version of the devices.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Review the compliance dashboard for results.

Create and assign a compliance policy that has System Security settings configured.

Review the Conditional Access Insights and Reporting workbook for results.

Create a PowerShell discovery script and a JSON file.

Upload the PowerShell script to Intune.

Upload the JSON file to Azure AD.

Create and assign a custom compliance policy.

>

<

Answer Area

↑

↓

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Review the compliance dashboard for results.

Create and assign a compliance policy that has System Security settings configured.

Review the Conditional Access Insights and Reporting workbook for results.

Create a PowerShell discovery script and a JSON file.

Upload the PowerShell script to Intune.

Upload the JSON file to Azure AD.

Create and assign a custom compliance policy.

>

<

Answer Area

Create a PowerShell discovery script and a JSON file.

Upload the PowerShell script to Intune.

Upload the JSON file to Azure AD.

Create and assign a custom compliance policy.

↑

↓

NEW QUESTION 44

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription.

You need to download a report that lists all the devices that are NOT enrolled in Microsoft Intune and are assigned an app protection policy.

What should you select in the Microsoft Endpoint Manager admin center?

- A. App
B. and then App protection policies
C. App
D. and then Monitor
E. Devices, and then Monitor
F. Reports, and the Device compliance

Answer: A

Explanation:

App report: You can search by platform and app, and then this report will provide two different app protection statuses that you can select before generating the report. The statuses can be Protected or Unprotected.

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policies-monitor>

NEW QUESTION 49

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription that contains a user named User1 and uses Microsoft Intune Suite. You use Microsoft Intune to manage devices.

You have a device named Device1 that is enrolled in Intune.

You need to ensure that User1 can use Remote Help from the Intune admin center for Device1. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Deploy the Remote Help app to Device1.
B. Assign the Help Desk Operator role to User1.
C. Assign the Intune Administrator role to User1.
D. Assign a Microsoft 365 E5 license to User1.
E. Rerun device onboarding on Device1.
F. Assign the Remote Help add-on license to User1.

Answer: ABF

NEW QUESTION 51

- (Exam Topic 3)

Your company has an Azure AD tenant named contoso.com that contains several Windows 10 devices. When you join new Windows 10 devices to contoso.com, users are prompted to set up a four-digit pin. You need to ensure that the users are prompted to set up a six-digit pin when they join the Windows 10 devices to contoso.com.

Solution: From the Microsoft Entra admin center, you modify the User settings and the Device settings. Does this meet the goal?

- A. Yes
B. No

Answer: B

NEW QUESTION 55

- (Exam Topic 3)

You have a Microsoft 365 subscription that contains the devices shown in the following table.

Name	Platform
Device1	Windows 10
Device2	iOS

You plan to enroll the devices in Microsoft Intune.

How often will the compliance policy check-ins run after each device is enrolled in Intune? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Device1:

Every 15 minutes for one hour, and then every eight hours
Every five minutes for 15 minutes, then every 15 minutes for two hours, and then every eight hours
Every three minutes for 15 minutes, then every 15 minutes for two hours, and then every eight hours

Device2:

Every 15 minutes for one hour, and then every eight hours
Every five minutes for 15 minutes, then every 15 minutes for two hours, and then every eight hours
Every three minutes for 15 minutes, then every 15 minutes for two hours, and then every eight hours

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Every three minutes for 15 minutes, then every 15 minutes for two hours, and then around every eight hours

If devices recently enroll, then the compliance, non-compliance, and configuration check-in runs more frequently. The check-ins are estimated at:

Windows 10: Every 3 minutes for 15 minutes, then every 15 minutes for 2 hours, and then around every 8 hours

Graphical user interface, text, application, email Description automatically generated

Platform	Frequency
iOS/iPadOS	Every 15 minutes for 1 hour, and then around every 8 hours
macOS	Every 15 minutes for 1 hour, and then around every 8 hours
Android	Every 3 minutes for 15 minutes, then every 15 minutes for 2 hours, and then around every 8 hours
Windows 10/11 PCs enrolled as devices	Every 3 minutes for 15 minutes, then every 15 minutes for 2 hours, and then around every 8 hours
Windows 8.1	Every 5 minutes for 15 minutes, then every 15 minutes for 2 hours, and then around every 8 hours

Box 2: Every 15 minutes for one hour, and then every eight hours iOS/iPadOS: Every 15 minutes for 1 hour, and then around every 8 hours

Reference: <https://docs.microsoft.com/en-us/mem/intune/configuration/device-profile-troubleshoot>

NEW QUESTION 57

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription.

You create a new update rings policy named Policy1 as shown in the following exhibit.

Update ring settings Edit	
Update settings	
Microsoft product updates	Allow
Windows drivers	Allow
Quality update deferral period (days)	0
Feature update deferral period (days)	30
Upgrade Windows 10 devices to Latest Windows 11 release	No
Set feature update uninstall period (2 - 60 days)	10
Servicing channel	General Availability channel
User experience settings	
Automatic update behavior	Auto install at maintenance time
Active hours start	8 AM
Active hours end	5 PM
Restart checks	Allow
Option to pause Windows updates	Enable
Option to check for Windows updates	Enable
Change notification update level	Use the default Windows Update notifications
Use deadline settings	Allow
Deadline for feature updates	30
Deadline for quality updates	0
Grace period	0
Auto reboot before deadline	No

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point,

Answer Area

Updates that contain fixes and improvements to existing Windows functionality **[answer choice]**

can be deferred for 30 days

can be deferred indefinitely

can be deferred for 30 days

will be installed immediately

Updates that contain new Windows functionality will be installed within **[answer choice]** of release.

1 day

1 day

30 days

60 days

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

*Updates that contain fixes and improvements to existing Windows functionality can be deferred for 30 days. This is because the update rings policy named Policy1 has the “Quality updates deferral period (days)” setting set to 30. This means that quality updates, which include fixes and improvements to existing Windows functionality, can be deferred for up to 30 days from the date they are released by Microsoft. After 30 days, the devices will automatically install the quality updates. References:
<https://docs.microsoft.com/en-us/mem/intune/protect/windows-update-for-business-configure>

*Updates that contain new Windows functionality will be installed within 60 days of release. This is because the update rings policy named Policy1 has the “Feature updates deferral period (days)” setting set to 60. This means that feature updates, which include new Windows functionality, can be deferred for up to 60 days from the date they are released by Microsoft. After 60 days, the devices will automatically install the feature updates. References:
<https://docs.microsoft.com/en-us/mem/intune/protect/windows-update-for-business-configure>

NEW QUESTION 58

- (Exam Topic 3)
You have a Microsoft 365 E5 subscription that contains 10 Android Enterprise devices. Each device has a corporate-owned work profile and is enrolled in Microsoft Intune.
You need to configure the devices to run a single app in kiosk mode.
Which Configuration settings should you modify in the device restrictions profile?

- A. General
- B. Users and Accounts
- C. System security
- D. Device experience

Answer: D

Explanation:

To configure the devices to run a single app in kiosk mode, you need to modify the Device experience settings in the device restrictions profile. You can specify the

app package name and activity name for the app that you want to run in kiosk mode. References:
<https://docs.microsoft.com/en-us/mem/intune/configuration/device-restrictions-android-for-work#device-experie>

NEW QUESTION 61

- (Exam Topic 3)

You have a Microsoft 365 E5 subscription that contains 1,000 Windows 11 devices. All the devices are enrolled in Microsoft Intune.

You plan to integrate Intune with Microsoft Defender for Endpoint.

You need to establish a service-to-service connection between Intune and Defender for Endpoint. Which settings should you configure in the Microsoft Endpoint Manager admin center?

- A. Connectors and tokens
- B. Premium add-ons
- C. Microsoft Tunnel Gateway
- D. Tenant enrollment

Answer: A

Explanation:

Microsoft Defender for Endpoint – Important Service and Endpoint Settings You Should Configure Right Now.

As a prerequisite, however, head to tenant administration > connectors and tokens > Microsoft Defender for Endpoint and confirm the connection is enabled. You previously set this up in the advanced settings of Microsoft 365 Defender.

Reference: <https://petri.com/microsoft-defender-for-endpoint-which-settings-configure-right-now/>

NEW QUESTION 64

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your MD-102 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MD-102-dumps.html>