

Amazon

Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty



NEW QUESTION 1

Considering your knowledge of both the OSI and TCP/IP models - select the following statement which you consider to NOT be true.

- A. The TCP/IP Application layer maps to 2 of the OSI Layers
- B. The top layer in the OSI model is named the Application layer
- C. The TCP/IP Application layer maps to 3 of the OSI Layers
- D. The top layer in the TCP/IP model is named the Application layer

Answer: A

Explanation:

Reference:
https://en.wikipedia.org/wiki/OSI_model

NEW QUESTION 2

Select the answer/s that correctly state how Jumbo Frames work

- A. Jumbo Frames assist with application disk storage
- B. Jumbo Frames can assist with application performance
- C. Jumbo Frames are supported across Virtual Private Gateway connections
- D. Jumbo Frames are enabled by increasing the MTU size to 9000 kilobytes

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 3

You are the AWS cloud architect and have been tasked with designing an appropriate subnetting design for your production VPC. Your production VPC requires secure communications back to the corporate private network. Quality of Service (QoS) is very important 24x7 for this particular connection, as real-time data is passed continually backwards and forwards between your on-prem bioinformatics enterprise application, and the number crunching servers deployed in the cloud. Any potential latency incurred on this connection will have a direct impact on the company's ability to attract investors and expansion into new markets. Select the correct network configuration that best facilitates your company's continued growth plans.

- A. Provision a Direct Connect connection - between your service provider's data center and the AWS region that your cloud compute resources exist in . Configure just a Private VirtualInterface
- B. As this is a Direct Connection, a Virtual Private Gateway is not required
- C. Configure a site-to-site layer 2 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- D. Configure a site-to-site layer 3 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- E. Provision a Direct Connect connection - between your existing service provider's data center and the AWS region that your cloud compute resources exist i
- F. Configure a Virtual Private Gateway and Private Virtual Interface

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/directconnect/faqs/>

NEW QUESTION 4

Which statement is NOT true about accessing remote AWS region in the US by your AWS Direct Connect which is located in the US?

- A. To connect to a VPC in a remote region, you can use a virtual private network (VPN) connection over your public virtual interface.
- B. To access public resources in a remote region, you must set up a public virtual interface and establish a border gateway protocol (BGP) session.
- C. If you have a public virtual interface and established a BGP session to it, your router learns the routes of the other AWS regions in the US.
- D. Any data transfer out of a remote region is billed at the location of your AWS Direct Connect data transfer rate.

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html

NEW QUESTION 5

To connect to public AWS products such as Amazon EC2 and Amazon S3 through the AWS Direct Link, which step is NOT required?

- A. Provide public IP address (/31) for each Border Gateway Protocol (BGP) session.
- B. Allocate a Private IP address to your network in 172.x.x.x range.
- C. Provide the public routes that you will advertise over Border Gateway Protocol (BGP).
- D. Provide a public Autonomous System Number (ASN) that you own or a private one to identify your network on the Internet.

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 6

In AWS Direct Connect, which of the following is true of configuring your router to connect to the AWS Direct Connect router?

- A. After creating a virtual interface for your AWS Direct Connect connection, you can download the router configuration file from the available link
- B. After Completing the Cross Connect step, the download link for router configuration will be available
- C. After submitting your AWS Direct Connect connection request, you will receive the router configuration details by email within 72 hours
- D. In Create a Virtual Interface step, the general configuration of your router would be available for downloading.

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#routerconfig>

NEW QUESTION 7

In AWS Direct Connect, to provide for failover, AWS recommends that you request and configure two dedicated connections to AWS. These connections can terminate on one or two routers in your network. You can do this while _____ with AWS Direct Connect step.

- A. creating a Virtual Interface
- B. configuring redundant connections
- C. completing the cross-connect
- D. verifying your Virtual Interface

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>

NEW QUESTION 8

To get started using AWS Direct Connect, in which of the following steps do you configure Border Gateway Protocol (BGP)?

- A. Complete the Cross Connect
- B. Verify your Virtual Interface
- C. Create a Virtual Interface
- D. Submit AWS Direct Connect Connection Request

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#createvirtualinterface>

NEW QUESTION 9

Does Amazon VPC support multicast or broadcast?

- A. Yes, both.
- B. It doesn't support any of them.
- C. Multicast yes, Broadcast no.
- D. Both, but only outside Amazon VP

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 10

After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

- A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
- B. You can change the region of your virtual interface.
- C. You can create a hosted virtual interface.
- D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html>

NEW QUESTION 10

In Amazon CloudFront, if you need to quickly remove objects from a distribution, you can:

- A. delete the objects from cache.

- B. invalidate the objects.
- C. remove your Amazon S3 bucket.
- D. delete your distribution and recreate it

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/AddRemoveReplaceObjects.html>

NEW QUESTION 12

Which of the following types of contents cannot serve over HTTP or HTTPS in Amazon CloudFront?

- A. Apple HTTP Live Streaming
- B. Static and dynamic download content
- C. Adobe Flash multimedia content
- D. CloudFront RTMP distribution

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-overview.html>

NEW QUESTION 16

In Amazon CloudFront, you cannot configure CloudFront to process cookies for ____.

- A. HTTPS web distributions
- B. Web and RTMP distributions
- C. RTMP distributions
- D. HTTP web distributions

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 20

With respect to Amazon CloudFront, which one of the following statements is correct?

- A. For HTTPS web distributions, you cannot forward cookies to your origin.
- B. For both HTTP and HTTPS web distributions, you can choose to forward cookies to your origin.
- C. For HTTP web distributions, you cannot forward cookies to your origin.
- D. For Real Time Messaging Protocol (RTMP) distributions, you can configure CloudFront to process cookies.

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 22

For web distributions in Amazon CloudFront, your origin can be either an Amazon S3 bucket or ____.

- A. a DNS server
- B. a proxy server
- C. an FTP server
- D. an HTTP server

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-overview.html>

NEW QUESTION 24

What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

- A. Unlimited
- B. 5 GB
- C. 100 MB
- D. 20 GB

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorS3Origin.html#ResponseBehaviorS3Origin>

NEW QUESTION 26

Which of the following does not configure Amazon CloudFront cache behaviors to forward cookies to an origin for web distributions?

- A. Origin server
- B. AWS CLI
- C. Amazon EMR
- D. Amazon S3

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 31

With AWS CloudTrail, creating multiple trails in one region allows _____ to focus on one aspect of AWS operation.

- A. callers
- B. events
- C. buckets
- D. stakeholders

Answer: D

Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 32

What is the maximum number of CloudTrails that you can create per AWS region?

- A. 10
- B. 2
- C. 16
- D. 5

Answer: D

Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 33

Use _____ to get more visibility into the health of your AWS Elastic Beanstalk application and take appropriate actions in case of hardware failure or performance degradation.

- A. Amazon Elastic Beanstalk command line
- B. Amazon EC2 log files
- C. Amazon CloudWatch
- D. Amazon Load balancing

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/concepts.concepts.design.html>

NEW QUESTION 36

In AWS, which tool records API calls for a specific AWS account and also delivers the log files for that account?

- A. CloudTrail
- B. Redshift
- C. Beanstalk
- D. Cognito

Answer: A

Explanation:

Reference:

<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 38

In AWS, which service provides a reliable and inexpensive way to backup and archive CloudTrail log files?

- A. Amazon Archiver
- B. Amazon Glacier
- C. AWS Storage Gateway
- D. Amazon Elastic Block Store

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 39

Which of the following services is used to send an alert from CloudWatch?

- A. AWS SNS
- B. AWS EBS
- C. AWS SES
- D. AWS SQS

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/related_services.html

NEW QUESTION 42

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. inputParameters
- B. invokingEvent
- C. ruleConfiguration
- D. mappingTemplate

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 44

When using AWS Config, which two items are stored on S3 as a part of its operation?

- A. Configuration Items and Configuration History
- B. Configuration Recorder and Configuration Snapshots
- C. Configuration History and Configuration Snapshots
- D. Configuration Snapshots and Configuration Streams

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/config-concepts.html#config-items>

NEW QUESTION 46

An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____, which can include a combination of a resource type and a resource ID, for example.

- A. trigger
- B. domain
- C. manifest
- D. scope

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

NEW QUESTION 47

Which other AWS service is used to track 'Related Events' within the Configuration Item?

- A. AWS WAF
- B. SQS
- C. AWS CloudTrail
- D. S3

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/resource-config-reference.html#configitem-table>

NEW QUESTION 48

Which element of AWS Config can be used to help maintain internal and external compliance controls?

- A. Configuration Item
- B. Configuration Recorder
- C. Configuration Streams
- D. Config Rules

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/config/>

NEW QUESTION 52

AWS Config flags a resource as _____ if a resource violates any conditions of an AWS Config rule that it evaluates on the resource in question.

- A. corrupted
- B. noncompliant
- C. invalid
- D. misconfigured

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

NEW QUESTION 53

Each custom AWS Config rule you create must be associated with a(n) AWS _____, which contains the logic that evaluates whether your AWS resources comply with the rule.

- A. Lambda function
- B. Configuration trigger
- C. EC2 instance
- D. S3 bucket

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules.html

NEW QUESTION 57

A user is having data generated randomly based on a certain event. The user wants to upload that data to CloudWatch. It may happen that event may not have data generated for some period due to randomness. Which of the below mentioned options is a recommended option for this case?

- A. For the period when there is no data, the user should not send the data at all
- B. The user must upload the data to CloudWatch as having no data for some period will cause an error at CloudWatch monitoring
- C. For the period when there is no data the user should send the value as 0
- D. For the period when there is no data the user should send a blank value

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/publishingMetrics.html>

NEW QUESTION 62

A user is trying to send custom metrics to CloudWatch using the PutMetricData APIs. Which of the below mentioned points should the user needs to take care while sending the data to CloudWatch?

- A. The size of a request is limited to 128KB for HTTP GET requests and 64KB for HTTP POST requests
- B. The size of a request is limited to 40KB for HTTP GET requests and 8KB for HTTP POST requests
- C. The size of a request is limited to 16KB for HTTP GET requests and 80KB for HTTP POST requests
- D. The size of a request is limited to 8KB for HTTP GET requests and 40KB for HTTP POST requests

Answer: D

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.html

NEW QUESTION 65

You have several Amazon Glacier vaults you would like to monitor. How might you monitor those vaults?

- A. Create a custom AWS Config rule.
- B. Use an AWS master Config rule.
- C. Use an AWS managed Config rule.
- D. Create a KMS policy and attach it to your Amazon Glacier vault

Answer: A

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_nodejs.html#creating-custom-rules-for-additional-resource-types

NEW QUESTION 66

You have many IAM users with the ability to create EC2 volumes. Most of the data your team works with is sensitive, so you would like to make sure all volumes are encrypted. How might you facilitate this requirement?

- A. Create an AWS KMS policy and attach it to all IAM users that can create EC2 volumes
- B. Use AWS Config and create a rule that requires all volumes, upon creation, be encrypted.
- C. Use AWS Config to send out reminders to IAM users every time they create an EC2 volume.
- D. Set EC2 to notify creators to encrypt their EC2 volume

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

NEW QUESTION 67

A user is running a batch process on EBS backed EC2 instances. The batch process launches few EC2 instances to process hadoop Map reduce jobs which can run between 50 – 600 minutes or sometimes for even more time. The user wants a configuration that can terminate the instance only when the process is completed. How can the user configure this with CloudWatch?

- A. Configure a job which terminates all instances after 600 minutes
- B. It is not possible to terminate instances automatically
- C. Set up the CloudWatch with Auto Scaling to terminate all the instances
- D. Configure the CloudWatch action to terminate the instance when the CPU utilization falls below 5%

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/UsingAlarmActions.html>

NEW QUESTION 69

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Certified-Advanced-Networking-Specialty Practice Exam Features:

- * AWS-Certified-Advanced-Networking-Specialty Questions and Answers Updated Frequently
- * AWS-Certified-Advanced-Networking-Specialty Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Advanced-Networking-Specialty Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Certified-Advanced-Networking-Specialty Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Certified-Advanced-Networking-Specialty Practice Test Here](#)