

Exam Questions SY0-701

CompTIA Security+ Exam

<https://www.2passeasy.com/dumps/SY0-701/>



NEW QUESTION 1

- (Exam Topic 1)

A software company is analyzing a process that detects software vulnerabilities at the earliest stage possible. The goal is to scan the source looking for unsecure practices and weaknesses before the application is deployed in a runtime environment. Which of the following would BEST assist the company with this objective?

- A. Use fuzzing testing
- B. Use a web vulnerability scanner
- C. Use static code analysis
- D. Use a penetration-testing OS

Answer: C

Explanation:

Using static code analysis would be the best approach to scan the source code looking for unsecure practices and weaknesses before the application is deployed in a runtime environment. This method involves analyzing the source code without actually running the software, which can identify security vulnerabilities that may not be detected by other testing methods. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 6: Risk Management, pp. 292-295

NEW QUESTION 2

- (Exam Topic 1)

If a current private key is compromised, which of the following would ensure it cannot be used to decrypt all historical data?

- A. Perfect forward secrecy
- B. Elliptic-curve cryptography
- C. Key stretching
- D. Homomorphic encryption

Answer: A

Explanation:

Perfect forward secrecy would ensure that it cannot be used to decrypt all historical data. Perfect forward secrecy (PFS) is a security protocol that generates a unique session key for each session between two parties. This ensures that even if one session key is compromised, it cannot be used to decrypt other sessions.

NEW QUESTION 3

- (Exam Topic 1)

A security engineer is installing a WAF to protect the company's website from malicious web requests over SSL. Which of the following is needed to meet the objective?

- A. A reverse proxy
- B. A decryption certificate
- C. A spill-tunnel VPN
- D. Load-balanced servers

Answer: B

Explanation:

A Web Application Firewall (WAF) is a security solution that protects web applications from various types of attacks such as SQL injection, cross-site scripting (XSS), and others. It is typically deployed in front of web servers to inspect incoming traffic and filter out malicious requests. To protect the company's website from malicious web requests over SSL, a decryption certificate is needed to decrypt the SSL traffic before it reaches the WAF. This allows the WAF to inspect the traffic and filter out malicious requests.

NEW QUESTION 4

- (Exam Topic 1)

A store receives reports that shoppers' credit card information is being stolen. Upon further analysis, those same shoppers also withdrew money from an ATM in that store.

The attackers are using the targeted shoppers' credit card information to make online purchases. Which of the following attacks is the MOST probable cause?

- A. Identity theft
- B. RFID cloning
- C. Shoulder surfing
- D. Card skimming

Answer: D

Explanation:

The attackers are using card skimming to steal shoppers' credit card information, which they use to make online purchases. References:

➤ CompTIA Security+ Study Guide Exam SY0-601, Chapter 5

NEW QUESTION 5

- (Exam Topic 1)

After gaining access to a dual-homed (i.e., wired and wireless) multifunction device by exploiting a vulnerability in the device's firmware, a penetration tester then gains shell access on another networked asset. This technique is an example of:

- A. privilege escalation
- B. footprinting
- C. persistence
- D. pivoting.

Answer: D

Explanation:

The technique of gaining access to a dual-homed multifunction device and then gaining shell access on another networked asset is an example of pivoting. References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 8: Application, Data, and Host Security, Enumeration and Penetration Testing

NEW QUESTION 6

- (Exam Topic 1)

Which of the following environments would MOST likely be used to assess the execution of component parts of a system at both the hardware and software levels and to measure performance characteristics?

- A. Test
- B. Staging
- C. Development
- D. Production

Answer: A

Explanation:

The test environment is used to assess the execution of component parts of a system at both the hardware and software levels and to measure performance characteristics. References: CompTIA Security+ Study Guide 601, Chapter 2

NEW QUESTION 7

- (Exam Topic 1)

Which of the following would produce the closest experience of responding to an actual incident response scenario?

- A. Lessons learned
- B. Simulation
- C. Walk-through
- D. Tabletop

Answer: B

Explanation:

A simulation exercise is designed to create an experience that is as close as possible to a real-world incident response scenario. It involves simulating an attack or other security incident and then having security personnel respond to the situation as they would in a real incident. References: CompTIA Security+ SY0-601 Exam Objectives: 1.1 Explain the importance of implementing security concepts, methodologies, and practices.

NEW QUESTION 8

- (Exam Topic 1)

A network engineer and a security engineer are discussing ways to monitor network operations. Which of the following is the BEST method?

- A. Disable Telnet and force SSH.
- B. Establish a continuous ping.
- C. Utilize an agentless monitor
- D. Enable SNMPv3 With passwords.

Answer: C

Explanation:

An agentless monitor is the best method to monitor network operations because it does not require any software or agents to be installed on the devices being monitored, making it less intrusive and less likely to disrupt network operations. This method can monitor various aspects of network operations, such as traffic, performance, and security.

CompTIA Security+ Study Guide, Sixth Edition (SY0-601), Chapter 4: Attacks, Threats, and Vulnerabilities, Monitoring and Detection Techniques, pg. 167-170.

NEW QUESTION 9

- (Exam Topic 1)

A Chief Information Officer is concerned about employees using company-issued laptops to steal data when accessing network shares. Which of the following should the company implement?

- A. DLP
- B. CASB
- C. HIDS
- D. EDR
- E. UEFI

Answer: A

Explanation:

The company should implement Data Loss Prevention (DLP) to prevent employees from stealing data when accessing network shares. References:

➤ CompTIA Security+ Study Guide Exam SY0-601, Chapter 8

NEW QUESTION 10

- (Exam Topic 1)

A Chief Information Officer is concerned about employees using company-issued laptops to steal data when accessing network shares. Which of the following should the company implement?

- A. DLP
- B. CASB
- C. HIDS
- D. EDR
- E. UEFI

Answer: A

Explanation:

The company should implement Data Loss Prevention (DLP) to prevent employees from stealing data. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 8

NEW QUESTION 10

- (Exam Topic 1)

A security administrator wants to implement a program that tests a user's ability to recognize attacks over the organization's email system. Which of the following would be BEST suited for this task?

- A. Social media analysis
- B. Annual information security training
- C. Gamification
- D. Phishing campaign

Answer: D

Explanation:

A phishing campaign is a simulated attack that tests a user's ability to recognize attacks over the organization's email system. Phishing campaigns can be used to train users on how to identify and report suspicious emails.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 2: Technologies and Tools, pp. 85-86.

NEW QUESTION 11

- (Exam Topic 1)

The Chief Executive Officer announced a new partnership with a strategic vendor and asked the Chief Information Security Officer to federate user digital identities using SAML-based protocols. Which of the following will this enable?

- A. SSO
- B. MFA
- C. PKI
- D. OLP

Answer: A

Explanation:

Federating user digital identities using SAML-based protocols enables Single Sign-On (SSO), which allows users to log in once and access multiple applications without having to enter their credentials for each one. References:

- CompTIA Security+ Certification Exam Objectives 1.3: Explain authentication and access controls.
- CompTIA Security+ Study Guide, Sixth Edition, pages 41-42

NEW QUESTION 16

- (Exam Topic 1)

A company reduced the area utilized in its datacenter by creating virtual networking through automation and by creating provisioning routes and rules through scripting. Which of the following does this example describe?

- A. IaC
- B. MSSP
- C. Containers
- D. SaaS

Answer: A

Explanation:

IaaS (Infrastructure as a Service) allows the creation of virtual networks, automation, and scripting to reduce the area utilized in a datacenter. References: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 4

NEW QUESTION 21

- (Exam Topic 1)

A help desk technician receives an email from the Chief Information Officer (C/O) asking for documents. The technician knows the CIO is on vacation for a few weeks. Which of the following should the technician do to validate the authenticity of the email?

- A. Check the metadata in the email header of the received path in reverse order to follow the email's path.
- B. Hover the mouse over the CIO's email address to verify the email address.
- C. Look at the metadata in the email header and verify the "From." line matches the CIO's email address.
- D. Forward the email to the CIO and ask if the CIO sent the email requesting the documents.

Answer: B

Explanation:

The "From" line in the email header can be easily spoofed or manipulated by an attacker to make it look like the email is coming from the CIO's email address. However, this does not mean that the email address is actually valid or that the email is actually sent by the CIO. A better way to check the email address is to

hover over it and see if it matches the CIO's email address exactly. This can help to spot any discrepancies or typos that might indicate a phishing attempt. For example, if the CIO's email address is cio@company.com, but when you hover over it, it shows cio@compnay.com, then you know that the email is not authentic and likely a phishing attempt.

NEW QUESTION 22

- (Exam Topic 1)

A cybersecurity administrator needs to implement a Layer 7 security control on a network and block potential attacks. Which of the following can block an attack at Layer 7? (Select TWO).

- A. HIDS
- B. NIPS
- C. HSM
- D. WAF
- E. NAC
- F. NIDS
- G. Stateless firewall

Answer: DF

Explanation:

A WAF (Web Application Firewall) and NIDS (Network Intrusion Detection System) are both examples of Layer 7 security controls. A WAF can block attacks at the application layer (Layer 7) of the OSI model by filtering traffic to and from a web server. NIDS can also detect attacks at Layer 7 by monitoring network traffic for suspicious patterns and behaviors. References: CompTIA Security+ Study Guide, pages 94-95, 116-118

NEW QUESTION 26

- (Exam Topic 1)

Which of the following is a physical security control that ensures only the authorized user is present when gaining access to a secured area?

- A. A biometric scanner
- B. A smart card reader
- C. APKItoken
- D. A PIN pad

Answer: A

Explanation:

A biometric scanner uses physical characteristics such as fingerprints to identify an individual user. It is used to ensure that only the authorized user is present when gaining access to a secured area.

NEW QUESTION 28

- (Exam Topic 1)

A security analyst was deploying a new website and found a connection attempting to authenticate on the site's portal. While Investigating The incident, the analyst identified the following Input in the username field:

```
admin' or 1=1--
```

Which of the following BEST explains this type of attack?

- A. DLL injection to hijack administrator services
- B. SQLi on the field to bypass authentication
- C. Execution of a stored XSS on the website
- D. Code to execute a race condition on the server

Answer: B

Explanation:

The input "admin' or 1=1--" in the username field is an example of SQL injection (SQLi) attack. In this case, the attacker is attempting to bypass authentication by injecting SQL code into the username field that will cause the authentication check to always return true. References: CompTIA Security+ SY0-601 Exam Objectives: 3.1 Given a scenario, use appropriate software tools to assess the security posture of an organization.

NEW QUESTION 31

- (Exam Topic 1)

A security administrator has discovered that workstations on the LAN are becoming infected with malware.

The cause of the infections appears to be users receiving phishing emails that are bypassing the current email-filtering technology. As a result, users are being tricked into clicking on malicious URLs, as no internal controls currently exist in the environment to evaluate their safety. Which of the following would be BEST to implement to address the issue?

- A. Forward proxy
- B. HIDS
- C. Awareness training
- D. A jump server
- E. IPS

Answer: C

Explanation:

Awareness training should be implemented to educate users on the risks of clicking on malicious URLs. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 9

NEW QUESTION 32

- (Exam Topic 1)

A company uses a drone for precise perimeter and boundary monitoring. Which of the following should be MOST concerning to the company?

- A. Privacy
- B. Cloud storage of telemetry data
- C. GPS spoofing
- D. Weather events

Answer: A

Explanation:

The use of a drone for perimeter and boundary monitoring can raise privacy concerns, as it may capture video and images of individuals on or near the monitored premises. The company should take measures to ensure that privacy rights are not violated. References:

➤ CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 8

NEW QUESTION 37

- (Exam Topic 1)

An analyst is working on an email security incident in which the target opened an attachment containing a worm. The analyst wants to implement mitigation techniques to prevent further spread. Which of the following is the BEST course of action for the analyst to take?

- A. Apply a DLP solution.
- B. Implement network segmentation
- C. Utilize email content filtering,
- D. isolate the infected attachment.

Answer: B

Explanation:

Network segmentation is the BEST course of action for the analyst to take to prevent further spread of the worm. Network segmentation helps to divide a network into smaller segments, isolating the infected attachment from the rest of the network. This helps to prevent the worm from spreading to other devices within the network. Implementing email content filtering or DLP solution might help in preventing the email from reaching the target or identifying the worm, respectively, but will not stop the spread of the worm. References: CompTIA Security+ Study Guide, Chapter 5: Securing Network Infrastructure, 5.2 Implement Network Segmentation, pp. 286-289

NEW QUESTION 41

- (Exam Topic 1)

Which of the following is the MOST secure but LEAST expensive data destruction method for data that is stored on hard drives?

- A. Pulverizing
- B. Shredding
- C. Incinerating
- D. Degaussing

Answer: B

Explanation:

Shredding may be the most secure and cost-effective way to destroy electronic data in any media that contain hard drives or solid-state drives and have reached their end-of-life¹. Shredding reduces electronic devices to pieces no larger than 2 millimeters². Therefore, shredding is the most secure but least expensive data destruction method for data that is stored on hard drives.

NEW QUESTION 42

- (Exam Topic 1)

A new plug-and-play storage device was installed on a PC in the corporate environment. Which of the following safeguards will BEST help to protect the PC from malicious files on the storage device?

- A. Change the default settings on the PC.
- B. Define the PC firewall rules to limit access.
- C. Encrypt the disk on the storage device.
- D. Plug the storage device in to the UPS

Answer: A

Explanation:

The best option that will help to protect the PC from malicious files on the storage device would be A. Change the default settings on the PC. Changing the default settings on the PC can include disabling the autorun or autoplay feature, which can prevent malicious files from executing automatically when the storage device is plugged in. Changing the default settings can also include enabling antivirus software, updating the operating system and applications, and configuring user account control and permissions.

NEW QUESTION 44

- (Exam Topic 1)

An organization discovered a disgruntled employee exfiltrated a large amount of PII data by uploading files Which of the following controls should the organization consider to mitigate this risk?

- A. EDR
- B. Firewall
- C. HIPS
- D. DLP

Answer: D

Explanation:

DLP stands for data loss prevention, which is a set of tools and processes that aim to prevent unauthorized access, use, or transfer of sensitive data. DLP can help mitigate the risk of data exfiltration by disgruntled employees or external attackers by monitoring and controlling data flows across endpoints, networks, and cloud services. DLP can also detect and block attempts to copy, print, email, upload, or download sensitive data based on predefined policies and rules.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.forcepoint.com/cyber-edu/data-loss-prevention-dlp>

NEW QUESTION 48

- (Exam Topic 1)

Which of the following authentication methods is considered to be the LEAST secure?

- A. TOTP
- B. SMS
- C. HOTP
- D. Token key

Answer: B

Explanation:

SMS-based authentication is considered to be the least secure among the given options. This is because SMS messages can be intercepted or redirected by attackers through techniques such as SIM swapping, man-in-the-middle attacks, or exploiting weaknesses in the SS7 protocol used by mobile networks. Additionally, SMS messages can be compromised if a user's phone is lost, stolen, or infected with malware. In contrast, TOTP (Time-based One-Time Password), HOTP (HMAC-based One-Time Password), and token keys are more secure as they rely on cryptographic algorithms or physical devices to generate one-time use codes, which are less susceptible to interception or unauthorized access. Reference: 1. National Institute of Standards and Technology (NIST). (2017). Digital Identity Guidelines: Authentication and Lifecycle Management (NIST SP 800-63B). <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-63b.pdf>

NEW QUESTION 49

- (Exam Topic 1)

A company installed several crosscut shredders as part of increased information security practices targeting data leakage risks. Which of the following will this practice reduce?

- A. Dumpster diving
- B. Shoulder surfing
- C. Information elicitation
- D. Credential harvesting

Answer: A

Explanation:

Crosscut shredders are used to destroy paper documents and reduce the risk of data leakage through dumpster diving. Dumpster diving is a method of retrieving sensitive information from paper waste by searching through discarded documents.

References:

➤ CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 2

NEW QUESTION 50

- (Exam Topic 1)

Which of the following BEST describes the method a security analyst would use to confirm a file that is downloaded from a trusted security website is not altered in transit or corrupted using a verified checksum?

- A. Hashing
- B. Salting
- C. Integrity
- D. Digital signature

Answer: A

Explanation:

Hashing is a cryptographic function that produces a unique fixed-size output (i.e., hash value) from an input (i.e., data). The hash value is a digital fingerprint of the data, which means that if the data changes, so too does the hash value. By comparing the hash value of the downloaded file with the hash value provided by the security website, the security analyst can verify that the file has not been altered in transit or corrupted.

NEW QUESTION 55

- (Exam Topic 1)

A security analyst is running a vulnerability scan to check for missing patches during a suspected security rodent. During which of the following phases of the response process is this activity MOST likely occurring?

- A. Containment
- B. Identification
- C. Recovery
- D. Preparation

Answer: B

Explanation:

Vulnerability scanning is a proactive security measure used to identify vulnerabilities in the network and systems. References: CompTIA Security+ Study Guide

601, Chapter 4

NEW QUESTION 60

- (Exam Topic 1)

A systems engineer is building a new system for production. Which of the following is the FINAL step to be performed prior to promoting to production?

- A. Disable unneeded services.
- B. Install the latest security patches.
- C. Run a vulnerability scan.
- D. Encrypt all disks.

Answer: C

Explanation:

Running a vulnerability scan is the final step to be performed prior to promoting a system to production. This allows any remaining security issues to be identified and resolved before the system is put into production. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 3

NEW QUESTION 63

- (Exam Topic 1)

A security analyst is reviewing the vulnerability scan report for a web server following an incident. The vulnerability that was used to exploit the server is present in historical vulnerability scan reports, and a patch is available for the vulnerability. Which of the following is the MOST likely cause?

- A. Security patches were uninstalled due to user impact.
- B. An adversary altered the vulnerability scan reports
- C. A zero-day vulnerability was used to exploit the web server
- D. The scan reported a false negative for the vulnerability

Answer: A

Explanation:

A security patch is a software update that fixes a vulnerability or bug that could be exploited by attackers. Security patches are essential for maintaining the security and functionality of systems and applications.

If the vulnerability that was used to exploit the server is present in historical vulnerability scan reports, and a patch is available for the vulnerability, it means that the patch was either not applied or was uninstalled at some point. A possible reason for uninstalling a security patch could be user impact, such as performance degradation, compatibility issues, or functionality loss.

The other options are not correct because:

➤ B. An adversary altered the vulnerability scan reports. This could be a possibility, but it is less likely than option A. An adversary would need to have access to the vulnerability scan reports and be able to modify them without being detected. Moreover, altering the reports would not prevent the patch from being applied or uninstalled.

➤ C. A zero-day vulnerability was used to exploit the web server. This is not correct because a zero-day vulnerability is a vulnerability that is unknown to the public or the vendor, and therefore has no patch available. The question states that a patch is available for the vulnerability that was used to exploit the server.

➤ D. The scan reported a false negative for the vulnerability. This is not correct because a false negative is when a scan fails to detect a vulnerability that is present. The question states that the vulnerability is present in historical vulnerability scan reports, which means that it was detected by previous scans.

According to CompTIA Security+ SY0-601 Exam Objectives 1.4 Given a scenario, analyze potential indicators to determine the type of attack:

“A security patch is a software update that fixes a vulnerability or bug that could be exploited by attackers.”

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>

<https://www.getastra.com/blog/security-audit/vulnerability-scanning-report/>

NEW QUESTION 67

- (Exam Topic 1)

After a hardware incident, an unplanned emergency maintenance activity was conducted to rectify the issue. Multiple alerts were generated on the SIEM during this period of time. Which of the following BEST explains what happened?

- A. The unexpected traffic correlated against multiple rules, generating multiple alerts.
- B. Multiple alerts were generated due to an attack occurring at the same time.
- C. An error in the correlation rules triggered multiple alerts.
- D. The SIEM was unable to correlate the rules, triggering the alert

Answer: A

Explanation:

Multiple alerts were generated on the SIEM during the emergency maintenance activity due to unexpected traffic correlated against multiple rules. The SIEM generates alerts when it detects an event that matches a rule in its rulebase. If the event matches multiple rules, the SIEM will generate multiple alerts.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 3: Architecture and Design

NEW QUESTION 71

- (Exam Topic 1)

A security engineer is hardening existing solutions to reduce application vulnerabilities. Which of the following solutions should the engineer implement FIRST? (Select TWO)

- A. Auto-update
- B. HTTP headers
- C. Secure cookies
- D. Third-party updates
- E. Full disk encryption
- F. Sandboxing
- G. Hardware encryption

Answer: AF

Explanation:

Auto-update can help keep the app up-to-date with the latest security fixes and enhancements, and reduce the risk of exploitation by attackers who target outdated or vulnerable versions of the app.

Sandboxing can help isolate the app from other processes and resources on the system, and limit its access and permissions to only what is necessary.

Sandboxing can help prevent the app from being affected by or affecting other applications or system components, and contain any potential damage in case of a breach.

NEW QUESTION 75

- (Exam Topic 1)

Which of the following disaster recovery tests is the LEAST time consuming for the disaster recovery team?

- A. Tabletop
- B. Parallel
- C. Full interruption
- D. Simulation

Answer: A

Explanation:

A tabletop exercise is a type of disaster recovery test that simulates a disaster scenario in a discussion-based format, without actually disrupting operations or requiring physical testing of recovery procedures. It is the least time-consuming type of test for the disaster recovery team.

NEW QUESTION 79

- (Exam Topic 1)

A financial institution would like to store its customer data in a cloud but still allow the data to be accessed and manipulated while encrypted. Doing so would prevent the cloud service provider from being able to decipher the data due to its sensitivity. The financial institution is not concerned about computational overheads and slow speeds. Which of the following cryptographic techniques would BEST meet the requirement?

- A. Asymmetric
- B. Symmetric
- C. Homomorphic
- D. Ephemeral

Answer: B

Explanation:

Symmetric encryption allows data to be encrypted and decrypted using the same key. This is useful when the data needs to be accessed and manipulated while still encrypted. References: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 6

NEW QUESTION 84

- (Exam Topic 1)

A Chief Information Security Officer (CISO) is evaluating the dangers involved in deploying a new ERP system for the company. The CISO categorizes the system, selects the controls that apply to the system, implements the controls, and then assesses the success of the controls before authorizing the system. Which of the following is the CISO using to evaluate the environment for this new ERP system?

- A. The Diamond Model of Intrusion Analysis
- B. CIS Critical Security Controls
- C. NIST Risk Management Framework
- D. ISO 27002

Answer: C

Explanation:

The CISO is using the NIST Risk Management Framework (RMF) to evaluate the environment for the new ERP system. The RMF is a structured process for managing risks that involves categorizing the system, selecting controls, implementing controls, assessing controls, and authorizing the system.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 4: Risk Management, pp. 188-191.

NEW QUESTION 88

- (Exam Topic 1)

Which of the following uses six initial steps that provide basic control over system security by including hardware and software inventory, vulnerability management, and continuous monitoring to minimize risk in all network environments?

- A. ISO 27701
- B. The Center for Internet Security
- C. SSAE SOC 2
- D. NIST Risk Management Framework

Answer: B

Explanation:

The Center for Internet Security (CIS) uses six initial steps that provide basic control over system security, including hardware and software inventory, vulnerability management, and continuous monitoring to minimize risk in all network environments. References:

- CompTIA Security+ Certification Exam Objectives 1.1: Compare and contrast different types of security concepts.
- CompTIA Security+ Study Guide, Sixth Edition, pages 15-16

NEW QUESTION 91

- (Exam Topic 1)

A systems administrator is considering different backup solutions for the IT infrastructure. The company is looking for a solution that offers the fastest recovery time while also saving the most amount of storage used to maintain the backups. Which of the following recovery solutions would be the BEST option to meet these requirements?

- A. Snapshot
- B. Differential
- C. Full
- D. Tape

Answer: B

Explanation:

Differential backup is a type of backup that backs up all data that has changed since the last full backup. This backup method offers faster recovery than a full backup, as it only needs to restore the full backup and the differential backup, reducing the amount of data that needs to be restored. It also uses less storage than a full backup as it only stores the changes made from the last full backup.

NEW QUESTION 94

- (Exam Topic 1)

An organization wants to enable built-in FDE on all laptops Which of the following should the organization ensure is Installed on all laptops?

- A. TPM
- B. CA
- C. SAML
- D. CRL

Answer: A

Explanation:

The organization should ensure that a Trusted Platform Module (TPM) is installed on all laptops in order to enable built-in Full Disk Encryption (FDE). TPM is a hardware-based security chip that stores encryption keys and helps to protect data from malicious attacks. It is important to ensure that the TPM is properly configured and enabled in order to get the most out of FDE.

NEW QUESTION 95

- (Exam Topic 1)

A new security engineer has started hardening systems. One of the hardening techniques the engineer is using involves disabling remote logins to the NAS. Users are now reporting the inability to use SCP to transfer files to the NAS, even though the data is still viewable from the user's PCs. Which of the following is the most likely cause of this issue?

- A. TFTP was disabled on the local hosts
- B. SSH was turned off instead of modifying the configuration file
- C. Remote login was disabled in the networkd.config instead of using the sshd.conf
- D. Network services are no longer running on the NAS

Answer: B

Explanation:

SSH stands for Secure Shell Protocol, which is a cryptographic network protocol that allows secure remote login and command execution on a network device¹². SSH can encrypt both the authentication information and the data being exchanged between the client and the server². SSH can be used to access and manage a NAS device remotely³.

NEW QUESTION 99

- (Exam Topic 1)

Which of the following environments can be stood up in a short period of time, utilizes either dummy data or actual data, and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time?

- A. PoC
- B. Production
- C. Test
- D. Development

Answer: A

Explanation:

A proof of concept (PoC) environment can be stood up quickly and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time. This environment can utilize either dummy data or actual data. References: CompTIA Security+ Certification Guide, Exam SY0-501

NEW QUESTION 102

- (Exam Topic 1)

Which of the following environment utilizes dummy data and is MOST to be installed locally on a system that allows to be assessed directly and modified easily with each build?

- A. Production
- B. Test
- C. Staging
- D. Development

Answer: D

Explanation:

The environment that utilizes dummy data and is most likely to be installed locally on a system that allows it to be assessed directly and modified easily with each build is the development environment. The development environment is used for developing and testing software and applications. It is typically installed on a local system, rather than on a remote server, to allow for easy access and modification. Dummy data can be used in the development environment to simulate real-world scenarios and test the software's functionality. References: <https://www.techopedia.com/definition/27561/development-environment>

NEW QUESTION 104

- (Exam Topic 1)

Which of the following biometric authentication methods is the MOST accurate?

- A. Gait
- B. Retina
- C. Signature
- D. Voice

Answer: B

Explanation:

Retina authentication is the most accurate biometric authentication method. Retina authentication is based on recognizing the unique pattern of blood vessels and other features in the retina. This makes it virtually impossible to duplicate or bypass, making it the most secure form of biometric authentication currently available.

NEW QUESTION 106

- (Exam Topic 1)

A security analyst is investigating multiple hosts that are communicating to external IP addresses during the hours of 2:00 a.m - 4:00 am. The malware has evaded detection by traditional antivirus software. Which of the following types of malware is MOST likely infecting the hosts?

- A. A RAT
- B. Ransomware
- C. Polymorphic
- D. A worm

Answer: A

Explanation:

Based on the given information, the most likely type of malware infecting the hosts is a RAT (Remote Access Trojan). RATs are often used for stealthy unauthorized access to a victim's computer, and they can evade traditional antivirus software through various sophisticated techniques. In particular, the fact that the malware is communicating with external IP addresses during specific hours suggests that it may be under the control of an attacker who is issuing commands from a remote location. Ransomware, polymorphic malware, and worms are also possible culprits, but the context of the question suggests that a RAT is the most likely answer.

NEW QUESTION 110

- (Exam Topic 1)

A company was compromised, and a security analyst discovered the attacker was able to get access to a service account. The following logs were discovered during the investigation:

```
User account 'JHDoe' does not exist...
User account 'VMAdmin' does not exist...
User account 'tomcat' wrong password...
User account 'Admin' does not exist...
```

Which of the following MOST likely would have prevented the attacker from learning the service account name?

- A. Race condition testing
- B. Proper error handling
- C. Forward web server logs to a SIEM
- D. Input sanitization

Answer: D

Explanation:

Input sanitization can help prevent attackers from learning the service account name by removing potentially harmful characters from user input, reducing the likelihood of successful injection attacks. References:

- CompTIA Security+ Certification Exam Objectives 2.2: Given a scenario, implement secure coding techniques.
- CompTIA Security+ Study Guide, Sixth Edition, pages 72-73

NEW QUESTION 112

- (Exam Topic 1)

A customer has reported that an organization's website displayed an image of a smiley (ace rather than the expected web page for a short time two days earlier. A security analyst reviews log tries and sees the following around the lime of the incident:

Website	Time	Name server	A record
CompTIA.org	8:10	names.comptia.org	192.168.1.10
CompTIA.org	9:00	names.comptia.org	192.168.1.10
CompTIA.org	9:30	ns.attacker.org	10.10.50.5
CompTIA.org	10:00	names.comptia.org	192.168.1.10

Which of the following is MOST likely occurring?

- A. Invalid trust chain
- B. Domain hijacking
- C. DNS poisoning
- D. URL redirection

Answer: C

Explanation:

The log entry shows the IP address for "www.example.com" being changed to a different IP address, which is likely the result of DNS poisoning. DNS poisoning occurs when an attacker is able to change the IP address associated with a domain name in a DNS server's cache, causing clients to connect to the attacker's server instead of the legitimate server. References: CompTIA Security+ SY0-601 Exam Objectives: 3.2 Given a scenario, implement secure network architecture concepts.

NEW QUESTION 113

- (Exam Topic 1)

A company is implementing a new SIEM to log and send alerts whenever malicious activity is blocked by its antivirus and web content filters. Which of the following is the primary use case for this scenario?

- A. Implementation of preventive controls
- B. Implementation of detective controls
- C. Implementation of deterrent controls
- D. Implementation of corrective controls

Answer: B

Explanation:

A Security Information and Event Management (SIEM) system is a tool that collects and analyzes security-related data from various sources to detect and respond to security incidents. References: CompTIA Security+ Study Guide 601, Chapter 5

NEW QUESTION 118

- (Exam Topic 1)

Which of the following identifies the point in time when an organization will recover data in the event of an outage?

- A. SLA
- B. RPO
- C. MTBF
- D. ARO

Answer: B

Explanation:

Detailed

Recovery Point Objective (RPO) is the maximum duration of time that an organization can tolerate data loss in the event of an outage. It identifies the point in time when data recovery must begin, and any data loss beyond that point is considered unacceptable.

Reference: CompTIA Security+ Certification Guide, Exam SY0-601 by Mike Chapple and David Seidl, Chapter-7: Incident Response and Recovery, Objective 7.2: Compare and contrast business continuity and disaster recovery concepts, pp. 349-350.

NEW QUESTION 121

- (Exam Topic 1)

A junior security analyst is reviewing web server logs and identifies the following pattern in the log file:

`http://comptia.org/../../../../etc/passwd`

Which of the following types of attacks is being attempted and how can it be mitigated?

- A. XS
- B. implement a SIEM
- C. CSR
- D. implement an IPS
- E. Directory traversal implement a WAF
- F. SQL infection, implement an IDS

Answer: C

Explanation:

Detailed

The attack being attempted is directory traversal, which is a web application attack that allows an attacker to access files and directories outside of the web root directory. A WAF can help mitigate this attack by detecting and blocking attempts to access files outside of the web root directory.

References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 4: Securing Application Development and Deployment, p. 191

NEW QUESTION 125

- (Exam Topic 1)

During a Chief Information Security Officer (CISO) convention to discuss security awareness, the attendees are provided with a network connection to use as a resource. As the convention progresses, one of the attendees starts to notice delays in the connection, and the HTTPS site requests are reverting to HTTP Which of the following BEST describes what is happening?

- A. Birthday collision on the certificate key
- B. DNS hijacking to reroute traffic

- C. Brute force to the access point
- D. ASSLILS downgrade

Answer: B

Explanation:

The attendee is experiencing delays in the connection, and the HTTPS site requests are reverting to HTTP, indicating that the DNS resolution is redirecting the connection to another server. DNS hijacking is a technique that involves redirecting a user's requests for a domain name to a different IP address. Attackers use DNS hijacking to redirect users to malicious websites and steal sensitive information, such as login credentials and credit card details.

Reference: <https://www.cloudflare.com/learning/dns/dns-hijacking/>

NEW QUESTION 126

- (Exam Topic 1)

A security architect is implementing a new email architecture for a company. Due to security concerns, the Chief Information Security Officer would like the new architecture to support email encryption, as well as provide for digital signatures. Which of the following should the architect implement?

- A. TOP
- B. IMAP
- C. HTTPS
- D. S/MIME

Answer: D

Explanation:

S/MIME (Secure/Multipurpose Internet Mail Extensions) is a protocol that enables secure email messages to be sent and received. It provides email encryption, as well as digital signatures, which can be used to verify the authenticity of the sender. S/MIME can be used with a variety of email protocols, including POP and IMAP.

References:

- > <https://www.comptia.org/content/guides/what-is-smime>
- > CompTIA Security+ Study Guide, Sixth Edition (SY0-601), page 139

NEW QUESTION 130

- (Exam Topic 1)

An organization is concerned about hackers potentially entering a facility and plugging in a remotely accessible Kali Linux box. Which of the following should be the first lines of defense against such an attack? (Select TWO)

- A. MAC filtering
- B. Zero trust segmentation
- C. Network access control
- D. Access control vestibules
- E. Guards
- F. Bollards

Answer: CE

Explanation:

Network access control (NAC) is a technique that restricts access to a network based on the identity, role, device, location, or other criteria of the users or devices. NAC can prevent unauthorized or malicious devices from connecting to a network and accessing sensitive data or resources.

Guards are physical security personnel who monitor and control access to a facility. Guards can prevent unauthorized or malicious individuals from entering a facility and plugging in a remotely accessible device.

NEW QUESTION 135

- (Exam Topic 1)

After a phishing scam for a user's credentials, the red team was able to craft a payload to deploy on a server. The attack allowed the installation of malicious software that initiates a new remote session.

Which of the following types of attacks has occurred?

- A. Privilege escalation
- B. Session replay
- C. Application programming interface
- D. Directory traversal

Answer: A

Explanation:

"Privilege escalation is the act of exploiting a bug, design flaw, or configuration oversight in an operating system or software application to gain elevated access to resources that are normally protected from an application or user." In this scenario, the red team was able to install malicious software, which would require elevated privileges to access and install. Therefore, the type of attack that occurred is privilege escalation. References: CompTIA Security+ Study Guide, pages 111-112

NEW QUESTION 136

- (Exam Topic 1)

Which of the following are the MOST likely vectors for the unauthorized inclusion of vulnerable code in a software company's final software releases? (Select TWO.)

- A. Unsecure protocols
- B. Use of penetration-testing utilities
- C. Weak passwords

- D. Included third-party libraries
- E. Vendors/supply chain
- F. Outdated anti-malware software

Answer: DE

Explanation:

The most likely vectors for the unauthorized inclusion of vulnerable code in a software company's final software releases are included third-party libraries and vendors/supply chain. References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 8: Application, Data, and Host Security, Supply Chain and Software Development Life Cycle

NEW QUESTION 137

- (Exam Topic 1)

Which of the following is required in order for an IDS and a WAF to be effective on HTTPS traffic?

- A. Hashing
- B. DNS sinkhole
- C. TLS inspection
- D. Data masking

Answer: C

Explanation:

an IDS (Intrusion Detection System) and a WAF (Web Application Firewall) are both used to monitor and protect web applications from common attacks such as cross-site scripting and SQL injection¹². However, these attacks can also be hidden in encrypted HTTPS traffic, which uses the TLS (Transport Layer Security) protocol to provide cryptography and authentication between two communicating applications³⁴. Therefore, in order for an IDS and a WAF to be effective on HTTPS traffic, they need to be able to decrypt and inspect the data that flows in the TLS tunnel. This is achieved by using a feature called TLS inspection^{34,45}, which creates two dedicated TLS connections: one with the web server and another with the client. The firewall then uses a customer-provided CA (Certificate Authority) certificate to generate an on-the-fly certificate that replaces the web server certificate and shares it with the client. This way, the firewall can see the content of the HTTPS traffic and apply the IDS and WAF rules accordingly³⁴.

NEW QUESTION 141

- (Exam Topic 1)

Which of the following in a forensic investigation should be priorities based on the order of volatility? (Select TWO).

- A. Page files
- B. Event logs
- C. RAM
- D. Cache
- E. Stored files
- F. HDD

Answer: CD

Explanation:

In a forensic investigation, volatile data should be collected first, based on the order of volatility. RAM and Cache are examples of volatile data. References: CompTIA Security+ Study Guide 601, Chapter 11

NEW QUESTION 146

- (Exam Topic 1)

The security team received a report of copyright infringement from the IP space of the corporate network. The report provided a precise time stamp for the incident as well as the name of the copyrighted files. The analyst has been tasked with determining the infringing source machine and instructed to implement measures to prevent such incidents from occurring again. Which of the following is MOST capable of accomplishing both tasks?

- A. HIDS
- B. Allow list
- C. TPM
- D. NGFW

Answer: D

Explanation:

Next-Generation Firewalls (NGFWs) are designed to provide advanced threat protection by combining traditional firewall capabilities with intrusion prevention, application control, and other security features. NGFWs can detect and block unauthorized access attempts, malware infections, and other suspicious activity. They can also be used to monitor file access and detect unauthorized copying or distribution of copyrighted material.

A next-generation firewall (NGFW) can be used to detect and prevent copyright infringement by analyzing network traffic and blocking unauthorized transfers of copyrighted material. Additionally, NGFWs can be configured to enforce access control policies that prevent unauthorized access to sensitive resources.

References:

➤ CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 6

NEW QUESTION 149

- (Exam Topic 1)

During a security assessment, a security finds a file with overly permissive permissions. Which of the following tools will allow the analyst to reduce the permission for the existing users and groups and remove the set-user-ID from the file?

- A. 1s
- B. chflags
- C. chmod

- D. Isof
- E. setuid

Answer: C

Explanation:

The chmod command is used to change the permissions of a file or directory. The analyst can use chmod to reduce the permissions for existing users and groups and remove the set-user-ID bit from the file. References:

➤ CompTIA Security+ Study Guide Exam SY0-601, Chapter 6

NEW QUESTION 152

- (Exam Topic 1)

Which of the following would MOST likely be identified by a credentialed scan but would be missed by an uncredentialed scan?

- A. Vulnerabilities with a CVSS score greater than 6.9.
- B. Critical infrastructure vulnerabilities on non-IP protocols.
- C. CVEs related to non-Microsoft systems such as printers and switches.
- D. Missing patches for third-party software on Windows workstations and servers.

Answer: D

Explanation:

An uncredentialed scan would miss missing patches for third-party software on Windows workstations and servers. A credentialed scan, however, can scan the registry and file system to determine the patch level of third-party applications. References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 4: Identity and Access Management, The Importance of Credentialing Scans

NEW QUESTION 157

- (Exam Topic 1)

An employee received multiple messages on a mobile device. The messages instructing the employee to pair the device to an unknown device. Which of the following BEST describes What a malicious person might be doing to cause this issue to occur?

- A. Jamming
- B. Bluesnarfing
- C. Evil twin
- D. Rogue access point

Answer: B

Explanation:

Bluesnarfing is a hacking technique that exploits Bluetooth connections to snatch data from a wireless device. An attacker can perform bluesnarfing when the Bluetooth function is on and your device is discoverable by other devices within range. In some cases, attackers can even make calls from their victim's phone.

NEW QUESTION 161

- (Exam Topic 1)

A cybersecurity administrator needs to allow mobile BYOD devices to access network resources. As the devices are not enrolled to the domain and do not have policies applied to them, which of the following are best practices for authentication and infrastructure security? (Select TWO).

- A. Create a new network for the mobile devices and block the communication to the internal network and servers
- B. Use a captive portal for user authentication.
- C. Authenticate users using OAuth for more resiliency
- D. Implement SSO and allow communication to the internal network
- E. Use the existing network and allow communication to the internal network and servers.
- F. Use a new and updated RADIUS server to maintain the best solution

Answer: BC

Explanation:

When allowing mobile BYOD devices to access network resources, using a captive portal for user authentication and authenticating users using OAuth are both best practices for authentication and infrastructure security. A captive portal requires users to authenticate before accessing the network and can be used to enforce policies and restrictions. OAuth allows users to authenticate using third-party providers, reducing the risk of password reuse and credential theft.

References: CompTIA Security+ Study Guide, pages 217-218, 225-226

NEW QUESTION 163

- (Exam Topic 1)

A security team suspects that the cause of recent power consumption overloads is the unauthorized use of empty power outlets in the network rack Which of the following options will mitigate this issue without compromising the number of outlets available?

- A. Adding a new UPS dedicated to the rack
- B. Installing a managed PDU
- C. Using only a dual power supplies unit
- D. Increasing power generator capacity

Answer: B

Explanation:

A managed Power Distribution Unit (PDU) allows you to monitor and control power outlets on the rack. This will allow the security team to identify which devices are drawing power and from which outlets, which can help to identify any unauthorized devices. Moreover, with a managed PDU, you can also control the power to outlets, turn off outlets that are not in use, and set up alerts if an outlet is overloaded. This will help to mitigate the issue of power consumption overloads without

compromising the number of outlets available.

Reference: CompTIA Security+ Study Guide (SY0-601) 7th Edition by Emmett Dulaney, Chuck Easttom

NEW QUESTION 168

- (Exam Topic 1)

Which of the following BEST describes a social-engineering attack that relies on an executive at a small business visiting a fake banking website where credit card and account details are harvested?

- A. Whaling
- B. Spam
- C. Invoice scam
- D. Pharming

Answer: A

Explanation:

A social engineering attack that relies on an executive at a small business visiting a fake banking website where credit card and account details are harvested is known as whaling. Whaling is a type of phishing attack that targets high-profile individuals, such as executives, to steal sensitive information or gain access to their accounts.

NEW QUESTION 171

- (Exam Topic 1)

A security engineer is reviewing the logs from a SAML application that is configured to use MFA, during this review the engineer notices a high volume of successful logins that did not require MFA from users who were traveling internationally. The application, which can be accessed without a VPB, has a policy that allows time-based tokens to be generated. Users who changed locations should be required to reauthenticate but have been Which of the following statements BEST explains the issue?

- A. OpenID is mandatory to make the MFA requirements work
- B. An incorrect browser has been detected by the SAML application
- C. The access device has a trusted certificate installed that is overwriting the session token
- D. The user's IP address is changing between logins, but the application is not invalidating the token

Answer: D

NEW QUESTION 174

- (Exam Topic 1)

A large enterprise has moved all its data to the cloud behind strong authentication and encryption. A sales director recently had a laptop stolen, and later, enterprise data was found to have been compromised from a local database. Which of the following was the MOST likely cause?

- A. Shadow IT
- B. Credential stuffing
- C. SQL injection
- D. Man in the browser
- E. Bluejacking

Answer: A

Explanation:

The most likely cause of the enterprise data being compromised from a local database is Shadow IT. Shadow IT is the use of unauthorized applications or devices by employees to access company resources. In this case, the sales director's laptop was stolen, and the attacker was able to use it to access the local database, which was not secured properly, allowing unauthorized access to sensitive data. References:

➤ [CompTIA Security+ Certification Exam Objectives - Exam SY0-601](#)

NEW QUESTION 178

- (Exam Topic 1)

Which of the following involves the inclusion of code in the main codebase as soon as it is written?

- A. Continuous monitoring
- B. Continuous deployment
- C. Continuous Validation
- D. Continuous integration

Answer: D

Explanation:

Detailed

Continuous Integration (CI) is a practice where developers integrate code into a shared repository frequently, preferably several times a day. Each integration is verified by an automated build and automated tests. CI allows for the detection of errors early in the development cycle, thereby reducing overall development costs.

NEW QUESTION 180

- (Exam Topic 1)

A company's public-facing website, <https://www.organization.com>, has an IP address of 166.18.75.6. However, over the past hour the SOC has received reports of the site's homepage displaying incorrect information. A quick nslookup search shows <https://www.organization.com> is pointing to 151.191.122.115. Which of the following is occurring?

- A. DoS attack

- B. ARP poisoning
- C. DNS spoofing
- D. NXDOMAIN attack

Answer: C

Explanation:

The issue is DNS spoofing, where the DNS resolution has been compromised and is pointing to a malicious IP address. References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 7

NEW QUESTION 185

- (Exam Topic 1)

After segmenting the network, the network manager wants to control the traffic between the segments. Which of the following should the manager use to control the network traffic?

- A. A DMZ
- B. A VPN a
- C. A VLAN
- D. An ACL

Answer: D

Explanation:

After segmenting the network, a network manager can use an access control list (ACL) to control the traffic between the segments. An ACL is a set of rules that permit or deny traffic based on its characteristics, such as the source and destination IP addresses, protocol type, and port number. References: CompTIA Security+ Certification Guide, Exam SY0-501

NEW QUESTION 188

- (Exam Topic 1)

A security analyst is investigating a phishing email that contains a malicious document directed to the company's Chief Executive Officer (CEO). Which of the following should the analyst perform to understand the threat and retrieve possible IoCs?

- A. Run a vulnerability scan against the CEOs computer to find possible vulnerabilities
- B. Install a sandbox to run the malicious payload in a safe environment
- C. Perform a traceroute to identify the communication path
- D. Use netstat to check whether communication has been made with a remote host

Answer: B

Explanation:

To understand the threat and retrieve possible Indicators of Compromise (IoCs) from a phishing email containing a malicious document, a security analyst should install a sandbox to run the malicious payload in a safe environment. References: CompTIA Security+ Certification Exam Objectives - 2.5 Given a scenario, analyze potential indicators to determine the type of attack. Study Guide: Chapter 5, page 209.

NEW QUESTION 192

- (Exam Topic 1)

Employees at a company are receiving unsolicited text messages on their corporate cell phones. The unsolicited text messages contain a password reset Link. Which of the attacks is being used to target the company?

- A. Phishing
- B. Vishing
- C. Smishing
- D. Spam

Answer: C

Explanation:

Smishing is a type of phishing attack which begins with an attacker sending a text message to an individual. The message contains social engineering tactics to convince the person to click on a malicious link or send sensitive information to the attacker. Criminals use smishing attacks for purposes like:

Learn login credentials to accounts via credential phishing Discover private data like social security numbers

Send money to the attacker Install malware on a phone

Establish trust before using other forms of contact like phone calls or emails

Attackers may pose as trusted sources like a government organization, a person you know, or your bank. And messages often come with manufactured urgency and time-sensitive threats. This can make it more difficult for a victim to notice a scam.

Phone numbers are easy to spoof with VoIP texting, where users can create a virtual number to send and receive texts. If a certain phone number is flagged for spam, criminals can simply recycle it and use a new one.

NEW QUESTION 193

- (Exam Topic 1)

Which of the following would be BEST for a technician to review to determine the total risk an organization can bear when assessing a "cloud-first" adoption strategy?

- A. Risk matrix
- B. Risk tolerance
- C. Risk register
- D. Risk appetite

Answer: B

Explanation:

To determine the total risk an organization can bear, a technician should review the organization's risk tolerance, which is the amount of risk the organization is willing to accept. This information will help determine the organization's "cloud-first" adoption strategy. References: CompTIA Security+ Certification Exam Objectives (SY0-601)

NEW QUESTION 197

- (Exam Topic 1)

The Chief Information Security Officer (CISO) has decided to reorganize security staff to concentrate on incident response and to outsource outbound Internet URL categorization and filtering to an outside company. Additionally, the CISO would like this solution to provide the same protections even when a company laptop or mobile device is away from a home office. Which of the following should the CISO choose?

- A. CASB
- B. Next-generation SWG
- C. NGFW
- D. Web-application firewall

Answer: B

Explanation:

The solution that the CISO should choose is Next-generation Secure Web Gateway (SWG), which provides URL filtering and categorization to prevent users from accessing malicious sites, even when they are away from the office. NGFWs are typically cloud-based and offer multiple security layers, including malware detection, intrusion prevention, and data loss prevention. References:

➤ CompTIA Security+ Study Guide Exam SY0-601, Chapter 4

NEW QUESTION 198

- (Exam Topic 1)

A security incident has been resolved Which of the following BEST describes the importance of the final phase of the incident response plan?

- A. It examines and documents how well the team responded discovers what caused the incident, and determines how the incident can be avoided in the future
- B. It returns the affected systems back into production once systems have been fully patched, data restored and vulnerabilities addressed
- C. It identifies the incident and the scope of the breach how it affects the production environment, and the ingress point
- D. It contains the affected systems and disconnects them from the network, preventing further spread of the attack or breach

Answer: A

Explanation:

The final phase of an incident response plan is the post-incident activity, which involves examining and documenting how well the team responded, discovering what caused the incident, and determining how the incident can be avoided in the future. References: CompTIA Security+ Certification Exam Objectives - 2.5 Given a scenario, analyze potential indicators to determine the type of attack. Study Guide: Chapter 5, page 225.

NEW QUESTION 201

- (Exam Topic 1)

The technology department at a large global company is expanding its Wi-Fi network infrastructure at the headquarters building Which of the following should be closely coordinated between the technology, cybersecurity, and physical security departments?

- A. Authentication protocol
- B. Encryption type
- C. WAP placement
- D. VPN configuration

Answer: C

Explanation:

WAP stands for wireless access point, which is a device that allows wireless devices to connect to a wired network using Wi-Fi or Bluetooth. WAP placement refers to where and how WAPs are installed in a building or area.

WAP placement should be closely coordinated between the technology, cybersecurity, and physical security departments because it affects several aspects of network performance and security, such as:

- Coverage: WAP placement determines how well wireless devices can access the network throughout the building or area. WAPs should be placed in locations that provide optimal signal strength and avoid interference from other sources.
- Capacity: WAP placement determines how many wireless devices can connect to the network simultaneously without affecting network speed or quality. WAPs should be placed in locations that balance network load and avoid congestion or bottlenecks.
- Security: WAP placement determines how vulnerable wireless devices are to eavesdropping or hacking attacks from outside or inside sources. WAPs should be placed in locations that minimize exposure to unauthorized access and maximize encryption and authentication methods.

NEW QUESTION 206

- (Exam Topic 1)

A security analyst is responding to an alert from the SIEM. The alert states that malware was discovered on a host and was not automatically deleted. Which of the following would be BEST for the analyst to perform?

- A. Add a deny-all rule to that host in the network ACL
- B. Implement a network-wide scan for other instances of the malware.
- C. Quarantine the host from other parts of the network
- D. Revoke the client's network access certificates

Answer: C

Explanation:

When malware is discovered on a host, the best course of action is to quarantine the host from other parts of the network. This prevents the malware from

spreading and potentially infecting other hosts. Adding a deny-all rule to the host in the network ACL may prevent legitimate traffic from being processed, implementing a network-wide scan is time-consuming and may not be necessary, and revoking the client's network access certificates is an extreme measure that may not be warranted. References: CompTIA Security+ Study Guide, pages 113-114

NEW QUESTION 211

- (Exam Topic 1)

A security analyst has received several reports of an issue on an internal web application. Users state they are having to provide their credentials twice to log in. The analyst checks with the application team and notes this is not an expected behavior. After looking at several logs, the analyst decides to run some commands on the gateway and obtains the following output:

Internet address	Physical address	Type
192.168.1.1	ff-ec-ab-00-aa-78	dynamic
192.168.1.5	ff-00-5e-48-00-fb	dynamic
192.168.1.8	00-0c-29-1a-e7-fa	dynamic
192.168.1.10	fc-41-5e-48-00-ff	dynamic
224.215.54.47	fc-00-5e-48-00-fb	static

Which of the following BEST describes the attack the company is experiencing?

- A. MAC flooding
- B. URL redirection
- C. ARP poisoning
- D. DNS hijacking

Answer: C

Explanation:

The output of the "netstat -ano" command shows that there are two connections to the same IP address and port number. This indicates that there are two active sessions between the client and server.

The issue of users having to provide their credentials twice to log in is known as a double login prompt issue. This issue can occur due to various reasons such as incorrect configuration of authentication settings, incorrect configuration of web server settings, or issues with the client's browser.

Based on the output of the "netstat -ano" command, it is difficult to determine the exact cause of the issue. However, it is possible that an attacker is intercepting traffic between the client and server and stealing user credentials. This type of attack is known as C. ARP poisoning.

ARP poisoning is a type of attack where an attacker sends fake ARP messages to associate their MAC address with the IP address of another device on the network. This allows them to intercept traffic between the two devices and steal sensitive information such as user credentials.

NEW QUESTION 215

- (Exam Topic 1)

During an investigation, the incident response team discovers that multiple administrator accounts were suspected of being compromised. The host audit logs indicate a repeated brute-force attack on a single administrator account followed by suspicious logins from unfamiliar geographic locations. Which of the following data sources would be BEST to use to assess the accounts impacted by this attack?

- A. User behavior analytics
- B. Dump files
- C. Bandwidth monitors
- D. Protocol analyzer output

Answer: A

Explanation:

User behavior analytics (UBA) would be the best data source to assess the accounts impacted by the attack, as it can identify abnormal activity, such as repeated brute-force attacks and logins from unfamiliar geographic locations, and provide insights into the behavior of the impacted accounts. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 7: Incident Response, pp. 338-341

NEW QUESTION 220

- (Exam Topic 1)

Hackers recently attacked a company's network and obtained several unfavorable pictures from the Chief Executive Officer's workstation. The hackers are threatening to send the images to the press if a ransom is not paid. Which of the following is impacted the MOST?

- A. Identify theft
- B. Data loss
- C. Data exfiltration
- D. Reputation

Answer: D

Explanation:

The best option that describes what is impacted the most by the hackers' attack and threat would be D. Reputation. Reputation is the perception or opinion that others have about a person or an organization. Reputation can affect the trust, credibility, and success of a person or an organization. In this scenario, if the hackers send the unfavorable pictures to the press, it can damage the reputation of the Chief Executive Officer and the company, and cause negative consequences such as loss of customers, partners, investors, or employees.

NEW QUESTION 224

- (Exam Topic 1)

An organization would like to remediate the risk associated with its cloud service provider not meeting its advertised 99.999% availability metrics. Which of the following should the organization consult for the exact requirements for the cloud provider?

- A. SLA
- B. BPA

- C. NDA
- D. MOU

Answer: A

Explanation:

The Service Level Agreement (SLA) is a contract between the cloud service provider and the organization that stipulates the exact requirements for the cloud provider. It outlines the level of service that the provider must deliver, including the minimum uptime percentage, support response times, and the remedies and penalties for failing to meet the agreed-upon service levels.

NEW QUESTION 225

- (Exam Topic 1)

A security engineer needs to create a network segment that can be used for servers that require connections from untrusted networks. Which of the following should the engineer implement?

- A. An air gap
- B. A hot site
- C. A VUAN
- D. A screened subnet

Answer: D

Explanation:

A screened subnet is a network segment that can be used for servers that require connections from untrusted networks. It is placed between two firewalls, with one firewall facing the untrusted network and the other facing the trusted network. This setup provides an additional layer of security by screening the traffic that flows between the two networks. References: CompTIA Security+ Certification Guide, Exam SY0-501

NEW QUESTION 227

- (Exam Topic 1)

Which of the following authentication methods sends out a unique password to be used within a specific number of seconds?

- A. TOTP
- B. Biometrics
- C. Kerberos
- D. LDAP

Answer: A

Explanation:

Time-based One-Time Password (TOTP) is a type of authentication method that sends out a unique password to be used within a specific number of seconds. It uses a combination of a shared secret key and the current time to generate a one-time password. TOTP is commonly used for two-factor authentication (2FA) to provide an additional layer of security beyond just a username and password.

NEW QUESTION 230

- (Exam Topic 1)

An employee's company account was used in a data breach Interviews with the employee revealed:

- The employee was able to avoid changing passwords by using a previous password again.
- The account was accessed from a hostile, foreign nation, but the employee has never traveled to any other countries.

Which of the following can be implemented to prevent these issues from reoccurring? (Select TWO)

- A. Geographic dispersal
- B. Password complexity
- C. Password history
- D. Geotagging
- E. Password lockout
- F. Geofencing

Answer: CF

Explanation:

two possible solutions that can be implemented to prevent these issues from reoccurring are password history and geofencing. Password history is a feature that prevents users from reusing their previous passwords. This can enhance password security by forcing users to create new and unique passwords periodically. Password history can be configured by setting a policy that specifies how many previous passwords are remembered and how often users must change their passwords.

Geofencing is a feature that restricts access to a system or network based on the geographic location of the user or device. This can enhance security by preventing unauthorized access from hostile or foreign regions. Geofencing can be implemented by using GPS, IP address, or other methods to determine the location of the user or device and compare it with a predefined set of boundaries.

NEW QUESTION 235

- (Exam Topic 1)

The Chief Technology Officer of a local college would like visitors to utilize the school's WiFi but must be able to associate potential malicious activity to a specific person. Which of the following would BEST allow this objective to be met?

- A. Requiring all new, on-site visitors to configure their devices to use WPS
- B. Implementing a new SSID for every event hosted by the college that has visitors
- C. Creating a unique PSK for every visitor when they arrive at the reception area
- D. Deploying a captive portal to capture visitors' MAC addresses and names

Answer: D

Explanation:

A captive portal is a web page that requires visitors to authenticate or agree to an acceptable use policy before allowing access to the network. By capturing visitors' MAC addresses and names, potential malicious activity can be traced back to a specific person.

NEW QUESTION 239

- (Exam Topic 1)

A network analyst is setting up a wireless access point for a home office in a remote, rural location. The requirement is that users need to connect to the access point securely but do not want to have to remember passwords Which of the following should the network analyst enable to meet the requirement?

- A. MAC address filtering
- B. 802.1X
- C. Captive portal
- D. WPS

Answer: D

Explanation:

The network analyst should enable Wi-Fi Protected Setup (WPS) to allow users to connect to the wireless access point securely without having to remember passwords. WPS allows users to connect to a wireless network by pressing a button or entering a PIN instead of entering a password.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 4: Identity and Access Management

NEW QUESTION 240

- (Exam Topic 1)

Remote workers in an organization use company-provided laptops with locally installed applications and locally stored data Users can store data on a remote server using an encrypted connection. The organization discovered data stored on a laptop had been made available to the public Which of the following security solutions would mitigate the risk of future data disclosures?

- A. FDE
- B. TPM
- C. HIDS
- D. VPN

Answer: A

Explanation:

Based on these definitions, the best security solution to mitigate the risk of future data disclosures from a laptop would be FDE123. FDE would prevent unauthorized access to the data stored on the laptop even if it is stolen or lost. FDE can also use TPM to store the encryption key and ensure that only trusted software can decrypt the data3. HIDS and VPN are not directly related to data encryption, but they can provide additional security benefits by detecting intrusions and protecting network traffic respectively.

NEW QUESTION 242

- (Exam Topic 1)

An attacker replaces a digitally signed document with another version that goes unnoticed Upon reviewing the document's contents the author notices some additional verbiage that was not originally in the document but cannot validate an integrity issue. Which of the following attacks was used?

- A. Cryptomalware
- B. Hash substitution
- C. Collision
- D. Phishing

Answer: B

Explanation:

This type of attack occurs when an attacker replaces a digitally signed document with another version that has a different hash value. The author would be able to notice the additional verbiage, however, since the hash value would have changed, they would not be able to validate an integrity issue.

NEW QUESTION 245

- (Exam Topic 1)

During an incident a company CIRT determine it is necessary to observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC. Which of the following techniques would be BEST to enable this activity while reducing the risk of lateral spread and the risk that the adversary would notice any changes?

- A. Physical move the PC to a separate internet pint of presence
- B. Create and apply micro segmentation rules.
- C. Emulate the malware in a heavily monitored DM Z segment.
- D. Apply network blacklisting rules for the adversary domain

Answer: C

Explanation:

To observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC while reducing the risk of lateral spread and the risk that the adversary would notice any changes, the best technique to use is to emulate the malware in a heavily monitored DMZ segment. This is a secure environment that is isolated from the rest of the network and can be heavily monitored to detect any suspicious activity. By emulating the malware in this environment, the activity can be observed without the risk of lateral spread or detection by the adversary. References:

<https://www.sans.org/blog/incident-response-fundamentals-why-is-the-dmz-so-important/>

NEW QUESTION 248

- (Exam Topic 1)

Which of the following environments utilizes dummy data and is MOST likely to be installed locally on a system that allows code to be assessed directly and modified easily with each build?

- A. Production
- B. Test
- C. Staging
- D. Development

Answer: D

Explanation:

A development environment is the environment that is used to develop and test software. It is typically installed locally on a system that allows code to be assessed directly and modified easily with each build. In this environment, dummy data is often utilized to test the software's functionality.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 3: Architecture and Design

NEW QUESTION 253

- (Exam Topic 1)

The Chief Information Security Officer directed a risk reduction in shadow IT and created a policy requiring all unsanctioned high-risk SaaS applications to be blocked from user access. Which of the following is the BEST security solution to reduce this risk?

- A. CASB
- B. VPN concentrator
- C. MFA
- D. VPC endpoint

Answer: A

Explanation:

A Cloud Access Security Broker (CASB) can be used to monitor and control access to cloud-based applications, including unsanctioned SaaS applications. It can help enforce policies that prevent access to high-risk SaaS applications and provide visibility into the use of such applications by employees. References:

CompTIA Security+ SY0-601 Exam Objectives: 3.3 Given a scenario, implement secure mobile solutions.

NEW QUESTION 255

- (Exam Topic 1)

An application owner reports suspicious activity on an internal financial application from various internal users within the past 14 days. A security analyst notices the following:

- Financial transactions were occurring during irregular time frames and outside of business hours by unauthorized users.
- Internal users in question were changing their passwords frequently during that time period.
- A jump box that several domain administrator users use to connect to remote devices was recently compromised.
- The authentication method used in the environment is NTLM.

Which of the following types of attacks is MOST likely being used to gain unauthorized access?

- A. Pass-the-hash
- B. Brute-force
- C. Directory traversal
- D. Replay

Answer: A

Explanation:

The suspicious activity reported by the application owner, combined with the recent compromise of the jump box and the use of NTLM authentication, suggests that an attacker is likely using a pass-the-hash attack to gain unauthorized access to the financial application. This type of attack involves stealing hashed passwords from memory and then using them to authenticate as the compromised user without needing to know the user's plaintext password. References:

CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 5

NEW QUESTION 260

- (Exam Topic 2)

A Chief Information Security Officer (CISO) wants to explicitly raise awareness about the increase of ransomware-as-a-service in a report to the management team. Which of the following best describes the threat actor in the CISO's report?

- A. Insider threat
- B. Hacktivist
- C. Nation-state
- D. Organized crime

Answer: D

Explanation:

Organized crime is a term that describes groups of criminals who operate in a coordinated and systematic manner to pursue illicit activities for profit. Organized crime groups often use sophisticated tools and techniques to evade law enforcement and exploit vulnerabilities in various sectors, such as finance, transportation, or healthcare. Organized crime groups may also collaborate with other criminal groups or actors to share resources, information, or expertise. Ransomware as a service (RaaS) is an example of a business model used by organized crime groups to conduct ransomware and extortion attacks. RaaS is an arrangement between an operator, who develops and maintains the tools to power extortion operations, and an affiliate, who deploys the ransomware payload. When the affiliate conducts a successful ransomware and extortion attack, both parties profit. The RaaS model lowers the barrier to entry for attackers who may not have the skill or technical wherewithal to develop their own tools but can manage ready-made penetration testing and sysadmin tools to perform attacks. Insider threat is a term that describes individuals who have legitimate access to an organization's systems or data and use it for malicious purposes, such as theft, sabotage, or espionage. Insider threats may be motivated by various factors, such as greed, revenge, ideology, or coercion. Insider threats may also be unintentional, such as when an employee falls victim to phishing or social engineering.

Hacktivist is a term that describes individuals or groups who use hacking or cyberattacks to promote a political or social cause. Hacktivists may target

governments, corporations, or other entities that they perceive as oppressive, corrupt, or unethical. Hacktivists may also use cyberattacks to expose information, disrupt services, or deface websites.

Nation-state is a term that describes a sovereign state that has a centralized government and a defined territory. Nation-state actors are individuals or groups who conduct cyberattacks on behalf of or with the support of a nation-state. Nation-state actors may target other states, organizations, or individuals for various reasons, such as espionage, sabotage, influence, or retaliation.

NEW QUESTION 263

- (Exam Topic 2)

A company recently upgraded its authentication infrastructure and now has more computing power. Which of the following should the company consider using to ensure user credentials are being transmitted and stored more securely?

- A. Blockchain
- B. Salting
- C. Quantum
- D. Digital signature

Answer: B

Explanation:

Salting is a technique that adds random data to user credentials before hashing them. This makes the hashed credentials more secure and resistant to brute-force attacks or rainbow table attacks. Salting also ensures that two users with the same password will have different hashed credentials.

A company that has more computing power can consider using salting to ensure user credentials are being transmitted and stored more securely. Salting can increase the complexity and entropy of the hashed credentials, making them harder to crack or reverse.

NEW QUESTION 266

- (Exam Topic 2)

Which of the following procedures would be performed after the root cause of a security incident has been identified to help avoid future incidents from occurring?

- A. Walk-throughs
- B. Lessons learned
- C. Attack framework alignment
- D. Containment

Answer: B

Explanation:

After the root cause of a security incident has been identified, it is important to take the time to analyze what went wrong and how it could have been prevented. This process is known as “lessons learned” and allows organizations to identify potential improvements to their security processes and protocols. Lessons learned typically involve a review of the incident and the steps taken to address it, a review of the security systems and procedures in place, and an analysis of any potential changes that can be made to prevent similar incidents from occurring in the future.

NEW QUESTION 268

- (Exam Topic 2)

A company is adding a clause to its AUP that states employees are not allowed to modify the operating system on mobile devices. Which of the following vulnerabilities is the organization addressing?

- A. Cross-site scripting
- B. Buffer overflow
- C. Jailbreaking
- D. Side loading

Answer: C

Explanation:

Jailbreaking is the vulnerability that the organization is addressing by adding a clause to its AUP that states employees are not allowed to modify the operating system on mobile devices. Jailbreaking is the process of removing the restrictions or limitations imposed by the manufacturer or carrier on a mobile device, such as an iPhone or iPad. Jailbreaking can allow users to install unauthorized applications, customize settings, or access system files. However, jailbreaking can also expose the device to security risks, such as malware, data loss, or warranty voidance. References: <https://www.comptia.org/blog/what-is-jailbreaking>
<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 273

- (Exam Topic 2)

An analyst is working on an email security incident in which the target opened an attachment containing a worm. The analyst wants to Implement mitigation techniques to prevent further spread. Which of the following is the best course of action for the analyst to take?

- A. Apply a DLP solution.
- B. Implement network segmentation.
- C. Utilize email content filtering.
- D. Isolate the infected attachment.

Answer: D

Explanation:

Isolating the infected attachment is the best course of action for the analyst to take to prevent further spread of the worm. A worm is a type of malware that can self-replicate and infect other devices without human interaction. By isolating the infected attachment, the analyst can prevent the worm from spreading to other devices or networks via email, file-sharing, or other means. Isolating the infected attachment can also help the analyst to analyze the worm and determine its source, behavior, and impact. References:

- > <https://www.security.org/antivirus/computer-worm/>
- > https://sec.cloudapps.cisco.com/security/center/resources/worm_mitigation_whitepaper.html

NEW QUESTION 278

- (Exam Topic 2)

An attacker was eavesdropping on a user who was shopping online. The attacker was able to spoof the IP address associated with the shopping site. Later, the user received an email regarding credit card statement with unusual purchases. Which of the following attacks took place?

- A. On-path attack
- B. Protocol poisoning
- C. Domain hijacking
- D. Bluejacking

Answer: A

Explanation:

An on-path attack is an attack that took place when an attacker was eavesdropping on a user who was shopping online and was able to spoof the IP address associated with the shopping site. An on-path attack is a type of network attack that involves intercepting or modifying traffic between two parties by placing oneself in the communication path. An on-path attack can also be called a man-in-the-middle attack or a session hijacking attack. An on-path attacker can steal sensitive information, such as credit card details, or redirect the user to a malicious website. References: <https://www.comptia.org/blog/what-is-a-man-in-the-middle-attack>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 279

- (Exam Topic 2)

Sales team members have been receiving threatening voicemail messages and have reported these incidents to the IT security team. Which of the following would be MOST appropriate for the IT security team to analyze?

- A. Access control
- B. Syslog
- C. Session Initiation Protocol traffic logs
- D. Application logs

Answer: B

Explanation:

Syslogs are log files that are generated by devices on the network and contain information about network activity, including user logins, device connections, and other events. By analyzing these logs, the IT security team can identify the source of the threatening voicemail messages and take the necessary steps to address the issue

NEW QUESTION 280

- (Exam Topic 2)

A security investigation revealed that malicious software was installed on a server using a server administrator credentials. During the investigation the server administrator explained that Telnet was regularly used to log in. Which of the following most likely occurred?

- A. A spraying attack was used to determine which credentials to use
- B. A packet capture tool was used to steal the password
- C. A remote-access Trojan was used to install the malware
- D. A directory attack was used to log in as the server administrator

Answer: B

Explanation:

Telnet is an insecure protocol that transmits data in cleartext over the network. This means that anyone who can intercept the network traffic can read the data, including the username and password of the server administrator. A packet capture tool is a software or hardware device that can capture and analyze network packets. An attacker can use a packet capture tool to steal the password and use it to install malicious software on the server. References:

<https://www.comptia.org/content/guides/what-is-network-security>

NEW QUESTION 282

- (Exam Topic 2)

An attack has occurred against a company.

INSTRUCTIONS



You have been tasked to do the following:

Identify the type of attack that is occurring on the network by clicking on the attacker's tablet and reviewing the output. (Answer Area 1).

Identify which compensating controls should be implemented on the assets, in order to reduce the effectiveness of future attacks by dragging them to the correct server.

(Answer area 2) All objects will be used, but not all placeholders may be filled. Objects may only be used once.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



Select and Place:

Answer Area 1

SQL Injection

Cross Site Scripting

XML Injection

Session Hijacking

Type of attack

?

Answer Area 2

Input Validation

Code Review

WAF

URL Filtering

Record level access control

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A computer screen shot of a computer Description automatically generated with low confidence

NEW QUESTION 285

- (Exam Topic 2)

A network manager is concerned that business may be negatively impacted if the firewall in its data center goes offline. The manager would like to implement a high availability pair to:

- A. decrease the mean time between failures.
- B. remove the single point of failure.
- C. cut down the mean time to repair
- D. reduce the recovery time objective

Answer: B

Explanation:

A single point of failure is a component or element of a system that, if it fails, will cause the entire system to fail or stop functioning. It can pose a high risk and impact for business continuity and availability. A high availability pair is a configuration that involves two identical devices or systems that operate in parallel and provide redundancy and failover capabilities. It can remove the single point of failure by ensuring that if one device or system fails, the other one can take over its functions without interruption or downtime.

NEW QUESTION 288

- (Exam Topic 2)

Which of the following would be best to ensure data is saved to a location on a server, is easily scaled, and is centrally monitored?

- A. Edge computing
- B. Microservices
- C. Containers
- D. Thin client

Answer: C

Explanation:

Containers are a method of virtualization that allow you to run multiple isolated applications on a single server. Containers are lightweight, portable, and scalable, which means they can save resources, improve performance, and simplify deployment. Containers also enable centralized monitoring and management of the applications running on them, using tools such as Docker or Kubernetes. Containers are different from edge computing, which is a distributed computing paradigm that brings computation and data storage closer to the location where it is needed. Microservices are a software architecture style that breaks down complex applications into smaller, independent services that communicate with each other. Thin clients are devices that rely on a server to perform most of the processing tasks and only provide a user interface.

NEW QUESTION 292

- (Exam Topic 2)

A security analyst receives an alert that indicates a user's device is displaying anomalous behavior The analyst suspects the device might be compromised Which of the following should the analyst to first?

- A. Reboot the device
- B. Set the host-based firewall to deny an incoming connection
- C. Update the antivirus definitions on the device
- D. Isolate the device

Answer: D

Explanation:

Isolating the device is the first thing that a security analyst should do if they suspect that a user's device might be compromised. Isolating the device means disconnecting it from the network or placing it in a separate network segment to prevent further communication with potential attackers or malicious hosts. Isolating the device can help contain the incident, limit the damage or data loss, preserve the evidence, and facilitate the investigation and remediation.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://resources.infosecinstitute.com/topic/incident-response-process/>

NEW QUESTION 297

- (Exam Topic 2)

Which of the following would satisfy three-factor authentication requirements?

- A. Password, PIN, and physical token
- B. PIN, fingerprint scan, and iris scan
- C. Password, fingerprint scan, and physical token
- D. PIN, physical token, and ID card

Answer: C

Explanation:

Three-factor authentication combines three types of authentication methods: something you know (password), something you have (physical token), and something you are (fingerprint scan). Option C satisfies these requirements, as it uses a password (something you know), a physical token (something you have), and a fingerprint scan (something you are) for authentication.

Reference: CompTIA Security+ Study Guide (SY0-601) 7th Edition by Emmett Dulaney, Chuck Easttom Note: There could be other options as well that could satisfy the three-factor authentication requirements as per the organization's security policies.

NEW QUESTION 299

- (Exam Topic 2)

Which Of the following is a primary security concern for a setting up a BYOD program?

- A. End of life
- B. Buffer overflow
- C. VM escape
- D. Jailbreaking

Answer: D

Explanation:

Jailbreaking is a process of bypassing or removing the manufacturer-imposed restrictions on a mobile device's operating system, allowing users to install unauthorized applications, modify settings, etc. It is a primary security concern for setting up a BYOD program because it can expose the device and its data to malware, vulnerabilities, unauthorized access, etc

NEW QUESTION 302

- (Exam Topic 2)

An organization wants to quickly assess how effectively the IT team hardened new laptops. Which of the following would be the best solution to perform this assessment?

- A. Install a SIEM tool and properly configure it to read the OS configuration files.
- B. Load current baselines into the existing vulnerability scanner.
- C. Maintain a risk register with each security control marked as compliant or non-compliant.
- D. Manually review the secure configuration guide checklists.

Answer: B

Explanation:

A vulnerability scanner is a tool that can scan devices and systems for known vulnerabilities, misconfigurations, and compliance issues. By loading the current baselines into the scanner, the organization can compare the actual state of the new laptops with the desired state and identify any deviations or weaknesses. This is a quick and automated way to assess the hardening of the new laptops.

NEW QUESTION 305

- (Exam Topic 2)

Which of the following cloud models provides clients with servers, storage, and networks but nothing else?

- A. SaaS
- B. PaaS
- C. IaaS
- D. DaaS

Answer: C

Explanation:

IaaS (Infrastructure as a Service) is a cloud model that provides clients with servers, storage, and networks but nothing else. It allows clients to have more control and flexibility over the configuration and management of their infrastructure resources, but also requires them to install and maintain their own operating systems, applications, etc.

NEW QUESTION 306

- (Exam Topic 2)

A security analyst is hardening a network infrastructure. The analyst is given the following requirements:

- Preserve the use of public IP addresses assigned to equipment on the core router
- Enable "in transport" encryption protection to the web server with the strongest ciphers. Which of the following should the analyst implement to meet these requirements? (Select two).

- A. Configure VLANs on the core router
- B. Configure NAT on the core router.
- C. Configure BGP on the core router
- D. Enable AES encryption on the web server
- E. Enable 3DES encryption on the web server
- F. Enable TLSv2 encryption on the web server

Answer: BF

Explanation:

NAT (Network Address Translation) is a technique that allows a router to translate private IP addresses into public IP addresses and vice versa. It can preserve the use of public IP addresses assigned to equipment on the core router by allowing multiple devices to share a single public IP address. TLSv2 (Transport Layer Security version 2) is a cryptographic protocol that provides secure communication over the internet. It can enable "in transport" encryption protection to the web server with the strongest ciphers by encrypting the data transmitted between the web server and the clients using advanced algorithms and key exchange methods.

NEW QUESTION 309

- (Exam Topic 2)

A security analyst is investigating network issues between a workstation and a company server. The workstation and server occasionally experience service disruptions, and employees are forced to

reconnect to the server. In addition, some reports indicate sensitive information is being leaked from the server to the public.

The workstation IP address is 192.168.1.103, and the server IP address is 192.168.1.101. The analyst runs `arp -a` On a separate workstation and obtains the following results:

Internet address	Physical address	Type
192.168.1.101	27-4b-17-00-38-08	dynamic
192.168.1.102	8e-45-49-ac-67-b6	dynamic
192.168.1.103	27-4b-17-00-38-08	dynamic
192.168.1.105	1f-35-91-55-0f-39	dynamic
192.168.1.157	27-4b-17-00-38-08	dynamic
192.168.1.190	12-d6-cf-91-f6-3f	dynamic

Which of the following is most likely occurring?

- A. Evil twin attack
- B. Domain hijacking attack
- C. On-path attack
- D. MAC flooding attack

Answer: C

Explanation:

An on-path attack is a type of attack where an attacker places themselves between two devices (such as a workstation and a server) and intercepts or modifies the communications between them. An on-path attacker can collect sensitive information, impersonate either device, or disrupt the service. In this scenario, the attacker is likely using an on-path attack to capture and alter the network traffic between the workstation and the server, causing service disruptions and data leakage.

NEW QUESTION 311

- (Exam Topic 2)

A security analyst is reviewing the output of a web server log and notices a particular account is attempting to transfer large amounts of money:

GET

[http://yourbank.com/transfer.do?acctnum=087646959](http://yourbank.com/transfer.do?acctnum=087646959&amount=500000)

&amount=500000 HTTP/1.1

GET

[http://yourbank.com/transfer.do?acctnum=087646958](http://yourbank.com/transfer.do?acctnum=087646958&amount=5000000)

&amount=5000000 HTTP/1.1

GET

[http://yourbank.com/transfer.do?acctnum=-087646958](http://yourbank.com/transfer.do?acctnum=-087646958&amount=1000000)

&amount=1000000 HTTP/1.1

GET

[http://yourbank.com/transfer.do?acctnum=087646953](http://yourbank.com/transfer.do?acctnum=087646953&amount=500)

&amount=500 HTTP/1.1

Which of the following types of attacks is most likely being conducted?

- A. SQLi
- B. CSRF
- C. Spear phishing
- D. API

Answer: B

Explanation:

CSRF stands for Cross-Site Request Forgery, which is an attack that forces an end user to execute unwanted actions on a web application in which they are currently authenticated¹. In this case, the attacker may have tricked the user into clicking a malicious link or visiting a malicious website that sends forged requests to the web server of the bank, using the user's session cookie or other credentials. The web server then performs the money transfer requests as if they were initiated by the user, without verifying the origin or validity of the requests.

* A. SQLi. This is not the correct answer, because SQLi stands for SQL Injection, which is an attack that exploits a vulnerability in a web application's database layer, where malicious SQL statements are inserted into an entry field for execution². The output of the web server log does not show any SQL statements or commands.

* B. CSRF. This is the correct answer, because CSRF is an attack that exploits the trust a web server has in a user's browser, where malicious requests are sent to the web server using the user's credentials¹. The output of the web server log shows multiple GET requests with different account numbers and amounts, which may indicate a CSRF attack.

* C. Spear phishing. This is not the correct answer, because spear phishing is an attack that targets a specific individual or organization with a personalized email or message that contains a malicious link or attachment³. The output of the web server log does not show any email or message content or headers.

* D. API. This is not the correct answer, because API stands for Application Programming Interface, which is a set of rules and specifications that allow software components to communicate and exchange data. API is not an attack method, but rather a way of designing and developing software applications.

NEW QUESTION 316

- (Exam Topic 2)

A security team discovered a large number of company-issued devices with non-work-related software installed. Which of the following policies would most likely contain language that would prohibit this activity?

- A. NDA
- B. BPA
- C. AUP
- D. SLA

Answer: C

Explanation:

AUP stands for acceptable use policy, which is a document that defines the rules and guidelines for using an organization's network, systems, devices, and resources. An AUP typically covers topics such as authorized and unauthorized activities, security requirements, data protection, user responsibilities, and consequences for violations. An AUP can help prevent non-work-related software installation on company-issued devices by clearly stating what types of software are allowed or prohibited, and what actions will be taken if users do not comply with the policy.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>

<https://www.techopedia.com/definition/2471/acceptable-use-policy-aup>

NEW QUESTION 320

- (Exam Topic 2)

A web server has been compromised due to a ransomware attack. Further Investigation reveals the ransomware has been in the server for the past 72 hours. The systems administrator needs to get the services back up as soon as possible. Which of the following should the administrator use to restore services to a secure state?

- A. The last incremental backup that was conducted 72 hours ago
- B. The last known-good configuration stored by the operating system
- C. The last full backup that was conducted seven days ago
- D. The baseline OS configuration

Answer: A

Explanation:

The last incremental backup that was conducted 72 hours ago would be the best option to restore the services to a secure state, as it would contain the most recent data before the ransomware infection. Incremental backups only store the changes made since the last backup, so they are faster and use less storage space than full backups. Restoring from an incremental backup would also minimize the data loss and downtime caused by the ransomware attack. References:

- > <https://www.comptia.org/blog/mature-cybersecurity-response-to-ransomware>
- > <https://www.youtube.com/watch?v=HszU4nEAlFc>

NEW QUESTION 325

- (Exam Topic 2)

During the onboarding process, an employee needs to create a password for an intranet account. The password must include ten characters, numbers, and letters, and two special characters. Once the password is created, the company will grant the employee access to other company-owned websites based on the intranet profile. Which of the following access management concepts is the company most likely using to safeguard intranet accounts and grant access to multiple sites based on a user's intranet account? (Select two).

- A. Federation
- B. Identity proofing
- C. Password complexity
- D. Default password changes
- E. Password manager
- F. Open authentication

Answer: AF

Explanation:

Federation is an access management concept that allows users to authenticate once and access multiple applications or services that trust the same identity provider. Open authentication is a standard protocol that enables federation by allowing users to use their existing credentials from one service to access another service. The company is most likely using federation and open authentication to safeguard intranet accounts and grant access to multiple sites based on a user's intranet account. For example, the company could use an identity provider such as Azure AD or Keycloak to manage the user identities and credentials for the intranet account, and then use open authentication to allow the users to access other company-owned websites without having to log in again. References:

- > <https://www.keycloak.org/>
- > <https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/whatis-fed>

NEW QUESTION 326

- (Exam Topic 2)

An organization's corporate offices were destroyed due to a natural disaster, so the organization is now setting up offices in a temporary work space. Which of the following will the organization most likely consult?

- A. The business continuity plan
- B. The risk management plan
- C. The communication plan
- D. The incident response plan

Answer: A

Explanation:

A business continuity plan is a document or a process that outlines how an organization can continue its critical operations and functions in the event of a disruption or disaster. It can include strategies and procedures for recovering or relocating resources, personnel, data, etc., to ensure minimal downtime and impact. The organization will most likely consult the business continuity plan when setting up offices in a temporary work space after its corporate offices were destroyed due to a natural disaster.

NEW QUESTION 327

- (Exam Topic 2)

A security team is conducting a security review of a hosted data provider. The management team has asked the hosted data provider to share proof that customer data is being appropriately protected.

Which of the following would provide the best proof that customer data is being protected?

- A. SOC2
- B. CSA
- C. CSF
- D. ISO 31000

Answer: A

Explanation:

SOC2 is a type of audit report that provides assurance on the security, availability, processing integrity, confidentiality, and privacy of a service organization's systems. It is based on the Trust Services Criteria developed by the American Institute of Certified Public Accountants (AICPA). A SOC2 report can provide proof that customer data is being appropriately protected by the hosted data provider¹

<https://www.csagroup.org/store/product/50072454/> 3: <https://www.csagroup.org/store/product/50072454os/> 1: <https://cloudsecurityalliance.org/blog/2021/08/20/star-testimonial-csa-star-soc2-from-readiness-to-attestation/>

NEW QUESTION 328

- (Exam Topic 2)

A systems integrator is installing a new access control system for a building. The new system will need to connect to the Company's AD server In order to validate current employees. Which of the following should the systems integrator configure to be the most secure?

- A. HTTPS
- B. SSH
- C. SFTP

D. LDAPS

Answer: D

Explanation:

LDAPS (Lightweight Directory Access Protocol Secure) is the most secure protocol to use for connecting to an Active Directory server, as it encrypts the communication between the client and the server using SSL/TLS. This prevents eavesdropping, tampering, or spoofing of the authentication and authorization data.

References: 1

CompTIA Security+ Certification Exam Objectives, page 13, Domain 3.0: Implementation, Objective 3.2: Implement secure protocols 2

CompTIA Security+ Certification Exam Objectives, page 15,

Domain 3.0: Implementation, Objective 3.5: Implement secure authentication mechanisms 3

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc731>

NEW QUESTION 330

- (Exam Topic 2)

An organization routes all of its traffic through a VPN. Most users are remote and connect into a corporate data center that houses confidential information. There is a firewall at the internet border, followed by a DLP appliance, the VPN server, and the data center itself. Which of the following is the weakest design element?

- A. The DLP appliance should be integrated into a NGFW.
- B. Split-tunnel connections can negatively impact the DLP appliance's performance.
- C. Encrypted VPN traffic will not be inspected when entering or leaving the network.
- D. Adding two hops in the VPN tunnel may slow down remote connections.

Answer: C

Explanation:

VPN (Virtual Private Network) traffic is encrypted to protect its confidentiality and integrity over the internet. However, this also means that it cannot be inspected by security devices or tools when entering or leaving the network, unless it is decrypted first. This can create a blind spot or a vulnerability for the network security posture, as malicious traffic or data could bypass detection or prevention mechanisms by using VPN encryption.

NEW QUESTION 335

- (Exam Topic 2)

A security analyst receives alerts about an internal system sending a large amount of unusual DNS queries to systems on the internet over short periods of time during non-business hours. Which of the following is most likely occurring?

- A. A worm is propagating across the network.
- B. Data is being exfiltrated.
- C. A logic bomb is deleting data.
- D. Ransomware is encrypting files.

Answer: B

Explanation:

Data is being exfiltrated when an internal system is sending a large amount of unusual DNS queries to systems on the internet over short periods of time during non-business hours. Data exfiltration is the unauthorized transfer of data from a system or network to an external destination or actor. Data exfiltration can be performed by malicious insiders or external attackers who have compromised the system or network. DNS queries are requests for resolving domain names to IP addresses. DNS queries can be used as a covert channel for data exfiltration by encoding data in the domain names or subdomains and sending them to a malicious DNS server that can decode and collect the data. References:

<https://www.comptia.org/blog/what-is-data-exfiltration>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 340

- (Exam Topic 2)

A report delivered to the Chief Information Security Officer (CISO) shows that some user credentials could be exfiltrated. The report also indicates that users tend to choose the same credentials on different systems and applications. Which of the following policies should the CISO use to prevent someone from using the exfiltrated credentials?

- A. MFA
- B. Lockout
- C. Time-based logins
- D. Password history

Answer: A

Explanation:

MFA stands for multi-factor authentication, which is a method of verifying a user's identity using two or more factors, such as something you know (e.g., password), something you have (e.g., token), or something you are (e.g., biometrics). MFA can prevent someone from using the exfiltrated credentials, as they would need to provide another factor besides the username and password to access the system or application. MFA can also alert the legitimate user of an unauthorized login attempt, allowing them to change their credentials or report the incident. References:

> <https://www.comptia.org/certifications/security>

> <https://www.youtube.com/watch?v=yCJyPPvM-xg>

> <https://www.professormesser.com/security-plus/sy0-601/sy0-601-video/multi-factor-authentication-5/>

NEW QUESTION 342

- (Exam Topic 2)

A security team is providing input on the design of a secondary data center that has. Which of the following should the security team recommend? (Select two).

- A. Configuring replication of the web servers at the primary site to offline storage
- B. Constructing the secondary site in a geographically dispersed location
- C. Deploying load balancers at the primary site
- D. Installing generators
- E. Using differential backups at the secondary site
- F. Implementing hot and cold aisles at the secondary site

Answer: BD

Explanation:

* B. Constructing the secondary site in a geographically dispersed location would ensure that a natural disaster at the primary site would not affect the secondary site. It would also allow for failover during traffic surge situations by distributing the load across different regions. D. Installing generators would provide protection against power surges and outages by providing backup power sources in case of a failure. Generators are part of the physical security requirements for data centers as they ensure availability and resilience. References: 1

CompTIA Security+ Certification Exam Objectives, page 8, Domain 2.0: Architecture and Design, Objective 2.1 : Explain the importance of secure staging deployment concepts 2

CompTIA Security+ Certification Exam

Objectives, page 9, Domain 2.0: Architecture and Design, Objective 2.3: Summarize secure application development, deployment, and automation concepts 3

CompTIA Security+ Certification Exam Objectives, page 11, Domain 2.0: Architecture and Design, Objective 2.5: Explain the importance of physical security controls

NEW QUESTION 343

- (Exam Topic 2)

Which Of the following vulnerabilities is exploited an attacker Overwrite a register with a malicious address that changes the execution path?

- A. VM escape
- B. SQL injection
- C. Buffer overflow
- D. Race condition

Answer: C

Explanation:

A buffer overflow is a type of vulnerability that occurs when an attacker sends more data than a buffer can

hold, causing the excess data to overwrite adjacent memory locations such as registers. It can allow an attacker to overwrite a register with a malicious address that changes the execution path and executes arbitrary code on the target system

NEW QUESTION 348

- (Exam Topic 2)

A network architect wants a server to have the ability to retain network availability even if one of the network switches it is connected to goes down. Which of the following should the architect implement on the server to achieve this goal?

- A. RAID
- B. UPS
- C. NIC teaming
- D. Load balancing

Answer: C

Explanation:

NIC Teaming is a feature that allows a server to be connected to multiple network switches, providing redundancy and increased network availability. If one of the switches goes down, the server will still be able to send and receive data through one of the other switches. To configure NIC Teaming in Windows Server, see Microsoft's documentation:

<https://docs.microsoft.com/en-us/windows-server/networking/technologies/nic-teaming>. For more information on NIC Teaming and other network redundancy features, refer to the CompTIA Security+ SY0-601 Official Text Book and Resources.

NEW QUESTION 352

- (Exam Topic 2)

A company wants to deploy PKI on its internet-facing website The applications that are currently deployed are

- www.company.com (main website)
- contact.us.company.com (for locating a nearby location)
- quotes.company.com (for requesting a price quote)

The company wants to purchase one SSL certificate that will work for all the existing applications and any future applications that follow the same naming conventions, such as store.company.com Which of the following certificate types would best meet the requirements?

- A. SAN
- B. Wildcard
- C. Extended validation
- D. Self-signed

Answer: B

Explanation:

A wildcard certificate is a type of SSL certificate that can secure multiple subdomains under one domain name by using an asterisk (*) as a placeholder for any subdomain name. For example, *.company.com can secure www.company.com, contact.us.company.com, quotes.company.com, etc. It can work for all the existing applications and any future applications that follow the same naming conventions, such as store.company.com.

NEW QUESTION 354

- (Exam Topic 2)

A security team will be outsourcing several key functions to a third party and will require that:

- Several of the functions will carry an audit burden.
- Attestations will be performed several times a year.
- Reports will be generated on a monthly basis.

Which of the following BEST describes the document that is used to define these requirements and stipulate how and when they are performed by the third party?

- A. MOU
- B. AUP
- C. SLA
- D. MSA

Answer: C

Explanation:

A service level agreement (SLA) is a contract between a service provider and a customer that outlines the services that are to be provided and the expected levels of performance. It is used to define the requirements for the service, including any attestations and reports that must be generated, and the timescales in which these must be completed. It also outlines any penalties for failing to meet these requirements. SLAs are essential for ensuring that third-party services are meeting the agreed upon performance levels.

Reference: CompTIA Security+ Study Guide: SY0-601 by Emmett Dulaney, Chuck Easttom <https://www.wiley.com/en-us/CompTIA+Security%2B+Study+Guide%3A+SY0-601-p-9781119515968>

CompTIA Security+ Get Certified Get Ahead: SY0-601 Study Guide by Darril Gibson <https://www.amazon.com/CompTIA-Security-Certified-Ahead-SY0-601/dp/1260117558>

Note: SLA is the best document that is used to define these requirements and stipulate how and when they are performed by the third party.

NEW QUESTION 356

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SY0-701 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SY0-701 Product From:

<https://www.2passeasy.com/dumps/SY0-701/>

Money Back Guarantee

SY0-701 Practice Exam Features:

- * SY0-701 Questions and Answers Updated Frequently
- * SY0-701 Practice Questions Verified by Expert Senior Certified Staff
- * SY0-701 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SY0-701 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year