



Google

Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam

NEW QUESTION 1

- (Exam Topic 1)

You want to process payment transactions in a point-of-sale application that will run on Google Cloud Platform. Your user base could grow exponentially, but you do not want to manage infrastructure scaling.

Which Google database service should you use?

- A. Cloud SQL
- B. BigQuery
- C. Cloud Bigtable
- D. Cloud Datastore

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

Your company built a TensorFlow neural-network model with a large number of neurons and layers. The model fits well for the training data. However, when tested against new data, it performs poorly. What method can you employ to address this?

- A. Threading
- B. Serialization
- C. Dropout Methods
- D. Dimensionality Reduction

Answer: C

Explanation:

Reference

<https://medium.com/mlreview/a-simple-deep-learning-model-for-stock-price-prediction-using-tensorflow-30505>

NEW QUESTION 3

- (Exam Topic 1)

You designed a database for patient records as a pilot project to cover a few hundred patients in three clinics. Your design used a single database table to represent all patients and their visits, and you used self-joins to generate reports. The server resource utilization was at 50%. Since then, the scope of the project has expanded. The database must now store 100 times more patient records. You can no longer run the reports, because they either take too long or they encounter errors with insufficient compute resources. How should you adjust the database design?

- A. Add capacity (memory and disk space) to the database server by the order of 200.
- B. Shard the tables into smaller ones based on date ranges, and only generate reports with prespecified date ranges.
- C. Normalize the master patient-record table into the patient table and the visits table, and create other necessary tables to avoid self-join.
- D. Partition the table into smaller tables, with one for each clinic
- E. Run queries against the smaller table pairs, and use unions for consolidated reports.

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

You have Google Cloud Dataflow streaming pipeline running with a Google Cloud Pub/Sub subscription as the source. You need to make an update to the code that will make the new Cloud Dataflow pipeline incompatible with the current version. You do not want to lose any data when making this update. What should you do?

- A. Update the current pipeline and use the drain flag.
- B. Update the current pipeline and provide the transform mapping JSON object.
- C. Create a new pipeline that has the same Cloud Pub/Sub subscription and cancel the old pipeline.
- D. Create a new pipeline that has a new Cloud Pub/Sub subscription and cancel the old pipeline.

Answer: D

NEW QUESTION 5

- (Exam Topic 1)

Your company is performing data preprocessing for a learning algorithm in Google Cloud Dataflow. Numerous data logs are being generated during this step, and the team wants to analyze them. Due to the dynamic nature of the campaign, the data is growing exponentially every hour.

The data scientists have written the following code to read the data for a new key features in the logs. BigQueryIO.Read

```
.named("ReadLogData")
```

```
.from("clouddataflow-readonly:samples.log_data")
```

You want to improve the performance of this data read. What should you do?

- A. Specify the TableReference object in the code.
- B. Use .fromQuery operation to read specific fields from the table.
- C. Use of both the Google BigQuery TableSchema and TableFieldSchema classes.
- D. Call a transform that returns TableRow objects, where each element in the PCollection represents a single row in the table.

Answer: D

NEW QUESTION 6

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training

speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

Answer: B

NEW QUESTION 7

- (Exam Topic 2)

Flowlogistic is rolling out their real-time inventory tracking system. The tracking devices will all send package-tracking messages, which will now go to a single Google Cloud Pub/Sub topic instead of the Apache Kafka cluster. A subscriber application will then process the messages for real-time reporting and store them in Google BigQuery for historical analysis. You want to ensure the package data can be analyzed over time.

Which approach should you take?

- A. Attach the timestamp on each message in the Cloud Pub/Sub subscriber application as they are received.
- B. Attach the timestamp and Package ID on the outbound message from each publisher device as they are sent to Cloud Pub/Sub.
- C. Use the NOW () function in BigQuery to record the event's time.
- D. Use the automatically generated timestamp from Cloud Pub/Sub to order the data.

Answer: B

NEW QUESTION 8

- (Exam Topic 2)

Flowlogistic's management has determined that the current Apache Kafka servers cannot handle the data volume for their real-time inventory tracking system. You need to build a new system on Google Cloud Platform (GCP) that will feed the proprietary tracking software. The system must be able to ingest data from a variety of global sources, process and query in real-time, and store the data reliably. Which combination of GCP products should you choose?

- A. Cloud Pub/Sub, Cloud Dataflow, and Cloud Storage
- B. Cloud Pub/Sub, Cloud Dataflow, and Local SSD
- C. Cloud Pub/Sub, Cloud SQL, and Cloud Storage
- D. Cloud Load Balancing, Cloud Dataflow, and Cloud Storage

Answer: C

NEW QUESTION 9

- (Exam Topic 3)

MJTelco is building a custom interface to share data. They have these requirements:

- ▶ They need to do aggregations over their petabyte-scale datasets.
- ▶ They need to scan specific time range rows with a very fast response time (milliseconds). Which combination of Google Cloud Platform products should you recommend?

- A. Cloud Datastore and Cloud Bigtable
- B. Cloud Bigtable and Cloud SQL
- C. BigQuery and Cloud Bigtable
- D. BigQuery and Cloud Storage

Answer: C

NEW QUESTION 10

- (Exam Topic 3)

MJTelco's Google Cloud Dataflow pipeline is now ready to start receiving data from the 50,000 installations. You want to allow Cloud Dataflow to scale its compute power up as required. Which Cloud Dataflow pipeline configuration setting should you update?

- A. The zone
- B. The number of workers
- C. The disk size per worker
- D. The maximum number of workers

Answer: A

NEW QUESTION 10

- (Exam Topic 4)

You work for a large fast food restaurant chain with over 400,000 employees. You store employee information in Google BigQuery in a Users table consisting of a FirstName field and a LastName field. A member of IT is building an application and asks you to modify the schema and data in BigQuery so the application can query a FullName field consisting of the value of the FirstName field concatenated with a space, followed by the value of the LastName field for each employee. How can you make that data available while minimizing cost?

- A. Create a view in BigQuery that concatenates the FirstName and LastName field values to produce the FullName.
- B. Add a new column called FullName to the Users tabl
- C. Run an UPDATE statement that updates the FullName column for each user with the concatenation of the FirstName and LastName values.
- D. Create a Google Cloud Dataflow job that queries BigQuery for the entire Users table, concatenates the FirstName value and LastName value for each user, and loads the proper values for FirstName, LastName, and FullName into a new table in BigQuery.
- E. Use BigQuery to export the data for the table to a CSV fil
- F. Create a Google Cloud Dataproc job to process the CSV file and output a new CSV file containing the proper values for FirstName, LastName and FullNam
- G. Run a BigQuery load job to load the new CSV file into BigQuery.

Answer: C

NEW QUESTION 15

- (Exam Topic 4)

Your company produces 20,000 files every hour. Each data file is formatted as a comma separated values (CSV) file that is less than 4 KB. All files must be ingested on Google Cloud Platform before they can be processed. Your company site has a 200 ms latency to Google Cloud, and your Internet connection bandwidth is limited as 50 Mbps. You currently deploy a secure FTP (SFTP) server on a virtual machine in Google Compute Engine as the data ingestion point. A local SFTP client runs on a dedicated machine to transmit the CSV files as is. The goal is to make reports with data from the previous day available to the executives by 10:00 a.m. each day. This design is barely able to keep up with the current volume, even though the bandwidth utilization is rather low. You are told that due to seasonality, your company expects the number of files to double for the next three months. Which two actions should you take? (choose two.)

- A. Introduce data compression for each file to increase the rate file of file transfer.
- B. Contact your internet service provider (ISP) to increase your maximum bandwidth to at least 100 Mbps.
- C. Redesign the data ingestion process to use gsutil tool to send the CSV files to a storage bucket in parallel.
- D. Assemble 1,000 files into a tape archive (TAR) file
- E. Transmit the TAR files instead, and disassemble the CSV files in the cloud upon receiving them.
- F. Create an S3-compatible storage endpoint in your network, and use Google Cloud Storage Transfer Service to transfer on-premises data to the designated storage bucket.

Answer: CE

NEW QUESTION 17

- (Exam Topic 4)

You are deploying a new storage system for your mobile application, which is a media streaming service. You decide the best fit is Google Cloud Datastore. You have entities with multiple properties, some of which can take on multiple values. For example, in the entity 'Movie' the property 'actors' and the property 'tags' have multiple values but the property 'date released' does not. A typical query would ask for all movies with actor=<actorname> ordered by date_released or all movies with tag=Comedy ordered by date_released. How should you avoid a combinatorial explosion in the number of indexes?

A. Manually configure the index in your index config as follows:

Indexes:

```
-kind: Movie
  Properties:
    -name: actors
    name: date_released
-kind: Movie
  Properties:
    -name: tags
    name: date_released
```

B. Manually configure the index in your index config as follows:

Indexes:

```
-kind: Movie
  Properties:
    -name: actors
    -name: tags
-name: date_published
```

C. Set the following in your entity options: exclude_from_indexes = 'actors, tags'

D. Set the following in your entity options: exclude_from_indexes = 'date_published'

- A. Option A
- B. Option B.
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 21

- (Exam Topic 5)

What are all of the BigQuery operations that Google charges for?

- A. Storage, queries, and streaming inserts
- B. Storage, queries, and loading data from a file
- C. Storage, queries, and exporting data

D. Queries and streaming inserts

Answer: A

Explanation:

Google charges for storage, queries, and streaming inserts. Loading data from a file and exporting data are free operations.

Reference: <https://cloud.google.com/bigquery/pricing>

NEW QUESTION 25

- (Exam Topic 5)

Which of the following job types are supported by Cloud Dataproc (select 3 answers)?

- A. Hive
- B. Pig
- C. YARN
- D. Spark

Answer: ABD

Explanation:

Cloud Dataproc provides out-of-the box and end-to-end support for many of the most popular job types, including Spark, Spark SQL, PySpark, MapReduce, Hive, and Pig jobs.

Reference: https://cloud.google.com/dataproc/docs/resources/faq#what_type_of_jobs_can_i_run

NEW QUESTION 30

- (Exam Topic 5)

Which of these are examples of a value in a sparse vector? (Select 2 answers.)

- A. [0, 5, 0, 0, 0, 0]
- B. [0, 0, 0, 1, 0, 0, 1]
- C. [0, 1]
- D. [1, 0, 0, 0, 0, 0, 0]

Answer: CD

Explanation:

Categorical features in linear models are typically translated into a sparse vector in which each possible value has a corresponding index or id. For example, if there are only three possible eye colors you can represent 'eye_color' as a length 3 vector: 'brown' would become [1, 0, 0], 'blue' would become [0, 1, 0] and 'green' would become [0, 0, 1]. These vectors are called "sparse" because they may be very long, with many zeros, when the set of possible values is very large (such as all English words).

[0, 0, 0, 1, 0, 0, 1] is not a sparse vector because it has two 1s in it. A sparse vector contains only a single 1. [0, 5, 0, 0, 0, 0] is not a sparse vector because it has a 5 in it. Sparse vectors only contain 0s and 1s. Reference: https://www.tensorflow.org/tutorials/linear#feature_columns_and_transformations

NEW QUESTION 33

- (Exam Topic 5)

Which of these is NOT a way to customize the software on Dataproc cluster instances?

- A. Set initialization actions
- B. Modify configuration files using cluster properties
- C. Configure the cluster using Cloud Deployment Manager
- D. Log into the master node and make changes from there

Answer: C

Explanation:

You can access the master node of the cluster by clicking the SSH button next to it in the Cloud Console.

You can easily use the --properties option of the dataproc command in the Google Cloud SDK to modify many common configuration files when creating a cluster.

When creating a Cloud Dataproc cluster, you can specify initialization actions in executables and/or scripts that Cloud Dataproc will run on all nodes in your Cloud Dataproc cluster immediately after the cluster is set up. [<https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/init-actions>]

Reference: <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/cluster-properties>

NEW QUESTION 38

- (Exam Topic 5)

Which methods can be used to reduce the number of rows processed by BigQuery?

- A. Splitting tables into multiple tables; putting data in partitions
- B. Splitting tables into multiple tables; putting data in partitions; using the LIMIT clause
- C. Putting data in partitions; using the LIMIT clause
- D. Splitting tables into multiple tables; using the LIMIT clause

Answer: A

Explanation:

If you split a table into multiple tables (such as one table for each day), then you can limit your query to the data in specific tables (such as for particular days). A better method is to use a partitioned table, as long as your data can be separated by the day.

If you use the LIMIT clause, BigQuery will still process the entire table. Reference: <https://cloud.google.com/bigquery/docs/partitioned-tables>

NEW QUESTION 41

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

Answer: A

Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

NEW QUESTION 42

- (Exam Topic 5)

Suppose you have a dataset of images that are each labeled as to whether or not they contain a human face. To create a neural network that recognizes human faces in images using this labeled dataset, what approach would likely be the most effective?

- A. Use K-means Clustering to detect faces in the pixels.
- B. Use feature engineering to add features for eyes, noses, and mouths to the input data.
- C. Use deep learning by creating a neural network with multiple hidden layers to automatically detect features of faces.
- D. Build a neural network with an input layer of pixels, a hidden layer, and an output layer with two categories.

Answer: C

Explanation:

Traditional machine learning relies on shallow nets, composed of one input and one output layer, and at most one hidden layer in between. More than three layers (including input and output) qualifies as “deep” learning. So deep is a strictly defined, technical term that means more than one hidden layer.

In deep-learning networks, each layer of nodes trains on a distinct set of features based on the previous layer’s output. The further you advance into the neural net, the more complex the features your nodes can recognize, since they aggregate and recombine features from the previous layer.

A neural network with only one hidden layer would be unable to automatically recognize high-level features of faces, such as eyes, because it wouldn't be able to "build" these features using previous hidden layers that detect low-level features, such as lines.

Feature engineering is difficult to perform on raw image data.

K- means Clustering is an unsupervised learning method used to categorize unlabeled data. Reference: <https://deeplearning4j.org/neuralnet-overview>

NEW QUESTION 44

- (Exam Topic 5)

Cloud Bigtable is Google's Big Data database service.

- A. Relational
- B. MySQL
- C. NoSQL
- D. SQL Server

Answer: C

Explanation:

Cloud Bigtable is Google's NoSQL Big Data database service. It is the same database that Google uses for services, such as Search, Analytics, Maps, and Gmail. It is used for requirements that are low latency and high throughput including Internet of Things (IoT), user analytics, and financial data analysis.

Reference: <https://cloud.google.com/bigtable/>

NEW QUESTION 49

- (Exam Topic 5)

Which Java SDK class can you use to run your Dataflow programs locally?

- A. LocalRunner
- B. DirectPipelineRunner
- C. MachineRunner
- D. LocalPipelineRunner

Answer: B

Explanation:

DirectPipelineRunner allows you to execute operations in the pipeline directly, without any optimization. Useful for small local execution and tests

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 52

- (Exam Topic 5)

Which is not a valid reason for poor Cloud Bigtable performance?

- A. The workload isn't appropriate for Cloud Bigtable.
- B. The table's schema is not designed correctly.
- C. The Cloud Bigtable cluster has too many nodes.

D. There are issues with the network connection.

Answer: C

Explanation:

The Cloud Bigtable cluster doesn't have enough nodes. If your Cloud Bigtable cluster is overloaded, adding more nodes can improve performance. Use the monitoring tools to check whether the cluster is overloaded.

Reference: <https://cloud.google.com/bigtable/docs/performance>

NEW QUESTION 57

- (Exam Topic 5)

Scaling a Cloud Dataproc cluster typically involves .

- A. increasing or decreasing the number of worker nodes
- B. increasing or decreasing the number of master nodes
- C. moving memory to run more applications on a single node
- D. deleting applications from unused nodes periodically

Answer: A

Explanation:

After creating a Cloud Dataproc cluster, you can scale the cluster by increasing or decreasing the number of worker nodes in the cluster at any time, even when jobs are running on the cluster. Cloud Dataproc clusters are typically scaled to:

- 1) increase the number of workers to make a job run faster
 - 2) decrease the number of workers to save money
 - 3) increase the number of nodes to expand available Hadoop Distributed Filesystem (HDFS) storage
- Reference: <https://cloud.google.com/dataproc/docs/concepts/scaling-clusters>

NEW QUESTION 62

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output. Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

Answer: B

Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow

service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline.

Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

NEW QUESTION 66

- (Exam Topic 5)

If a dataset contains rows with individual people and columns for year of birth, country, and income, how many of the columns are continuous and how many are categorical?

- A. 1 continuous and 2 categorical
- B. 3 categorical
- C. 3 continuous
- D. 2 continuous and 1 categorical

Answer: D

Explanation:

The columns can be grouped into two types—categorical and continuous columns:

A column is called categorical if its value can only be one of the categories in a finite set. For example, the native country of a person (U.S., India, Japan, etc.) or the education level (high school, college, etc.) are categorical columns.

A column is called continuous if its value can be any numerical value in a continuous range. For example, the capital gain of a person (e.g. \$14,084) is a continuous column.

Year of birth and income are continuous columns. Country is a categorical column.

You could use bucketization to turn year of birth and/or income into categorical features, but the raw columns are continuous.

Reference: https://www.tensorflow.org/tutorials/wide#reading_the_census_data

NEW QUESTION 70

- (Exam Topic 5)

Which of the following are examples of hyperparameters? (Select 2 answers.)

- A. Number of hidden layers
- B. Number of nodes in each hidden layer
- C. Biases
- D. Weights

Answer: AB

Explanation:

If model parameters are variables that get adjusted by training with existing data, your hyperparameters are the variables about the training process itself. For example, part of setting up a deep neural network is deciding how many "hidden" layers of nodes to use between the input layer and the output layer, as well as how many nodes each layer should use. These variables are not directly related to the training data at all. They are configuration variables. Another difference is that parameters change during a training job, while the hyperparameters are usually constant during a job.

Weights and biases are variables that get adjusted during the training process, so they are not hyperparameters. Reference: <https://cloud.google.com/ml-engine/docs/hyperparameter-tuning-overview>

NEW QUESTION 74

- (Exam Topic 5)

Cloud Dataproc charges you only for what you really use with billing.

- A. month-by-month
- B. minute-by-minute
- C. week-by-week
- D. hour-by-hour

Answer: B

Explanation:

One of the advantages of Cloud Dataproc is its low cost. Dataproc charges for what you really use with minute-by-minute billing and a low, ten-minute-minimum billing period.

Reference: <https://cloud.google.com/dataproc/docs/concepts/overview>

NEW QUESTION 77

- (Exam Topic 5)

Which of the following is NOT true about Dataflow pipelines?

- A. Dataflow pipelines are tied to Dataflow, and cannot be run on any other runner
- B. Dataflow pipelines can consume data from other Google Cloud services
- C. Dataflow pipelines can be programmed in Java
- D. Dataflow pipelines use a unified programming model, so can work both with streaming and batch data sources

Answer: A

Explanation:

Dataflow pipelines can also run on alternate runtimes like Spark and Flink, as they are built using the Apache Beam SDKs

Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 79

- (Exam Topic 5)

Which Cloud Dataflow / Beam feature should you use to aggregate data in an unbounded data source every hour based on the time when the data entered the pipeline?

- A. An hourly watermark
- B. An event time trigger
- C. The with Allowed Lateness method
- D. A processing time trigger

Answer: D

Explanation:

When collecting and grouping data into windows, Beam uses triggers to determine when to emit the aggregated results of each window.

Processing time triggers. These triggers operate on the processing time – the time when the data element is processed at any given stage in the pipeline.

Event time triggers. These triggers operate on the event time, as indicated by the timestamp on each data element. Beam's default trigger is event time-based.

Reference: <https://beam.apache.org/documentation/programming-guide/#triggers>

NEW QUESTION 81

- (Exam Topic 6)

You have a data pipeline with a Cloud Dataflow job that aggregates and writes time series metrics to Cloud Bigtable. This data feeds a dashboard used by thousands of users across the organization. You need to support additional concurrent users and reduce the amount of time required to write the data. Which two actions should you take? (Choose two.)

- A. Configure your Cloud Dataflow pipeline to use local execution
- B. Increase the maximum number of Cloud Dataflow workers by setting `maxNumWorkers` in `PipelineOptions`
- C. Increase the number of nodes in the Cloud Bigtable cluster
- D. Modify your Cloud Dataflow pipeline to use the Flatten transform before writing to Cloud Bigtable
- E. Modify your Cloud Dataflow pipeline to use the `CoGroupByKey` transform before writing to Cloud Bigtable

Answer: DE

NEW QUESTION 84

- (Exam Topic 6)

You work on a regression problem in a natural language processing domain, and you have 100M labeled examples in your dataset. You have randomly shuffled your data and split your dataset into train and test samples (in a 90/10 ratio). After you trained the neural network and evaluated your model on a test set, you discover that the root-mean-squared error (RMSE) of your model is twice as high on the train set as on the test set. How should you improve the performance of your model?

- A. Increase the share of the test sample in the train-test split.
- B. Try to collect more data and increase the size of your dataset.
- C. Try out regularization techniques (e.g., dropout of batch normalization) to avoid overfitting.
- D. Increase the complexity of your model by, e.g., introducing an additional layer or increase sizing the size of vocabularies or n-grams used.

Answer: D

NEW QUESTION 86

- (Exam Topic 6)

A shipping company has live package-tracking data that is sent to an Apache Kafka stream in real time. This is then loaded into BigQuery. Analysts in your company want to query the tracking data in BigQuery to analyze geospatial trends in the lifecycle of a package. The table was originally created with ingest-date partitioning. Over time, the query processing time has increased. You need to implement a change that would improve query performance in BigQuery. What should you do?

- A. Implement clustering in BigQuery on the ingest date column.
- B. Implement clustering in BigQuery on the package-tracking ID column.
- C. Tier older data onto Cloud Storage files, and leverage extended tables.
- D. Re-create the table using data partitioning on the package delivery date.

Answer: A

NEW QUESTION 89

- (Exam Topic 6)

Your analytics team wants to build a simple statistical model to determine which customers are most likely to work with your company again, based on a few different metrics. They want to run the model on Apache Spark, using data housed in Google Cloud Storage, and you have recommended using Google Cloud Dataproc to execute this job. Testing has shown that this workload can run in approximately 30 minutes on a 15-node cluster, outputting the results into Google BigQuery. The plan is to run this workload weekly. How should you optimize the cluster for cost?

- A. Migrate the workload to Google Cloud Dataflow
- B. Use pre-emptible virtual machines (VMs) for the cluster
- C. Use a higher-memory node so that the job runs faster
- D. Use SSDs on the worker nodes so that the job can run faster

Answer: A

NEW QUESTION 90

- (Exam Topic 6)

Your company needs to upload their historic data to Cloud Storage. The security rules don't allow access from external IPs to their on-premises resources. After an initial upload, they will add new data from existing on-premises applications every day. What should they do?

- A. Execute gsutil rsync from the on-premises servers.
- B. Use Cloud Dataflow and write the data to Cloud Storage.
- C. Write a job template in Cloud Dataproc to perform the data transfer.
- D. Install an FTP server on a Compute Engine VM to receive the files and move them to Cloud Storage.

Answer: B

NEW QUESTION 92

- (Exam Topic 6)

You need to deploy additional dependencies to all of a Cloud Dataproc cluster at startup using an existing initialization action. Company security policies require that Cloud Dataproc nodes do not have access to the Internet so public initialization actions cannot fetch resources. What should you do?

- A. Deploy the Cloud SQL Proxy on the Cloud Dataproc master
- B. Use an SSH tunnel to give the Cloud Dataproc cluster access to the Internet
- C. Copy all dependencies to a Cloud Storage bucket within your VPC security perimeter
- D. Use Resource Manager to add the service account used by the Cloud Dataproc cluster to the Network User role

Answer: D

NEW QUESTION 97

- (Exam Topic 6)

You are a retailer that wants to integrate your online sales capabilities with different in-home assistants, such as Google Home. You need to interpret customer voice commands and issue an order to the backend systems. Which solutions should you choose?

- A. Cloud Speech-to-Text API
- B. Cloud Natural Language API
- C. Dialogflow Enterprise Edition
- D. Cloud AutoML Natural Language

Answer: D

NEW QUESTION 101

- (Exam Topic 6)

You need to choose a database to store time series CPU and memory usage for millions of computers. You need to store this data in one-second interval samples. Analysts will be performing real-time, ad hoc analytics against the database. You want to avoid being charged for every query executed and ensure that the

schema design will allow for future growth of the dataset. Which database and data model should you choose?

- A. Create a table in BigQuery, and append the new samples for CPU and memory to the table
- B. Create a wide table in BigQuery, create a column for the sample value at each second, and update the row with the interval for each second
- C. Create a narrow table in Cloud Bigtable with a row key that combines the Computer Engine computer identifier with the sample time at each second
- D. Create a wide table in Cloud Bigtable with a row key that combines the computer identifier with the sample time at each minute, and combine the values for each second as column data.

Answer: D

NEW QUESTION 103

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.

- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed exportm, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entitie
- E. Treat each entity as a BigQuery table row via BigQuery streaming inser
- F. Assign an export timestamp for each export, and attach it as an extra column for each ro
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entitie
- I. Format the exported data into a JSON fil
- J. Apply compression before storing the data in Cloud Source Repositories.

Answer: CE

NEW QUESTION 105

- (Exam Topic 6)

You set up a streaming data insert into a Redis cluster via a Kafka cluster. Both clusters are running on Compute Engine instances. You need to encrypt data at rest with encryption keys that you can create, rotate, and destroy as needed. What should you do?

- A. Create a dedicated service account, and use encryption at rest to reference your data stored in your Compute Engine cluster instances as part of your API service calls.
- B. Create encryption keys in Cloud Key Management Servic
- C. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- D. Create encryption keys locall
- E. Upload your encryption keys to Cloud Key Management Servic
- F. Use those keys to encrypt your data in all of the Compute Engine cluster instances.
- G. Create encryption keys in Cloud Key Management Servic
- H. Reference those keys in your API service calls when accessing the data in your Compute Engine cluster instances.

Answer: C

NEW QUESTION 109

- (Exam Topic 6)

You have developed three data processing jobs. One executes a Cloud Dataflow pipeline that transforms data uploaded to Cloud Storage and writes results to BigQuery. The second ingests data from on-premises servers and uploads it to Cloud Storage. The third is a Cloud Dataflow pipeline that gets information from third-party data providers and uploads the information to Cloud Storage. You need to be able to schedule and monitor the execution of these three workflows and manually execute them when needed. What should you do?

- A. Create a Direct Acyclic Graph in Cloud Composer to schedule and monitor the jobs.
- B. Use Stackdriver Monitoring and set up an alert with a Webhook notification to trigger the jobs.
- C. Develop an App Engine application to schedule and request the status of the jobs using GCP API calls.
- D. Set up cron jobs in a Compute Engine instance to schedule and monitor the pipelines using GCP API calls.

Answer: D

NEW QUESTION 112

- (Exam Topic 6)

After migrating ETL jobs to run on BigQuery, you need to verify that the output of the migrated jobs is the same as the output of the original. You've loaded a table containing the output of the original job and want to compare the contents with output from the migrated job to show that they are identical. The tables do not contain a primary key column that would enable you to join them together for comparison. What should you do?

- A. Select random samples from the tables using the RAND() function and compare the samples.
- B. Select random samples from the tables using the HASH() function and compare the samples.
- C. Use a Dataproc cluster and the BigQuery Hadoop connector to read the data from each table and calculate a hash from non-timestamp columns of the table after sortin
- D. Compare the hashes of each table.
- E. Create stratified random samples using the OVER() function and compare equivalent samples from each table.

Answer: B

NEW QUESTION 115

- (Exam Topic 6)

You are integrating one of your internal IT applications and Google BigQuery, so users can query BigQuery from the application's interface. You do not want individual users to authenticate to BigQuery and you do not want to give them access to the dataset. You need to securely access BigQuery from your IT application.

What should you do?

- A. Create groups for your users and give those groups access to the dataset
- B. Integrate with a single sign-on (SSO) platform, and pass each user's credentials along with the query request
- C. Create a service account and grant dataset access to that account
- D. Use the service account's private key to access the dataset
- E. Create a dummy user and grant dataset access to that user
- F. Store the username and password for that user in a file on the files system, and use those credentials to access the BigQuery dataset

Answer: C

NEW QUESTION 119

- (Exam Topic 6)

You use a dataset in BigQuery for analysis. You want to provide third-party companies with access to the same dataset. You need to keep the costs of data sharing low and ensure that the data is current. Which solution should you choose?

- A. Create an authorized view on the BigQuery table to control data access, and provide third-party companies with access to that view.
- B. Use Cloud Scheduler to export the data on a regular basis to Cloud Storage, and provide third-party companies with access to the bucket.
- C. Create a separate dataset in BigQuery that contains the relevant data to share, and provide third-party companies with access to the new dataset.
- D. Create a Cloud Dataflow job that reads the data in frequent time intervals, and writes it to the relevant BigQuery dataset or Cloud Storage bucket for third-party companies to use.

Answer: B

NEW QUESTION 122

- (Exam Topic 6)

You want to analyze hundreds of thousands of social media posts daily at the lowest cost and with the fewest steps.

You have the following requirements:

- ▶ You will batch-load the posts once per day and run them through the Cloud Natural Language API.
- ▶ You will extract topics and sentiment from the posts.
- ▶ You must store the raw posts for archiving and reprocessing.
- ▶ You will create dashboards to be shared with people both inside and outside your organization.

You need to store both the data extracted from the API to perform analysis as well as the raw social media posts for historical archiving. What should you do?

- A. Store the social media posts and the data extracted from the API in BigQuery.
- B. Store the social media posts and the data extracted from the API in Cloud SQL.
- C. Store the raw social media posts in Cloud Storage, and write the data extracted from the API into BigQuery.
- D. Feed to social media posts into the API directly from the source, and write the extracted data from the API into BigQuery.

Answer: D

NEW QUESTION 127

- (Exam Topic 6)

You want to build a managed Hadoop system as your data lake. The data transformation process is composed of a series of Hadoop jobs executed in sequence. To accomplish the design of separating storage from compute, you decided to use the Cloud Storage connector to store all input data, output data, and intermediary data. However, you noticed that one Hadoop job runs very slowly with Cloud Dataproc, when compared with the on-premises bare-metal Hadoop environment (8-core nodes with 100-GB RAM). Analysis shows that this particular Hadoop job is disk I/O intensive. You want to resolve the issue. What should you do?

- A. Allocate sufficient memory to the Hadoop cluster, so that the intermediary data of that particular Hadoop job can be held in memory
- B. Allocate sufficient persistent disk space to the Hadoop cluster, and store the intermediate data of that particular Hadoop job on native HDFS
- C. Allocate more CPU cores of the virtual machine instances of the Hadoop cluster so that the networking bandwidth for each instance can scale up
- D. Allocate additional network interface card (NIC), and configure link aggregation in the operating system to use the combined throughput when working with Cloud Storage

Answer: A

NEW QUESTION 132

- (Exam Topic 6)

Each analytics team in your organization is running BigQuery jobs in their own projects. You want to enable each team to monitor slot usage within their projects. What should you do?

- A. Create a Stackdriver Monitoring dashboard based on the BigQuery metric query/scanned_bytes
- B. Create a Stackdriver Monitoring dashboard based on the BigQuery metric slots/allocated_for_project
- C. Create a log export for each project, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric
- D. Create an aggregated log export at the organization level, capture the BigQuery job execution logs, create a custom metric based on the totalSlotMs, and create a Stackdriver Monitoring dashboard based on the custom metric

Answer: D

NEW QUESTION 136

- (Exam Topic 6)

You work for a manufacturing company that sources up to 750 different components, each from a different supplier. You've collected a labeled dataset that has on average 1000 examples for each unique component. Your team wants to implement an app to help warehouse workers recognize incoming components based on a photo of the component. You want to implement the first working version of this app (as Proof-Of-Concept) within a few working days. What should you do?

- A. Use Cloud Vision AutoML with the existing dataset.
- B. Use Cloud Vision AutoML, but reduce your dataset twice.
- C. Use Cloud Vision API by providing custom labels as recognition hints.
- D. Train your own image recognition model leveraging transfer learning techniques.

Answer: A

NEW QUESTION 140

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: C

NEW QUESTION 143

- (Exam Topic 6)

Your United States-based company has created an application for assessing and responding to user actions. The primary table's data volume grows by 250,000 records per second. Many third parties use your application's APIs to build the functionality into their own frontend applications. Your application's APIs should comply with the following requirements:

- ▶ Single global endpoint
 - ▶ ANSI SQL support
 - ▶ Consistent access to the most up-to-date data
- What should you do?

- A. Implement BigQuery with no region selected for storage or processing.
- B. Implement Cloud Spanner with the leader in North America and read-only replicas in Asia and Europe.
- C. Implement Cloud SQL for PostgreSQL with the master in North America and read replicas in Asia and Europe.
- D. Implement Cloud Bigtable with the primary cluster in North America and secondary clusters in Asia and Europe.

Answer: B

NEW QUESTION 147

- (Exam Topic 6)

Data Analysts in your company have the Cloud IAM Owner role assigned to them in their projects to allow them to work with multiple GCP products in their projects. Your organization requires that all BigQuery data access logs be retained for 6 months. You need to ensure that only audit personnel in your company can access the data access logs for all projects. What should you do?

- A. Enable data access logs in each Data Analyst's project
- B. Restrict access to Stackdriver Logging via Cloud IAM roles.
- C. Export the data access logs via a project-level export sink to a Cloud Storage bucket in the Data Analysts' project
- D. Restrict access to the Cloud Storage bucket.
- E. Export the data access logs via a project-level export sink to a Cloud Storage bucket in a newly created project for audit log
- F. Restrict access to the project with the exported logs.
- G. Export the data access logs via an aggregated export sink to a Cloud Storage bucket in a newly created project for audit log
- H. Restrict access to the project that contains the exported logs.

Answer: D

NEW QUESTION 152

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region. You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

Answer: A

NEW QUESTION 156

- (Exam Topic 6)

You work for a bank. You have a labelled dataset that contains information on already granted loan application and whether these applications have been defaulted. You have been asked to train a model to predict default rates for credit applicants. What should you do?

- A. Increase the size of the dataset by collecting additional data.
- B. Train a linear regression to predict a credit default risk score.
- C. Remove the bias from the data and collect applications that have been declined loans.
- D. Match loan applicants with their social profiles to enable feature engineering.

Answer: B

NEW QUESTION 157

- (Exam Topic 6)

Your company is currently setting up data pipelines for their campaign. For all the Google Cloud Pub/Sub streaming data, one of the important business requirements is to be able to periodically identify the inputs and their timings during their campaign. Engineers have decided to use windowing and transformation in Google Cloud Dataflow for this purpose. However, when testing this feature, they find that the Cloud Dataflow job fails for the all streaming insert. What is the most likely cause of this problem?

- A. They have not assigned the timestamp, which causes the job to fail
- B. They have not set the triggers to accommodate the data coming in late, which causes the job to fail
- C. They have not applied a global windowing function, which causes the job to fail when the pipeline is created
- D. They have not applied a non-global windowing function, which causes the job to fail when the pipeline is created

Answer: C

NEW QUESTION 159

- (Exam Topic 6)

An organization maintains a Google BigQuery dataset that contains tables with user-level data. They want to expose aggregates of this data to other Google Cloud projects, while still controlling access to the user-level data. Additionally, they need to minimize their overall storage cost and ensure the analysis cost for other projects is assigned to those projects. What should they do?

- A. Create and share an authorized view that provides the aggregate results.
- B. Create and share a new dataset and view that provides the aggregate results.
- C. Create and share a new dataset and table that contains the aggregate results.
- D. Create dataViewer Identity and Access Management (IAM) roles on the dataset to enable sharing.

Answer: D

Explanation:

Reference: <https://cloud.google.com/bigquery/docs/access-control>

NEW QUESTION 164

- (Exam Topic 6)

You are designing a cloud-native historical data processing system to meet the following conditions:

- ▶ The data being analyzed is in CSV, Avro, and PDF formats and will be accessed by multiple analysis tools including Cloud Dataproc, BigQuery, and Compute Engine.
- ▶ A streaming data pipeline stores new data daily.
- ▶ Performance is not a factor in the solution.
- ▶ The solution design should maximize availability.

How should you design data storage for this solution?

- A. Create a Cloud Dataproc cluster with high availability
- B. Store the data in HDFS, and perform analysis as needed.
- C. Store the data in BigQuery
- D. Access the data using the BigQuery Connector or Cloud Dataproc and Compute Engine.
- E. Store the data in a regional Cloud Storage bucket
- F. Access the bucket directly using Cloud Dataproc, BigQuery, and Compute Engine.
- G. Store the data in a multi-regional Cloud Storage bucket
- H. Access the data directly using Cloud Dataproc, BigQuery, and Compute Engine.

Answer: C

NEW QUESTION 166

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to HDFS
- B. Mount the Hive tables locally.
- C. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluster
- D. Mount the Hive tables locally.
- E. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluster
- F. Then run the Hadoop utility to copy them to HDFS
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuery
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table
- L. Replicate external Hive tables to the native ones.

Answer: BC

NEW QUESTION 170

- (Exam Topic 6)

Your neural network model is taking days to train. You want to increase the training speed. What can you do?

- A. Subsample your test dataset.
- B. Subsample your training dataset.
- C. Increase the number of input features to your model.
- D. Increase the number of layers in your neural network.

Answer: D

Explanation:

Reference: <https://towardsdatascience.com/how-to-increase-the-accuracy-of-a-neural-network-9f5d1c6f407d>

NEW QUESTION 175

- (Exam Topic 6)

You store historic data in Cloud Storage. You need to perform analytics on the historic data. You want to use a solution to detect invalid data entries and perform data transformations that will not require programming or knowledge of SQL.

What should you do?

- A. Use Cloud Dataflow with Beam to detect errors and perform transformations.
- B. Use Cloud Dataprep with recipes to detect errors and perform transformations.
- C. Use Cloud Dataproc with a Hadoop job to detect errors and perform transformations.
- D. Use federated tables in BigQuery with queries to detect errors and perform transformations.

Answer: A

NEW QUESTION 176

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

Professional-Data-Engineer Practice Exam Features:

- * Professional-Data-Engineer Questions and Answers Updated Frequently
- * Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Data-Engineer Practice Test Here](#)