

1z0-931-25 Dumps

Oracle Autonomous Database Cloud 2025 Professional

<https://www.certleader.com/1z0-931-25-dumps.html>



NEW QUESTION 1

How do you change the tablespace quota for user MTHEO on an Autonomous Database on Shared Infrastructure?

- A. Execute DBMS_CLOUD_ADMIN.GRANT_TABLESPACE_QUOTA(username => 'MTHEO', tablespace_quota => 'UNLIMITED');
- B. Execute ALTER USER MTHEO QUOTA UNLIMITED ON TABLESPACE DATA;
- C. Execute ALTER TABLESPACE DATA SET QUOTA = 10G;
- D. Execute ALTER DATABASE FOR USER MTHEO TABLESPACE DATA QUOTA = 10G;

Answer: B

NEW QUESTION 2

Which vaults are used for storing customer-managed encryption keys for Autonomous Database on Dedicated Infrastructure?

- A. Oracle Audit Vault, Oracle Key Vault
- B. Oracle Cloud Infrastructure Vault, Oracle Database Vault
- C. Oracle Database Vault, Oracle Key Vault
- D. Oracle Key Vault, Oracle Cloud Infrastructure Vault

Answer: D

NEW QUESTION 3

Which method does NOT permit you to change the database ADMIN user's password of an Oracle Autonomous Database on Shared Infrastructure?

- A. Admin page of the Cloud Service Console
- B. OCI CLI
- C. OS command line from the database server
- D. SQL Developer

Answer: C

NEW QUESTION 4

DBSRV1 is an Autonomous Database with the display name PRODDB. You plan to take manual backups of this database periodically. What must be the name of the bucket that will be used to store manual backups?

- A. backup_proddb
- B. BACKUP_PRODDB
- C. backup_dbsrv1
- D. BACKUP_DBSRV1

Answer: D

NEW QUESTION 5

Which two actions can be performed when an Autonomous Database is stopped? (Choose two.)

- A. Change administrator password
- B. Start
- C. Update License type
- D. Update Network Access

Answer: BC

NEW QUESTION 6

Which management operation is correct about Autonomous Databases on Shared Exadata Infrastructure?

- A. You can skip a scheduled maintenance run
- B. For Autonomous Database on Shared Exadata Infrastructure, you can skip maintenance runs for up to two consecutive quarters if needed
- C. You can perform a "rolling restart" on all the Autonomous Database
- D. During a rolling restart, each node on the Autonomous Database is restarted separately while the remaining nodes continue to be available
- E. You cannot configure the scheduling for your Autonomous Databases on Shared Exadata Infrastructure
- F. You can choose to use Release Update or Release Update Revision updates for your Autonomous Databases on Shared Infrastructure

Answer: C

NEW QUESTION 7

Which three operations are available for a quarterly maintenance update on Autonomous Container Database? (Choose three.)

- A. Patch immediately
- B. Reschedule and patch immediately
- C. Reschedule patching
- D. Skip patching
- E. Apply a partial patch

Answer: BCD

NEW QUESTION 8

While provisioning a dedicated Autonomous Container Database, which backup retention period CANNOT be implemented?

- A. 120 days
- B. 7 days
- C. 60 days
- D. 15 days

Answer: A

NEW QUESTION 9

What is the default time range in Performance Hub?

- A. 15 Minutes
- B. 1 Hour
- C. 24 Hours
- D. 1 Week

Answer: C

NEW QUESTION 10

Given the steps:

- ? Create Oracle Machine Learning User
 - ? Create Projects
 - ? Create Workspaces
 - ? Create Notebooks
 - ? Run SQL Scripts
- Which two steps are out of order when working with Oracle Machine Learning?

- A. Create Oracle Machine Learning User
- B. Run SQL Scripts
- C. Create Workspaces
- D. Create Projects
- E. Create Notebooks

Answer: CD

NEW QUESTION 10

Which stage of the indexing pipeline divides text into tokens?

- A. Sectioner
- B. Tokenizer
- C. Filter
- D. Lexer

Answer: D

NEW QUESTION 13

Which two statements are correct about Autonomous Data Warehouse on Shared Exadata Infrastructure?

- A. Oracle Database Result Cache is enabled by default for all SQL statements.
- B. You have direct access to the database node.
- C. Parallelism is not enabled by default.
- D. Compression is enabled by default
- E. Autonomous Data Warehouse uses Hybrid Columnar Compression for all tables by default.

Answer: AD

NEW QUESTION 16

Which statement is true when you provision an Autonomous Database using the cloning method?

- A. A clone database source can be a running database instance.
- B. There is only one type of cloning option available in Autonomous Database.
- C. A clone database source can be from a point-in-time backup that is less than 2 hours old.
- D. You can clone a database in a security zone to create a database that isn't in a security zone.

Answer: A

NEW QUESTION 19

Which statement is true about OCPUs and storage when you choose to scale your Autonomous Database?

- A. OCPUs and storage can be scaled independently
- B. Use auto scaling to increase storage
- C. Increasing OCPUs will automatically increase storage
- D. OCPUs and storage must remain in sync

Answer: A

NEW QUESTION 23

Which of the following two statements are correct? (Choose two.)

- A. ODI Web Edition is available only on Oracle Linux.
- B. ODI Web Edition can be installed from Oracle Cloud Infrastructure (OCI) Marketplace.
- C. Data Transforms Card provides access to Oracle Data Integrator (ODI) Web Edition.
- D. All capabilities of ODI Classic are available with ODI Web Edition.

Answer: BD

NEW QUESTION 27

Which option describes the connection types that third-party software can use to connect to an Autonomous Database (ADB)?

- A. New ADB-specific protocols
- B. Any protocol supported by Oracle Net Services
- C. SQL*NET only
- D. JDBC only

Answer: B

NEW QUESTION 28

For fleet admins to access dedicated Exadata infrastructure, which policy should be assigned?

- A. Allow group adb-admins to manage autonomous-database in tenancy where target.workloadType='OLTP'
- B. Allow group adb-admins to manage autonomous-database-family in tenancy
- C. Allow group adb-admins to manage autonomous-database in tenancy where target.workloadType='DW'
- D. Allow group adb-admins to manage autonomous-database in tenancy

Answer: B

NEW QUESTION 31

Which three of the following data sources are available when using the Data Load page on Database Actions?

- A. Local Files
- B. Files in Oracle Cloud Storage
- C. REST endpoints
- D. Files in AWS S3 Storage
- E. Backup files in block storage

Answer: ABD

NEW QUESTION 34

Which of the following two statements regarding Data Transforms are correct? (Choose two.)

- A. Data Transforms provides access to Oracle Data Integrator (ODI) Web Edition
- B. Data Transforms allows you to design data transformations in the form of data loads, data flows, and workflows
- C. Workflows for Data Transforms are only available on the ODI Web Edition
- D. All capabilities to transform data in ODI Classic are available with ODI Web Edition

Answer: BD

NEW QUESTION 38

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX. What statement describes the step to provide the developer a new workspace in APEX?

- A. Access the APEX Administrator Services and create the workspace for the developer.
- B. Create an IDCS user with the APEX role.
- C. Create a database user with the APEX role.
- D. Create a new developer account

Answer: A

NEW QUESTION 39

Which three security features are available in Oracle Autonomous Database Shared Infrastructure? (Choose three.)

- A. Customer Managed Keys
- B. Audit Vault
- C. Data Redaction
- D. Database Vault
- E. Transparent Data Encryption

Answer: ADE

NEW QUESTION 41

Which are two available options when creating an Autonomous Database? (Choose two.)

- A. APEX Service on Dedicated Infrastructure
- B. APEX Service on Shared Infrastructure
- C. Autonomous JSON Database on Shared Infrastructure
- D. Autonomous JSON Database on Dedicated Infrastructure

Answer: AC

NEW QUESTION 46

Which terminology is used to refer to a communication channel for sending messages to a subscription, such as email or SMS, in Oracle Cloud Infrastructure?

- A. Subject
- B. Notification
- C. Topic
- D. Event

Answer: C

NEW QUESTION 51

Which native data type is used to store spatial information?

- A. SDO_GEOMETRY
- B. SDO_LOCATION
- C. SDO_RELATE
- D. GEO_JSON

Answer: A

NEW QUESTION 56

You are the admin user of an Autonomous Database instance. A new business analyst has joined the team and would like to explore the Autonomous Database tables using Autonomous Database's Data Tools. Which step should you perform to enable the new team member?

- A. Create a REST-enabled database user (with connect and object privileges) and grant the DWROLE role.
- B. Create a database user with the default privileges.
- C. Create a database user with connect, resource, and object privileges.
- D. Create an IDCS user and create a database user with connect, resource, and object privileges.

Answer: A

NEW QUESTION 57

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of OCPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use. Which statement is FALSE regarding the auto scaling feature?

- A. For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that are not being used by other auto scaling databases to meet high-load demands.
- B. For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- C. The base number of OCPU cores allocated to a database is not guaranteed.
- D. Auto Scaling is enabled by default and can be enabled or disabled at any time.

Answer: C

NEW QUESTION 59

Which two methods can you use to create database users and grant roles in Autonomous Database services?

- A. Oracle Cloud Infrastructure (OCI) service console
- B. SQL Developer
- C. DBMS_CLOUDADMIN package
- D. SQL*Plus

Answer: BD

NEW QUESTION 64

Which three functions are provided by Spatial Studio? (Choose three.)

- A. Map visualization
- B. Custom SQL queries
- C. Spatial analysis
- D. Geocoding
- E. Spatial data editing

Answer: ACE

NEW QUESTION 67

Which can be scaled independently of the number of CPUs in an Autonomous Database?

- A. Sessions
- B. Storage
- C. Memory
- D. Concurrency
- E. Parallelism

Answer: B

NEW QUESTION 71

Which three tools can be used to monitor the usage and activities of Autonomous Database on Dedicated Infrastructure? (Choose three.)

- A. RMAN
- B. Logs
- C. Enterprise Manager Cloud Control
- D. OCI Metrics
- E. Performance Hub

Answer: CDE

NEW QUESTION 72

Which statement is true about the use of Access Control Lists (ACLs) with an Autonomous Database on Shared Infrastructure?

- A. An ACL can be set up for an IP Address or a virtual cloud network but not both at the same time
- B. When you restore a database, the existing ACLs are not overwritten by the restore.
- C. ACLs can only be used with private endpoints
- D. An ACL can only be set during the creation of an Autonomous Database on Shared Infrastructure

Answer: B

NEW QUESTION 73

You need to set up a notification for a scheduled shutdown of an Autonomous Database instance. What should you do?

- A. Create a rule for the Oracle Cloud Infrastructure Event for 'Autonomous Database STOP END'
- B. Create an Oracle Cloud Infrastructure Alarm for Shutdown metric
- C. Add a 'BEFORE SHUTDOWN ON DATABASE' trigger within the database
- D. Create a notification alert using DBMS_SNMP package

Answer: A

NEW QUESTION 77

Which statement is correct with respect to the required action to move Oracle Autonomous Database resources to a different compartment?

- A. Moving an Autonomous Database instance does not include its automatic backups.
- B. You do not require sufficient access permissions on the compartment that the resource is being moved to.
- C. Autonomous Exadata Infrastructure instances and Autonomous Container Databases have no dependent resources that move with the
- D. Associated (non-dependent) resources remain in their current compartments.
- E. Moving the compartment of the Autonomous Database also moves the Autonomous Container Database and Autonomous Exadata Infrastructure.

Answer: C

NEW QUESTION 78

What REST verb is used to create an Autonomous Database service using REST APIs?

- A. A "POST" REST call
- B. A "GET" REST call
- C. A "PUT" REST call
- D. An "INSERT" REST call

Answer: A

NEW QUESTION 83

You see a clock icon in the Status column on the SQL Monitoring tab of Performance Hub. What does it indicate?

- A. The SQL statement is queued.
- B. The SQL statement is executing.
- C. The SQL statement did not complete either due to an error.
- D. The SQL statement completed its execution.

Answer: A

NEW QUESTION 87

A corporation is building a web application to allow its customers to schedule service requests online. There is also a need to run operational reports at times during non-peak hours. The architecture team is debating whether such reports should be

run on the OLTP database or in a separate data mart. The DBA Manager does not want to add any more admin responsibility to the team and is looking for a database option that's low to zero maintenance, but meets their strict performance requirements as well. Which Oracle Cloud Infrastructure database service is appropriate for this scenario?

- A. ATP using 'tpurgent' and 'high' TNS services to separate connection types
- B. Since the application needs to be highly available, it should be deployed on a Kubernetes Cluster
- C. It is best to build a separate data warehouse, and move the OLTP data on a nightly basis
- D. ADW since operational reporting is a higher priority in this scenario

Answer: A

NEW QUESTION 91

Oracle Data Safe is a unified control center for your Oracle databases which helps you understand the sensitivity of your data, evaluate risks to data, mask sensitive data, implement and monitor security controls, assess user security, monitor user activity, and address data security compliance requirements. Which statement is FALSE for Oracle Data Safe?

- A. Oracle Data Safe helps you find sensitive data in your database by inspecting the actual data in your database and its data dictionary
- B. Oracle Data Safe helps you assess the security of your cloud database configurations by analyzing database configurations
- C. Oracle Data Safe evaluates user types, how users are authenticated, and the password policies assigned to each user
- D. Oracle Data Safe only supports Autonomous Database

Answer: D

NEW QUESTION 96

A new Python developer has joined your team and needs to access the Autonomous Database data. How does the developer connect to and interact with the Autonomous Database from Python?

- A. By using SQL Developer
- B. By using Oracle Client and the DBD-oracle interface
- C. By using JDBC Driver
- D. By using Oracle Client and the cx_Oracle interface

Answer: D

NEW QUESTION 100

Which statement is FALSE about Data Insights?

- A. Data Insights display information about patterns and anomalies in the data of entities in your Oracle Autonomous Database
- B. Data Insights provides a wide range of graphical data presentation capabilities
- C. Data Insights are automatically generated by various analytic functions built into the database
- D. The results of the Insight analysis appear as a series of bar charts in the Data Insights dashboard

Answer: C

NEW QUESTION 103

What is the difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ATP manages optimizer statistics.
- B. Only ADW supports autoscaling
- C. Only ADW uses columnar compression by default.
- D. Only ATP supports automatic backups.

Answer: C

NEW QUESTION 105

Which three advanced options can you enable or disable while creating a business model? (Choose three.)

- A. Autonomous Aggregate Cache
- B. Analytic View Transparency View
- C. Analytic View Base Table Query Transformation
- D. Display private tables
- E. Business Object Security Feature

Answer: ABC

NEW QUESTION 110

Which statement is false about Autonomous Database Oracle Client Credentials (Wallets)?

- A. The Wallet for the Autonomous Database is the same as the TDE wallet
- B. You must have an Oracle Client Credential wallet in order to connect to the Autonomous Database
- C. In addition to the Oracle Client Credential Wallet, a user must have a username and password in order to connect to the Autonomous Database
- D. The Oracle Client Credential file is downloaded as a ZIP file

Answer: A

NEW QUESTION 114

For someone that is not a service administrator to use SQL Developer Web, what package would you need to use to give them access?

- A. ORDS_ADMIN.GRANT_SCHEMA
- B. ORDS_ADMIN.ENABLE_SCHEMA
- C. ORDS_PRIV.ENABLE_SCHEMA
- D. SQLDEV_ADMIN.GRANT_SCHEMA

Answer: B

NEW QUESTION 116

Which tab in the Data Load Explore tool shows the size of the table and the number of rows and columns?

- A. Hierarchies tab
- B. Statistics tab
- C. Data Sources tab
- D. Measures tab

Answer: B

NEW QUESTION 117

Oracle Data Safe is a unified control center for your Oracle databases that helps you understand the sensitivity of your data, evaluate risks to data, mask sensitive data, implement and monitor security controls, assess user security, monitor user activity, and address data security compliance requirements. Which statement is FALSE?

- A. Oracle Data Safe helps you assess the security of your cloud database configurations by analyzing database configurations.
- B. Oracle Data Safe evaluates user types, how users are authenticated, and the password policies assigned to each user.
- C. Oracle Data Safe only supports Autonomous Databases.
- D. Oracle Data Safe helps you find sensitive data in your database by inspecting the actual data in your database and its data dictionary.

Answer: C

NEW QUESTION 121

Which two are correct actions to take in order to download the Autonomous Database Credentials? (Choose two.)

- A. Click the compute section of the menu, then choose instance configurations, then download wallet
- B. Find the service console for your Autonomous Database, then pick administration, then download the credential wallet
- C. Click on the Object Storage and find your Autonomous bucket and download the wallet credentials
- D. Click on the Autonomous Database in the menu, click a database name, then choose DB Connection button, then download the wallet

Answer: BD

NEW QUESTION 123

Which two statements are true about accessing the Autonomous Database Tools?

- A. Database Actions is accessible from a server running on the same virtual cloud network (VCN) when the Autonomous Database is configured with Private Endpoint networking.
- B. Oracle APEX can be accessed only from the Developer menu in the Service Console.
- C. Oracle Machine Learning is available only with Autonomous Data Warehouse (ADW) Database.
- D. Access to Database Actions is available for all users of Autonomous Database.

Answer: B

NEW QUESTION 127

Where can a user's public SSH key be added on the Oracle Cloud Infrastructure Console in order to execute API calls?

- A. On the Autonomous Database Console
- B. SSH keys are not required in Oracle Cloud Infrastructure
- C. SSH keys cannot be added from console
- D. They have to be added using REST APIs only
- E. Navigate to Identity, select Users panel on the console and select "Add Public Key"

Answer: D

NEW QUESTION 132

Which statement is FALSE about loading data into the Autonomous Database using the Data Load card in Database Actions?

- A. Data formats supported include: text, CSV, JSON, Avro, and Parquet
- B. Data can be loaded from a local data source
- C. Data can be uploaded from several cloud storage sources including S3, Azure, Google Cloud, and Oracle Object Storage
- D. You must first manually create your database credentials using DBMS_CLOUD.CREATE_CREDENTIAL before accessing your Oracle Object Storage Bucket
- E. Data can be loaded from a remote database using Database Links (DBLinks)

Answer: D

NEW QUESTION 137

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-931-25 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-931-25-dumps.html>