


212-89 Dumps

EC Council Certified Incident Handler (ECIH v2)

<https://www.certleader.com/212-89-dumps.html>



NEW QUESTION 1


Business continuity is defined as the ability of an organization to continue to function even after a disastrous event, accomplished through the deployment of redundant hardware and software, the use of fault tolerant systems, as well as a solid backup and recovery strategy. Identify the plan which is mandatory part of a business continuity plan?

- A. Forensics Procedure Plan
- B. Business Recovery Plan
- C. Sales and Marketing plan
- D. New business strategy plan

Answer: B

NEW QUESTION 2

The flow chart gives a view of different roles played by the different personnel of CSIRT. Identify the incident response personnel denoted by A, B, C, D, E, F and G.



- A. A-Incident Analyst, B- Incident Coordinator, C- Public Relations, D-Administrator, E- Human Resource, FConstituency, G-Incident Manager
- B. A- Incident Coordinator, B-Incident Analyst, C- Public Relations, D-Administrator, E- Human Resource, FConstituency, G-Incident Manager
- C. A- Incident Coordinator, B- Constituency, C-Administrator, D-Incident Manager, E- Human Resource, FIncident Analyst, G-Public relations
- D. A- Incident Manager, B-Incident Analyst, C- Public Relations, D-Administrator, E- Human Resource, FConstituency, G-Incident Coordinator

Answer: C

NEW QUESTION 3

Which of the following is an appropriate flow of the incident recovery steps?

- A. System Operation-System Restoration-System Validation-System Monitoring
- B. System Validation-System Operation-System Restoration-System Monitoring
- C. System Restoration-System Monitoring-System Validation-System Operations
- D. System Restoration-System Validation-System Operations-System Monitoring

Answer: D

NEW QUESTION 4

Incident handling and response steps help you to detect, identify, respond and manage an incident. Which of the following steps focus on limiting the scope and extent of an incident?

- A. Eradication
- B. Containment
- C. Identification
- D. Data collection

Answer: B

NEW QUESTION 5

Multiple component incidents consist of a combination of two or more attacks in a system. Which of the following is not a multiple component incident?

- A. An insider intentionally deleting files from a workstation
- B. An attacker redirecting user to a malicious website and infects his system with Trojan
- C. An attacker infecting a machine to launch a DDoS attack
- D. An attacker using email with malicious code to infect internal workstation

Answer: A

NEW QUESTION 6

US-CERT and Federal civilian agencies use the reporting timeframe criteria in the federal agency reporting categorization. What is the timeframe required to report

an incident under the CAT 4 Federal Agency category?

- A. Weekly
- B. Within four (4) hours of discovery/detection if the successful attack is still ongoing and agency is unable to successfully mitigate activity
- C. Within two (2) hours of discovery/detection
- D. Monthly

Answer: A

NEW QUESTION 7

Identify a standard national process which establishes a set of activities, general tasks and a management structure to certify and accredit systems that will maintain the information assurance (IA) and security posture of a system or site.

- A. NIASAP
- B. NIAAAP
- C. NIPACP
- D. NIACAP

Answer: D

NEW QUESTION 8

In the Control Analysis stage of the NIST's risk assessment methodology, technical and none technical control methods are classified into two categories. What are these two control categories?

- A. Preventive and Detective controls
- B. Detective and Disguised controls
- C. Predictive and Detective controls
- D. Preventive and predictive controls

Answer: A

NEW QUESTION 9

Which among the following CERTs is an Internet provider to higher education institutions and various other research institutions in the Netherlands and deals with all cases related to computer security incidents in which a customer is involved either as a victim or as a suspect?

- A. NET-CERT
- B. DFN-CERT
- C. Funet CERT
- D. SURFnet-CERT

Answer: D

NEW QUESTION 10

Risk management consists of three processes, risk assessment, mitigation and evaluation. Risk assessment determines the extent of the potential threat and the risk associated with an IT system through its SDLC. How many primary steps does NIST's risk assessment methodology involve?

- A. Twelve
- B. Four
- C. Six
- D. Nine

Answer: D

NEW QUESTION 10

Except for some common roles, the roles in an IRT are distinct for every organization. Which among the following is the role played by the Incident Coordinator of an IRT?

- A. Links the appropriate technology to the incident to ensure that the foundation's offices are returned to normal operations as quickly as possible
- B. Links the groups that are affected by the incidents, such as legal, human resources, different business areas and management
- C. Applies the appropriate technology and tries to eradicate and recover from the incident
- D. Focuses on the incident and handles it from management and technical point of view

Answer: B

NEW QUESTION 11

ADAM, an employee from a multinational company, uses his company's accounts to send e-mails to a third party with their spoofed mail address. How can you categorize this type of account?

- A. Inappropriate usage incident
- B. Unauthorized access incident
- C. Network intrusion incident
- D. Denial of Service incident

Answer: A

NEW QUESTION 12

A security policy will take the form of a document or a collection of documents, depending on the situation or usage. It can become a point of reference in case a violation occurs that results in dismissal or other penalty. Which of the following is NOT true for a good security policy?

- A. It must be enforceable with security tools where appropriate and with sanctions where actual prevention is not technically feasible
- B. It must be approved by court of law after verifications of the stated terms and facts
- C. It must be implemented through system administration procedures, publishing of acceptable use guide lines or other appropriate methods
- D. It must clearly define the areas of responsibilities of the users, administrators and management

Answer: B

NEW QUESTION 14

The type of relationship between CSIRT and its constituency have an impact on the services provided by the CSIRT. Identify the level of the authority that enables members of CSIRT to undertake any necessary actions on behalf of their constituency?

- A. Full-level authority
- B. Mid-level authority
- C. Half-level authority
- D. Shared-level authority

Answer: A

NEW QUESTION 19

A risk mitigation strategy determines the circumstances under which an action has to be taken to minimize and overcome risks. Identify the risk mitigation strategy that focuses on minimizing the probability of risk and losses by searching for vulnerabilities in the system and appropriate controls:

- A. Risk Assumption
- B. Research and acknowledgment
- C. Risk limitation
- D. Risk absorption

Answer: B

NEW QUESTION 21

Based on the some statistics; what is the typical number one top incident?

- A. Phishing
- B. Policy violation
- C. Un-authorized access
- D. Malware

Answer: A

NEW QUESTION 25

The IDS and IPS system logs indicating an unusual deviation from typical network traffic flows; this is called:

- A. A Precursor
- B. An Indication
- C. A Proactive
- D. A Reactive

Answer: B

NEW QUESTION 29

The largest number of cyber-attacks are conducted by:

- A. Insiders
- B. Outsiders
- C. Business partners
- D. Suppliers

Answer: B

NEW QUESTION 32

Incidents such as DDoS that should be handled immediately may be considered as:

- A. Level One incident
- B. Level Two incident
- C. Level Three incident
- D. Level Four incident

Answer: C

NEW QUESTION 33

Overall Likelihood rating of a Threat to Exploit a Vulnerability is driven by :

- A. Threat-source motivation and capability
- B. Nature of the vulnerability
- C. Existence and effectiveness of the current controls
- D. All the above

Answer: D

NEW QUESTION 38

Adam calculated the total cost of a control to protect 10,000 \$ worth of data as 20,000 \$. What do you advise Adam to do?

- A. Apply the control
- B. Not to apply the control
- C. Use qualitative risk assessment
- D. Use semi-qualitative risk assessment instead

Answer: B

NEW QUESTION 41

Which of the following is a risk assessment tool:

- A. Nessus
- B. Wireshark
- C. CRAMM
- D. Nmap

Answer: C

NEW QUESTION 46

CERT members can provide critical support services to first responders such as:

- A. Immediate assistance to victims
- B. Consolidated automated service process management platform
- C. Organizing spontaneous volunteers at a disaster site
- D. A + C

Answer: D

NEW QUESTION 47

The free, open source, TCP/IP protocol analyzer, sniffer and packet capturing utility standard across many industries and educational institutions is known as:

- A. Snort
- B. Wireshark
- C. Cain & Able
- D. nmap

Answer: B

NEW QUESTION 49

Changing the web server contents, Accessing the workstation using a false ID and Copying sensitive data without authorization are examples of:

- A. DDoS attacks
- B. Unauthorized access attacks
- C. Malware attacks
- D. Social Engineering attacks

Answer: B

NEW QUESTION 54

The very well-known free open source port, OS and service scanner and network discovery utility is called:

- A. Wireshark
- B. Nmap (Network Mapper)
- C. Snort
- D. SAINT

Answer: B

NEW QUESTION 59

The open source TCP/IP network intrusion prevention and detection system (IDS/IPS), uses a rule-driven language, performs real-time traffic analysis and packet logging is known as:

- A. Snort
- B. Wireshark
- C. Nessus
- D. SAINT

Answer: A

NEW QUESTION 60

A Malicious code attack using emails is considered as:

- A. Malware based attack
- B. Email attack
- C. Inappropriate usage incident
- D. Multiple component attack

Answer: D

NEW QUESTION 65

_____ record(s) user's typing.

- A. Spyware
- B. adware
- C. Virus
- D. Malware

Answer: A

NEW QUESTION 69

_____ attach(es) to files

- A. adware
- B. Spyware
- C. Viruses
- D. Worms

Answer: C

NEW QUESTION 72

The sign(s) of the presence of malicious code on a host infected by a virus which is delivered via e-mail could be:

- A. Antivirus software detects the infected files
- B. Increase in the number of e-mails sent and received
- C. System files become inaccessible
- D. All the above

Answer: D

NEW QUESTION 75

Which of the following is NOT one of the techniques used to respond to insider threats:

- A. Placing malicious users in quarantine network, so that attack cannot be spread
- B. Preventing malicious users from accessing unclassified information
- C. Disabling the computer systems from network connection
- D. Blocking malicious user accounts

Answer: B

NEW QUESTION 79

The USB tool (depicted below) that is connected to male USB Keyboard cable and not detected by antispysware tools is most likely called:



- A. Software Key Grabber
- B. Hardware Keylogger
- C. USB adapter
- D. Anti-Keylogger

Answer: B

NEW QUESTION 80

Spyware tool used to record malicious user's computer activities and keyboard strokes is called:

- A. adware
- B. Keylogger
- C. Rootkit
- D. Firewall

Answer: B

NEW QUESTION 82

Lack of forensic readiness may result in:

- A. Loss of clients thereby damaging the organization's reputation
- B. System downtime
- C. Data manipulation, deletion, and theft
- D. All the above

Answer: D

NEW QUESTION 83

The state of incident response preparedness that enables an organization to maximize its potential to use digital evidence while minimizing the cost of an investigation is called:

- A. Computer Forensics
- B. Digital Forensic Analysis
- C. Forensic Readiness
- D. Digital Forensic Policy

Answer: C

NEW QUESTION 85

The Linux command used to make binary copies of computer media and as a disk imaging tool if given a raw disk device as its input is:

- A. "dd" command
- B. "netstat" command
- C. "nslookup" command
- D. "find" command

Answer: A

NEW QUESTION 87

What command does a Digital Forensic Examiner use to display the list of all open ports and the associated IP addresses on a victim computer to identify the established connections on it:

- A. "arp" command
- B. "netstat -an" command
- C. "dd" command
- D. "ifconfig" command

Answer: B

NEW QUESTION 90

The individual who recovers, analyzes, and preserves computer and related materials to be presented as evidence in a court of law and identifies the evidence, estimates the potential impact of the malicious activity on the victim, and assesses the intent and identity of the perpetrator is called:

- A. Digital Forensic Examiner
- B. Computer Forensic Investigator
- C. Computer Hacking Forensic Investigator
- D. All the above

Answer: D

NEW QUESTION 95

Digital evidence must:

- A. Be Authentic, complete and reliable
- B. Not prove the attackers actions
- C. Be Volatile
- D. Cast doubt on the authenticity and veracity of the evidence

Answer: A

NEW QUESTION 98

Which of the following is NOT one of the Computer Forensic types:

- A. USB Forensics
- B. Email Forensics
- C. Forensic Archaeology
- D. Image Forensics

Answer: C

NEW QUESTION 99

The person who offers his formal opinion as a testimony about a computer crime incident in the court of law is known as:

- A. Expert Witness
- B. Incident Analyzer
- C. Incident Responder
- D. Evidence Documenter

Answer: A

NEW QUESTION 102

According to US-CERT; if an agency is unable to successfully mitigate a DOS attack it must be reported within:

- A. One (1) hour of discovery/detection if the successful attack is still ongoing
- B. Two (2) hours of discovery/detection if the successful attack is still ongoing
- C. Three (3) hours of discovery/detection if the successful attack is still ongoing
- D. Four (4) hours of discovery/detection if the successful attack is still ongoing

Answer: B

NEW QUESTION 106

Incident may be reported using/ by:

- A. Phone call
- B. Facsimile (Fax)
- C. Email or on-line Web form
- D. All the above

Answer: D

NEW QUESTION 110

The product of intellect that has commercial value and includes copyrights and trademarks is called:

- A. Intellectual property
- B. Trade secrets
- C. Logos
- D. Patents

Answer: A

NEW QUESTION 113

According to the Fourth Amendment of USA PATRIOT Act of 2001; if a search does NOT violate a person's "reasonable" or "legitimate" expectation of privacy then it is considered:

- A. Constitutional/ Legitimate
- B. Illegal/ illegitimate
- C. Unethical
- D. None of the above

Answer: A

NEW QUESTION 118

Bit stream image copy of the digital evidence must be performed in order to:

- A. Prevent alteration to the original disk
- B. Copy the FAT table
- C. Copy all disk sectors including slack space
- D. All the above

Answer: C

NEW QUESTION 123

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 212-89 Exam with Our Prep Materials Via below:

<https://www.certleader.com/212-89-dumps.html>