

350-701 Dumps

Implementing and Operating Cisco Security Core Technologies

<https://www.certleader.com/350-701-dumps.html>



NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

Answer: A

NEW QUESTION 2

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

Answer: AB

NEW QUESTION 3

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

Answer: D

NEW QUESTION 4

Refer to the exhibit.

Interface	MAC Address	Method	Domain	Status	Fg Session ID
Gi4/15	0050.b6d4.8a60	dot1x	DATA	Auth	0A02198200001
Gi8/43	0024.c4fe.1832	dot1x	VOICE	Auth	0A02198200000
Gi10/25	0026.7391.bbd1	dot1x	DATA	Auth	0A02198200001
Gi8/28	0026.0b5e.51d5	dot1x	VOICE	Auth	0A02198200000
Gi4/13	0025.4593.e575	dot1x	VOICE	Auth	0A02198200000
Gi10/23	0025.8418.217f	dot1x	VOICE	Auth	0A02198200000
Gi7/4	0025.8418.1bc7	dot1x	VOICE	Auth	0A02198200000
Gi7/7	0026.0b5e.50fb	dot1x	VOICE	Auth	0A02198200000
Gi8/14	c85b.7604.fa1d	dot1x	DATA	Auth	0A02198200001
Gi10/29	0026.0b5e.528a	dot1x	VOICE	Auth	0A02198200000
Gi4/2	0026.0b5e.4f9f	dot1x	VOICE	Auth	0A02198200000
Gi10/30	0025.4593.e5ac	dot1x	VOICE	Auth	0A02198200000
Gi8/29	68bd.aba5.2e44	dot1x	VOICE	Auth	0A02198200001
Gi7/4	54ee.75db.d766	dot1x	DATA	Auth	0A02198200001
Gi2/34	e804.62eb.a658	dot1x	VOICE	Auth	0A02198200000
Gi10/22	482a.e307.d9c8	dot1x	DATA	Auth	0A02198200001
Gi9/22	0007.b00c.8c35	mab	DATA	Auth	0A02198200000

Which command was used to generate this output and to show which ports are authenticating with dot1x or mab?

- A. show authentication registrations
- B. show authentication method
- C. show dot1x all
- D. show authentication sessions

Answer: B

NEW QUESTION 5

Which two capabilities does TAXII support? (Choose two.)

- A. exchange
- B. pull messaging
- C. binding
- D. correlation
- E. mitigating

Answer: BC

NEW QUESTION 6

In which form of attack is alternate encoding, such as hexadecimal representation, most often observed?

- A. smurf
- B. distributed denial of service
- C. cross-site scripting
- D. rootkit exploit

Answer: C

NEW QUESTION 7

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

NEW QUESTION 8

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application
- B. Linux and Windows operating systems
- C. database
- D. web page images

Answer: C

Explanation:

Reference: https://tools.cisco.com/security/center/resources/sql_injection

NEW QUESTION 9

Which deployment model is the most secure when considering risks to cloud adoption?

- A. public cloud
- B. hybrid cloud
- C. community cloud
- D. private cloud

Answer: D

NEW QUESTION 10

What does the Cloudlock Apps Firewall do to mitigate security concerns from an application perspective?

- A. It allows the administrator to quarantine malicious files so that the application can function, just not maliciously.
- B. It discovers and controls cloud apps that are connected to a company's corporate environment.
- C. It deletes any application that does not belong in the network.
- D. It sends the application information to an administrator to act on.

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/security/cloudlock/index.html#~features>

NEW QUESTION 10

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

Answer: A

Explanation:

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

NEW QUESTION 12

Refer to the exhibit.

```
snmp-server group SNMP v3 auth access 15
```

What does the number 15 represent in this configuration?

- A. privilege level for an authorized user to this router
- B. access list that identifies the SNMP devices that can access the router
- C. interval in seconds between SNMPv3 authentication attempts
- D. number of possible failed attempts until the SNMPv3 user is locked out

Answer: B

NEW QUESTION 13

Which network monitoring solution uses streams and pushes operational data to provide a near real-time view of activity?

- A. SNMP
- B. SMTP
- C. syslog
- D. model-driven telemetry

Answer: D

Explanation:

Reference: <https://developer.cisco.com/docs/ios-xe/#!/streaming-telemetry-quick-start-guide>

NEW QUESTION 15

DRAG DROP

Drag and drop the Firepower Next Generation Intrusion Prevention System detectors from the left onto the correct definitions on the right.

PortScan Detection	many-to-one PortScan in which multiple hosts query a single host for open ports
Port Sweep	one-to-one PortScan, attacker mixes spoofed source IP addresses with the actual scanning IP address
Decoy PortScan	one-to-many port sweep, an attacker against one or a few hosts to scan a single port on multiple target hosts
Distributed PortScan	one-to-one PortScan, an attacker against one or a few hosts to scan one or multiple ports

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/detecting_specific_threats.html

NEW QUESTION 20

What are the two most commonly used authentication factors in multifactor authentication? (Choose two.)

- A. biometric factor
- B. time factor
- C. confidentiality factor
- D. knowledge factor
- E. encryption factor

Answer: AD

NEW QUESTION 24

Which two key and block sizes are valid for AES? (Choose two.)

- A. 64-bit block size, 112-bit key length
- B. 64-bit block size, 168-bit key length
- C. 128-bit block size, 192-bit key length
- D. 128-bit block size, 256-bit key length
- E. 192-bit block size, 256-bit key length

Answer: CD

Explanation:

Reference: https://en.wikipedia.org/wiki/Advanced_Encryption_Standard

NEW QUESTION 29

Which technology is used to improve web traffic performance by proxy caching?

- A. WSA
- B. Firepower

- C. FireSIGHT
- D. ASA

Answer: A

NEW QUESTION 30

Which benefit does endpoint security provide the overall security posture of an organization?

- A. It streamlines the incident response process to automatically perform digital forensics on the endpoint.
- B. It allows the organization to mitigate web-based attacks as long as the user is active in the domain.
- C. It allows the organization to detect and respond to threats at the edge of the network.
- D. It allows the organization to detect and mitigate threats that the perimeter security devices do not detect.

Answer: D

NEW QUESTION 31

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
- B. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
- C. Add the public IP address that the client computers are behind to a Core Identity.
- D. Browse to <http://welcome.umbrella.com/> to validate that the new identity is working.

Answer: B

NEW QUESTION 36

Which command enables 802.1X globally on a Cisco switch?

- A. dot1x system-auth-control
- B. dot1x pae authenticator
- C. authentication port-control auto
- D. aaa new-model

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/routers/nfvis/switch_command/b-nfvis-switch-command-reference/802_1x_commands.html

NEW QUESTION 38

For which two conditions can an endpoint be checked using ISE posture assessment? (Choose two.)

- A. computer identity
- B. Windows service
- C. user identity
- D. Windows firewall
- E. default browser

Answer: BC

NEW QUESTION 39

What is a characteristic of Dynamic ARP Inspection?

- A. DAI determines the validity of an ARP packet based on valid IP to MAC address bindings from the DHCP snooping binding database.
- B. In a typical network, make all ports as trusted except for the ports connecting to switches, which are untrusted.
- C. DAI associates a trust state with each switch.
- D. DAI intercepts all ARP requests and responses on trusted ports only.

Answer: A

NEW QUESTION 43

Which Cisco product provides proactive endpoint protection and allows administrators to centrally manage the deployment?

- A. NGFW
- B. AMP
- C. WSA
- D. ESA

Answer: B

NEW QUESTION 45

Where are individual sites specified to be blacklisted in Cisco Umbrella?

- A. application settings
- B. content categories

- C. security settings
- D. destination lists

Answer: D

NEW QUESTION 46

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

Answer: C

NEW QUESTION 50

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth. Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

Answer: B

NEW QUESTION 51

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unified-comm/unified-comm-tlsproxy.html>

NEW QUESTION 53

Which API is used for Content Security?

- A. NX-OS API
- B. IOS XR API
- C. OpenVuln API
- D. AsyncOS API

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/security_management/sma/sma12-0/api/b_SMA_API_12/test_chapter_01.html

NEW QUESTION 54

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

Answer: BD

Explanation:

Reference: https://en.wikipedia.org/wiki/Ping_of_death

NEW QUESTION 58

Which two mechanisms are used to control phishing attacks? (Choose two.)

- A. Enable browser alerts for fraudulent websites.
- B. Define security group memberships.
- C. Revoke expired CRL of the websites.
- D. Use antispymware software.
- E. Implement email filtering techniques.

Answer: AE

NEW QUESTION 60

Which SNMPv3 configuration must be used to support the strongest security possible?

- A. asa-host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv des ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- B. asa-host(config)#snmp-server group myv3 v3 noauth asa-host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- C. asa-host(config)#snmp-server group myv3 v3 noauth asa-host(config)#snmp-server user andy myv3 auth sha cisco priv 3des ciscXXXXXXXXXasa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- D. asa-host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy

Answer: D

NEW QUESTION 63

Which feature is supported when deploying Cisco ASAv within AWS public cloud?

- A. multiple context mode
- B. user deployment of Layer 3 networks
- C. IPv6
- D. clustering

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html>

NEW QUESTION 65

Under which two circumstances is a CoA issued? (Choose two.)

- A. A new authentication rule was added to the policy on the Policy Service node.
- B. An endpoint is deleted on the Identity Service Engine server.
- C. A new Identity Source Sequence is created and referenced in the authentication policy.
- D. An endpoint is profiled for the first time.
- E. A new Identity Service Engine server is added to the deployment with the Administration persona.

Answer: BD

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 70

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

Answer: B

NEW QUESTION 73

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for unauthenticated users.
- B. It alerts users when the WSA decrypts their traffic.
- C. It decrypts HTTPS application traffic for authenticated users.
- D. It provides enhanced HTTPS application detection for AsyncOS.

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html

NEW QUESTION 74

Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

- A. accounting
- B. assurance
- C. automation
- D. authentication
- E. encryption

Answer: BC

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html>

NEW QUESTION 77

How is Cisco Umbrella configured to log only security events?

- A. per policy
- B. in the Reporting settings
- C. in the Security Settings section
- D. per network in the Deployments section

Answer: A

Explanation:

Reference: <https://docs.umbrella.com/deployment-umbrella/docs/log-management>

NEW QUESTION 78

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
- B. virtual machine
- C. network
- D. application

Answer: D

Explanation:

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

NEW QUESTION 79

An engineer is configuring AMP for endpoints and wants to block certain files from executing. Which outbreak control method is used to accomplish this task?

- A. device flow correlation
- B. simple detections
- C. application blocking list
- D. advanced custom detections

Answer: C

NEW QUESTION 81

Which ASA deployment mode can provide separation of management on a shared appliance?

- A. DMZ multiple zone mode
- B. transparent firewall mode
- C. multiple context mode
- D. routed mode

Answer: C

NEW QUESTION 82

What can be integrated with Cisco Threat Intelligence Director to provide information about security threats, which allows the SOC to proactively automate responses to those threats?

- A. Cisco Umbrella
- B. External Threat Feeds
- C. Cisco Threat Grid
- D. Cisco Stealthwatch

Answer: C

NEW QUESTION 84

What provides visibility and awareness into what is currently occurring on the network?

- A. CMX
- B. WMI
- C. Prime Infrastructure
- D. Telemetry

Answer: C

NEW QUESTION 87

Which attack is commonly associated with C and C++ programming languages?

- A. cross-site scripting
- B. water holing

- C. DDoS
- D. buffer overflow

Answer: D

Explanation:

Reference: https://en.wikipedia.org/wiki/Buffer_overflow

NEW QUESTION 91

An engineer must force an endpoint to re-authenticate an already authenticated session without disrupting the endpoint to apply a new or updated policy from ISE. Which CoA type achieves this goal?

- A. Port Bounce
- B. CoA Terminate
- C. CoA Reauth
- D. CoA Session Query

Answer: C

NEW QUESTION 96

Which two prevention techniques are used to mitigate SQL injection attacks? (Choose two.)

- A. Check integer, float, or Boolean string parameters to ensure accurate values.
- B. Use prepared statements and parameterized queries.
- C. Secure the connection between the web and the app tier.
- D. Write SQL code instead of using object-relational mapping libraries.
- E. Block SQL code execution in the web application database login.

Answer: AB

Explanation:

Reference: https://en.wikipedia.org/wiki/SQL_injection

NEW QUESTION 100

How does Cisco Stealthwatch Cloud provide security for cloud environments?

- A. It delivers visibility and threat detection.
- B. It prevents exfiltration of sensitive data.
- C. It assigns Internet-based DNS protection for clients and servers.
- D. It facilitates secure connectivity between public and private networks.

Answer: A

Explanation:

<https://www.content.shi.com/SHIcom/ContentAttachmentImages/SharedResources/FBLP/Cisco/Cisco-091919-Simple-IT-Whitepaper.pdf>

NEW QUESTION 104

Which two application layer preprocessors are used by Firepower Next Generation Intrusion Prevention System? (Choose two.)

- A. SIP
- B. inline normalization
- C. SSL
- D. packet decoder
- E. modbus

Answer: AC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/Application_Layer_Preprocessors.html

NEW QUESTION 109

What is a characteristic of Cisco ASA Netflow v9 Secure Event Logging?

- A. It tracks flow-create, flow-teardown, and flow-denied events.
- B. It provides stateless IP flow tracking that exports all records of a specific flow.
- C. It tracks the flow continuously and provides updates every 10 seconds.
- D. Its events match all traffic classes in parallel.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa92/configuration/general/asa-general-cli/monitor-nsel.html>

NEW QUESTION 114

Which feature within Cisco Umbrella allows for the ability to inspect secure HTTP traffic?

- A. File Analysis
- B. SafeSearch
- C. SSL Decryption
- D. Destination Lists

Answer: C

NEW QUESTION 118

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 350-701 Exam with Our Prep Materials Via below:

<https://www.certleader.com/350-701-dumps.html>