



Microsoft

Exam Questions AZ-140

Configuring and Operating Windows Virtual Desktop on Microsoft Azure

NEW QUESTION 1

HOTSPOT

You have a Windows Virtual Desktop deployment.

Many users have iOS devices that have the Remote Desktop Mobile app installed.

You need to ensure that the users can connect to the feed URL by using email discovery instead of entering the feed URL manually. How should you configure the _msrads DNS record? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Record type:

A
CNAME
SRV
TXT

Record value:

https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
https://rdweb.wvd.microsoft.com/api/feeddiscovery
https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
webfeeddiscovery.aspx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Record type:

A
CNAME
SRV
TXT

Record value:

https://rdweb.wvd.microsoft.com/api/arm/feeddiscovery
https://rdweb.wvd.microsoft.com/api/feeddiscovery
https://rdweb.wvd.microsoft.com/Feed/webfeed.aspx
webfeeddiscovery.aspx

NEW QUESTION 2

You have an Azure Active Directory (Azure AD) tenant named contoso.com and an Azure virtual network named VNET1.

To VNET1, you deploy an Azure Active Directory Domain Services (Azure AD DS) managed domain named litwareinc.com. To VNET1, you plan to deploy a Windows Virtual Desktop host pool named Pool1.

You need to ensure that you can deploy Windows 10 Enterprise host pools to Pool1. What should you do first?

- A. Modify the settings of the litwareinc.com DNS zone.
- B. Modify the DNS settings of VNET1.
- C. Add a custom domain name to contoso.com.
- D. Implement Azure AD Connect cloud sync.

Answer: B

NEW QUESTION 3

HOTSPOT

You plan to deploy Windows Virtual Desktop.

Users have the devices shown in the following table.

Type	Platform
Tablet	Windows 10 Pro
Phone	Android
Laptop	macOS

From which device types can the users connect to Windows Virtual Desktop resources by using the Remote Desktop client app and the Remote Desktop web client? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Remote Desktop client app:

▼
Tablet only
Tablet and phone only
Tablet and laptop only
Tablet, phone, and laptop

Remote Desktop web client:

▼
Tablet only
Tablet and phone only
Tablet and laptop only
Tablet, phone, and laptop

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Remote Desktop client app:

▼
Tablet only
Tablet and phone only
Tablet and laptop only
Tablet, phone, and laptop

Remote Desktop web client:

▼
Tablet only
Tablet and phone only
Tablet and laptop only
Tablet, phone, and laptop

NEW QUESTION 4

Your company has a main office and two branch offices. Each office connects directly to the internet. The router in each branch office is configured as an endpoint for the following VPNs:

- A VPN connection to the main office
- A site-to-site VPN to Azure

The routers in each branch office have the Quality of Service (QoS) rules shown in the following table.

Name	Destination	Available bandwidth allocated
Rule1	VPN traffic to the main office	25%
Rule2	Site-to-site VPN traffic to Azure	25%
Rule3	HTTP/HTTPS traffic to all Azure and Microsoft 365 public IP addresses	25%
Rule4	Traffic to non-Microsoft internet addresses	25%

Users in the branch office report slow responses and connection errors when they attempt to connect to Windows Virtual Desktop resources. You need to modify the QoS rules on the branch office routers to improve Windows Virtual Desktop performance.

For which rule should you increase the bandwidth allocation?

- A. Rule2
- B. Rule3
- C. Rule4
- D. Rule1

Answer: B

NEW QUESTION 5

You plan to deploy Windows Virtual Desktop. The deployment will use existing virtual machines. You create a Windows Virtual Desktop host pool. You need to ensure that you can add the virtual machines to the host pool. What should you do first?

- A. Register the Microsoft.DesktopVirtualization provider.
- B. Generate a registration key.
- C. Run the Invoke-AzVMRunCommand cmdlet.
- D. Create a role assignment.

Answer: A

NEW QUESTION 6

HOTSPOT

You have a Windows Virtual Desktop host pool that has a max session limit of 15. Disconnected sessions are signed out immediately. The session hosts for the host pool are shown in the following exhibit.

Home > Windows Virtual Desktop > WVD

WVD - Session hosts
Host pool

+ Add Refresh Assign Export to CSV

Search by name Status: 12 selected Drain mode: 2 selected

Name ↑↓	Status ↑↓	Drain mode ↑↓	Assigned User ↑↓	Active sessions	Resource group ↑↓
WVD-0	Available	Off	-	11	rg-wvd
WVD-1	Available	Off	-	2	RG-WVD
WVD-2	Available	On	-	0	RG-WVD
WVD-3	Available	Off	-	15	RG-WVD
WVD-5	Available	On	-	0	RG-WVD
WVD-6	Available	Off	-	13	RG-WVD
WVD-4	Unavailable	Off	-	0	RG-WVD

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

The host pool type is [answer choice].

pooled

personal with direct assignment

personal with automatic assignment

New sessions can occur on [answer choice] only.

WVD-0, WVD-1, and WVD-6

WVD-0, WVD-1, WVD-3, and WVD-6

WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The host pool type is **[answer choice]**.

<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">pooled</div> <div style="padding: 2px;">personal with direct assignment</div> <div style="padding: 2px;">personal with automatic assignment</div> </div>

New sessions can occur on **[answer choice]** only.

<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">WVD-0, WVD-1, and WVD-6</div> <div style="padding: 2px;">WVD-0, WVD-1, WVD-3, and WVD-6</div> <div style="padding: 2px;">WVD-0, WVD-1, WVD-2, WVD-5, and WVD-6</div> </div>
--

NEW QUESTION 7

HOTSPOT

You have an Azure virtual machine named VM1 that runs Windows 10 Enterprise multi-session.

You plan to add language packs to VM1 and create a custom image of VM1 for a Windows Virtual Desktop host pool.

You need to ensure that modern apps can use the additional language packs when you deploy session hosts by using the custom image. Which command should you run first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">Disable-ScheduledTask</div> <div style="padding: 2px;">Enable-ScheduledTask</div> <div style="padding: 2px;">New-ScheduledTask</div> <div style="padding: 2px;">Start-AppBackgroundTask</div> </div>	-TaskPath "\\Microsoft\Windows\AppxDeploymentClient\" -TaskName	<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">"License Validation"</div> <div style="padding: 2px;">"Pre-staged app cleanup"</div> <div style="padding: 2px;">"RemoteFXvGPUDisableTask"</div> </div>
---	---	---

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area


<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">Disable-ScheduledTask</div> <div style="padding: 2px;">Enable-ScheduledTask</div> <div style="padding: 2px;">New-ScheduledTask</div> <div style="padding: 2px;">Start-AppBackgroundTask</div> </div>	-TaskPath "\\Microsoft\Windows\AppxDeploymentClient\" -TaskName	<div style="border: 1px solid #ccc; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="padding: 2px;">"License Validation"</div> <div style="padding: 2px;">"Pre-staged app cleanup"</div> <div style="padding: 2px;">"RemoteFXvGPUDisableTask"</div> </div>
---	---	---

NEW QUESTION 8

DRAG DROP

You have a Windows Virtual Desktop deployment.

You have a session host named Host1 that has the disk layout shown in the exhibit. (Click the Exhibit tab.)



You plan to deploy an app that must be installed on D. The app requires 500 GB of disk space.

You need to add a new data disk that will be assigned the drive letter D. The solution must maintain the current performance of Host1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

Answer Area

⏪
⏩

⏴
⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Move the page file to drive C.
- Move the page file to Temporary Storage.
- Change the drive letter of Temporary Storage (D:).
- Mark Temporary Storage (D:) as **Active**.
- Add the new disk and assign drive D.
- Move the page file to System Reserved.

Answer Area

⏪
⏩

⏴
⏵

- Move the page file to drive C.
- Change the drive letter of Temporary Storage (D:).
- ⏪ Add the new disk and assign drive D. ⏴
- ⏩ Move the page file to Temporary Storage. ⏵

NEW QUESTION 9

You have a shared image gallery that contains the Windows 10 images shown in the following table.

Name	Location	Operating system state
Image1	West US	Generalized
Image2	West US	Specialized
Image3	West Europe	Generalized
Image4	West Europe	Specialized

▪ You create a Windows Virtual Desktop deployment that has the following settings:

Host pool name: Pool1

▪ Location: West US

▪ Host pool type: Personal

Which images can you use for the session hosts?

- A. Image1 only
- B. Image1, Image2, Image3, and Image4
- C. Image2 only
- D. Image1 and Image2 only
- E. Image1 and Image3 only

Answer: E

NEW QUESTION 10

You have a Windows Virtual Desktop host pool named Pool1 and an Azure Storage account named Storage1. Storage1 stores FSLogix profile containers in a share folder named share1. You create a new group named Group1. You provide Group1 with permission to sign in to Pool1.

You need to ensure that the members of Group1 can store the FSLogix profile containers in share1. The solution must use the principle of least privilege. Which two privileges should you assign to Group1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the Storage Blob Data Contributor role for storage1
- B. the List folder / read data NTFS permissions for share1
- C. the Modify NTFS permissions for share1
- D. the Storage File Data SMB Share Reader role for storage1
- E. the Storage File Data SMB Share Elevated Contributor role for storage1
- F. the Storage File Data SMB Share Contributor role for storage1

Answer: CF

NEW QUESTION 10

You have a Windows Virtual Desktop host pool.

You need to install Microsoft Antimalware for Azure on the session hosts. What should you do?

- A. Add an extension to each session host.
- B. From a Group Policy Object (GPO), enable Windows 10 security features.
- C. Configure the RDP Properties of the host pool.
- D. Sign in to each session host and install a Windows feature.

Answer: A

NEW QUESTION 15

HOTSPOT

Your company has the offices shown in the following table.

Location	Internal network IP address space	Public IP address space
Boston	10.10.0.0/16	13.83.131.0/24
Seattle	172.16.0.0/16	92.15.10.0/24

The company has an Azure Active Directory (Azure AD) tenant named contoso.com that contains a user named User1.

Users connect to a Windows Virtual Desktop deployment named WVD1. WVD1 contains session hosts that have public IP addresses from the 52.166.253.0/24 subnet.

Contoso.com has a conditional access policy that has the following settings:

▪ Name: Policy1 Assignments:

- Users and groups: User1

▪ Cloud apps or actions: Windows Virtual Desktop Access controls:

▪ Grant: Grant access, Require multi-factor authentication Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
If User1 connects to Windows Virtual Desktop from the office in Boston, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Windows Virtual Desktop from home, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>
If User1 connects to Microsoft Exchange Online from a Windows Virtual Desktop session, User1 is prompted for multi-factor authentication (MFA).	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 20

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Windows Virtual Desktop host pool named Pool1 that is integrated with an Azure Active Directory Domain Services (Azure AD DS) managed domain. You need to configure idle session timeout settings for users that connect to the session hosts in Pool1. Solution: From an Azure AD DS-joined computer, you modify the AADDC Users GPO settings.

Does that meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 21

Your network contains an on-premises Active Directory domain. The domain contains a universal security group named WVDUsers. You have a hybrid Azure Active Directory (Azure AD) tenant. WVDUsers syncs to Azure AD.

You have a Windows Virtual Desktop host pool that contains four Windows 10 Enterprise multi-session hosts.

You need to ensure that only the members of WVDUsers can establish Windows Virtual Desktop sessions to the host pool. What should you do?

- A. Assign WVDUsers to an Azure role scoped to each host pool.
- B. On each session host, add WVDUsers to the local Remote Desktop Users group.
- C. Assign WVDUsers to an Azure role scoped to the session hosts.
- D. Assign WVDUsers to an application group.

Answer: D

NEW QUESTION 25

You deploy multiple Windows Virtual Desktop session hosts that have only private IP addresses.

You need to ensure that administrators can initiate an RDP session to the session hosts by using the Azure portal. What should you implement?

- A. Remote Desktop Connection Broker (RD Connection Broker)
- B. Azure Application Gateway
- C. Azure Bastion
- D. Remote Desktop Session Host (RD Session Host)

Answer: C

NEW QUESTION 30

DRAG DROP

You have a Windows Virtual Desktop host pool named Pool1. Pool1 contains session hosts that use FSLogix profile containers hosted in Azure NetApp Files volumes. You need to back up profile files by using snapshots.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create an Azure NetApp account.
- Register the NetApp Resource Provider.
- Register the Azure NetApp snapshot policy feature.
- Create a snapshot policy.
- Apply a snapshot policy to a volume.

Answer Area







- A. Mastered
- B. Not Mastered



Answer: A

Explanation:

Actions

- Create an Azure NetApp account.
- Register the NetApp Resource Provider.
- Register the Azure NetApp snapshot policy feature.
- Create a snapshot policy.
- Apply a snapshot policy to a volume.



Answer Area

Register the Azure NetApp snapshot policy feature.

Create a snapshot policy.

Apply a snapshot policy to a volume.

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question. Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following: <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	An on-premises virtual machine-based RDS deployment that has personal desktops. The personal desktop virtual machines have a prefix of Pool2.
Paris	An on-premises virtual machine-based RDS deployment that has pooled desktops. The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours. Use the principle of least privilege.

NEW QUESTION 35

HOTSPOT

You are planning the deployment of Pool4.

What will be the maximum number of users that can connect to Pool4, and how many session hosts are needed to support five concurrent user sessions? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Number of users that can connect to Pool4:

5
7
15
35
70

Number of session hosts to support five concurrent user sessions:

1
2
3
4
5

NEW QUESTION 36

You plan to implement the FSLogix profile containers for the Seattle office. Which storage account should you use?

- A. storage2
- B. storage4
- C. storage3
- D. storage1

Answer: A

Explanation:

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question. Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently. Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following: <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.
Paris	An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours. Use the principle of least privilege.

NEW QUESTION 37

HOTSPOT

Which users can create Pool4, and which users can join session hosts to the domain? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Can create Pool4:

- Admin2 only
- Admin2 and Admin4 only
- Admin1, Admin2, and Admin4 only
- Admin2, Admin3, and Admin4 only
- Admin1, Admin2, Admin3, and Admin4

Can join session hosts to the domain:

- Operator1 only
- Admin1 and Admin3 only
- Operator1 and Admin1 only
- Operator1 and Operator3 only
- Operator1, Operator2, and Operator3

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question. Overview

Litware, Inc. is a pharmaceutical company that has a main office in Boston, United States, and a remote office in Chennai, India.

Existing Environment. Identity Environment

The network contains an on-premises Active Directory domain named litware.com that syncs to an Azure Active Directory (Azure AD) tenant named litware.com. The Azure AD tenant contains the users shown in the following table.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

All users are registered for Azure Multi-Factor Authentication (MFA). Existing Environment. Cloud Services
 Litware has a Microsoft 365 E5 subscription associated to the Azure AD tenant. All users are assigned Microsoft 365 Enterprise E5 licenses. Litware has an Azure subscription associated to the Azure AD tenant. The subscription contains the resources shown in the following table.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware uses custom virtual machine images and custom scripts to automatically provision Azure virtual machines and join the virtual machines to the on-premises Active Directory domain. Network and DNS

The offices connect to each other by using a WAN link. Each office connects directly to the internet.

All DNS queries for internet hosts are resolved by using DNS servers in the Boston office, which point to root servers on the internet. The Chennai office has caching-only DNS servers that forward queries to the DNS servers in the Boston office.

Requirements. Planned Changes

Litware plans to implement the following changes:

Deploy Windows Virtual Desktop environments to the East US Azure region for the users in the Boston office and to the South India Azure region for the users in the Chennai office.

Implement FSLogix profile containers.

Optimize the custom virtual machine images for the Windows Virtual Desktop session hosts.

Use PowerShell to automate the addition of virtual machines to the Windows Virtual Desktop host pools.

Requirements. Performance Requirements

Litware identifies the following performance requirements:

Minimize network latency of the Windows Virtual Desktop connections from the Boston and Chennai offices.

Minimize latency of the Windows Virtual Desktop host authentication in each Azure region. Minimize how long it takes to sign in to the Windows Virtual Desktop session hosts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Enforce Azure MFA when accessing Windows Virtual Desktop apps.

Force users to reauthenticate if their Windows Virtual Desktop session lasts more than eight hours.

Requirements. Security Requirements

Litware identifies the following security requirements:

Explicitly allow traffic between the Windows Virtual Desktop session hosts and Microsoft 365.

Explicitly allow traffic between the Windows Virtual Desktop session hosts and the Windows Virtual Desktop infrastructure.

Use built-in groups for delegation.

Delegate the management of app groups to CloudAdmin1, including the ability to publish app groups to users and user groups.

Grant Admin1 permissions to manage workspaces, including listing which apps are assigned to the app groups. Minimize administrative effort to manage network security. Use the principle of least privilege.

Requirements. Deployment Requirements

Litware identifies the following deployment requirements:

Use PowerShell to generate the token used to add the virtual machines as session hosts to a Windows Virtual Desktop host pool.

Minimize how long it takes to provision the Windows Virtual Desktop session hosts based on the custom virtual machine images. Whenever possible, preinstall agents and apps in the custom virtual machine images.

NEW QUESTION 41

DRAG DROP

You need to ensure that you can implement user profile shares for the Boston office users. The solution must meet the user profile requirements.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a file share and configure share permissions.
- Sign in to VM1 as Admin1.
- Run the `Join-AzStorageAccountForAuth` cmdlet.
- Sign in to VM1 as CloudAdmin1.
- Install the `AzFilesHybrid` PowerShell module.

Answer Area

Answer area containing four circular arrows for reordering: left, right, up, and down.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Create a file share and configure share permissions.
- Sign in to VM1 as Admin1.
- Run the `Join-AzStorageAccountForAuth` cmdlet.
- Sign in to VM1 as CloudAdmin1.
- Install the `AzFilesHybrid` PowerShell module.

Answer Area

- Sign in to VM1 as CloudAdmin1.
- Create a file share and configure share permissions.
- Install the `AzFilesHybrid` PowerShell module.
- Run the `Join-AzStorageAccountForAuth` cmdlet.

NEW QUESTION 45

Which two roles should you assign to Admin1 to meet the security requirements? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Desktop Virtualization Host Pool Contributor
- B. Desktop Virtualization Application Group Contributor
- C. Desktop Virtualization Workspace Contributor
- D. Desktop Virtualization Application Group Reader
- E. User Access Administrator

Answer: BC

Explanation:

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question. Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named `contoso.com` and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named `VNET1`. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.
 All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.
 Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).
 In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure
 Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following: <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	An on-premises virtual machine-based RDS deployment that has personal desktops. The personal desktop virtual machines have a prefix of Pool2.
Paris	An on-premises virtual machine-based RDS deployment that has pooled desktops. The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.

Requirements. Planned Changes
 Contoso plans to implement the following changes:
 Implement FSLogix profile containers for the Paris offices.
 Deploy a Windows Virtual Desktop host pool named Pool4.
 Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration
 Pool4 will have the following settings:
 Host pool type: Pooled
 Max session limit: 7
 Load balancing algorithm: Depth-first
 Images: Windows 10 Enterprise multi-session
 Virtual machine size: Standard D2s v3
 Name prefix: Pool4
 Number of VMs: 5
 Virtual network: VNET4

Requirements. Technical Requirements
 Contoso identifies the following technical requirements:
 Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.
 For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.
 For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.
 Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.
 From a server named Server1, convert the user profile clicks to the FSLogix profile containers.
 Ensure that the Pool1 virtual machines only run during business hours. Use the principle of least privilege.

NEW QUESTION 49

You need to configure the device redirection settings. The solution must meet the technical requirements.
 Where should you configure the settings?

- A. Workspace1
- B. MontrealUsers
- C. Group1
- D. Pool1

Answer: D

Explanation:

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the

questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question. Overview

Litware, Inc. is a pharmaceutical company that has a main office in Boston, United States, and a remote office in Chennai, India.

Existing Environment. Identity Environment

The network contains an on-premises Active Directory domain named litware.com that syncs to an Azure Active Directory (Azure AD) tenant named litware.com. The Azure AD tenant contains the users shown in the following table.

Name	Description
Admin1	A directory-synced user that is a local administrator on all the computers joined to the on-premises Active Directory domain.
CloudAdmin1	A cloud-only user that is assigned the Global administrator role.

All users are registered for Azure Multi-Factor Authentication (MFA). Existing Environment. Cloud Services

Litware has a Microsoft 365 E5 subscription associated to the Azure AD tenant. All users are assigned Microsoft 365 Enterprise E5 licenses.

Litware has an Azure subscription associated to the Azure AD tenant. The subscription contains the resources shown in the following table.

Name	Type	Location	Configuration
storage1	Storage account	East US	Storage (general purpose v1), Locally-redundant storage (LRS).
VM1	Virtual machine	East US	Joined to the on-premises Active Directory domain.

Litware uses custom virtual machine images and custom scripts to automatically provision Azure virtual machines and join the virtual machines to the on-premises Active Directory domain. Network and DNS

The offices connect to each other by using a WAN link. Each office connects directly to the internet.

All DNS queries for internet hosts are resolved by using DNS servers in the Boston office, which point to root servers on the internet. The Chennai office has caching-only DNS servers that forward queries to the DNS servers in the Boston office.

Requirements. Planned Changes

Litware plans to implement the following changes:

Deploy Windows Virtual Desktop environments to the East US Azure region for the users in the Boston office and to the South India Azure region for the users in the Chennai office.

Implement FSLogix profile containers.

Optimize the custom virtual machine images for the Windows Virtual Desktop session hosts.

Use PowerShell to automate the addition of virtual machines to the Windows Virtual Desktop host pools.

Requirements. Performance Requirements

Litware identifies the following performance requirements:

Minimize network latency of the Windows Virtual Desktop connections from the Boston and Chennai offices.

Minimize latency of the Windows Virtual Desktop host authentication in each Azure region. Minimize how long it takes to sign in to the Windows Virtual Desktop session hosts.

Requirements. Authentication Requirements

Litware identifies the following authentication requirements:

Enforce Azure MFA when accessing Windows Virtual Desktop apps.

Force users to reauthenticate if their Windows Virtual Desktop session lasts more than eight hours.

Requirements. Security Requirements

Litware identifies the following security requirements:

Explicitly allow traffic between the Windows Virtual Desktop session hosts and Microsoft 365.

Explicitly allow traffic between the Windows Virtual Desktop session hosts and the Windows Virtual Desktop infrastructure.

Use built-in groups for delegation.

Delegate the management of app groups to CloudAdmin1, including the ability to publish app groups to users and user groups.

Grant Admin1 permissions to manage workspaces, including listing which apps are assigned to the app groups.

Minimize administrative effort to manage network security. Use the principle of least privilege.

Requirements. Deployment Requirements

Litware identifies the following deployment requirements:

Use PowerShell to generate the token used to add the virtual machines as session hosts to a Windows Virtual Desktop host pool.

Minimize how long it takes to provision the Windows Virtual Desktop session hosts based on the custom virtual machine images. Whenever possible, preinstall agents and apps in the custom virtual machine images.

NEW QUESTION 54

You need to ensure the resiliency of the user profiles for the Boston office users. The solution must meet the user performance requirements. What should you do?

- A. Modify the Account kind setting of storage1.
- B. Modify the replication settings of storage1.
- C. Implement Azure Site Recovery.
- D. Configure Cloud Cache.

Answer: D

Explanation:

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question,

click the Question button to return to the question. Overview

Contoso, Ltd. is a law firm that has a main office in Montreal and branch offices in Paris and Seattle. The Seattle branch office opened recently.

Contoso has an Azure subscription and uses Microsoft 365.

Existing Infrastructure. Active Directory

The network contains an on-premises Active Directory domain named contoso.com and an Azure Active Directory (Azure AD) tenant. One of the domain controllers runs as an Azure virtual machine and connects to a virtual network named VNET1. All internal name resolution is provided by DNS server that run on the domain controllers.

The on-premises Active Directory domain contains the organizational units (OUs) shown in the following table.

Name	Description
MontrealUsers	An OU for all the users in the Montreal office: The OU syncs to Azure AD by using Azure AD Connect.
ParisUsers	An OU for all the users in the Paris office: The OU syncs to Azure AD by using Azure AD Connect.
SeattleUsers	An OU for all the users in the Seattle office: The OU does NOT sync to Azure AD.

The on-premises Active Directory domain contains the users shown in the following table.

Name	Container	Member of
Operator1	Users	Domain Admins
Operator2	MontrealUsers	Users
Operator3	SeattleUsers	Server Operators

The Azure AD tenant contains the cloud-only users shown in the following table.

Name	Role
Admin1	Virtual Machine Contributor
Admin2	Desktop Virtualization Contributor
Admin3	Desktop Virtualization Session Host Operator
Admin4	Desktop Virtualization Host Pool Contributor

Existing Infrastructure. Network Infrastructure

All the Azure virtual networks are peered. The on-premises network connects to the virtual networks.

All servers run Windows Server 2019. All laptops and desktop computers run Windows 10 Enterprise.

Since users often work on confidential documents, all the users use their computer as a client for connecting to Remote Desktop Services (RDS).

In the West US Azure region, you have the storage accounts shown in the following table.

Name	Account kind	Performance
storage1	StorageV2	Standard
storage2	StorageV2	Premium
storage3	BlobStorage	Standard
storage4	StorageV1	Premium

Existing Infrastructure. Remote Desktop Infrastructure

Contoso has a Remote Desktop infrastructure shown in the following table.

Office	Description
Montreal	A Windows Virtual Desktop deployment that runs Windows 10 Enterprise multi-session hosts. The deployment contains the following: <ul style="list-style-type: none"> • A host pool named Pool1 • An application group named Group1 • A workspace named Workspace1 • Virtual machines that have a prefix of Pool1
Seattle	An on-premises virtual machine-based RDS deployment that has personal desktops: The personal desktop virtual machines have a prefix of Pool2.
Paris	An on-premises virtual machine-based RDS deployment that has pooled desktops: The pooled desktop virtual machines have a prefix of Pool3. User profile disks are used to preserve the user state.

Requirements. Planned Changes

Contoso plans to implement the following changes:

Implement FSLogix profile containers for the Paris offices.

Deploy a Windows Virtual Desktop host pool named Pool4.

Migrate the RDS deployment in the Seattle office to Windows Virtual Desktop in the West US Azure region.

Requirements. Pool4 Configuration

Pool4 will have the following settings:

Host pool type: Pooled

Max session limit: 7

Load balancing algorithm: Depth-first

Images: Windows 10 Enterprise multi-session

Virtual machine size: Standard D2s v3

Name prefix: Pool4

Number of VMs: 5

Virtual network: VNET4

Requirements. Technical Requirements

Contoso identifies the following technical requirements:

Before migrating the RDS deployment in the Seattle office, obtain the recommended deployment configuration based on the current RDS utilization.

For the Windows Virtual Desktop deployment in the Montreal office, disable audio output in the device redirection settings.

For the Windows Virtual Desktop deployment in the Seattle office, store the FSLogix profile containers in Azure Storage.

Enable Operator2 to modify the RDP Properties of the Windows Virtual Desktop deployment in the Montreal office.

From a server named Server1, convert the user profile clicks to the FSLogix profile containers.

Ensure that the Pool1 virtual machines only run during business hours. Use the principle of least privilege.

NEW QUESTION 58

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-140 Practice Exam Features:

- * AZ-140 Questions and Answers Updated Frequently
- * AZ-140 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-140 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-140 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-140 Practice Test Here](#)