

201-450 Dumps

LPIC-2 Exam 201 Part 1 of 2 version 4.5

<https://www.certleader.com/201-450-dumps.html>



NEW QUESTION 1

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

- A. pidstat
- B. nfsiostat
- C. sadsf
- D. cifsostat

Answer: BD

NEW QUESTION 2

Which command will report information on memory usage, paging and block input/output?

- A. free
- B. memshow
- C. ps
- D. top
- E. vmstat

Answer: E

NEW QUESTION 3

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

Answer: BC

NEW QUESTION 4

How is the source code for the main Linux kernel modules distributed?

- A. It is included with the Linux kernel source code.
- B. The kernel modules are downloaded on demand as they are used during compilation.
- C. The kernel modules have their own release cycle and can be maintained separately from the Linux kernel source.
- D. It is provided as a separate download alongside the Linux kernel source code of the same version.

Answer: A

NEW QUESTION 5

A database application requires a maximum shared memory segment (shmmax) of 2GB (2147483648 Bytes). Which configuration file should be modified to set this kernel parameter permanently? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/sysctl.conf

NEW QUESTION 6

How can the kernel parameter for the maximum size of the shared memory segment (shmmax) be changed to 2GB (2147483648 Bytes) on a running system? (Choose TWO correct answers.)

- A. Edit /etc/shmmax and set the parameter to 2147483648.
- B. sysctl shmmax=2147483648
- C. sysctl kernel.shmmax=2147483648
- D. echo 2147483648 > /proc/sys/kernel/shmmax
- E. export kernel.shmmax=2147483648

Answer: CD

NEW QUESTION 7

What is a key difference between a zImage and bzImage kernel image?

- A. zImage is compressed using gzip, bzImage is compressed using bzip2.
- B. zImage is for 2.6 series kernels, bzImage is for 3.x series kernels.
- C. zImage is limited to 64k, bzImage has no such restriction.
- D. zImage gets loaded completely into low memory
- E. bzImage will load into high memory once low memory is full.

Answer: D

NEW QUESTION 8

After installing a compiled kernel, it can not find any modules that are needed to be loaded. What make target was likely missed while installing the kernel?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

make modules_install, modules_install

NEW QUESTION 9

Please enter the complete path to the main SysV init process configuration file.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 10

A Linux server is running in single user mode for regular maintenance. Which commands are used to restore the server to its usual runlevel? (Choose TWO correct answers.)

- A. telinit 0
- B. shutdown -r now
- C. sync
- D. shutdown -h now
- E. reboot

Answer: BE

NEW QUESTION 10

In case the file containing the Linux kernel is lost, what happens when the system is booting?

- A. The system starts normally since the bootloader copies the kernel to the master boot record of the hard disk.
- B. Instead of the kernel, the initramfs is loaded and instructed to mount the root filesystem and reinstall the kernel from the original package or from source.
- C. The bootloader mounts the root filesystem read-only and launches /bin/sh directly in order to allow the administrator to reinstall the kernel.
- D. Without a kernel a system cannot boot and, depending on the bootloader, an error is displayed.

Answer: D

NEW QUESTION 13

What is the full path to the directory which contains the scripts (or links to the original scripts) to run while the system boots to SysV-init runlevel 2?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/rc2.d, /etc/rc2.d/, /etc/init.d/rc2.d, /etc/init.d/rc2.d/

NEW QUESTION 16

A system with SysV-init has a service installed called apache2. Which file controls the start and stop of this service and is referenced by the various runlevel directories?

- A. /etc/init.d/apache2
- B. /etc/rc2.d/70apache2
- C. /etc/rc2.d/apache2
- D. /etc/rc2.d/apache2.start

Answer: A

NEW QUESTION 19

Why is the root file system mounted read-only during boot and remounted with write permission later on?

- A. Because if problems with the root file system are detected during the boot, fsck can be run, without risk of damage.
- B. Because this way crackers cannot collect information about root with boot sniffers.
- C. To avoid writing to the disk, unless the root password is known.
- D. To avoid other operating systems overwriting the Linux root partition.

E. Because the disk has its own write protection that cannot be changed by the operating system.

Answer: A

NEW QUESTION 21

If all of the following files and/or symlinks exist in a SysV-init runlevel directory, which of the following will be executed first when booting the system directly into the runlevel?

- A. S99lpi
- B. K99lpi
- C. PRE-S99lpi
- D. S98lpi
- E. S99a-lpi

Answer: D

NEW QUESTION 24

The main configuration file for autofs has this entry:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/home /etc/auto.home

NEW QUESTION 27

What is the meaning of the /etc/auto.home file?

- A. It has the indirect maps for the mounting of file systems.
- B. It has configuration information, such as passwords and keys, for the remote file server.
- C. It has configuration information on settings for the /home mount point.
- D. It is the holds the SSL key to allow authentication to the remote file server.

Answer: D

Explanation:

54. What is the purpose of the smartd daemon?

- A. It is a user space daemon used for reading smart cards and integrated circuit chips.
- B. It attempts to automatically repair file systems upon a failed file system check.
- C. It monitors process activity and helps the kernel decide which processes to kill when the kernel overcommits.
- D. It monitors certain disk drives and attempts to predict when they will fail.

NEW QUESTION 29

What does a 0 in the last field (fsck order) of /etc/fstab indicate about the filesystem?

- A. The filesystem should be checked before filesystems with higher values.
- B. The filesystem should be checked after filesystems with higher values.
- C. The filesystem check counter is ignored.
- D. The filesystem has been disabled from being checked and mounted on the system.
- E. The filesystem does not require an fsck check when being mounted.

Answer: E

NEW QUESTION 33

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 35

Where would fsck put any unreferenced file or file fragments on a ext4 filesystem?

- A. recover
- B. lost+found
- C. back
- D. lost

Answer: B

NEW QUESTION 40

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 42

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/hdb
- B. /dev/sdd
- C. /dev/scd1
- D. /dev/sr0
- E. /dev/sr1

Answer: D

NEW QUESTION 46

How can the label root be added to the ext4 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

Answer: B

NEW QUESTION 49

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 52

Which RAID level value must be used with Linux software RAID in order to create an array of mirrored devices?

- A. 1
- B. 5
- C. 6
- D. container
- E. mirrorstripe

Answer: A

NEW QUESTION 56

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?
pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

Answer: D

NEW QUESTION 61

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda
- B. hdparm --dma /dev/hda
- C. hdparm --dma /dev/hda1
- D. hdparm -d /dev/hda1
- E. hdparm -d 1 /dev/hda

Answer: E

NEW QUESTION 64

What are the options to node.startup in the iscsid.conf file? (Choose TWO correct answers.)

- A. login
- B. initiate
- C. manual
- D. discover
- E. automatic

Answer: CE

NEW QUESTION 69

Which of the following commands can be used to script interactions with various TCP or UDP services?

- A. ftp
- B. nc
- C. tcpdump
- D. strings
- E. wget

Answer: B

NEW QUESTION 74

The users of the local network complain that name resolution is not fast enough. Enter the command, without the path or any options, that shows the time taken to resolve a DNS query.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

dig, time dig, time host, time nslookup

NEW QUESTION 75

Which of the following commands will list the IPv4 neighbors of the current system? This includes IP and MAC addresses. (Choose TWO correct answers.)

- A. arp
- B. ifconfig -lv eth0
- C. netstat -al
- D. ip neigh show

Answer: AD

NEW QUESTION 76

Running tcpdump -nli eth1 'tcp' shows the following output:

```
14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.] , ack 33051, win 1002, options [nop,nop,TS val 36789130 ecr 1746004159], length 0
```

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

10.1.52.145

NEW QUESTION 78

The following is an excerpt from the output of tcpdump -nli eth1:

```
13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.] , ack 1 (truncated)
13:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.] , seq (truncated)
```

Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Answer: A

NEW QUESTION 82

Which of the following commands will erase the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3

- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

Answer: B

NEW QUESTION 85

The following command has just been run successfully: `cd /opt; tar xvf /dev/nst0;`
What will happen if the command sequence is run again?

- A. An error saying that there is no tape present is generated because the tape has been ejected after being used.
- B. The contents of /opt will be restored again.
- C. The entire contents of /opt will be replaced with the contents of the next file on the tape.
- D. The contents of /opt will have additional content added from the next file on the tape.

Answer: D

NEW QUESTION 86

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`fstrim`

NEW QUESTION 90

Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)

- A. Bandwidth in both directions
- B. Number of nodes using the link
- C. Effective Latency
- D. Number of IPv4 and IPv6 packets
- E. Number of used TCP ports

Answer: AC

NEW QUESTION 93

Which of the following commands creates a Btrfs subvolume named volume in /mnt?

- A. `btrfs subvolume add -n volume /mnt`
- B. `btrfs create subvolume /mnt volume`
- C. `btrfs-subvolume create /mnt/volume`
- D. `btrfs subvolume new volume /mnt`
- E. `btrfs subvolume create /mnt/volume`

Answer: E

NEW QUESTION 98

What is the purpose of a system mount unit?

- A. It is used by the command `systemd-mount` and allows users to mount partitions to mount points of their choice
- B. It is used only to mount network file systems to local mount point
- C. It cannot be used for local media
- D. It is created by the command `systemd-fstab-generator` to integrate entries from `/etc/fstab` into the system boot process
- E. It is used by the command `mount` when using `system` to mount and unmount file systems

Answer: A

NEW QUESTION 103

Which of the following commands adds a static IPv6 address to the network interface eth0?

- A. `ip add addr 2001:db8::1337/64 dev eth0`
- B. `ip -6 add addr 2001:db8::1337/64 dev eth0`
- C. `ip addr add 2001:db8::1337/64 dev eth0`
- D. `ip -6 addr add new 2001:db8::1337/64 dev eth0`
- E. `ip addr add -6 2001:db8::1337/64 dev eth0`

Answer: D

NEW QUESTION 106

In the output of `sar -b`, what does tps stand for?

- A. Terrabyte per second
- B. Traffic per second
- C. Transfers per second
- D. Total data per second
- E. Terrabit per second

Answer: C

NEW QUESTION 108

A web application server contains 64GB of RAM and two swap partitions on normal hard disk drives, each with a size of 64 GB. Within the last month, the average number of user sessions on this server has grown by 20 percent. At the same time, the average usage of RAM increased from 65 to 75 percent, while the swap space is almost not used at all. It is expected that the number of user sessions will continue to increase by about 15 to 20 percent each month. Which of the following reactions would be appropriate in response to these observations? (Choose two.)

- A. Delay any hardware upgrade until there is a significant consumption of swap space to ensure an efficient usage of the available hardware
- B. Create a RAID 1 device on the two swap partitions to avoid data loss in case swap space has to be used in the future
- C. Consider the installation of an additional application server to distribute the load if the expected growth continues over several months
- D. Move the web application's scripts and content a ram disk in order to ensure fast access and to avoid the need for swap space
- E. Update the hardware to increase the amount of available RAM to avoid using swap space

Answer: CE

NEW QUESTION 109

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 201-450 Exam with Our Prep Materials Via below:

<https://www.certleader.com/201-450-dumps.html>