



Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Topic 3)

You need to enable speech capabilities for a chatbot.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Enable WebSockets for the chatbot app.
- B. Create a Speech service.
- C. Register a Direct Line Speech channel.
- D. Register a Cortana channel.
- E. Enable CORS for the chatbot app.
- F. Create a Language Understanding service.

Answer: ABC

Explanation:

You can use the Speech service to voice-enable a chat bot.

The Direct Line Speech channel uses the text-to-speech service, which has neural and standard voices.

You'll need to make a small configuration change so that your bot can communicate with the Direct Line Speech channel using web sockets.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/tutorial-voice-enable-your-bot-speech-sdk>

NEW QUESTION 2

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input type="radio"/>	<input type="radio"/>
Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input type="radio"/>
All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.	<input checked="" type="radio"/>	<input type="radio"/>
Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 3

HOTSPOT - (Topic 3)

You are creating an enrichment pipeline that will use Azure Cognitive Search. The knowledge store contains unstructured JSON data and scanned PDF documents that contain text.

Which projection type should you use for each data type? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

JSON data:

▼

File projection
Object projection
Table projection

Scanned data:

▼

File projection
Object projection
Table projection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Object projection

Object projections are JSON representations of the enrichment tree that can be sourced from any node.

Box 2: File projection

File projections are similar to object projections and only act on the normalized_images collection.

NEW QUESTION 4


HOTSPOT - (Topic 3)

You are building content for a video training solution.

You need to create narration to accompany the video content. The solution must use Custom Neural Voice.

What should you use to create a custom neural voice, and which service should you use to generate the narration? To answer, select the appropriate options in the answer area.


NOTE: Each correct answer is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 5

HOTSPOT - (Topic 3)


You are building a chatbot.

You need to use the Content Moderator service to identify messages that contain sexually explicit language.

Which section in the response from the service will contain the category score, and which category will be assigned to the message? To answer, select the appropriate options in the answer area,

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 6

- (Topic 3)

You are building a retail kiosk system that will use a custom neural voice. You acquire audio samples and consent from the voice talent. You need to create a voice talent profile.

What should you upload to the profile?

- A. a five-minute wav or mp3 file of the voice talent describing the kiosk system
- B. a five-minute .flac audio file and the associated transcript as a w file
- C. a .wav or mp3 file of the voice talent consenting to the creation of a synthetic version of their voice
- D. a .zip file that contains 10-second .wav files and the associated transcripts as .txt files

Answer: D

NEW QUESTION 7

DRAG DROP - (Topic 3)

You have a web app that uses Azure Cognitive Search.

When reviewing billing for the app, you discover much higher than expected charges. You suspect that the query key is compromised.


You need to prevent unauthorized access to the search endpoint and ensure that users only have read only access to the documents collection. The solution must minimize app downtime.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Add a new query key.
- Regenerate the secondary admin key.
- Change the app to use the secondary admin key.
- Change the app to use the new key.
- Regenerate the primary admin key.
- Delete the compromised key.

Answer Area



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Actions

- Add a new query key.
- Regenerate the secondary admin key.
- Change the app to use the secondary admin key.
- Change the app to use the new key.
- Regenerate the primary admin key.
- Delete the compromised key.

Answer Area



NEW QUESTION 8

- (Topic 3)

You use the Microsoft Bot Framework Composer to build a chatbot that enables users to purchase items. You need to ensure that the users can cancel in-progress transactions. The solution must minimize development effort. What should you add to the bot?

- A. a language generator
- B. a custom event
- C. a dialog trigger
- D. a conversation activity


Answer: D

NEW QUESTION 9

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area



A data analyst
A data engineer
A data scientist
A database administrator

is responsible for creating visuals and charts that help a company make informed decisions.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



A data analyst
A data engineer
A data scientist
A database administrator

is responsible for creating visuals and charts that help a company make informed decisions.

NEW QUESTION 10

- (Topic 3)

You are building a chatbot for a travel agent. The chatbot will use the Azure OpenAI GPT 3.5 model and will be used to make travel reservations. You need to maximize the accuracy of the responses from the chatbot. What should you do?

- A. Configure the model to include data from the travel agent's database.
- B. Set the Top P parameter for the model to 0.
- C. Set the Temperature parameter for the model to 0.
- D. Modify the system message used by the model to specify that the answers must be accurate.

Answer: A

NEW QUESTION 10

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cognitive Search service.

During the past 12 months, query volume steadily increased.

You discover that some search query requests to the Cognitive Search service are being throttled.

You need to reduce the likelihood that search query requests are throttled. Solution: You enable customer-managed key (CMK) encryption.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Customer-managed key (CMK) encryption does not affect throttling.

Instead, you could migrate to a Cognitive Search service that uses a higher tier.

Note: A simple fix to most throttling issues is to throw more resources at the search service (typically replicas for query-based throttling, or partitions for indexing-based throttling). However, increasing replicas or partitions adds cost, which is why it is important to know the reason why throttling is occurring at all.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-performance-analysis>

NEW QUESTION 14

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact. A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle? Search for contacts in Ukraine. You need to implement the phrase list in Language Understanding. Solution: You create a new pattern in the FindContact intent. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a new intent for location.
 Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance. Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 15

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Stream processing has access to the most recent data received or data within a rolling time window.	<input type="radio"/>	<input type="radio"/>
Batch processing must occur immediately and have latency in the order of seconds or milliseconds.	<input type="radio"/>	<input type="radio"/>
Stream processing is used for simple response functions, aggregates, or calculations such as rolling averages.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Stream processing has access to the most recent data received or data within a rolling time window.	<input checked="" type="radio"/>	<input type="radio"/>
Batch processing must occur immediately and have latency in the order of seconds or milliseconds.	<input checked="" type="radio"/>	<input type="radio"/>
Stream processing is used for simple response functions, aggregates, or calculations such as rolling averages.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 20

- (Topic 3)

What should you use to automatically delete blobs from Azure Blob Storage?

- A. the change feed
- B. a lifecycle management policy
- C. soft delete
- D. archive storage

Answer: D

NEW QUESTION 22

DRAG DROP - (Topic 3)

You have an app that manages feedback. You need to ensure that the app can detect negative comments by using the Sentiment Analysis API in Azure Cognitive Service for Language. The solution must ensure that the managed feedback remains on your company's internal network. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. NOTE: More than one order of answer choices is correct You will receive credit for any of the correct orders you select.

Actions	Answer Area
Provision the Language service resource in Azure.	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> > < </div> <div style="text-align: center;"> ↑ ↓ </div> </div>
Deploy a Docker container to an Azure container instance.	
Deploy a Docker container to an on-premises server.	
Identify the Language service endpoint URL and query the prediction endpoint.	
Run the container and query the prediction endpoint.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Provision the Language service resource in Azure.

? Deploy a Docker container to an on-premises server.

? Run the container and query the prediction endpoint.

? According to the Microsoft documentation, the Language service is a cloud-based service that provides various natural language processing features, such as sentiment analysis, key phrase extraction, named entity recognition, etc. You can provision the Language service resource in Azure by following the steps in Create a Language resource. You will need to provide a name, a subscription, a resource group, a region, and a pricing tier for your resource. You will also get a key and an endpoint for your resource, which you will use to authenticate your requests to the Language service API.

? According to the Microsoft documentation, you can also use the Language service as a container on your own premises or in another cloud. This option gives you more control over your data and network, and allows you to use the Language service without an internet connection. You can deploy a Docker container to an on-premises server by following the steps in Deploy Language containers. You will need to have Docker installed on your server, pull the container image from the Microsoft Container Registry, and run the container with the appropriate parameters. You will also need to activate your container with your key and endpoint from your Azure resource.

? According to the Microsoft documentation, once you have deployed and activated your container, you can run it and query the prediction endpoint to get sentiment analysis results. The prediction endpoint is a local URL that follows this format: `http://<container IP address>:<port>/text/analytics/v3.1-preview.4/sentiment`. You can send HTTP POST requests to this endpoint with your text input in JSON format, and receive JSON responses with sentiment labels and scores for each document and sentence in your input.

NEW QUESTION 23

- (Topic 3)

You build a conversational bot named bot1.

You need to configure the bot to use a QnA Maker application.

From the Azure Portal, where can you find the information required by bot1 to connect to the QnA Maker application?

- A. Access control (IAM)
- B. Properties
- C. Keys and Endpoint
- D. Identity

Answer: C

Explanation:

Obtain values to connect your bot to the knowledge base 1. In the QnA Maker site, select your knowledge base. 2. With your knowledge base open, select the SETTINGS tab. Record the value shown for service name. This value is useful for finding your knowledge base of interest when using the QnA Maker portal interface. It's not used to connect your bot app to this knowledge base. 3. Scroll down to find Deployment details and record the following values from the Postman sample HTTP request: 4. POST /knowledgebases/<knowledge-base-id>/generateAnswer 5. Host: <your-host-url> 6. Authorization: EndpointKey <your-endpoint-key>

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-qna>

NEW QUESTION 26

- (Topic 3)

What are two uses of data visualization? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Communicate the significance of data.
- B. Represent trends and patterns over time.
- C. Implement machine learning to predict future values.
- D. Enforce business logic across reports.

Answer: AB

NEW QUESTION 29

- (Topic 3)

You have an Azure subscription that contains an Anomaly Detector resource. You deploy a Docker host server named Server 1 to the on-premises network. You need to host an instance of the Anomaly Detector service on Server 1. Which parameter should you include in the docker run command?

- A. Fluentd
- B. Billing
- C. Http Proxy
- D. Mounts

Answer: B

NEW QUESTION 31

HOTSPOT - (Topic 3)

You are developing a text processing solution. You have the function shown below.

```
static void GetKeywords(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.RecognizeEntities (text);
    Console.WriteLine("Key words:");

    foreach (CategorizedEntity entity in response.Value)
    {
        Console.WriteLine($"{entity.Text}");
    }
}
```

For the second argument, you call the function and specify the following string. Our tour of Paris included a visit to the Eiffel Tower.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input checked="" type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input type="radio"/>	<input checked="" type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 36

- (Topic 3)

Which database transaction property ensures that individual transactions are executed only once and either succeed in their entirety or roll back?

- A. consistency
- B. isolation
- C. atomicity
- D. durability

Answer: A

NEW QUESTION 41

- (Topic 3)

You are building an app that will use the Azure Video Indexer service. You plan to train a language model to recognize industry-specific terms. You need to upload a file that contains the industry-specific terms. Which file format should you use?

- A. PDF
- B. XML
- C. TXT
- D. XLS

Answer: C

NEW QUESTION 44

- (Topic 3)

You have a factory that produces food products. You need to build a monitoring solution for staff compliance with personal protective equipment (PPE) requirements. The solution must meet the following requirements:

- identify staff who have removed masks or safety glasses.
- Perform a compliance check every 15 minutes.
- Minimize development effort.
- Minimize costs.

Which service should you use?

- A. Face
- B. Computer Vision
- C. Azure Video Analyzer for Media (formerly Video indexer)

Answer: A

NEW QUESTION 47

- (Topic 3)

You are building a chatbot by using Microsoft Bot Framework Composer.

You need to configure the chatbot to present a list of available options. The solution must ensure that an image is provided for each option.

Which two features should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. an Azure function
- B. an adaptive card
- C. an entity
- D. a dialog
- E. an utterance

Answer: BD

NEW QUESTION 52

HOTSPOT - (Topic 3)

You have a bot that was built by using the Microsoft Bot Framework composer as shown in the following exhibit.



Use the drop-down menus 10 select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

If a user asks "what is the weather like in New York", the bot will [answer choice].

- identify New York as a city entity
- change to a different dialog
- identify New York as a city entity
- identify New York as a state entity
- respond with the weather in Seattle

The GetWeather dialog uses a [answer choice] trigger.

- Language Understanding Intent recogn...
- Custom events
- Dialog events
- Language Understanding Intent recognized
- QnA Intent recognized

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

If a user asks "what is the weather like in New York", the bot will [answer choice].

- identify New York as a city entity
- change to a different dialog
- identify New York as a city entity
- identify New York as a state entity
- respond with the weather in Seattle

The GetWeather dialog uses a [answer choice] trigger.

- Language Understanding Intent recogn...
- Custom events
- Dialog events
- Language Understanding Intent recognized
- QnA Intent recognized

NEW QUESTION 56

- (Topic 3)

You have an Azure subscription that contains a multi-service Azure Cognitive Services Translator resource named Translator1. You are building an app that will translate text and documents by using Translator1. You need to create the REST API request for the app. Which headers should you include in the request?

- A. the subscription key and the client trace ID
- B. the subscription key, the subscription region, and the content type
- C. the resource ID and the content language
- D. the access control request, the content type, and the content length

Answer: B

NEW QUESTION 61

HOTSPOT - (Topic 3)

You are developing an application that includes language translation.

The application will translate text retrieved by using a function named `get_text_to_be_translated`. The text can be in one of many languages. The content of the text must remain within the Americas Azure geography.

You need to develop code to translate the text to a single language.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

...
api_key = "FF956C68B83821838691A8D200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
response = conn.getresponse()
response_data = response.r
...

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

```

...
api_key = "FF956C68B83821838691A8D200A4C606"
text = get_text_to_be_translated()
headers = {
    'Content-Type': 'application/json',
    'Ocp-Apim-Subscription-Key': api_key
}
body = {
    'Text': text
}
conn = httplib.HTTPSConnection
conn.request("POST",
response = conn.getresponse()
    conn.request("POST",
response = conn.getresponse()
response_data = response.r
...

```

NEW QUESTION 62

- (Topic 3)

You have a collection of 50,000 scanned documents that contain text. You plan to make the text available through Azure Cognitive Search.

You need to configure an enrichment pipeline to perform optical character recognition (OCR) and text analytics. The solution must minimize costs.

What should you attach to the skillset?

- A. a new Computer Vision resource
- B. a free (Limited enrichments) Cognitive Services resource
- C. an Azure Machine Learning pipeline
- D. a new Cognitive Services resource that uses the SO pricing tier

Answer: A

Explanation:

The Computer Vision API uses text recognition APIs to extract and recognize text information from images. Read uses the latest recognition models, and is optimized for large, text-heavy documents and noisy images.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/solution-ideas/articles/cognitive-search-with-skillsets>

NEW QUESTION 67

- (Topic 3)

You have a Language Understanding resource named lu1. You build and deploy an Azure bot named bot1 that uses lu1. You need to ensure that bot1 adheres to the Microsoft responsible AI principle of inclusiveness. How should you extend bot1?

- A. Implement authentication for bot1.
- B. Enable active learning for lu1.
- C. Host lu1 in a container.
- D. Add Direct Line Speech to bot1.

Answer: D

Explanation:

Inclusiveness: AI systems should empower everyone and engage people.

Direct Line Speech is a robust, end-to-end solution for creating a flexible, extensible voice assistant. It is powered by the Bot Framework and its Direct Line Speech channel, that is optimized for voice-in, voice-out interaction with bots.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/direct-line-speech>

NEW QUESTION 72

- (Topic 3)

You are building an app that will include one million scanned magazine articles. Each article will be stored as an image file. You need to configure the app to extract text from the images. The solution must minimize development effort. What should you include in the solution?

- A. Computer Vision Image Analysis
- B. the Read API in Computer Vision
- C. Form Recognizer
- D. Azure Cognitive Service for Language

Answer: B

NEW QUESTION 75

DRAG DROP - (Topic 3)

You have a Docker host named Host1 that contains a container base image.

You have an Azure subscription that contains a custom speech-to-text model named model1.

You need to run model1 on Host1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Configure disk logging.	
Export model1 to Host1.	⬆
Request approval to run the container.	⬆
Retrain the model.	
Run the container.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

According to the course AI-102T00: Designing and Implementing a Microsoft Azure AI Solution1, the correct sequence of actions to run model1 on Host1 is:

? Export model1 to Host1

? Run the container

? Configure disk logging

The explanation and references are as follows:

? Export model1 to Host1: This step is required to deploy the custom speech-to-text model to the Docker host. You can use the Azure portal or the Azure CLI to export the model as a container image2.

? Run the container: This step is required to start the container and run the model on the Docker host. You can use the Docker CLI to run the container image3.

? Configure disk logging: This step is optional but recommended to monitor the performance and health of the container. You can use the Docker CLI to configure disk logging for the container4.

NEW QUESTION 80

- (Topic 3)

You are developing a new sales system that will process the video and text from a public-facing website.

You plan to notify users that their data has been processed by the sales system. Which responsible AI principle does this help meet?

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety

Answer: D

Explanation:

"When an AI application relies on personal data, such as a facial recognition system that takes images of people to recognize them; you should make it clear to the user how their data is used and retained, and who has access to it." from: <https://docs.microsoft.com/en-us/learn/paths/prepare-for-ai-engineering/>

NEW QUESTION 83

HOTSPOT - (Topic 3)

You have an Azure subscription that has the following configurations:

- Subscription ID: 8d3591aa-96b8-4737-ad09-00f9b1ed35ad
- Tenant ID: 3edfe572-cb54-3ced-ae12-c5c177f39a12


You plan to create a resource that will perform sentiment analysis and optical character recognition (OCR).

You need to use an HTTP request to create the resource in the subscription. The solution must use a single key and endpoint.

How should you complete the request? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 84

- (Topic 3)

You are building a Chatbot by using the Microsoft Bot Framework SDK. The bot will be used to accept food orders from customers and allow the customers to customize each food item. You need to configure the bot to ask the user for additional input based on the type of item ordered. The solution must minimize development effort. Which two types of dialogs should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. adaptive
- B. action
- C. waterfall
- D. prompt
- E. input

Answer: BC

NEW QUESTION 86

- (Topic 3)

You are developing a solution to generate a word cloud based on the reviews of a company's products. Which Text Analytics REST API endpoint should you use?

- A. keyPhrases
- B. sentiment
- C. languages
- D. entities/recognition/general

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/overview>

NEW QUESTION 88

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

A JSON document is an example of

graph data.
relational data.
semi-structured data.
unstructured data.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A JSON document is an example of

graph data.
relational data.
semi-structured data.
unstructured data.

NEW QUESTION 90

- (Topic 3)

You manage an application that stores data in a shared folder on a Windows server. You need to move the shared folder to Azure Storage. Which type of Azure Storage should you use?

- A. table
- B. queue
- C. file
- D. blob

Answer: C

NEW QUESTION 93

HOTSPOT - (Topic 3)

You have an app named App1 that uses Azure AI Document Intelligence to analyze medical You have an app named App1 that uses Azure AI Document Intelligence for patients. You send a request to App1 and receive the following response.

```
{
  "status": "succeeded",
  "createdDateTime": "2023-09-14T21:01:02Z",
  "lastUpdatedDateTime": "2023-09-14T21:01:03Z",
  "analyzeResult": {
    "apiVersion": "2023-07-31",
    "modelId": "prebuilt-healthInsuranceCard.us",
    "stringIndexType": "utf16CodeUnit",
    "content": "Blood Pressure 118/72",
    "pages": [
      {
        ...
        "words": [
          {
            "content": "Blood",
            "polygon": [ ... ],
            "confidence": 0.766,
            "span": { ... }
          },
          {
            "content": "Pressure",
            "polygon": [ ... ],
            "confidence": 0.716,
            "span": { ... }
          },
          {
            "content": "118/72",
            "polygon": [ ... ],
            "confidence": 0.761,
            "span": { ... }
          }
        ],
        ...
      }
    ],
    "documents": [
      {
        "docType": "healthInsuranceCard.us",
        "boundingRegions": [ ... ]
      }
    ],
    "fields": {},
    "confidence": 1,
    "spans": [ - ]
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth point.

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	<input type="radio"/>	<input checked="" type="radio"/>
The text content was recognized with greater than 70 percent confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The form elements were recognized with greater than 70 percent confidence.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 97

- (Topic 3)

You have an Azure Cognitive Search solution and a collection of handwritten letters stored as JPEG files.

You plan to index the collection. The solution must ensure that queries can be performed on the contents of the letters.

You need to create an indexer that has a skillset. Which skill should you include?

- A. key phrase extraction
- B. optical character recognition (OCR)
- C. document extraction
- D. image analysis

Answer: B

NEW QUESTION 99

- (Topic 3)

You plan create an index for an Azure Cognitive Search service by using the Azure portal. The Cognitive Search service will connect to an Azure SQL database

The Azure SQL database contains a table named UserMessages. Each row m User

Messages has a field named MessageCopy that contains the text of social media messages sent by a user

Users win perform full text searches against the MessageCopy field, and the values of the field will be shown to the users-

You need to configure the properties of the index for the MessageCopy field to support the solution.

Winch attributes should you enable for the field?

- A. Searchable arc Retrievable
- B. Sortable and Retrievable
- C. Searchable arc Facetable
- D. Filterable and Retrievable

Answer: A

NEW QUESTION 100

HOTSPOT - (Topic 3)

You run the following command.

```
docker run --rm -it -p 5000:5000 --memory 10g --cpus 2 \
mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment\
Eula=accept \
Billing={ENDPOINT_URI} \
ApiKey={API_KEY}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
Going to <code>http://localhost:5000/status</code> will query the Azure endpoint to verify whether the API key used to start the container is valid.	<input type="radio"/>	<input type="radio"/>
The container logging provider will write log data.	<input type="radio"/>	<input type="radio"/>
Going to <code>http://localhost:5000/swagger</code> will provide the details to access the documentation for the available endpoints.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

`http://localhost:5000/status` : Also requested with GET, this verifies if the api-key used to start the container is valid without causing an endpoint query.

Box 2: Yes

The command saves container and LUIS logs to output mount at `C:\output`, located on container host

Box 3: Yes

`http://localhost:5000/swagger` : The container provides a full set of documentation for the endpoints and a Try it out feature. With this feature, you can enter your settings into a web-

based HTML form and make the query without having to write any code. After the query returns, an example CURL command is provided to demonstrate the

HTTP headers and body format that's required.

NEW QUESTION 104

HOTSPOT - (Topic 3)

You are reviewing the design of a chatbot. The chatbot includes a language generation file that contains the following fragment.

```
# Greet(user)
- ${Greeting()}, ${user.name}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
<code>\${user.name}</code> retrieves the user name by using a prompt.	<input type="radio"/>	<input type="radio"/>
<code>Greet ()</code> is the name of the language generation template.	<input type="radio"/>	<input type="radio"/>
<code>\${Greeting () }</code> is a reference to a template in the language generation file.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 Example: Greet a user whose name is stored in `user.name`
 - `${ welcomeUser(user.name) }`
 Example: Greet a user whose name you don't know:
 - `${ welcomeUser() }`
 Box 2: No
 Greet(User) is a Send a response action. Box 3: Yes

NEW QUESTION 105

- (Topic 3)

You are building a Conversational Language Understanding model.

You need to ensure that the model will support the following sample utterances:

- Set all the lights to on.
- Turn off the lights in the living room.
- What is the current thermostat temperature?
- Lower the temperature of the thermostat by five degrees. Which three elements should you add to the model?

Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a location Intent
- B. a change setting entity
- C. a device intent
- D. a change setting intent
- E. a query setting intent
- F. a device entity

Answer: BCF

NEW QUESTION 107

HOTSPOT - (Topic 3)

You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.

You have the following code segment.

```
foreach (var brand in brands)
{
    if (brand.Confidence >= .75)
        Console.WriteLine($"Logo of {brand.Name} between {brand.Rectangle.X},
{brand.Rectangle.Y} and {brand.Rectangle.W}, {brand.Rectangle.H}");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input type="checkbox"/>	<input type="checkbox"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="checkbox"/>	<input type="checkbox"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="checkbox"/>	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION 110

- (Topic 3)

You are building a flight booking bot by using the Microsoft Bot Framework SDK.

The bot will ask users for their departure date. The bot must repeat the question until a valid date is given, or the users cancel the transaction.

Which type of dialog should you use?

- A. prompt
- B. action
- C. waterfall
- D. adaptive

Answer: A

NEW QUESTION 113

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

A block of code that runs in a database is called

a stored procedure.
 a table.
 a view.
 an index.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A block of code that runs in a database is called

a stored procedure.
 a table.
 a view.
 an index.

NEW QUESTION 114

HOTSPOT - (Topic 3)

You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
 Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.
 Box 2: Yes
 The definition is a custom skill that calls a web API as part of the enrichment process.
 Box 3: No
 For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.

NEW QUESTION 115

HOTSPOT - (Topic 3)


You are building an app that will enable users to upload images. The solution must meet the following requirements:

- Automatically suggest alt text for the images.
- Detect inappropriate images and block them.
- Minimize development effort.

You need to recommend a computer vision endpoint for each requirement.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- (Topic 3)

You are building a chatbot.

You need to configure the chatbot to query a knowledge base. Which dialog class should you use?

- A. AdaptiveDialog
- B. QnAMakerDialog
- C. ComponentDialog
- D. SkillDialog

Answer: B

NEW QUESTION 125

- (Topic 3)

You have a Language service resource that performs the following:

- Sentiment analysis
- Named Entity Recognition (NER)
- Personally Identifiable Information (PII) identification

You need to prevent the resource from persisting input data once the data is analyzed. Which query parameter in the Language service API should you configure?

- A. loggingOptOut
- B. piiCategories
- C. showStats
- D. Model-version

Answer: A

NEW QUESTION 128

- (Topic 3)

You are building a solution that will detect anomalies in sensor data from the previous 24 hours.

You need to ensure that the solution scans the entire dataset, at the same time, for anomalies.

Which type of detection should you use?

- A. batch
- B. streaming
- C. change point

Answer: A

Explanation:

Batch anomaly detection is a type of anomaly detection that scans the entire dataset at once for outliers and unusual patterns. Batch anomaly detection is suitable for offline analysis of historical data, such as sensor data from the previous 24 hours. Batch anomaly detection can use various techniques, such as statistical methods, machine learning methods, or hybrid methods, to identify anomalies in the data.

NEW QUESTION 133

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cognitive Search service.

During the past 12 months, query volume steadily increased.

You discover that some search query requests to the Cognitive Search service are being throttled.

You need to reduce the likelihood that search query requests are throttled. Solution: You add indexes.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you could migrate to a Cognitive Search service that uses a higher tier.

Note: A simple fix to most throttling issues is to throw more resources at the search service (typically replicas for query-based throttling, or partitions for indexing-based throttling). However, increasing replicas or partitions adds cost, which is why it is important to know the reason why throttling is occurring at all.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-performance-analysis>

NEW QUESTION 138

DRAG DROP - (Topic 3)

You have a monitoring solution that uses the Azure AI Anomaly Detector service. You provision a server named Server1 that has intermittent internet access.

You need to deploy the Azure AI Anomaly Detector to Server1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Server1, run the docker push command.	
Query the prediction endpoint of the Azure AI Anomaly Detector in Azure.	
Install the Docker Engine on Server1.	
From Server1, run the docker pull command.	
From Server1, run the docker run command.	
Query the prediction endpoint on Server1.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From Server1, run the docker push command.	
Query the prediction endpoint of the Azure AI Anomaly Detector in Azure.	
Install the Docker Engine on Server1.	Install the Docker Engine on Server1.
From Server1, run the docker pull command.	From Server1, run the docker pull command.
From Server1, run the docker run command.	From Server1, run the docker run command.
Query the prediction endpoint on Server1.	Query the prediction endpoint on Server1.

NEW QUESTION 139

- (Topic 3)

You have an app that analyzes images by using the Computer Vision API.

You need to configure the app to provide an output for users who are vision impaired. The solution must provide the output in complete sentences.

Which API call should you perform?

- A. readInStreamAsync
- B. describeImageInStreamAsync
- C. toggleImageInStreamAsync
- D. analyzeImageByDomainInStreamAsync

Answer: D

NEW QUESTION 142

DRAG DROP - (Topic 3)

You are building a Language Understanding model for purchasing tickets.

You have the following utterance for an intent named PurchaseAndSendTickets. Purchase [2 audit business] tickets to [Paris] [next Monday] and send tickets to [email@domain.com]

You need to select the entity types. The solution must use built-in entity types to minimize training data whenever possible.

Which entity type should you use for each label? To answer, drag the appropriate entity types to the correct labels. Each entity type may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

Entity Types	Answer Area
Email	
List	Paris: <input type="text"/>
Regex	email@domain.com: <input type="text"/>
GeographyV2	2 audit business: <input type="text"/>
Machine learned	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: GeographyV2

The prebuilt geographyV2 entity detects places. Because this entity is already trained, you do not need to add example utterances containing GeographyV2 to the application intents.

Box 2: Email

Email prebuilt entity for a LUIS app: Email extraction includes the entire email address from an utterance. Because this entity is already trained, you do not need to add example utterances containing email to the application intents.

Box 3: Machine learned

The machine-learning entity is the preferred entity for building LUIS applications.

NEW QUESTION 145

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images, and then use the Smart Labeler tool. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The model need to be extended and retrained.

Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

NEW QUESTION 148

DRAG DROP - (Topic 3)

You are building a customer support chatbot.

You need to configure the bot to identify the following:

- Code names for internal product development
 - Messages that include credit card numbers
- The solution must minimize development effort.

Which Azure Cognitive Service for Language feature should you use for each requirement? To answer, drag the appropriate features to the correct requirements.

Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 151

DRAG DROP - (Topic 3)

You need to develop an automated call handling system that can respond to callers in their own language. The system will support only French and English.

Which Azure Cognitive Services service should you use to meet each requirement? To answer, drag the appropriate services to the correct requirements. Each service may be used once, more than once, or not at all. You may need to drag the split bat between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text Analytics

The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.

Box 2: Translator

Translator is a cloud-based neural machine translation service that is part of the Azure Cognitive Services family of REST APIs. Translator can be used with any operating system and powers many Microsoft products and services used by thousands of businesses worldwide to perform language translation and other language-related operations.

NEW QUESTION 153

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the elastic pool
MySQL server
PostgreSQL server
virtual machine that hosts SQL Server.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

In an infrastructure as a service (IaaS) instance of Microsoft SQL Server on Azure, you manage the elastic pool
MySQL server
PostgreSQL server
virtual machine that hosts SQL Server.

NEW QUESTION 156

DRAG DROP - (Topic 3)

You have an Azure subscription that contains an Azure OpenAI resource named AH. You plan to build an app named App1 that will write press releases by using AM.

You need to deploy an Azure OpenAI model for App1. The solution must minimize development effort.

Which three actions should you perform in sequence in Azure OpenAI Studio? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

<p>Actions</p> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Create a deployment that uses the text-embedding-ada-002 model.</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Apply the Default system message template.</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Create a deployment that uses the GPT-35 Turbo model.</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Apply the Marketing Writing Assistant system message template.</div> <div style="border: 1px solid gray; padding: 2px;">Deploy the solution to a new web app.</div>	<div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;">></div> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;"><</div>	<p>Answer Area</p> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px; height: 20px;"></div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px; height: 20px;"></div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px; height: 20px;"></div> <div style="border: 1px solid gray; padding: 2px; height: 20px;"></div>	<div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;">></div> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;"><</div>
--	---	---	---

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<p>Actions</p> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Create a deployment that uses the text-embedding-ada-002 model.</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Apply the Default system message template.</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Create a deployment that uses the GPT-35 Turbo model.</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Apply the Marketing Writing Assistant system message template.</div> <div style="border: 1px dashed gray; padding: 2px;">Deploy the solution to a new web app.</div>	<div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;">></div> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;"><</div>	<p>Answer Area</p> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Create a deployment that uses the GPT-35 Turbo model.</div> <div style="border: 1px dashed gray; padding: 2px; margin-bottom: 2px;">Apply the Marketing Writing Assistant system message template.</div> <div style="border: 1px dashed gray; padding: 2px;">Deploy the solution to a new web app.</div>	<div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;">></div> <div style="border: 1px solid gray; border-radius: 50%; width: 20px; height: 20px; margin: 0 auto 20px auto; display: flex; align-items: center; justify-content: center;"><</div>
---	---	--	---

NEW QUESTION 160

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.
 You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet.
 Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.
 Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-network/network-security-groups-overview#network-security-groups>
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-overview>

NEW QUESTION 163

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

When provisioning an Azure Cosmos DB _____, you need to specify which type of API you will use.

account
 container
 database
 item

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When provisioning an Azure Cosmos DB _____, you need to specify which type of API you will use.

account
 container
 database
 item

NEW QUESTION 165

HOTSPOT - (Topic 3)

You are developing a streaming Speech to Text solution that will use the Speech SDK and MP3 encoding.
 You need to develop a method to convert speech to text for streaming MP3 data. How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

var audioFormat = _____ (AudioStreamContainerFormat.MP3);
var speechConfig = SpeechConfig.FromSubscription("18c51a87-3a69-47a8-aedc-a54745f708a1", "westus");
var audioConfig = AudioConfig.FromStreamInput(pushStream, audioFormat);
using (var recognizer = new _____ (speechConfig, audioConfig))
{
    var result = await recognizer.RecognizeOnceAsync();
    var text = result.Text;
}
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 169

HOTSPOT - (Topic 3)

You are building a model to detect objects in images.
 The performance of the model based on training data is shown in the following exhibit.

Iteration 1

Probability Threshold: 50%

Overlap Threshold: 30%

Answer Area

The percentage of false positives is [answer choice].

The value for the number of true positives divided by the total number of true positives and false negatives is [answer choice]%.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The percentage of false positives is [answer choice].

The value for the number of true positives divided by the total number of true positives and false negatives is [answer choice]%.

NEW QUESTION 171

HOTSPOT - (Topic 3)

You have a library that contains thousands of images.
 You need to tag the images as photographs, drawings, or clipart.
 Which service endpoint and response property should you use? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Service endpoint:

- Computer Vision analyze images
- Computer Vision object detection
- Custom Vision image classification
- Custom Vision object detection

Property:


- categories
- description
- imageType
- metadata
- objects

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 175

- (Topic 3)

You have an existing Azure Cognitive Search service.

You have an Azure Blob storage account that contains millions of scanned documents stored as images and PDFs.

You need to make the scanned documents available to search as quickly as possible. What should you do?

- A. Split the data into multiple blob container
- B. Create a Cognitive Search service for each containe
- C. Within each indexer definition, schedule the same runtime execution pattern.
- D. Split the data into multiple blob container
- E. Create an indexer for each containe
- F. Increase the search unit
- G. Within each indexer definition, schedule a sequential execution pattern.
- H. Create a Cognitive Search service for each type of document.
- I. Split the data into multiple virtual folder
- J. Create an indexer for each folde
- K. Increase the search unit
- L. Within each indexer definition, schedule the same runtime execution pattern.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-howto-indexing-azure-blob-storage>

NEW QUESTION 179

- (Topic 3)

You build a language model by using Conversational Language Understanding. The language model is used to search for information on a contact list by using an intent named Findcontact. A conversational expert provides you with the following list of phrases to use for training

- Find contacts in London.
- Who do I know in Seattle?
- Search for contacts m Ukraine.

You need to implement the phrase list in Conversational Language Understanding. Solution: You create a new utterance for each phrase in the FindContact intent.

- A. Yes
- B. No

Answer: B

NEW QUESTION 181

- (Topic 3)

Which scenario is an example of a streaming workload?

- A. sending transactions daily from point of sale (POS) devices
- B. sending cloud infrastructure metadata every 30 minutes
- C. sending transactions that are older than a month to an archive
- D. sending telemetry data from edge devices

Answer: D

NEW QUESTION 185

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cognitive Search service.

During the past 12 months, query volume steadily increased.

You discover that some search query requests to the Cognitive Search service are being throttled.

You need to reduce the likelihood that search query requests are throttled. Solution: You migrate to a Cognitive Search service that uses a higher tier. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A simple fix to most throttling issues is to throw more resources at the search service (typically replicas for query-based throttling, or partitions for indexing-based throttling). However, increasing replicas or partitions adds cost, which is why it is important to know the reason why throttling is occurring at all.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-performance-analysis>

NEW QUESTION 189

- (Topic 3)

You have a chatbot that was built by using the Microsoft Bot Framework. You need to debug the chatbot endpoint remotely.

Which two tools should you install on a local computer? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Fiddler
- B. Bot Framework Composer
- C. Bot Framework Emulator
- D. Bot Framework CLI
- E. ngrok
- F. nginx

Answer: CE

Explanation:

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely.

ngrok is a cross-platform application that "allows you to expose a web server running on your local machine to the internet." Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

NEW QUESTION 192

HOTSPOT - (Topic 3)

You create a knowledge store for Azure Cognitive Search by using the following JSON.

```

"knowledgeStore" : {
  "storageConnectionString": "DefaultEndpointsProtocol=https;AccountName=<Acct Name>;AccountKey=<Acct Key>;",
  "projections": [
    {
      "tables": [
        {
          "tableName": "unrelatedDocument",
          "generatedKeyName": "Documentid",
          "source": "/document/pbiShape"
        },
        {
          "tableName": "unrelatedKeyPhrases",
          "generatedKeyName": "KeyPhraseid",
          "source": "/document/pbiShape/keyPhrases"
        }
      ],
      "objects": [
        {
          "storageContainer": "unrelatedocrlayout",
          "source": null,
          "sourceContext": "/document/normalized_images/*/layoutText",
          "inputs": [
            {
              "name": "ocrLayoutText",
              "source": "/document/normalized_images/*/layoutText"
            }
          ]
        }
      ]
    }
  ],
  "files": []
}

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE Each correct selection is worth one point.

Answer Area

There will be [answer choice].

- no projection groups
- one projection group
- two projection groups
- four projection groups

Images will [answer choice]

- not be saved.
- be saved to a blob container.
- be saved to file storage.
- be saved to an Azure Data lake.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There will be [answer choice].

- no projection groups
- one projection group
- two projection groups
- four projection groups

Images will [answer choice]

- not be saved.
- be saved to a Blob container.
- be saved to file storage.
- be saved to an Azure Data lake.

NEW QUESTION 194

HOTSPOT - (Topic 3)

You need to create a new resource that will be used to perform sentiment analysis and optical character recognition (OCR). The solution must meet the following requirements:

- ? Use a single key and endpoint to access multiple services.
- ? Consolidate billing for future services that you might use.
- ? Support the use of Computer Vision in the future.

How should you complete the HTTP request to create the new resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

▼

- PATCH
- POST
- PUT

xxxx-xxxx-
 xxxxxxxxxxxx/resourceGroups/RG1/providers/Microsoft.CognitiveServices/
 accounts/CS1?api-version=2017-04-18

```
{
  "location": "West US",
  "kind": "
  CognitiveServices
  ComputerVision
  TextAnalytics
",
  "sku": {
    "name": "S0"
  },
  "properties": {},
  "identity": {
    "type": "SystemAssigned"
  }
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PUT

Sample Request: PUT https://management.azure.com/subscriptions/00000000-0000-0000-0000-000000000000/resourceGroups/test-rg/providers/Microsoft.DeviceUpdate/accounts/contoso?api-version=2020-03-01-preview

NEW QUESTION 198

HOTSPOT - (Topic 3)

You are developing an application that will use the Computer Vision client library. The application has the following code.

```
public async TaskAnalyzeImage(ComputerVisionClient client, string localImage)
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes>()
    {
        VisualFeatureTypes.Description,
        VisualFeatureTypes.Tags,
    };
    using (Stream imageStream = File.OpenRead(localImage))
    {
        try
        {
            ImageAnalysis results = await client.AnalyzeImageInStreamAsync(imageStream, features);

            foreach (var caption in results.Description.Captions)
            {
                Console.WriteLine($"{caption.Text} with confidence {caption.Confidence}");
            }

            foreach (var tag in results.Tags)
            {
                Console.WriteLine($"{tag.Name} {tag.Confidence}");
            }
        }
        catch (Exception ex)
        {
            Console.WriteLine(ex.Message);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input type="radio"/>
The code will list tags and their associated confidence.	<input type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input checked="" type="radio"/>
The code will list tags and their associated confidence.	<input checked="" type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 199

- (Topic 3)

What are two benefits of platform as a service (PaaS) relational database offerings in Azure, such as Azure SQL Database? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. reduced administrative effort for managing the server infrastructure
- B. complete control over backup and restore processes
- C. in-database machine learning services S3
- D. access to the latest features

Answer: AD

NEW QUESTION 201

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language Users report that the responses of the chatbot lack formality when answering spurious questions

You need to ensure that the chatbot provides formal responses to spurious questions. Solution: From Language Studio, you remove all the chit-chat question and answer pairs, and then retrain and republish the model Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Removing all the chit-chat question and answer pairs from the project will not ensure that the chatbot provides formal responses to spurious questions. It will only make the chatbot unable to handle any chit-chat scenarios, which may result in a poor user experience and a loss of engagement. Instead, you should choose a chit-chat personality that matches the tone and style of your chatbot, such as Professional or Caring. You can also edit the chit-chat questions and answers to suit your specific needs, or add new ones that are not in the predefined data set12. This way, you can ensure that the chatbot responds appropriately to spurious questions, while still maintaining a conversational and engaging interaction with the user.

NEW QUESTION 205

HOTSPOT - (Topic 3)

You are building a model that will be used in an iOS app.

You have images of cats and dogs. Each image contains either a cat or a dog.

You need to use the Custom Vision service to detect whether the images is of a cat or a dog.

How should you configure the project in the Custom Vision portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Project Types: ▼

Classification
Object Detection

Classification Types: ▼

Multiclass (Single tag per image)
Multilabel (Multiple tags per image)

Domains: ▼

Audit
Food
General
General (compact)
Landmarks
Landmarks (compact)
Retail
Retail (compact)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Classification

Box 2: Multiclass

A multiclass classification project is for classifying images into a set of tags, or target labels. An image can be assigned to one tag only.

Box 3: General

General: Optimized for a broad range of image classification tasks. If none of the other specific domains are appropriate, or if you're unsure of which domain to choose, select one of the General domains.

NEW QUESTION 207

- (Topic 3)

Your company has a reporting solution that has paginated reports. The reports query a dimensional model in a data warehouse. Which type of processing does the reporting solution use?

- A. Online Transaction Processing (OLTP)
- B. Online Analytical Processing (OLAP)
- C. batch processing
- D. stream processing

Answer: B

NEW QUESTION 212

HOTSPOT - (Topic 3)

You are building a solution that students will use to find references for essays. You use the following code to start building the solution.

```
using Azure;
using System;
using Azure.AI.TextAnalytics;

private static readonly AzureKeyCredential credentials = new AzureKeyCredential("<key>");
private static readonly Uri endpoint = new Uri("<endpoint>");

static void EntityLinker(TextAnalyticsClient client)
{
    var response = client.RecognizeLinkedEntities(
        "Our tour guide took us up the Space Needle during our trip to Seattle last week.");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will detect the language of documents.	<input type="radio"/>	<input type="radio"/>
The <code>url</code> attribute returned for each linked entity will be a Bing search link.	<input type="radio"/>	<input type="radio"/>
The <code>matches</code> attribute returned for each linked entity will provide the location in a document where the entity is referenced.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The code will detect the language of documents.	<input type="radio"/>	<input checked="" type="radio"/>
The <code>url</code> attribute returned for each linked entity will be a Bing search link.	<input checked="" type="radio"/>	<input type="radio"/>
The <code>matches</code> attribute returned for each linked entity will provide the location in a document where the entity is referenced.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 213

HOTSPOT - (Topic 3)

You are building a chatbot for a Microsoft Teams channel by using the Microsoft Bot Framework SDK. The chatbot will use the following code.

```
protected override async Task OnMembersAddedAsync(IList<ChannelAccount>
membersAdded, ITurnContext<IConversationUpdateActivity> turnContext,
Cancellation token cancellationToken)
{
    foreach (var member in membersAdded)
        if (member.Id != turnContext.Activity.Recipient.Id)
            await turnContext.SendActivityAsync($"Hi there - {member.Name}.
{WelcomeMessage}", cancellationToken: cancellationToken);
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
<code>OnMembersAddedAsync</code> will be triggered when a user joins the conversation.	<input type="radio"/>	<input type="radio"/>
When a new user joins the conversation, the existing users in the conversation will see the chatbot greeting.	<input type="radio"/>	<input type="radio"/>
<code>OnMembersAddedAsync</code> will be initialized when a user sends a message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The `ActivityHandler.OnMembersAddedAsync` method overrides this in a derived class to provide logic for when members other than the bot join the conversation, such as your bot's welcome logic.

Box 2: Yes

membersAdded is a list of all the members added to the conversation, as described by the conversation update activity.

Box 3: No

NEW QUESTION 216

DRAG DROP - (Topic 3)

Match the Azure Cosmos DB APIs to the appropriate data structures.

To answer, drag the appropriate API from the column on the left to its data structure on the right. Each API may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 220

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

When using the Azure Cosmos DB Gremlin API, the container resource type is projected as a

graph.
table.
partition key.
document.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

When using the Azure Cosmos DB Gremlin API, the container resource type is projected as a

graph.
table.
partition key.
document.

NEW QUESTION 221

- (Topic 3)

You have an Azure Cognitive Services model named Model that identifies the intent of text input.

You develop an app in C# named App1. You need to configure App1 to use Model1. Which package should you add to App1?

- A. Azure.AI.Language.Conversations
- B. SpeechServicesToolkit
- C. Universal.Microsoft.CognitiveServices.Speech
- D. Xamarin.Cognitive.Speech

Answer: C

NEW QUESTION 223

- (Topic 3)

You have an Azure Cognitive Search instance that indexes purchase orders by using Form Recognizer

You need to analyze the extracted information by using Microsoft Power BI. The solution must minimize development effort.

What should you add to the indexer?

- A. a table projection

- B. a projection group
- C. an object projection
- D. a file projection


Answer: C

NEW QUESTION 224

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

The  clause can be used in Data Manipulation Language (DML) statements to specify the criteria that rows must match.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The  clause can be used in Data Manipulation Language (DML) statements to specify the criteria that rows must match.

NEW QUESTION 226

- (Topic 3)

Which statement is an example of Data Manipulation Language (DML)?

- A. Revoke
- B. UPDATE
- C. DROP
- D. CREATE

Answer: B

NEW QUESTION 229

DRAG DROP - (Topic 3)

You have a chatbot that uses a QnA Maker application.


You enable active learning for the knowledge base used by the QnA Maker application. You need to integrate user input into the model.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Add a task to the Azure resource.
- Approve and reject suggestions.
- Publish the knowledge base.
- Modify the automation task logic app to run an Azure Resource Manager template that creates the Azure Cognitive Services resource.
- For the knowledge base, select Show active learning suggestions.
- Save and train the knowledge base.
- Select the properties of the Azure Cognitive Services resource.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: For the knowledge base, select Show active learning suggestions.

In order to see the suggested questions, on the Edit knowledge base page, select View Options, then select Show active learning suggestions.

Step 2: Approve and reject suggestions.

Each QnA pair suggests the new question alternatives with a check mark, , to accept the question or an x to reject the suggestions. Select the check mark to add the question.

Step 3: Save and train the knowledge base.

Select Save and Train to save the changes to the knowledge base. Step 4: Publish the knowledge base.

Select Publish to allow the changes to be available from the GenerateAnswer API.

When 5 or more similar queries are clustered, every 30 minutes, QnA Maker suggests the alternate questions for you to accept or reject.

NEW QUESTION 230

- (Topic 2)

You are developing the chatbot.

You create the following components:

- A QnA Maker resource
- A chatbot by using the Azure Bot Framework SDK

You need to add an additional component to meet the technical requirements and the chatbot requirements. What should you add?

- A. Dispatch
- B. chatdown
- C. Language Understanding
- D. Microsoft Translator

Answer: A

Explanation:

Scenario: All planned projects must support English, French, and Portuguese.

If a bot uses multiple LUIS models and QnA Maker knowledge bases (knowledge bases), you can use the Dispatch tool to determine which LUIS model or QnA Maker knowledge base best matches the user input. The dispatch tool does this by creating a single LUIS app to route user input to the correct model.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-tutorial-dispatch>

NEW QUESTION 231

HOTSPOT - (Topic 2)

You are developing the knowledgebase by using Azure Cognitive Search. You need to build a skill that will be used by indexers.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```

{
  "@odata.type": "#Microsoft.Skills.Text.EntityRecognitionSkill",
  "categories": [],
  "categories": [ "Email", "Persons", "Organizations",
  "categories": [ "Locations", "Persons", "Organizations",
  "minimumPrecision": 0.7,
  "inputs": [
    { "name": "text",
      "source": "/document/content" }
  ],
  "outputs": [
    { "name": "persons", "targetName": "people",
    { "name": "locations", "targetName": "locations",
    { "name": "organizations", "targetName": "organizations",
    { "name": "entities" }
    { "name": "categories" }
    { "name": "namedEntities" }
}
  
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: "categories": ["Locations", "Persons", "Organizations"], Locations, Persons, Organizations are in the outputs.

Scenario: Contoso plans to develop a searchable knowledgebase of all the intellectual property

Note: The categories parameter is an array of categories that should be extracted. Possible category types: "Person", "Location", "Organization", "Quantity", "Datetime", "URL", "Email". If no category is provided, all types are returned.

Box 2: {"name": " entities"}

The include wikis, so should include entities in the outputs.

Note: entities is an array of complex types that contains rich information about the entities extracted from text, with the following fields name (the actual entity name. This represents a "normalized" form) wikipediaId

wikipediaLanguage
wikipediaUrl (a link to Wikipedia page for the entity) etc.

NEW QUESTION 233

- (Topic 2)

You are developing the knowledgebase by using Azure Cognitive Search.

You need to meet the knowledgebase requirements for searching equivalent terms. What should you include in the solution?

- A. a synonym map
- B. a suggester
- C. a custom analyzer
- D. a built-in key phrase extraction skill

Answer: A

Explanation:

Within a search service, synonym maps are a global resource that associate equivalent terms, expanding the scope of a query without the user having to actually provide the term. For example, assuming "dog", "canine", and "puppy" are mapped synonyms, a query on "canine" will match on a document containing "dog".

Create synonyms: A synonym map is an asset that can be created once and used by many indexes.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-synonyms>

NEW QUESTION 235

DRAG DROP - (Topic 2)

You are developing a solution for the Management-Bookkeepers group to meet the document processing requirements. The solution must contain the following components:

? A form Recognizer resource

? An Azure web app that hosts the Form Recognizer sample labeling tool

The Management-Bookkeepers group needs to create a custom table extractor by using the sample labeling tool.

Which three actions should the Management-Bookkeepers group perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions	Answer Area
Train a custom model	
Label the sample documents	➤
Create a new project and load sample documents	⬅
Create a composite model	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a new project and load sample documents

Create a new project. Projects store your configurations and settings.

Step 2: Label the sample documents

When you create or open a project, the main tag editor window opens.

Step 3: Train a custom model. Finally, train a custom model.

NEW QUESTION 236

.....

Relate Links

100% Pass Your AI-102 Exam with ExamBible Prep Materials

<https://www.exambible.com/AI-102-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>