



Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Topic 1)

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales_amount column and apply a number filter.
- C. Select Column profile, and then select the sales_amount column.
- D. Transform the sales_amount column to replace negative values with 0.

Answer: C

NEW QUESTION 2

HOTSPOT - (Topic 1)

You publish the dataset to powerbi.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You need an on-premises data gateway to refresh the dataset.	<input type="radio"/>	<input type="radio"/>
You need to configure a scheduled refresh of the dataset.	<input type="radio"/>	<input type="radio"/>
You can use Basic authentication on the dataset to connect to the data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
You need an on-premises data gateway to refresh the dataset.	<input checked="" type="radio"/>	<input type="radio"/>
You need to configure a scheduled refresh of the dataset.	<input checked="" type="radio"/>	<input type="radio"/>
You can use Basic authentication on the dataset to connect to the data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 3

- (Topic 2)

You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort. What should you do?

- A. From each report in powerbi.co
- B. select Refresh visuals
- C. From Power BI Desktop, download the PBIX file and refresh the data.
- D. Configure a scheduled refresh without using an on-premises data gateway.
- E. Configure a scheduled refresh by using an on-premises data gateway

Answer: C

NEW QUESTION 4

DRAG DROP - (Topic 2)

Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From powerbi.com, assign the analysts the Contributor role to the workspace.	
From powerbi.com, add role members to the roles.	
From Power BI Desktop, add a Table Filter DAX Expression to the roles.	➔
From Power BI Desktop, create four roles.	➔
From Power BI Desktop, publish the dataset to powerbi.com.	➔

- A. Mastered

B. Not Mastered

Answer: A

Explanation:



<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls> <https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

NEW QUESTION 5

- (Topic 2)

You need to recommend a strategy to consistently define the business unit, department, and product category data and make the data usable across reports. What should you recommend?

- A. Create a shared dataset for each standardized entity.
- B. Create dataflows for the standardized data and make the dataflows available for use in all imported datasets.
- C. For every report, create and use a single shared dataset that contains the standardized data.
- D. For the three entities, create exports of the data from the Power BI model to Excel and store the data in Microsoft OneDrive for others to use as a source.

Answer: B

NEW QUESTION 6

- (Topic 2)

You need to create the relationship between the product list and the revenue results. The solution must minimize the time it takes to render visuals. What should you set as the relationship cardinality?

- A. One to one
- B. Many to one
- C. One to many
- D. Many to many

Answer: C

NEW QUESTION 7

HOTSPOT - (Topic 3)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Filter type:

- Top N
- Basic
- Advanced

Level:

- Page
- Visual
- Report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Top N

Scenario: The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Once you drag to SKU to Visual level filter you should get Top N option Note: The two most common filter types: automatic and manual.

Then there are more advanced filters.

Box 2: Visual

Once you drag to SKU to Visual level filter you should get Top N option.

NEW QUESTION 8

- (Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, add a date table
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Answer: B

Explanation:

Use Power Query to calculate calendar quarter and calendar month.

Scenario:

? A single dataset must support all three reports:

- The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

- The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.

? The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.


NEW QUESTION 9

HOTSPOT - (Topic 3)

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Description automatically generated Box 1: many-to-one

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

The Suppliers table has a Region column. Box 2: Suppliers table

NEW QUESTION 10

- (Topic 3)

You need to minimize the size of the dataset. The solution must meet the report requirements What should you do?

- A. Change the OrderID column in the Orders table to the text data type.
- B. Filter out discontinued products while importing the Product table.
- C. Remove the QuantityPerUnit column from the Products table
- D. Group the Categories table by the CategoryID column.

Answer: C

NEW QUESTION 10

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.
 Solution: You create a new query that references DataSourceExcel. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 15

- (Topic 4)

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records
- A bar chart that shows total transaction amount by territory
- A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory

You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?

- A. Apply a row filter to the Dalai query in Power Query Editor.
- B. Add a trend line to the scatter plot
- C. Enable high-density sampling on the scatter plot
- D. Add a count field of the transaction amount to the size bucket of the scatter plot

Answer: B

NEW QUESTION 19

HOTSPOT - (Topic 4)

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year. The solution must use the existing calculations only.

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Conditional formatting:

- Background color
- Data bars
- Font color
- Icons
- Web URL

Format by:

- Color scale
- Field value
- Rules

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color. In the Background color or Font color dialog box, select Field value from the Format by drop-down field.

Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.

NEW QUESTION 22

- (Topic 4)

What should you do to address the existing environment data concerns?

- A. a calculated column that uses the following formula: ABS(Sales[sales_amount])
- B. a measure that uses the following formula: SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),[sales_amount])
- C. a measure that uses the following formula: SUM(Sales[sales_amount])
- D. a calculated column that uses the following formula: IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))

Answer: B

NEW QUESTION 27

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column.

You need to ensure that you can analyze sales by product category.

How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

Cross-filter direction:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many

Box 2: Both

For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).

Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

NEW QUESTION 30

- (Topic 4)

You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table.

You need to ensure that users can see the data of their respective department only. What should you do?

- A. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- B. Create a DepartmentID parameter to filter the Departments table.
- C. To the ConfidentialData table, add a calculated measure that uses the currentgroup DAX function.
- D. Create a slicer that filters Departments based on DepartmentID.

Answer: A

NEW QUESTION 33

- (Topic 4)

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations.

By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

NEW QUESTION 36

- (Topic 4)

You have a Power BI model that contains two tables named Population and Date.

The Population table contains two columns named Population Amount and Date Key.

DateKey contains date values that represent the first day of a year and are used to create a many-to

The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])

2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 38

- (Topic 4)

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

Answer: B


Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with-power-bi/>

NEW QUESTION 42

HOTSPOT - (Topic 4)

You view a query named Transactions as shown in the following exhibit.



The query gets CSV files from a folder.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] CSV files:

- 9
- 10
- 25
- 90
- 1,000

Removing duplicates based on the Date column will reduce the dataset to [answer choice] rows:

- 9
- 10
- 25
- 90
- 1,000

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 9
 9 distinct CSV files.
 Box 2: 10
 10 distinct dates.
<https://pediaa.com/what-is-the-difference-between-unique-and-distinct-in-sql/#:~:text=Unique%20and%20Distinct%20are%20two%20SQL%20constraints.,the%20records%20from%20a%20table.>

NEW QUESTION 46

HOTSPOT - (Topic 4)

You have a power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

- The export of reports that contain Personally Identifiable Information (PII) must be prevented.
- Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise select No. NOTE: Each correct selection is worth one point

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input checked="" type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input checked="" type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 49

FILL IN THE BLANK - (Topic 4)

You have the Power Bi dashboard shown in the Dashboard exhibit (Click the Dashboard tab.)

You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as selected


Answer Area

Update the layout in the: Report mobile layout
 Resize and move: The Total Sales by Parent Category tile

NEW QUESTION 54

HOTSPOT - (Topic 4)

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

▼

Customers
 Insurance
 Insurance Data
 Sale

The dashboard uses a dataset named [answer choice].

▼

Customers
 Insurance
 Insurance Data
 Sale

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

NEW QUESTION 59

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59. You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy. What should you do?

- A. Change the data type of the Logged column to Date.
- B. Apply a transform to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.
- D. Apply a transform to extract the first 11 characters of the Logged column.

Answer: C

NEW QUESTION 61

HOTSPOT - (Topic 4)

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employeejd and employee_photo. You need to optimize the data model

What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Answer Area

Employee_id:

Change Type
 Delete
 Hide
 Sort

Employee_photo:

Change Type
 Delete
 Hide
 Sort

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Hide

Optimize data by hiding fields and sorting visualization data

Box 2: Delete

The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

NEW QUESTION 63

DRAG DROP - (Topic 4)

You plan to create a report that will display sales data from the last year for multiple regions

You need to restrict access to individual rows of the data on a per region-basis by using roles.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Publish the report.
- Import the data to Power BI Desktop.
- Add a filter to the report.
- Create a role definition.
- Assign users to the role.

>
<


Answer Area

^
v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 64

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country, You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3,
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: B

NEW QUESTION 67

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution; You create measures that use the USERELATIONSHIP DAX function to filter sales on the inactive relationships between the sales table and the date table.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 72

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You add a Power Apps custom visual to the report. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 76

DRAG DROP - (Topic 4)

Exhibit:

Year	Month	Sales	Profit
9	Sep	9	552
10	Oct	10	7838
11	Nov	11	83544
12	Dec	12	32455

You need to create a report that meets the requirements:

- Visualizes the Sales value over a period of years and months
- Adds a Slicer for the month
- Adds a Slicer for the year

Which three actions Should you perform in sequence?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 77

- (Topic 4)

You have a Q&A visual that displays information from a table named Carriers as shown in the following exhibit.

carrier	name
B6	JetBlue Airways

You need to ensure that users can ask questions by using the term airline or carrier. The solution must minimize changes to the data model. What should you do?

- A. Add a duplicate query named Airline.
- B. Add airline as a synonym of carrier.
- C. Rename the carrier column as airline in the Carriers query.
- D. Rename the query from Carriers to airlines.

Answer: B

Explanation:

Add synonyms to tables and columns: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model. This step can be important. Even with straightforward table and column names, users of Q&A ask questions using the vocabulary that first comes to them. They're not choosing from a predefined list of columns. The more sensible synonyms you add, the better your users' experience is with your report. Reference: <https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 78

FILL IN THE BLANK - (Topic 4)

You need to create a relationship in the dataset for RLS.

What should you do? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as below

NEW QUESTION 83

- (Topic 4)

You have a BI dataset and a connected report.

You need to ensure that users can analyze data in Microsoft Excel by connecting directly to the dataset.

You grant the users the Build permission for dataset What Should do next?

- A. Change default visual interaction for the report
- B. For the report change the Export data setting to Summarized data, data with current layout and underlying data
- C. For the report, change the Export data setting to None
- D. Certify the dataset used by the report.

Answer: B

NEW QUESTION 87

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page or the report must contain the following two views:

- * Sales By Postal Code
- * Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 88

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You modify the source step of the queries to use DataSourceExcel as the file path.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 92

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.

Solution: You create a custom column that concatenates the 10T GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 95

- (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. The model contains the following DAX measure.

Total Sales = SUM(Sales[Sale])

You need to create another measure named Previous Quarter to display the sales one quarter before the selected period.

Which DAX calculation should you use?

- A. CALCULATE < [Total Sales], OATEADD (Date[Date], -1, QUARTER))
- B. CALCULATE ([Total Sales], DATESQTD (Date[Date]))
- C. TOTALQTD ([Total Sales], Date[Date])
- D. CALCULATE < [Total Sales], PARALLELPERIOO (Date[Date], 1, QUARTER))

Answer: A

NEW QUESTION 96

- (Topic 4)

From Power Query Editor, you attempt to execute a query and receive the following error message.

Datasource.Error: could not find file.

What are two possible causes of the error? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The file is locked
- B. An incorrect privacy level was used for the data source.
- C. The referenced file was moved to a new location
- D. You do not have permissions to the file.

Answer: BD

NEW QUESTION 98

- (Topic 4)

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on premises Microsoft SQL server. The Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- Minimize online processing operations.
- Minimize calculation times and render times for visuals.
- include data from the current year, up to and including the previous day. What should you do?

- A. Create a dataflows connection that has Import mode selected and schedule a dairy refresh.
- B. Create a dataflows connection that has DirectQuery mode selected.
- C. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Answer: A

NEW QUESTION 101

DRAG DROP - (Topic 4)

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex. The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

*There is a one-to-one relationship between Sales_Region and Region_Manager.

*There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager.

*There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
- Merge [Sales_Region] and [Region_Manager] by using an inner join.

Answer Area

> <

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1.Merge [Region_Manager] and [Manager] by using an inner join. 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join. 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.


NEW QUESTION 102

- (Topic 4)

You are building a data model for a Power BI report. You have data formatted as shown in the following table.

Machine-User	DownloadMB
ABC-123	75
BAC-657	125

You need to create a clustered bar chart as shown in the following exhibit.



What should you do?

- A. From Power Query Editor, split the Machine-User column by using a delimiter.
- B. In a DAX function, create two calculated columns named Machine and User by using the substitute function.
- C. From Power Query Editor, create a column that contains the last three digits of the Machine-User column.
- D. in a DAX function, create two measures named Machine and User by using the substitute function.

Answer: A

NEW QUESTION 107

- (Topic 4)

You have a Power BI query named Sales that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Users only use the date part of the Sales.Date field. Only rows with a Status of Finished are used in analysis.

You need to reduce the load times of the query without affecting the analysis.

Which two actions achieve this goal? Each correct answer presents a complete solution. NOTL Each correct selection is worth one part.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Answer: AD

NEW QUESTION 112

HOTSPOT - (Topic 4)

Your company has affiliates who help the company acquire customers.

You build a report for the affiliate managers at the company to assist them in understanding affiliate performance.

The managers request a visual showing the total sales value of the latest 50 transactions for each affiliate. You have a data model that contains the following tables.

Table name	Column name
Transactions	TransactionDate
	ItemsOrdered
	Amount
	TransactionID
Affiliate	AffiliateID
	Name

You need to develop a measure to support the visual.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Revenue Last 50 Transactions =

<table border="1" style="border-collapse: collapse; width: 100%;"> <tr><td style="text-align: right;">▼</td><td>(</td></tr> <tr><td>CALCULATE</td><td></td></tr> <tr><td>CONCATENATEX</td><td></td></tr> <tr><td>SUM</td><td></td></tr> <tr><td>SUMX</td><td></td></tr> <tr><td>TOPN</td><td></td></tr> </table>	▼	(CALCULATE		CONCATENATEX		SUM		SUMX		TOPN												
▼	(
CALCULATE																							
CONCATENATEX																							
SUM																							
SUMX																							
TOPN																							
	<table border="1" style="border-collapse: collapse; width: 100%;"> <tr><td style="text-align: right;">▼</td><td>(Transactions[Amount]),</td></tr> <tr><td>CALCULATE</td><td></td></tr> <tr><td>CONCATENATEX</td><td></td></tr> <tr><td>SUM</td><td></td></tr> <tr><td>SUMX</td><td></td></tr> <tr><td>TOPN</td><td></td></tr> </table>	▼	(Transactions[Amount]),	CALCULATE		CONCATENATEX		SUM		SUMX		TOPN											
▼	(Transactions[Amount]),																						
CALCULATE																							
CONCATENATEX																							
SUM																							
SUMX																							
TOPN																							
	<table border="1" style="border-collapse: collapse; width: 100%;"> <tr><td style="text-align: right;">▼</td><td>(50, Transactions, Transactions</td></tr> <tr><td>CALCULATE</td><td></td></tr> <tr><td>CONCATENATEX</td><td></td></tr> <tr><td>SUM</td><td></td></tr> <tr><td>SUMX</td><td></td></tr> <tr><td>TOPN</td><td></td></tr> </table>	▼	(50, Transactions, Transactions	CALCULATE		CONCATENATEX		SUM		SUMX		TOPN		<table border="1" style="border-collapse: collapse; width: 100%;"> <tr><td style="text-align: right;">▼</td><td>TransactionID]</td></tr> <tr><td>[Amount],</td><td></td></tr> <tr><td>[ItemsOrdered],</td><td></td></tr> <tr><td>[TransactionDate],</td><td></td></tr> </table>	▼	TransactionID]	[Amount],		[ItemsOrdered],		[TransactionDate],		
▼	(50, Transactions, Transactions																						
CALCULATE																							
CONCATENATEX																							
SUM																							
SUMX																							
TOPN																							
▼	TransactionID]																						
[Amount],																							
[ItemsOrdered],																							
[TransactionDate],																							
		DESC)																					
)																					

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE
 Start with CALCULATE and use a SUMX.
 CALCULATE evaluates an expression in a modified filter context.
 Box 2: SUM
 Box 3: TOPN
 TOPN returns the top N rows of the specified table.
 Box 4: [TransactionDate]
 TOPN Syntax: TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])
 The orderBy_expression: Any DAX expression where the result value is used to sort the table and it is evaluated for each row of table.

NEW QUESTION 117

- (Topic 4)
 You have a Power BI report that uses row-level security (RLS).
 You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets, or dashboards.
 What should you do?

- A. Add the Azure network security team as members of the RLS role.
- B. Instruct the Azure network security team to create security group
- C. Configure RLS to use the groups.
- D. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.
- E. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.

Answer: B

Explanation:

It is common practice that the PBI developer creates RLS groups and instructs the network team to create the corresponding AD roles. Then the developer assigns the AD groups to the RLS groups.

NEW QUESTION 119

- (Topic 4)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.
 During the development process, you need to import a sample of the data from the Order table.
 Solution: From Power Query Editor, you import the table and then add a filter step to the query.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 123

DRAG DROP - (Topic 4)

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables. You update the tables each day.

You need to ensure that the virtualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to answer area and arrange them in the correct order.

Actions

For each dataset, modify the Schedule Refresh settings.



Download and install an on-premises data gateway (personal).



For each dataset, modify the Gateway Connection settings.

Add subscriptions for the reports.

Download and install Power BI Desktop.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

NEW QUESTION 126

- (Topic 4)

You have a sales system that contains the tables shown in the following table.

Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.

DateID is the date data type. You need to create an annual sales growth percentage measure.

Which DAX expression should you use?

- A. SUM(sales[sales_amount]) - CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- B. (SUM('Sales'[sales_amount]) - CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID])))/CALCULATE(SUM('Sales'[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- C. CALCULATE(SUM(sales[sales_amount]), DATESYTD('Date'[DateID]))
- D. CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))

Answer: B

Explanation:

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

NEW QUESTION 129

- (Topic 4)

You are developing a report page. Some users will navigate the report by using a keyboard, and some users will consume the report by using a screen reader.

You need to ensure that the users can consume the content on a report page in a logical order. What should you configure in Microsoft Power BI Desktop?

- A. the bookmark order
- B. the layer order
- C. the tab order
- D. the X position

Answer: C

Explanation:

If you find yourself unable to navigate to an object or visual while using a keyboard, it may be because the report author has decided to hide that object from the tab order. Report authors commonly hide decorative objects from the tab order. If you find that you cannot tab through a report in a logical manner, you should contact the report author. Report authors can set the tab order for objects and visuals.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-accessibility-consuming- tools>

NEW QUESTION 130

FILL IN THE BLANK - (Topic 4)

You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR. You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below.

To access the HR dataset: ▼

To publish reports to WorkspaceB: ▼

NEW QUESTION 133

DRAG DROP - (Topic 4)

You are preparing a financial report in Power BI.

You connect to the data stored in a Microsoft Excel spreadsheet by using Power Query Editor as shown in the following exhibit.

	Column1	1.2 Column2	1.2 Column3	1.2 Column4	1.2 Column5	1.2 Column6
1	Measure	2016	2017	2018	2019	2020
2	Revenue	0.5	0.6	0.55	0.61	0.42
3	Overheads	0.11	0.330410907	0.167055779	0.360178153	0.183179995
4	Cost of Goods	0.204388253	0.165848321	0.25	0.17	0.109073918

You need to prepare the data to support the following:

? Visualizations that include all measures in the data over time

? Year-over-year calculations for all the measures

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Rename the Attribute column as Year
- Rename the Measure column as Year
- Use the first row as headers
- Use headers as the first row
- Unpivot all the columns other than Measure
- Transpose the table
- Change the data type of the Year column to Date



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Rename the Attribute column as Year
- Rename the Measure column as Year
- Use the first row as headers
- Use headers as the first row
- Unpivot all the columns other than Measure
- Transpose the table
- Change the data type of the Year column to Date

Answer Area

Use the first row as headers

Unpivot all the columns other than Measure

Rename the Attribute column as Year

Change the data type of the Year column to Date

Navigation arrows: > < ^ v

NEW QUESTION 135

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductSubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join kinds

- Full outer
- Inner
- Left anti
- Left outer
- Right anti
- Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Join kinds

- Full outer
- Inner
- Left anti
- Left outer
- Right anti
- Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

NEW QUESTION 136

- (Topic 4)

You are configuring a Microsoft Power BI data model to enable users to ask natural language questions by using Q&A. You have a table named Customer that has the following measure.

Customer Count = DISTINCTCOUNT(Customer[CustomerID]) Users frequently refer to customers as subscribers.

You need to ensure that the users can get a useful result for "subscriber count" by using Q&A. The solution must minimize the size of the model.

What should you do?

- A. Add a description of "subscriber count" to the Customer Count measure.
- B. Set Summarize By to None for the CustomerID column.
- C. Add a description of "Subscriber" to the Customer table.
- D. Add a synonym of "subscriber" to the Customer table.

Answer: B

Explanation:

You can add synonyms to tables and columns.

Note: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model.

Reference:

<https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 138

- (Topic 4)

You attempt to connect Purer 81 Desktop to a Cassandra database.

From the Get Data connector list you discover that there is no specific connector for the Cassandra database,

You need to select an alternate data connector that will connect to the database. Which of connector should you choose?

- A. Microsoft SQL Server database
- B. ODBC
- C. OData
- D. OLE DB

Answer: B

NEW QUESTION 143

HOTSPOT - (Topic 4)


You have a Power BI report.

You need to create a calculated table to return the 100 highest spending customers.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Top 100 Customers =



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN

TOPN returns the top N rows of the specified table.

Box 2: SUMMARIZE

SUMMARIZE returns a summary table for the requested totals over a set of groups.

Box 3: DESC

Sort in descending order.

It is last in the TOPN command. TOPN syntax:

TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

NEW QUESTION 147

DRAG DROP - (Topic 4)

You are modeling data in table named SalesDetail by using Microsoft Power BI.

You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Specify the following query, then close and apply. -Table.Distinct("#SalesDetail")	
Create a visual for the query table.	
Create a parameter that uses a query for the suggested values.	⬅️ ⬆️
Create a query that uses Common Data Service as a data source.	➡️ ⬇️
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")	
Create a blank query as a data source.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Specify the following query, then close and apply. -Table.Distinct("#SalesDetail")	
Create a visual for the query table.	
Create a parameter that uses a query for the suggested values.	⬅️ ⬆️
Create a query that uses Common Data Service as a data source.	➡️ ⬇️
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")	
Create a blank query as a data source.	

NEW QUESTION 149

- (Topic 4)

In Power BI Desktop, you are building a sales report that contains two tables. Both tables have row-level security (RLS) configured.


You need to create a relationship between the tables. The solution must ensure that bidirectional cross-filtering honors the RLS settings. What should you do?

- A. Create an active relationship between the tables and select Assume referential integrity.
- B. Create an inactive relationship between the tables and select Assume referential integrity.
- C. Create an inactive relationship between the tables and select Apply security filter in both directions.
- D. Create an active relationship between the tables and select Apply security filter in both directions.

Answer: D

Explanation:

By default, row-level security filtering uses single-directional filters, whether the relationships are set to single direction or bi-directional. You can manually enable bi-directional cross-filtering with row-level security by selecting the relationship and checking the Apply security filter in both directions checkbox. Select this option when you've also implemented dynamic row-level security at the server level, where row-level security is based on username or login ID.



Reference:
<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 152

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a slicer visual
- B. a drillthrough filter
- C. a table visual
- D. a card visual
- E. a Key Performance Indicator (KPI) visual

Answer: AD

NEW QUESTION 155

- (Topic 4)

For the sales department at your company, you publish a Power BI report that imports data from a Microsoft Excel file located in a Microsoft SharePoint folder. The data model contains several measures. You need to create a Power BI report from the existing data. The solution must minimize development effort. Which type of data source should you use?

- A. a SharePoint folder
- B. Power BI dataflows
- C. an Excel workbook
- D. Power BI dataset

Answer: A

Explanation:

The case states there is already a report published and the data model contains measures. Therefore, and to be able to use the measures in the data model, you should connect to the existing dataset (which was created when you published the report) instead of starting from scratch with the files in the SharePoint folder.

NEW QUESTION 157

- (Topic 4)

You have a Microsoft Power BI dashboard. The report used to create the dashboard uses an imported dataset from a Microsoft SQL Server data source. The dashboard is shown in the exhibit. (Click the Exhibit tab.)



What occurred at 12:03:06 PM?

- A. A user pressed F5
- B. A new transaction was added to the data source.
- C. A user added a comment to a tile.
- D. The dashboard tile cache refreshed.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-data>

NEW QUESTION 161

FILL IN THE BLANK - (Topic 4)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as below



NEW QUESTION 165

- (Topic 4)

You have a table that contains sales data and approximately 1,000 rows. You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

Answer: C

Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.

Reference:

<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microsoft-power-bi-d7ad16ac9ccc>

NEW QUESTION 166

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 171

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You publish an app to the entire organization.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://docs.microsoft.com/es-es/power-bi/collaborate-share/service-create-distribute-apps>

NEW QUESTION 173

- (Topic 4)

You have a line chart that shows the number of employees in a department over time. You need to see the total salary costs of the employees when you hover over a data point. What is a possible way to achieve this goal?

- A. Add a salary to the tooltips.
- B. Add a salary to the visual filters.
- C. Add salary to the drillthrough fields.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips> <https://technovids.com/power-bi-filters/>

NEW QUESTION 177

- (Topic 4)

You are creating a Power BI report to analyze consumer purchasing patterns from a table named Transactions. The Transactions table contains a numeric field named Spend. You need to include a visual that identifies which fields have the greatest impact on Spend. Which type of visual should you use?

- A. decomposition tree
- B. Q&A
- C. smart narrative
- D. key influences

Answer: D

NEW QUESTION 180

DRAG DROP - (Topic 4)

You have a Microsoft Power BI workspace.


You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User 1 = Member User 2 = Contributor

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-new-workspaces>

NEW QUESTION 183

- (Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.

You add the following fields to the Explain By field:



- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.

Key influencers Top segments



What influences Quantity Per Order to increase



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 186

HOTSPOT - (Topic 4)

You have a Power BI report. You have the following tables.

Name	Description
Balances	The table contains daily records of closing balances for every active bank account. The closing balances appear for every day the account is live, including the last day.
Date	The table contains a record per day for the calendar years of 2000 to 2025. There is a hierarchy for financial year, quarter, month, and day.

You have the following DAX measure.

```
Accounts :=
CALCULATE (
```

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input checked="" type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input checked="" type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 189

HOTSPOT - (Topic 4)

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customers. You need to combine the Customer tables into a single table. The solution must minimize

the size of the data model and support scheduled refresh in powerbi.com.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Option to use to combine the Customer tables:

- Append Queries
- Append Queries as New
- Merge Queries
- Merge Queries as New

Action to perform on the original two SQL database queries:

- Delete the queries.
- Disable including the query in report refresh.
- Disable loading the query to the data model.
- Duplicate the queries.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text

Description automatically generated with medium confidence

Box 1: Append Queries as New.

There are two primary ways of combining queries: merging and appending.

? When you have one or more columns that you'd like to add to another query, you merge the queries.

? When you have additional rows of data that you'd like to add to an existing query, you append the query.

Box 2: Disable loading the query to the data model

For every query that loads into model memory will be consumed. and Memory is our asset in the Model, less memory consumption leads to better performance in most of the cases. The best approach is to disable loading.

NEW QUESTION 191

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You remove the IoT GUID column and retain the IoT ID column. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 196

HOTSPOT - (Topic 4)

The data model must support the following analysis:

? Total sales by product by month in which the order was placed

? Quantities sold by product by day on which the order was placed

? Number Of sales transactions by quarter in Which the order was placed

For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 198

DRAG DROP - (Topic 4)

You have the line chart shown in the exhibit. (Click the Exhibit tab.)



You need to modify the chart to meet the following requirements:

- ? Identify months that have order counts above the mean.
- ? Display the mean monthly order count.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a 12-month rolling average quick measure and add the measure to the line chart value.
- From the Analytics pane, add a Median line.
- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Create a 12-month rolling average quick measure and add the measure to the line chart value.
- From the Analytics pane, add a Median line.
- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.

Answer Area

- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.

NEW QUESTION 203

DRAG DROP - (Topic 4)

You are modifying a Power BI model by using Power BI Desktop. You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount. How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

- Values**
- ALL
 - AND
 - CALCULATE
 - FILTER
 - OR
 - SUM

Answer Area

```

Transaction Size =
VAR SalesTotal = 'Sales'[Sales]
VAR FilterSegment =
    Value (
        'Transaction Size',
        Value (
            'Transaction Size'[Min] <= SalesTotal,
            'Transaction Size'[Max] >= SalesTotal
        )
    )
VAR Result =
    Value ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )
RETURN
    Result
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

FILTER | AND | CALCULATE

NEW QUESTION 205

- (Topic 4)

You have a Power BI data model that contains a table named Employees. The table has the following columns:

- Employee Name

- Email Address
- Start Date
- Job Title

You are implementing dynamic row-level security (RLS).

You need to create a table filter to meet the following requirements:

- Users must see only their own employee data
- The DAX expression must work in both Power BI Desktop and the Power BI service.

Which expression should you use?

- A. `[Email Address] = USERNAME()`
- B. `[Employee Name] = USERPRINCIPALNAME()`
- C. `[Email Address] = USERPRINCIPALNAME()`
- D. `[Employee Name] = USERNAME()`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 210

DRAG DROP - (Topic 4)

You have a Power BI data model that contains two tables named Products and Sales. A one-to-many relationship exists between the tables.

You have a report that contains a report-level filter for Products.

You need to create a measure that will return the percent of total sales for each product. The measure must respect the report-level filter when calculating the total.

How should you complete the DAX measure? To answer drag the appropriate DAX functions to the correct targets- Each function may be used once, more than once, or not at all the spirit bar between panes or scroll to view content

NOTE: Each correct selection is worth one point

DAX Function	Answer Area
ALL	<pre> Percent of Product Sales = VAR ProductSales = SUM ('Sales'[Sales]) VAR AllSales = (SUM ('Sales'[Sales]), (Function) ('Products'[Product])) RETURN DIVIDE (ProductSales, AllSales) </pre>
ALLSELECTED	
CALCULATE	
FILTER	
SELECTEDVALUE	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

DAX Function	Answer Area
ALL	<pre> Percent of Product Sales = VAR ProductSales = SUM ('Sales'[Sales]) VAR AllSales = (CALCULATE (SUM ('Sales'[Sales]), FILTER ('Products'[Product])) RETURN DIVIDE (ProductSales, AllSales) </pre>
ALLSELECTED	
CALCULATE	
FILTER	
SELECTEDVALUE	

NEW QUESTION 215

DRAG DROP - (Topic 4)

You have a Power BI report that contains three pages. The pages are used to analyze sales across various countries.

You add a sheer named Country to each page of the report.

You need to configure the report to meet the following requirements:

- When a user selects a country on the first page, the report must filter the other pages.
- The second and third pages must display only the filtered results.

Which task should you perform for each requirement? To answer, drag the appropriate task to the correct requirement. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE Each correct selection is worth one point.

Tasks	Answer Area
Add the Country field to the filters on all the pages	When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages	The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages	
Hide the Country slicer on the second and third pages	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Tasks	Answer Area
Add the Country field to the filters on all the pages	When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages	The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages	Configure the Country slicer to sync across all the pages
Hide the Country slicer on the second and third pages	Add the Country field to the filters on all the pages

NEW QUESTION 216

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have several reports and dashboards in a workspace. You need to grant all organizational users read access to a dashboard and several reports. Solution: You enable included in app for all assets. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 220

- (Topic 4)

You are creating a report in Power BI Desktop. You load a data extract that includes a free text field named coll. You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model. What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Answer: A

Explanation:

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution

NEW QUESTION 224

DRAG DROP - (Topic 4)

You receive annual sales data that must be included in Power BI reports. From Power Query Editor, you connect to the Microsoft Excel source shown in the following exhibit.

2	Feb	2	758	773	0
3	Mar	3	37763	570	null
4	Apr	4	8364	9417	null
5	May	5	58256	276	null
6	June	6	6722	235	null
7	July	7	55225	6297	null
8	Aug	8	673	63	null
9	Sep	9	552	357	null
10	Oct	10	7838	24214	null
11	Nov	11	83544	257	null
12	Dec	12	32455	389	null

You need to create a report that meets the following requirements:

- Visualizes the Sales value over a period of years and months

- Adds a slicer for the month
- Adds a slicer for the year

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.

Rename the Attribute column as Year and the Value column as Sales.

Select **Unpivot other columns**.

Select the 2019, 2020, and 2021 columns.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Select the Month and MonthNumber columns.

Select **Transpose**.

Rename the Attribute column as Year and the Value column as Sales.

Select **Unpivot other columns**.

Select the 2019, 2020, and 2021 columns.

Answer Area

Select the 2019, 2020, and 2021 columns.


Select **Unpivot other columns**.

Rename the Attribute column as Year and the Value column as Sales.

NEW QUESTION 225

HOTSPOT - (Topic 4)

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: cross-filter


By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.

Box 2: cross-highlight Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.



* 1. Let's see what happens when we select Moderation.



* 2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart cross-filters the line chart. The line chart now only displays data points for the Moderation segment.

* 3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

NEW QUESTION 230

- (Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Answer: A

Explanation:

Each customer can have many transactions.

For each transaction there is exactly one customer.

NEW QUESTION 235

- (Topic 4)

What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

Answer: A

NEW QUESTION 240

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Remove Errors. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 245

- (Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scatterplot
- B. bar chart
- C. piechart

Answer: B

NEW QUESTION 246

- (Topic 4)

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh.

From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium capacity.

You discover that the dataset refresh fails after the refresh runs out of resources. What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

Answer: A

Explanation:

The Power BI service partitions data based on date range. This is what enables only certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called "query folding". It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>


NEW QUESTION 250

DRAG DROP - (Topic 4)

You have a Power BI workspace that contains a single-page report named Sales.

You need to add all the visuals from Sales to a dashboard. The solution must ensure that additional visuals added to the page are added automatically to the dashboard.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Open powerbi.com Select sales report
 Pin the page

NEW QUESTION 251

HOTSPOT - (Topic 4)

You plan to create the Power BI model shown in the exhibit. (Click the Exhibit tab.) The data has the following refresh requirements:

- Customer must be refreshed daily.
- Date must be refreshed once every three years.
- Sales must be refreshed in near real time.
- SalesAggregate must be refreshed once per week.

You need to select the storage modes for the tables. The solution must meet the following requirements:

Answer Area



The screenshot shows four dropdown menus for selecting storage modes:

- Customer:** DirectQuery, Dual, Import
- Date:** DirectQuery, Dual, Import
- Sales:** DirectQuery, Dual, Import
- SalesAggregate:** DirectQuery, Dual, Import

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



The screenshot shows the same four dropdown menus as above, but with 'Dual' selected for all tables: Customer, Date, Sales, and SalesAggregate.

NEW QUESTION 252

HOTSPOT - (Topic 4)

You are building a financial report by using Power BI.
 You have a table named financials that contains a column named Date and a column named Sales.
 You need to create a measure that calculates the relative change in sales as compared to the previous quarter.
 How should you complete the measure? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Sales QoQ% =

```

IF (
    ISFILTERED('financials' [Date]),
    ERROR("Uh oh."),
    VAR PREV_QUARTER =
        CALCULATE(
            SUM('financials' [Sales]),
            DATEADD('financials' [Date].[Date], -1, QUARTER)
        )
    )
RETURN
    DIVIDE(
        (SUM('financials' [Sales]) - PREV_QUARTER),
        PREV_QUARTER
    )

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: CALCULATE

Box 2: DATEADD

Box 3: DIVIDE

Example: NET_SALES QoQ% = IF(

ISFILTERED('Calendar'[Date]),

ERROR("Time intelligence quick measures can only be grouped or filtered by the Power BI-provided date hierarchy or primary date column."),

VAR PREV_QUARTER = CALCULATE(

SUM('research_ra_qtr_template'[NET_SALES]), DATEADD('Calendar'[Date].[Date], -1, QUARTER)

) RETURN DIVIDE(

SUM('research_ra_qtr_template'[NET_SALES]) - PREV_QUARTER,

PREV_QUARTER

)

)

NEW QUESTION 255

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a percentile line by using the Salary measure and set the percentile to 50%.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 258

- (Topic 4)

You create the following step by using Power Query Editor.

```
=
Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine 1"})
```

A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

Answer: D

Explanation:

Example:

Replace the text "ur" with the text "or" in the table.

```
Table.ReplaceValue(
    Table.FromRecords({
        [a = 1, b = "hello"],
        [a = 3, b = "wurld"]
    }),
    "ur",
    "or",
    Replacer.ReplaceText,
    {"b"}
)
```

a	b
1	hello
3	world

Reference:

<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

NEW QUESTION 260

- (Topic 4)

You have a Power BI workspace named Workspace1 that contains a dataset named DS1 and a report named RPT1.

A user wants to create a report by using the data in DS1 and publish the report to another workspace.

You need to provide the user with the appropriate access. The solution must minimize the number of access permissions granted to the user.

What should you do?

- A. Share RPT1 with the user.
- B. Add the user as a Viewer of Workspace1.
- C. Add the user as a member of Workspace1.
- D. Grant the Build permission for DS1 to the user.

Answer: D

Explanation:

Microsoft says: To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role. <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

NEW QUESTION 265

- (Topic 4)

You are building a Power BI report that uses data from an Azure SQL database named erp1.

You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Items query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Answer: D

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

NEW QUESTION 269

- (Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Answer: A

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

The key influencers visual is a great choice if you want to:

? See which factors affect the metric being analyzed.

? Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 271

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart
- D. key influences

Answer: C

Explanation:

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line.

Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:

<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>

NEW QUESTION 272

- (Topic 4)

ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis.

You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data.

What should you do?

- A. Split the DateTime column into separate date and time columns.
- B. Disable the Power Query load.
- C. Round the Longitude column two decimal places.
- D. Change the data type of the TempCelsius column to Integer

Answer: B

Explanation:

Disable Power Query load.

Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-query-load>

NEW QUESTION 274

HOTSPOT - (Topic 4)

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.

You plan to publish a report to the Power BI service that displays Order_amount by Order_date by Full_name.

You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published.

How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Customer_ID:

- From Query Editor, select the column and click Remove Columns.
- From Query Editor, select the column and click Remove Duplicates.
- From Query Editor, select the column and click Remove Other Columns.
- From the model, select the column and click Hide.

Customer_Photo:

- From Query Editor, select the column and click Remove.
- From Query Editor, select the column and click Remove Duplicates.
- From Query Editor, select the column and click Remove Other Columns.
- From the model, select the column and click Hide.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Customer_ID:

- From Query Editor, select the column and click Remove Columns.
- From Query Editor, select the column and click Remove Duplicates.
- From Query Editor, select the column and click Remove Other Columns.
- From the model, select the column and click Hide.

Customer_Photo:

- From Query Editor, select the column and click Remove.
- From Query Editor, select the column and click Remove Duplicates.
- From Query Editor, select the column and click Remove Other Columns.
- From the model, select the column and click Hide.

NEW QUESTION 275

- (Topic 4)

You have a report that includes a card visualization.

You need to apply the following conditional formatting to the card while minimizing design effort.

For values that are greater than or equal to 100, the font of the data label must be dark red.

For values that are less than 100, the font of the data label must be dark gray. Which type of format should you use?

- A. Color scale
- B. Rules
- C. Field value

Answer: B

NEW QUESTION 279

- (Topic 4)

You are building a Power BI report.

Users will view the report by using their mobile device.

You need to configure the report to display data based on each user's location.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. For the relevant columns, set synonyms to match common geographical terms.
- B. From Power Query Editor, detect the data types of the relevant columns.

- C. Use the columns of the geography data type in all visuals.
- D. Create a hierarchy for columns of the geography data type.
- E. In Data Category, set the geographic data category for the relevant columns.

Answer: CE

NEW QUESTION 281

- (Topic 4)

You have a Power BI report named ReportA.

You have a Power BI tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot export any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE Each correct selection is worth one point.

- A. From Power BI Desktop, modify the Data Load settings
- B. From the answer BI service modify the Report settings.
- C. From Power BI Desktop modify the Report settings
- D. From the Power BI service, modify the dataset permissions.

Answer: BD

NEW QUESTION 285

DRAG DROP - (Topic 4)

You have a Power BI report that contains five bookmarks.

You need to add an object to the report from which users can navigate between three specific bookmarks.

How should you complete the task? To answer, drag the appropriate actions to the correct steps, each action may be used once more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

- Add a Bookmark button.
- Change the Bookmark property for the button.
- Group the other two bookmarks.
- Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step:

Third step:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Add a Bookmark button.
- Change the Bookmark property for the button.
- Group the other two bookmarks.
- Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step: Change the Bookmark property for the button.

Third step: Group the three bookmarks.

NEW QUESTION 286

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100%	Valid 100%	Valid 100%
	Error 0%	Error 0%	Error 0%
	Empty 0%	Empty 0%	Empty 0%
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.
 Solution: You split the IoT DateTime column into a column named Date and a column named Time.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 291

- (Topic 4)

You plan to develop a Power BI report that has a bar chart to display the number of customers by location. You have a table named Customer that has the following columns:

- Customer ID
- CustomerName
- Address
- City
- ProvState
- Country

You need to allow users to drill down by location. The report will display the number of each customer by Country, and drill down to ProvState, and then to City. How should you configure the drill down in the bar chart?

- A. In the Value field, add Countr
- B. In the Legend field, add ProvState at the top, followed by City.
- C. In the Legend field, add Countr
- D. In the Axis field, add ProvState at the top, followed by City.
- E. In the Axis field, add Country at the top, followed by ProvState, and then City.
- F. In the Value field, add Country at the top, followed by ProvState, and then City.

Answer: C

Explanation:


References:

<https://docs.microsoft.com/en-us/power-bi/guided-learning/visualizations#step-18> <https://docs.microsoft.com/en-us/power-bi/power-bi-visualization-drill-down>

NEW QUESTION 294

- (Topic 4)

You have the visual shown in the exhibit. (Click the Exhibit tab.)



You need to show the relationship between Total Cost and Total Sales over time. What should you do?

- A. Add a play axis.
- B. Add a slicer for the year.
- C. From the Analytics pane, add an Average line.
- D. Create a DAX measure that calculates year-over-year growth.

Answer: A

Explanation:

You can set up a date field in play axis, and then scatter chart will animate how measure values are compared to each other in each point of a time.

Reference:

<https://radacad.com/storytelling-with-power-bi-scatter-chart>

NEW QUESTION 299

HOTSPOT - (Topic 4)

You have a Power BI model that has the following tables:

? Product (Product_id, Product_Name)

? Sales (Order_id, Order_Date, Product_id, Salesperson_id, Sales_Amount)

? Salesperson (Salesperson_id, Salesperson_name, address)

You plan to create the following measure.

Measure1 = DISTINCTCOUNT(Sales[ProductID]) You need to create the following relationships:

? Sales to Product

? Sales to Salesperson

The solution must ensure that you can use Measure1 to display the count of products sold by each salesperson.

How should you configure the relationships? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Cardinality:

▼
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction:

▼
Both
Single

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Cardinality:

▼
Many to One (*:1)
One to Many (1:*)
One to One (1:1)

Cross filter direction:

▼
Both
Single

NEW QUESTION 302

- (Topic 4)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- B. From Power BI Desktop, use the Auto date/time option when creating the reports.
- C. From Power Query, add a date table.
- D. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.
- E. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.

Answer: B

NEW QUESTION 306

HOTSPOT - (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. You need to create a calculated table that will contain the following:

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 307

- (Topic 4)

You import a Power BI dataset that contains the following tables:

- Date
- Product
- Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
- B. Change the data type of UnitCost to Integer.
- C. Remove the relationship between Date and Product Inventory.
- D. Remove MovementDate.

Answer: D

NEW QUESTION 311

- (Topic 4)

You have a Power BI report that contains three pages named Page1, Page2, and Page3. All the pages have the same slicers. You need to ensure that all the filters applied to Page1 apply to Page1 and Page3 only. What should you do?

- A. Sync the slicers on Page1 and Page3
- B. On each page, modify the interactions of the slicer.
- C. Enable visibility of the slicers on Page1 and Page3. Disable visibility of the slicer on Page2.

Answer: A

NEW QUESTION 315

DRAG DROP - (Topic 4)

You have a Microsoft Excel workbook that contains two sheets named Sheet1 and Sheet2. Sheet1 contains the following table named Table1.

Products
abc
def
ghi
jkl
mno

Sheet2 contains the following table named Table2.

Products
abc
xyz
tuv
mno
pqr
stu

You need to use Power Query Editor to combine the products from Table1 and Table2 into the following table that has one column containing no duplicate values.

Products
abc
xyz
tuv
mno
pqr
stu
def
ghi
jkl

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.
- From Power Query Editor, select **Table1**, and then select **Remove duplicates**.
- From Power Query Editor, merge Table1 and Table2.
- From Power Query Editor, remove errors from the table.
- From Power Query Editor, append Table2 to Table1.

Answer Area

➤

➤

➤

➤

➤

⬆

⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.
- From Power Query Editor, select **Table1**, and then select **Remove duplicates**.
- From Power Query Editor, merge Table1 and Table2.
- From Power Query Editor, remove errors from the table.
- From Power Query Editor, append Table2 to Table1.

Answer Area

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

⬆

⬆

NEW QUESTION 317

HOTSPOT - (Topic 4)

You are creating a Power BI model to analyze inventory.

You load data into three tables named Date Product, and Inventory/. The Inventory/ table relates to the Date and Product tables by using one-to-many relationships.


Inventory' data is recorded daily with no exceptions. The correct inventory quantity for a given product in a month is the last recorded value for that month

You need to write a DAX measure that will show the correct inventory value when a user analyzes inventory by year, month, or date.

How should you complete the measure? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 321

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated

goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships:

? Sales[DueDate] and Date[Date]

? Sales[ShipDate] and Date[Date]

? Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax> <https://docs.microsoft.com/en-us/dax/count-function-dax> <https://docs.microsoft.com/en-us/dax/userelationship-function-dax>

NEW QUESTION 326

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You write a DAX expression that uses the FILTER function. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The filter is applied after the data is imported. Instead add a WHERE clause to the SQL statement.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

NEW QUESTION 327

- (Topic 4)

You are creating a Power BI model that contains a table named Store. Store contains the following fields.

You plan to create a map visual that will show store locations and provide the ability to drill down from Country to State/Province to City. What should you do to ensure that the locations are mapped property?

- A. Set the data category of City, State/Province, and Country.
- B. State/Province, and Country.
- C. Set Summarization for City, State/Province, and Country to Don't summarize.
- D. State/Province, and Country to Don't summarize.
- E. Change the data type of City, State/Province, and Country.
- F. State/Province, and Country.
- G. Create a calculated column that concatenates the values of City, State/Province, and Country.

Answer: A

NEW QUESTION 331

FILL IN THE BLANK - (Topic 4)

You need to create a visualization to meet the reporting requirements of the sales managers.

HOW Should create the Visualization? TO answer, select the appropriate options in the answer area.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below:

Indicator:

Trend axis:

Target goals:


NEW QUESTION 335

- (Topic 4)

You have the following table named Location.

GeoCode	CustomerCount
CA	9530
AR	540
MA	2300
SD	1200
PA	340
NC	890

The GeoCode column represents the country where each customer is located. You create a map visualization as shown in the exhibit. (Click the Exhibit tab.)



You need to ensure that the map displays the country locations. What should you do?

- A. Replace the values in the GeoCode column with postal codes or zip codes.
- B. Change the name of the GeoCode column to Country.
- C. Change the name of the Location table to Country.
- D. Change the Default Summarization of the GeoCode column.
- E. Add a Geoportals column to the Location table.
- F. Change the Data Type of the GeoCode column.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-map-tips-and-tricks>

NEW QUESTION 340

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You add a WHERE clause to the SQL statement. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The WHERE clause has its effects before the data is imported.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

NEW QUESTION 344

- (Topic 4)

You have a Power BI report that contains a page. The page contains the following:

- A shape named Shape 1
- A card named Sales Summary
- A clustered bar chart named Sales by Region

You need to ensure that Sales Summary renders on top of Shape 1. What should you modify?

- A. Tab order in the Selection pane
- B. Layer order in the Selection pane
- C. Maintain layer order in the General visual settings
- D. Vertical alignment in the Canvas settings





Answer: B

Explanation:

You use Power Query Editor to preview the data shown in the following exhibit.

You confirm that the data will always start on row 3, and row 3 will always contain the column names.

You use Power Query Editor to preview the data shown in the following exhibit.

	Column1	Column2	Column3	Column4
	<ul style="list-style-type: none"> Valid 82% Error 0% Empty 18%  <p>10 distinct, 9 unique</p>	<ul style="list-style-type: none"> Valid 82% Error 0% Empty 18%  <p>10 distinct, 9 unique</p>	<ul style="list-style-type: none"> Valid 82% Error 0% Empty 18%  <p>10 distinct, 9 unique</p>	<ul style="list-style-type: none"> Valid 82% Error 0% Empty 18%  <p>8 distinct, 5 unique</p>
1				
2				
3	metric_order	metric	actual	goal

NEW QUESTION 346

HOTSPOT - (Topic 4)

You publish a dataset that contains data from an on-premises Microsoft SQL Server database.

The dataset must be refreshed daily.

You need to ensure that the Power BI service can connect to the database and refresh the dataset.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct

Actions

- Add a data source.
- Configure an on-premises data gateway.
- Configure a virtual network data gateway.
- Configure a scheduled refresh.
- Add the dataset owner to the data source.

.....

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure an on-premises data gateway.

Configure a scheduled refresh.

Add a data source.

Add the dataset owner to the data source.

NEW QUESTION 350

HOTSPOT - (Topic 4)

You have a Power BI data model that analyzes product sales over time. The data model contains the following tables.

Table name	Column name	Data type
Product	Product ID	Whole number
	Product Name	Text
	Product Category	Text
Sales	Product ID	Whole number
	Order Date	Date
	Ship Date	Date
	Delivered Date	Date
	Invoice Number	Whole number
	Quantity	Whole number
	Sales Amount	Decimal number

A one-to-many relationship exists between the tables. The auto date/time option for the data model enabled. You need to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter. Which two actions should you perform?

- A.
- B.
- C.
- D.
- E.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: AD

NEW QUESTION 352

.....

Relate Links

100% Pass Your PL-300 Exam with Exam Bible Prep Materials

<https://www.exambible.com/PL-300-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>