

Exam Questions Platform-Developer-I

Platform Developer I

<https://www.2passeasy.com/dumps/Platform-Developer-I/>



NEW QUESTION 1

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

Answer: B

NEW QUESTION 2

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include `<apex:message>` on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the `Database.upsert()` method.

Answer: B

NEW QUESTION 3

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.

```
for(Account a: Trigger.new){
    if(a.AnnualRevenue > 1000000){
        List<Opportunity> oppList = [SELECT Id FROM Opportunity WHERE accountId = :a.Id];
        if(oppList.size() == 0){
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
            loseDate = system.today().addDays(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, it fails with system exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use `Database.query` to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

Answer: CD

NEW QUESTION 4

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Apex Class
- C. User
- D. Apex Trager
- E. Visualforce

Answer: BCD

NEW QUESTION 5

Which three steps allow a custom SVG to be included in a Lightning web component? Choose 3 answers

- A. Upload the SVG as a static resource.
- B. Import the static resource and provide a getter for it in JavaScript.
- C. Reference the getter in the HTML template.
- D. Reference the import in the HTML template.
- E. Import the SVG as a content asset file.

Answer: ABC

NEW QUESTION 6

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

Answer: D

NEW QUESTION 7

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

Answer: CDE

NEW QUESTION 8

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering_Support__c. Users should be able to associate multiple engineering_Support__c records to a single Opportunity record. Additionally, aggregate Information about the Engineering_support__c records should be shown on the Opportunity record. What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering_Support__c to Opportunity.
- B. Master-detail field from Opportunity to Engineering_Support__c
- C. Lookup field from Engineering_support__c to Opportunity
- D. Lookup field from Opportunity to Engineering_Support__c

Answer: A

NEW QUESTION 9

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. Qo The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

Answer: BD

NEW QUESTION 10

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders. What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

Answer: D

NEW QUESTION 10


Cloud kicks has a multi-screen flow its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order number and dates that are retrieved from an external odrer management system in real time and displayed on the screen. What shuold a developer use to satisfy this requirement?

- A. An invocae method
- B. An apex REST class
- C. An outbound message
- D. An Apex Controller

Answer: B

NEW QUESTION 14

A developer created these three Rollup Summary fields in the custom object, Project__c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow

- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 17

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days. Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

Answer: D

NEW QUESTION 18

For which three items can a trace flag be configured? Choose 3 answers

- A. Process Builder
- B. Visualforce
- C. Apex Class
- D. Apex Trigger
- E. User

Answer: CDE

NEW QUESTION 20

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

Answer: ABE

NEW QUESTION 23

The following code snippet is executed by a Lightning web component in an environment with more than 2,000 lead records:

```
@AuraEnabled
public void static updateLeads() {
    for(Lead thisLead : [SELECT Origin__c FROM Lead]){
        thisLead.LeadSource = thisLead.Origin;
        update thisLead;
    }
}
```

Which governor limit will likely be exceeded within the Apex transaction?

- A. Total number of DML statement issued
- B. Total number of SOQL queries issued
- C. Total number of records retrieved by SOQL queries
- D. Total number of records processed as a result of DML statements

Answer: C

NEW QUESTION 26

An org has an existing Flow that creates an Opportunity with an Update Records element. A developer update the Flow to also create a Contact and store the created Contact's ID on the Opportunity. Which update should the developer make in the Flow?

- A. Add a new Get Records element.
- B. Add a new Update Records element.
- C. Add a new Quick Action element(of type Create).
- D. Add a new Create Records element.

Answer: D

NEW QUESTION 28

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The with sharing keyword must be used to enforce sharing rules.
- D. The isAccessible () method must be used for field-level access checks

Answer: A

NEW QUESTION 30

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

Answer: BC

NEW QUESTION 34

Assuming that naze is 8 String obtained by an <apex:inputText> tag on 8 Visualforce page, which two SOQL queries performed are safe from SOQL injection?

Choose 2 answers

- A)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '\''';
List<Account> results = Database.query(query);
```
- B)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '\''';
List<Account> results = Database.query(query);
```
- C)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '\''';
List<Account> results = Database.query(query);
```
- D)
- ```
String query = '\'' + name + '\''';
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: CD

NEW QUESTION 37

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

Answer: AB

NEW QUESTION 40

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

Answer: AC

NEW QUESTION 42

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

Answer: B

NEW QUESTION 43

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 44

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Developer Console
- B. Execute Anonymous
- C. Salesforce CLI
- D. VS Code

Answer: C

NEW QUESTION 46

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Answer: B

NEW QUESTION 47

Which action causes a before trigger to fire by default for Accounts?

- A. Renaming or replacing picklist
- B. Importing data using the Data Loader and the Bulk API
- C. Converting Leads to Contact accounts
- D. Updating addresses using the Mass Address update tool

Answer: B

NEW QUESTION 48

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. `public interface Sortable { void sort(); }` `public interface Drawable { void draw(); }` Which is the correct implementation?

- A. `Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`
- B. `Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`
- C. `Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`
- D. `Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ } public void draw() { /* implementation */ } }`

Answer: C

NEW QUESTION 50

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.ValueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

Answer: B

NEW QUESTION 54

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary__c custom field.

what should the developer use, along with a lightning-record-edit form, so that salary__c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary__C?

- A. <lightning-input-field field-name="Salary__c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary__c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary__c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary__c"></lightning-input-currency>

Answer: A

NEW QUESTION 56

What is the result of the following code?

- A. The record will not be created and a exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

Answer: C

NEW QUESTION 57

A custom object Trainer__c has a lookup field to another custom object Gym__c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym__C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer__c) FROM Gym__c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer__c WHERE Gym__r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym__C WHERE Name = 'Viridian City Gym'

Answer: A

NEW QUESTION 59

What are three considerations when using the @InvocableMethod annotation in Apex? Choose 3 answers

- A. A method using the @InvocableMethod annotation must define a return value.
- B. A method using the @InvocableMethod annotation can have multiple input parameters.
- C. A method using the @InvocableMethod annotation must be declared as static
- D. A method using the @InvocableMethod annotation can be declared as Public or Global.
- E. Only one method using the @InvocableMethod annotation can be defined per Apex class.

Answer: CDE

NEW QUESTION 61

A primaryid__c custom field exists on the candidate__c custom object. The field is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process, Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Create a Process Builder on the Candidate__c object to map the records.
- B. Create a before Insert trigger to correctly map the records.
- C. Update the primaryid__c field definition to mark it as an External Id
- D. Upload the CSV into a custom object related to Candidate__c.

Answer: C

NEW QUESTION 62

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

Answer: AB

NEW QUESTION 66

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use Test.loadData() and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use Test.loadData() and reference a JSON file in Documents.

Answer: B

NEW QUESTION 69

Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 250]){  
    if(thisAccount.Industry == 'Technology'){  
        thisAccount.Is_Tech__c = true;  
    }  
    update thisAccount;  
}
```

which three statements are accurate about debug logs? Choose 3 answers

- A. Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. The maximum size of a debug log is 5 MB.
- C. Only the 20 most recent debug logs for a user are kept.
- D. Debug logs can be set for specific users, classes, and triggers.
- E. System debug logs are retained for 24 hours.

Answer: CDE

NEW QUESTION 73

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates it in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce. Which two actions will prevent the duplicate order records from being created in Salesforce? Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

Answer: AD

NEW QUESTION 77

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which two tools can they use to run a script that deploys to a sandbox? Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

Answer: AB

NEW QUESTION 82

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component. Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

Answer: C

NEW QUESTION 87

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

Answer: C

NEW QUESTION 88

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: D

NEW QUESTION 89

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Answer: ABE

NEW QUESTION 93

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. `@AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /* implementation*/ }`
- B. `@AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /*implementation*/ }`
- C. `@AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /*implementation*/ }`
- D. `@AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /*implementation*/ }`

Answer: A

NEW QUESTION 95

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method? A)

- A) `@AuraEnabled(getAccounts, '$searchTerm')`
`accountList;`
- B) `@wire(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`
- C) `@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`
- D) `@wire(getAccounts, '$searchTerm')`
`accountList;`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 96

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

Answer: D

NEW QUESTION 100

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIS.

Answer: B

NEW QUESTION 101

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

Answer: A

NEW QUESTION 103

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

Answer: B

Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION 106

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: AB

NEW QUESTION 109

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. `$Lightning.createComponent`
- B. `<apex:slds/>`
- C. `$Lightning.useComponent`
- D. `$Lightning.use`
- E. `<apex:includeLightning/>`

Answer: ADE

NEW QUESTION 111

universal Containers (UC) processes orders in Salesforce in a custom object, Order_c. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

'After the status for an Order_c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an @Aura method called from a trigger
- B. Callout from a Satcha class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a Queueable class called from a trigger

Answer: A

NEW QUESTION 112

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone_c custom object.

What should be built to implement this feature?

- A. Account custom trigger
- B. Account approval process
- C. Account assignment rule
- D. Account workflow rule

Answer: A

NEW QUESTION 116

A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to Include helper methods that are not used by the Web Application In the Implementation of the Web Service Class.

Which code segment shows the correct declaration of the class and methods?

A)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global String updateRecords() { /* implementation ... */ }  
}
```

B)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global static String updateRecords() { /* implementation ... */ }  
}
```

C)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

D)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 119

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration chat reads task records is periodically reporting errors.

Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with all or None set to false

Answer: C

NEW QUESTION 123

A developer Is Integrating with a legacy on-premise SQL database.

What should the developer use to ensure the data being Integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

Answer: B

NEW QUESTION 127

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

Answer: AC

NEW QUESTION 129

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?

- A. AppExchange
- B. Salesforce CLI
- C. Visual Studio Core IDE
- D. Developer Console

Answer: D

NEW QUESTION 130

A company has a custom object, Sales, }_Help_Request__c, that has a Lookup relationship to Opportunity. The Seles Help Request__c has a number field, Number_ct_Hours__c, that represents the amount of time spent on the Sales_Help Request__C.

A developer is tasked with creating a field, total_Hour2__c, on Opportunity that should be the sum of all of the Number_of_Hours_c values for the Sales_Help_Request__c records related to that Opportunity.

What should the developer use to implement this?

- A. A roll-up summary field on the sales Help_Request__c object
- B. A trigger on the Opportunity object
- C. A roll-up summary field on the Opportunity object
- D. A record-triggered flow on the Sales Help Request__c object

Answer: B

NEW QUESTION 132

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 133

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

Answer: D

NEW QUESTION 134

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 139

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in 5alesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

Answer: A

NEW QUESTION 140

A developer created a Lightning web component called statusComponent to be inserted into the Account record page.

Which two things should the developer do to make the component available?

- A. Add <isExposed> true</isExposed> to the statusComponent.js-meta ml file.
- B. Add <target> lightning _RecordPage </target> to the statusComponent.js-meta ml file.

- C. Add < masterLabel>Account</master Label> to the statusComponent.js-meta ml file.
- D. Add<target> Lightning_RecordPage </target> to the statusComponent.js file.

Answer: AB

NEW QUESTION 141

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- C. Developer and Developer Pro sandboxes have different storage limits.
- D. Data import wizard is a client application provided by Salesforce.

Answer: CD

NEW QUESTION 142

A developer completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class
What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

Answer: AB

NEW QUESTION 145

A developer wrote Apex code that calls out to an external system. How should a developer write the test to provide test coverage?

- A. Write a class that extends HTTPCalloutMock.
- B. Write a class that implements the HTTPCalloutMock interface.
- C. Write a class that implements the WebserviceMock interface.
- D. Write a class that extends WebserviceMock

Answer: B

NEW QUESTION 150

Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();  
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){  
    thisCase.Status = 'Working';  
    casesToUpdate.add(thisCase);  
}  
try{  
    Database.update(casesToUpdate, false);  
}catch(Exception e){  
    System.debug(e.getMessage());  
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle any DML exceptions thrown.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle exceptions thrown by governor limits.

Answer: C

NEW QUESTION 151

Refer to the following code snippet for an environment has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 150]){  
    if(thisAccount.Industry == 'Technology'){  
        thisAccount.Is_Tech__c = true;  
    }  
    update thisAccount;  
}
```

When the code execution, which two events occur as a result of the Apex transaction? When the code executes, which two events occur as a result of the Apex transaction? Choose 2 answers

- A. If executed in an asynchronous context, the apex transaction is likely to fail by exceeding the DML governor limit
- B. The Apex transaction succeeds regardless of any uncaught exception and all processed accounts are updated.
- C. The Apex transaction fails with the following message
- D. "SObject row was retrieved via SOQL without querying the requested field Account.Is.Tech__c".
- E. If executed In a synchronous context, the apex transaction is likely to fail by exceeding the DML governor limit.

Answer: A

NEW QUESTION 153

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. public interface PaymentProcessor { void pay(Decimal amount); } Which is the correct implementation to use the PaymentProcessor interface class?

- A. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }
- B. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }
- C. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }
- D. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }

Answer: B

NEW QUESTION 154

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Platform-Developer-I Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Platform-Developer-I Product From:

<https://www.2passeasy.com/dumps/Platform-Developer-I/>

Money Back Guarantee

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year