



CyberArk

Exam Questions PAM-SEN

CyberArk Sentry PAM

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

A new domain controller has been added to your domain. You need to ensure the CyberArk infrastructure can use the new domain controller for authentication. Which locations must you update?

- A. on the Vault server in C:\Windows\System32\drivers\etc\hosts and in the PVWAApplication under Administration > LDAP Integration > Directories > Hosts
- B. on both the Vault and the PVWA servers in C:\Windows\System32\drivers\etc\hosts
- C. in the Private Ark client under Tools > Administrative Tools > Directory Mapping
- D. on the Vault server in the certificate store and on the PVWA server in the certificate store

Answer: A

NEW QUESTION 2

Which component must be installed before the first CPM installation?

- A. PTA
- B. PSM
- C. PVWA
- D. EPM

Answer: A

NEW QUESTION 3

The PrivateArk clients allows a user to view the contents of the vault like a filesystem.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 4

Which components can connect to a satellite Vault in a distributed Vault architecture?

- A. CPM, EPM, PTA
- B. PVWA, PSM
- C. CPM, PVWA, PSM
- D. CPM, PSM

Answer: B

NEW QUESTION 5

You are successfully managing passwords in the alpha.cyberark.com domain; however, when you attempt to manage a password in the beta.cyberark.com domain, you receive the 'network path not found' error. What should you check first?

- A. That the username and password are correct
- B. That the CPM can successfully resolve addresses in the beta.cyberark.com domain
- C. That the end user has the correct permissions on the safe.
- D. That an appropriate trust relationship exists between alpha.cyberark.com and betacyberark.com

Answer: B

NEW QUESTION 6

A customer wants to store PSM recordings for 100 days and estimates they will have 10 Windows sessions per day for 100 minutes each. What is the minimum storage required for the Vault and PAReplicate for the PSM recordings?

- A. 25 GB Most Voted
- B. 250 GB
- C. 500 GB
- D. 5 GB

Answer: B

NEW QUESTION 7

A customer has three data centers distributed globally and wants highly-available PSM connections in each segmented zone. In addition, the customer needs a highly-available PSM connection for the CyberArk Admins. What will best satisfy this customer's needs?

- A. one PSM per zone with a load balancer and two PSMs for Admins with a load balancer
- B. six PSMs in the mam data center with a load balancer and one PSM for Admins
- C. two PSMs per zone with a load balancer and two PSMs for Admins with a dedicated load balancer
- D. three PSMs per zone with CyberArk built-in load balancing

Answer: C

NEW QUESTION 8

To enable LDAP over SSL for a Vault when DNS lookups are blocked, which step must be completed?

- A. Add the FQDN & IP details for each LDAP host into the local hosts file of the Vault serve
- B. Most Voted
- C. Configure an AllowNonStandardFWAddresses rule in DBParm.ini on the Vault to allow outbound TCP 53 to the organization's DNS servers.
- D. Ensure LDAP hosts added to the directory mapping configuration are defined using only IP addresses.
- E. Set the ReferralsDNSLookup parameter value to "No" in the directory configuration.

Answer: A

NEW QUESTION 9

A stand alone Vault server requires DNS services to operate properly.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 10

Which parameter must be provided when registering a primary Vault in Azure, but not in Amazon Web Services?

- A. /RecPub
- B. /AdminPass
- C. /MasterPass
- D. /RDPGateway

Answer: D

NEW QUESTION 10

What is the default username for the PSM for SSH maintenance user when InstallCyberarkSSHD is set to yes?

- A. proxymng
- B. psm_p_maintenance
- C. psmmaintenanceuser
- D. psm_p_mnguser

Answer: A

NEW QUESTION 13

You are designing the number of PVWAs a customer must deploy. The customer has three data centers with a distributed Vault in each, requires high availability, and wants to use all Vaults at all times.

How many PVWAs does the customer need?

- A. six or more
- B. four
- C. two or less
- D. three

Answer: A

NEW QUESTION 14

Which user is enabled when replicating data between active and stand-by Vaults?

- A. DR
- B. Backup
- C. Operator
- D. Auditor

Answer: A

NEW QUESTION 17

You are installing multiple PVWAs behind a load balancer.

Which statement is correct?

- A. Port 1858 must be opened between the load balancer and the PVWAs.
- B. The load balancer must be configured in DNS round robin.
- C. The load balancer must support "sticky sessions".
- D. The LoadBalancerClientAddressHeader parameter in the PVWA.ini file must be set.

Answer: C

NEW QUESTION 19

What must you do to synchronize a new Vault server with an organization's NTP server?

- A. Configure an AllowNonStandardFWAddresses rule for the organization's NTP server in DBParm.ini on the Vault server.
- B. Use the Windows Firewall console to configure a rule on the Vault server which allows communication with the organization's NTP server.
- C. Ensure the organization's NTP server is installed in the same location as the Vault server requiring synchronization.
- D. Update the AutoSyncExternalObjects configuration in DBParm.ini on the Vault server to schedule regular synchronization.

Answer: A

NEW QUESTION 23

What is a requirement for setting fault tolerance for PSMs?

- A. Use a load balancer
- B. Use a backup solution
- C. CPM must be in all data centers
- D. Install the Vault in an HA cluster

Answer: C

NEW QUESTION 28

You are beginning the post-install process after a manual PSM installation is completed. What must you do?

- A. Disable screen saver for the PSM local users.
- B. Create a new group called PSMSHadowUsers.
- C. Reset the PSMAdminConnect user password.
- D. Enable load balancing on the PSM server.

Answer: A

NEW QUESTION 30

What is determined by the "MaxConcurrentConnections" setting within a platform?

- A. maximum number of concurrent connections that can be opened between the CPM and the remote machines for the platform
- B. maximum number of concurrent connections that can be between the PSM and the remote machines for the platform
- C. maximum number of concurrent connections allowed for a specific account on the platform through the PSM
- D. maximum number of concurrent connections to the Vault allowed for sending audit activities relating to the platform

Answer: A

NEW QUESTION 33

The RemoteApp feature of PSM allows seamless Application windows (i.e. the Desktop of the PSM server will not be visible)

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 34

A customer asked you to help scope the company's PSM deployment. What should be included in the scoping conversation?

- A. Recordings file path
- B. Recordings codec
- C. Recordings retention period
- D. Recordings file type

Answer: C

NEW QUESTION 39

In which file must the attribute 'SignAuthnRequest="true"' be added to the PartnerIdentityProvider element to support signed SAML requests?

- A. saml.config
- B. samlconfig.ini
- C. PVWAConfig.xml
- D. PVConfiguration.xml

Answer: C

NEW QUESTION 44

A customer has two data centers and requires a single PVWA url.

Which deployment provides the fastest time to reach the PVWA and the most redundancy?

- A. Deploy two PVWAs behind a global traffic manager.
- B. Deploy one PVWA only.
- C. Deploy two PVWAs in an active/standby mode.
- D. Deploy two PVWAs using DNS round robin.

Answer: A

NEW QUESTION 49

Which method can be used to directly authenticate users to PSM for SSH? (Choose three.)

- A. CyberArk authentication Most Voted
- B. LDAP authentication Most Voted
- C. RADIUS authentication Most Voted
- D. Windows authentication
- E. SAML authentication
- F. OpenID Connect (OIDC) authentication

Answer: ABC

NEW QUESTION 54

When SAML authentication is used to sign in to the PVWA, which service performs the actual authentication?

- A. Active Directory (AD)
- B. Identity Provider (IdP) Most Voted
- C. Service Provider (SP)
- D. CyberArk Password Vault Web Access (PVWA)

Answer: B

NEW QUESTION 58

In large-scale environments, it is important to enable the CPM to focus its search operations on specific Safes instead of scanning all Safes it sees in the Vault. How is this accomplished?

- A. Administration Options > CPM Settings
- B. AllowedSafe Parameter on each platform policy
- C. MaxConcurrentConnection parameter on each platform policy
- D. Administration > Options > CPM Scanner

Answer: B

NEW QUESTION 59

When performing "In Domain" hardening of a PSM server, which steps must be performed? (Choose two.)

- A. Import CyberArk policy settings from the provided file into a new GP
- B. Most Voted
- C. Apply advanced audit on the PSM server.
- D. Link GPO to a dedicated OU containing CyberArk PSM server
- E. Most Voted
- F. Import an INF file to the local machine.
- G. Configure AppLocker rules to block running unknown executables.

Answer: AC

NEW QUESTION 60

In which configuration file do you add LoadBalancerClientAddressHeader when you enable x-forwarding on the PVWA loadbalancer?

- A. PVconfiguration.xml
- B. web.config
- C. apigw.ini
- D. CyberArkScheduledTasks.exe.config

Answer: B

NEW QUESTION 61

The connect button requires PSM to work.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 63

The primary purpose of the CPM is Password Management.

- A. TRUE
- B. FALSE

Answer: A

Explanation:

Reference: https://www.cse-cst.gc.ca/en/system/files/pdf_documents/cyberark-v91-sec-eng.pdf (7)

NEW QUESTION 64

Your customer wants to store the Safes Data on Vault Drive D instead of Drive C. Which file should you edit?

- A. TSparm.ini Most Voted
- B. Vault.ini
- C. DBparm.ini
- D. user.ini

Answer: A

NEW QUESTION 69

You are setting up a Linux host to act as an HTML 5 gateway for PSM sessions.

Which servers need to be trusted by the Linux host to secure communications through the gateway?

- A. PSM and PVWA
- B. PSM and CPM
- C. PVWA and Vault
- D. Vault and PSM

Answer: A

NEW QUESTION 74

You are installing PSM for SSH with AD-Bridge and CyberArkSSHD mode set to integrated for your customer.

Which additional packages do you need to install to meet the customer's needs? (Choose two.)

- A. CARKpsmp-infra
- B. libssh
- C. OpenSSH 7.8 or higher
- D. CARKpsmp-ADBridge
- E. CARKpsmp-SSHD

Answer: AB

NEW QUESTION 77

To apply a new license file you must:

- A. Upload the license.xml file to the System Safe
- B. Upload the license.xml file to the VaultInternal Safe.
- C. Upload the license.xml file to the System Safe and restart the PrivateArk Server service.
- D. Upload the license.xml file to the VaultInternal Safe and restart the PrivateArk Server service.

Answer: A

Explanation:

Reference: https://www.reddit.com/r/CyberArk/comments/9bjkvd/unable_to_retrieve_licensexml_from_system_safe/

NEW QUESTION 80

What is a prerequisite step before installing the Vault on Windows 2019?

- A. Configure the Kerberos authentication method on the default IIS Application pool
- B. Check that the server IP address is correctly configured and that it is static
- C. In the Network Connection properties, configure Preferred DNS Servers
- D. Install Microsoft Windows patch KB4014998

Answer: B

NEW QUESTION 84

Which file would you modify to configure the vault to send SNMP traps to your monitoring solution?

- A. dbparm ini
- B. paragent.ini
- C. ENEConf.ini I
- D. padr ini

Answer: B

NEW QUESTION 85

The security of the Vault Server is entirely dependent on the security of the network.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 86

Which authentication methods does PSM for SSH support?

- A. CyberArk password LDAP, RADIUS, SAML
- B. LDAP, Windows Authentication, SSH keys
- C. RADIUS, Oracle SSO, CyberArk Password
- D. CyberArk Password, LDAP, RADIUS

Answer: D

NEW QUESTION 90

HTML5 Gateway can be installed on which supported UNIX OS versions? (Choose two.)

- A. Red Hat Enterprise Linux 7.x
- B. CentOS 7.x
- C. Ubuntu 20.x
- D. AK 7.x
- E. Android 11.x

Answer: AB

NEW QUESTION 94

If a transparent user matches two different directory mappings, how does the system determine which user template to use?

- A. The system will use the template for the mapping listed first.
- B. The system will use the template for the mapping listed last.
- C. The system will grant all of the vault authorizations from the two templates.
- D. The system will grant only the vault authorizations that are listed in both templates

Answer: A

NEW QUESTION 96

All 80 employees from your satellite Tokyo office are complaining that browsing the PVWA site is very slow; however, your New York headquarters users are not experiencing this. The current PAM solution is:

2 distributed Vaults, the primary one in New York and a satellite in Tokyo 2 PVWA servers, both in New York with load balancing configured

2 PSM servers, both in New York without load balancing configured 1 CPM server in New York

All PVWA, PSM, and CPM servers are connected to the primary Vault

Which proposal optimally resolves the performance issue while minimizing the impact to production?

- A. Install two new PVWA servers in Tokyo data center, configure load balancing, connect to the local satellite Vault and provide the URL of new PVWA servers to the local employees.
- B. Install two new PVWA servers in New York data center, configure load balancing and have them connect to the satellite Vault in Tokyo.
- C. Install two new PSM servers in the Tokyo data center, configure load balancing, connect to the local satellite vault, and inform the local employees to browse using the same PVWA URL.
- D. Change the current distributed Vaults architecture, migrate back to a Primary-DR architecture, install two new PVWA servers in the Tokyo data center and configure load balancing
- E. Connect to the local DR Vault and provide the URL of new PVWA servers to the local employees.

Answer: A

NEW QUESTION 97

Which statements are correct about the PSM HTML5 gateway? (Choose two.)

- A. Smart card redirection is supported
- B. It does not support connections to target system where NLA is enabled on the PSM server
- C. SSH sessions cannot be established
- D. Printer redirection cannot be enabled
- E. It does not support session recording capabilities for applications that run outside a web browser

Answer: BD

NEW QUESTION 100

You are configuring SNMP remote monitoring for your organization's Vault servers.

In the PARAgent.ini, which parameter specifies the destination of the Vault SNMP traps?

- A. SNMPHostIP Most Voted
- B. SNMPTrapPort
- C. SNMPCommunity
- D. SNMPVersion

Answer: A

NEW QUESTION 105

What would be a good use case for a High Availability vault?

- A. Recovery Time Objectives or Recovery Point Objectives are at or near zero.
- B. Integration with an Enterprise Backup Solution is required.

- C. Off site replication is required
- D. PSM is used.

Answer: A

NEW QUESTION 109

Which file would you modify to configure your Vault Server to forward Activity Logs to a SIEM or SYSLOG server?

- A. dbparm.ini
- B. PARagent.ini
- C. ENEConf.ini
- D. padr.ini

Answer: C

NEW QUESTION 112

When a DR vault server becomes an active vault, it will automatically fail back to the original state once the primary vault comes back online.

- A. True, this is the default behavior
- B. False, this is not possible
- C. True, if the 'AllowFailback' setting is set to yes in the PADR.ini file.
- D. True if the 'AllowFailback' setting is set to yes in the dbparm mi file

Answer: C

NEW QUESTION 115

Which of the following protocols need to be installed on a standalone vault server? Check all that apply.

- A. Client for Microsoft Networks
- B. QoS Packet Scheduler
- C. File and Printer Sharing for Microsoft Networks
- D. Internet Protocol version 4 (TCP/IPv4)
- E. NIC Teaming Driver, if applicable

Answer: ABCD

NEW QUESTION 119

Which of the following are secure options for storing the contents of the Operator CD, while still allowing the contents to be accessible upon a planned Vault restart? Choose all that apply

- A. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.
- B. Copy the contents of the CD to the System Safe on the vault
- C. Copy the contents of the CD to a folder on the vault server and secure it with NTFS permissions.
- D. Store the server key in a Hardware Security Module.
- E. Store the server key in the Provider cache

Answer: CD

NEW QUESTION 121

What utility is used to create or update a credential file?

- A. CreateCredFile.exe
- B. CAVaultManager.exe
- C. Central Policy Manager
- D. Password Vault Web Access

Answer: A

Explanation:

Reference: <https://edoc.site/pas-install-and-configuration-pdf-free.html>

NEW QUESTION 124

A first PSM server has been installed.

What should you confirm before installing any additional PSM servers?

- A. The PSM ID of the first installed PSM server was changed and the additional PSM server can use the same PSM ID.
- B. The user performing the installation is a direct owner in the PSMUnmanagedSessionAccounts Safe, PSM safe and member of PVWAMonitor group.
- C. The user performing the installation is not a direct owner in the PSMUnmanagedSessionAccounts Saf
- D. Most Voted
- E. The path of the Recordings Folder must be different on all PSM installations.

Answer: C

NEW QUESTION 129

What is the recommended method to determine if a PVWA is unavailable and should be disabled in a load balancing pool?

- A. Monitor Port 443 on the PVWA server
- B. Monitor Port 1858 on the PVWA server
- C. Ping the PVWA server
- D. Monitor Port 3389 on the PVWA server

Answer: B

NEW QUESTION 130

After installing the Vault, you need to allow Firewall Access for Windows Time service to sync with NTP servers 10.1.1.1 and 10.2.2.2. What should you do?

- A. Edit DBParm.ini to add: AllowNonStandardFWAddresses=[10.1.1.1,10.2.2.2],Yes,123:outbound/ud
- B. Most Voted
- C. Edit DBParm.ini to add: NTPServer=[10.1.1.1:123/UDP,10.2.2.2:123/UDP].
- D. Edit DBParm.ini to add: AllowNonStandardFWAddresses=[10.1.1.1,10.2.2.2],Yes,123:outbound/udp,123:inbound/udp.
- E. Edit the Windows Firewall configuration to add a rule for Port 123/udp outbound to 10.1.1.1 and 10.2.2.2.

Answer: D

NEW QUESTION 134

In addition to disabling Windows services or features not needed for PVWA operations, which tasks does PVWA_Hardening.ps1 perform when run? (Choose two.)

- A. performs IIS hardening
- B. configures all group policy settings
- C. renames the local Administrator Account
- D. configures Windows Firewall
- E. imports the CyberArk INF configuration

Answer: AD

NEW QUESTION 137

After installing the first PSM server and before installing additional PSM servers, you must ensure the user performing the installation is not a direct owner of which safe?

- A. PSMUnmanagedSessionAccounts Safe
- B. PSMRecordingsSessionAccounts Safe
- C. PSMUnmanagedApplicationAccounts Safe
- D. PSMSessionBackupAccounts Safe

Answer: A

NEW QUESTION 138

What is the purpose of the PSM health check hardening?

- A. Remove IIS settings which can be considered security vulnerabilities.
- B. Validate that the PSM is ready to be placed behind a load balancer.
- C. Confirm that the Windows Services for PSM are running on the server.
- D. Ensure that the AppLocker script does not have any syntax errors.

Answer: A

NEW QUESTION 139

What is a step to enable NTP synchronization on a stand-alone Vault?

- A. Run Powershell and add the NTP module.
- B. Restart the organization's NTP servers.
- C. Edit dbparm.ini and add a Firewall rule for the NTP address.
- D. Restart the Vault Event Notification Engine service.

Answer: C

NEW QUESTION 142

What is required before the first CPM can be installed?

- A. The environment must have at least one Vault and one PVWA installed.
- B. The Vault environment must have at least one account stored in a safe.
- C. Custom platforms must be downloaded from the CyberArk Marketplace.
- D. The PSM component must be installed and proper functionality validated.

Answer: A

NEW QUESTION 143

You want to add an additional maintenance user on the PSM for SSH. How can you accomplish this if InstallCyberarkSSHD is set to Integrated?

- A. Create a local user and add it to the PSMMaintenance Group.

- B. Create a local user called proxymng.
- C. Create a local user and add it to group configured for the parameter AllowGroups in the/etc/sshd_config file
- D. Create a local user, called psmpmng.

Answer: C

NEW QUESTION 147

What authentication methods can be implemented to enforce Two-Factor Authentication (2FA) for users authenticating to CyberArk using both the PVWA (through the browser) and the PrivateArk Client?

- A. LDAP and RADIUS Most Voted
- B. CyberArk and RADIUS
- C. SAML and Cyber Ark
- D. SAML and RADIUS

Answer: A

NEW QUESTION 150

The Remote Desktop Services role must be property licensed by Microsoft.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 151

Which statement is correct about CPM behavior in a distributed Vault environment?

- A. CPMs should only access the primary Vault
- B. When it is unavailable, CPM cannot access any Vault until another Vault is promoted as the new primary Vault.
- C. CPMs should access only the satellite Vaults.
- D. CPMs should only access the primary Vault
- E. When it is unavailable, CPM cannot access any Vault until the original primary Vault is operational again.
- F. CPM should access all Vaults - primary and the satellite.

Answer: A

NEW QUESTION 154

Which components support load balancing? (Choose two.)

- A. CPM
- B. PVWA
- C. PSM
- D. PTA
- E. EPV

Answer: BC

NEW QUESTION 159

There is a requirement for a password to change between 01:00 and 03:00 on Saturdays and Sundays; however, this does not work consistently. Which platform setting may be the cause?

- A. The Interval setting for the platform is incorrect and must be less than 120.
- B. The ImmediateInterval setting for the platform is incorrect and must be greater than or equal to 1.
- C. The DaysToRun setting for the platform is incorrect and must be set to Sat,Sun.
- D. The HeadStartInterval setting for the platform is incorrect and must be set to 0.

Answer: AD

NEW QUESTION 162

What is a prerequisite step before CyberArk can be configured to support RADIUS authentication?

- A. Log on to the PrivateArk Client, display the User properties of the user to configure, run the Authentication method drop-down list, and select RADIUS authentication.
- B. In the RADIUS server, define the CyberArk Vault as a RADIUS client/agen
- C. Most Voted
- D. In the Vault installation folder, run CAVaultManager as administrator with the SecureSecretFiles command.
- E. Navigate to /Server/Conf and open DBParm.ini and set the RadiusServersInfo parameter.

Answer: B

NEW QUESTION 165

.....

Relate Links

100% Pass Your PAM-SEN Exam with Exambible Prep Materials

<https://www.exambible.com/PAM-SEN-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>