

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

<https://www.2passeasy.com/dumps/AZ-700/>



NEW QUESTION 1

- (Exam Topic 3)

You plan to deploy an Azure virtual network. You need to design the subnets.

Which three types of resources require a dedicated subnet? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. VPN gateway
- B. Azure Bastion
- C. Azure Active Directory Domain Services (Azure AD DS)
- D. Azure Application Gateway v2
- E. Azure Private Link

Answer: ABD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services>

NEW QUESTION 2

- (Exam Topic 1)

You need to implement outbound connectivity for VMSSet1. The solution must meet the virtual networking requirements and the business requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a health probe

Create a public load balancer in the Standard SKU

Create a public load balancer in the Basic SKU

Create a backend pool that contains VMSSet1

Create a NAT rule

Create an outbound rule

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/skus>

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-outbound-connections#outboundrules>

NEW QUESTION 3

- (Exam Topic 1)

You need to implement name resolution for the cloud.litwareinc.com. The solution must meet the networking requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To implement automatic DNS name registration in cloud.litwareinc.com:

Create virtual network links

Configure conditional forwarding

Create an SOA record in cloud.litwareinc.com

To implement name resolution of the cloud.litwareinc.com DNS records from the on-premises locations:

Enable the Azure Firewall DNS proxy

Create SRV records in cloud.litwareinc.com

Deploy an Azure virtual machine configured as a DNS server to Vnet1

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/dns/private-dns-autoregistration>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

NEW QUESTION 4

- (Exam Topic 1)

You need to recommend a configuration for the ExpressRoute connection from the Boston datacenter. The solution must meet the hybrid networking requirements and business requirements.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Set the ExpressRoute gateway type to:

▼
High Performance (ERGw2AZ)
Standard Performance (ERGw1AZ)
Ultra Performance (ERGw3AZ)

To minimize latency of traffic to Vnet2:

▼
Create a dedicated ExpressRoute circuit for Vnet2
Connect Vnet2 directly to the ExpressRoute circuit
Configure gateway transit for the peering between Vnet1 and Vnet2

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

For the first question, only ExpressRoute GW SKU Ultra Performance support FastPath feature.

For the second question, vnet1 will connect to ExpressRoute gw, once Vnet1 peers with Vnet2, the traffic from on-premise network will bypass GW and Vnet1, directly goes to Vnet2, while this feature is under public preview.

====Reference

ExpressRoute virtual network gateway is designed to exchange network routes and route network traffic. FastPath is designed to improve the data path performance between your on-premises network and your virtual network. When enabled, FastPath sends network traffic directly to virtual machines in the virtual network, bypassing the gateway.

To configure FastPath, the virtual network gateway must be either: Ultra Performance

ErGw3AZ

VNet Peering - FastPath will send traffic directly to any VM deployed in a virtual network peered to the one connected to ExpressRoute, bypassing the ExpressRoute virtual network gateway.

<https://docs.microsoft.com/en-us/azure/expressroute/about-fastpath> Gateway SKU

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-about-virtual-network-gateways>

NEW QUESTION 5

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

* An Azure App Service app named App1

* An Azure DNS zone named contoso.com

* An Azure private DNS zone named private.contoso.com

* A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

A. app1.privatelink.azurewebsites.net

B. app1.contoso.com

C. app1.contoso.onmicrosoft.com

D. app1.private.contoso.com

Answer: A

NEW QUESTION 6

- (Exam Topic 3)

You have two Azure App Service instances that host the web apps shown the following table.

Name	Web app URLs
As1.contoso.com	https://app1.contoso.com/ https://app2.contoso.com/
As2.contoso.com	https://app3.contoso.com/ https://app4.contoso.com/

You deploy an Azure application gateway that has one public frontend IP address and two backend pools.

You need to publish all the web apps to the application gateway. Requests must be routed based on the HTTP host headers.

What is the minimum number of listeners and routing rules you should configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Listeners:

Routing rules:

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

1, 2

NEW QUESTION 7

- (Exam Topic 3)

You have the network security groups (NSGs) shown in the following table.

Name	Resource	Prefix
NSG1	Subnet1	10.10.0.0/24
NSG2	Subnet2	10.10.1.0/24

In NSG1, you create inbound rules as shown in the following table.

Source	Priority	Port	Action
*	101	80	Allow
*	150	443	Allow
Virtual network	200	*	Deny

You have the Azure virtual machines shown in the following table.

Name	Subnet
VM1	Subnet1
VM2	Subnet1
VM3	Subnet2

NSG2 has only the default rules configured.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	☐	☐
VM1 and VM2 can connect on port 9090.	☐	☐
VM1 can connect to VM3 on port 9090.	☐	☐

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	☒	☐
VM1 and VM2 can connect on port 9090.	☒	☐
VM1 can connect to VM3 on port 9090.	☐	☒

NEW QUESTION 8

- (Exam Topic 3)

You have an Azure virtual network named Vnet1.

You need to ensure that the virtual machines in Vnet1 can access only the Azure SQL resources in the East US Azure region. The virtual machines must be prevented from accessing any Azure Storage resources.

Which two outbound network security group (NSG) rules should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an allow rule that has the IP address range of Vnet1 as the source and destination of Sql.EastUS
- B. a deny rule that has a source of VirtualNetwork and a destination of Sql
- C. a deny rule that has a source of VirtualNetwork and a destination of 168.63.129.0/24
- D. a deny rule that has the IP address range of Vnet1 as the source and destination of Storage

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/service-tags-overview>

NEW QUESTION 9

- (Exam Topic 3)

You are planning the IP addressing for the subnets in Azure virtual networks. Which type of resource requires IP addresses in the subnets?

- A. Azure Virtual Network NAT
- B. virtual network peering
- C. service endpoints
- D. private endpoints

Answer: A

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption.

You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal>

<https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

NEW QUESTION 10

- (Exam Topic 3)

You have five virtual machines that run Windows Server. Each virtual machine hosts a different web app. You plan to use an Azure application gateway to provide access to each web app by using a hostname of

www.contoso.com and a different URL path for each web app, for example: <https://www.contoso.com/app1>.

You need to control the flow of traffic based on the URL path. What should you configure?

- A. rules
- B. rewrites
- C. HTTP settings
- D. listeners

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/url-route-overview>

NEW QUESTION 12

- (Exam Topic 3)

Your company has an on-premises network and three Azure subscriptions named Subscription1, Subscription2, and Subscription3.

The departments at the company use the Azure subscriptions as shown in the following table.

Department	Subscription
IT	Subscription1
Research	Subscription1
Development	Subscription2
Testing	Subscription2
Distribution	Subscription3

All the resources in the subscriptions are in either the West US Azure region or the West US 2 Azure region. You plan to connect all the subscriptions to the on-premises network by using ExpressRoute.

What is the minimum number of ExpressRoute circuits required?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-introduction>

NEW QUESTION 14

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

Answer: A

NEW QUESTION 17

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-04-02T18:13:45:00:00",
  "resourceId": "/SUBSCRIPTIONS/489f2hht-seTy-987v-q571-463hw3679512/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\*pm AppleWebKit Android\\*' against '\\*REQUEST_HEADER:User-Agent\\*' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1243"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "f7546159y1hjk7wall4568if5131t68h7",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You add a rewrite rule for the host header.

Does this meet the goal?

- A. Yes
- B. No

Answer: B


Explanation:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url#limitations>

NEW QUESTION 20

- (Exam Topic 3)

You have the network topology shown in the Topology exhibit. (Click the Topology tab.)



You have the Azure firewall shown in the Firewall 1 exhibit. (Click the Firewall tab.)

All services | Firewalls

Firewall1

Firewall

Delete Lock

Visit Azure Firewall Manager to configure and manage this firewall. →

Essentials

Resource group (change)	Firewall sku
RG2	Standard
Location	Firewall subnet
North Europe	AzureFirewallSubnet
Subscription (change)	Firewall public IP
Visual Studio Premium with MSDN	Firewall1-IP1
Subscription ID	Firewall private IP
8372f433-2dcd-4361-b5ef-5b168fed87d0	10.100.253.4
Virtual network	Management subnet
Vnet1	
Firewall policy	Management public IP
FirewallPolicy	
Provisioning state	Private IP Ranges
Succeeded	Managed by Firewall Policy
Tags (change)	
Click here to add tags	

JSON View

You have the route table shown in the RouteTable1 exhibit. (Click the RouteTable1 tab.)

All services | Route tables

RouteTable1

Route table

Move Delete Refresh Give feedback

Essentials

Resource group (change)	Associations
RG1	1 subnet associations
Location	
North Europe	
Subscription (change)	
Visual Studio Premium with MSDN	
Subscription ID	
8372f433-2dcd-4361-b5ef-5b168fed87d0	
Tags (change)	
Click here to add tags	

Routes

Name	Address prefix	Next hop type	Next hop IP address
Route1	10.1.0.0/16	virtual network gateway	
Route2	0.0.0.0/0	Virtual appliance	10.100.253.4

Subnets

Name	Address range	Virtual network	Security group
Subnet1	10.100.1.0/24	Vnet1	

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The resources in Subnet1 can connect to the internet through Firewall1.	☐	☐
The resources in Subnet1 can connect to the resources in Vnet2.	☐	☐
The resources in Subnet2 can connect to the internet through Firewall1.	☐	☐

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The resources in Subnet1 can connect to the internet through Firewall1.	☒	☐
The resources in Subnet1 can connect to the resources in Vnet2.	☒	☐
The resources in Subnet2 can connect to the internet through Firewall1.	☒	☐

NEW QUESTION 21

- (Exam Topic 3)

You have a hybrid environment that uses ExpressRoute to connect an on-premises network and Azure.

You need to log the uptime and the latency of the connection periodically by using an Azure virtual machine and an on-premises virtual machine.

What should you use?

- A. Azure Monitor
 B. IP flow verify
 C. Connection Monitor
 D. Azure Internet Analyzer

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/connection-monitor>

NEW QUESTION 26

- (Exam Topic 3)

You have an Azure subscription that contains the public IPv4 addresses shown in the following table.

Name	SKU	IP address assignment	Location
IP1	Basic	Static	West US
IP2	Basic	Dynamic	West US
IP3	Standard	Static	West US
IP4	Basic	Static	West US 2
IP5	Standard	Static	West US

You plan to create a load balancer named LB1 that will have the following settings:

- * Name: LB1
 * Location: West US
 * Type: Public
 * SKU: Standard

Which public IPv4 addresses can be used by LB1?

- A. IP1 and IP3 only
 B. IP3 only
 C. IP3 and IP5 only
 D. IP2only

- E. IP1, IP2, IP3, IP4, and IP5
- F. IP1, IP3, IP4, and 1P5 only

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-public-ip-address>


This is because "Load balancer and the public IP address SKU must match when you use them with public IP addresses" <https://docs.microsoft.com/en-us/azure/load-balancer/skus>

Standard SKU Load Balancer routes traffic within and across regions, and to Availability Zones for high resiliency.

NEW QUESTION 27

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.



You have virtual network peering between Vnet1 and Vnet2. You have virtual network peering between Vnet4 and Vnet5. The virtual network peering is configured as shown in the following table.

Virtual network	Traffic to remote virtual network	Use remote gateway	Allow gateway transit
Vnet1	Allow	None	Enabled
Vnet2	Allow	Enabled	None
Vnet4	Allow	None	Enabled
Vnet5	Block	Enabled	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM1 and VM4 can communicate.	☐	☐
VM2 and VM4 can communicate.	☐	☐
VM1 and VM5 can communicate.	☐	☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes

No

VM1 and VM4 can communicate.

☒
☐

VM2 and VM4 can communicate.

☐
☒

VM1 and VM5 can communicate.

☐
☒

NEW QUESTION 31

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.

Vnet1 connects to an on-premises datacenter by using ExpressRoute.

You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
- B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
- C. Modify the DNS server settings of Vnet1.
- D. For FW1, enable DNS proxy.
- E. For FW1, configure a custom DNS server.

Answer: AD

Explanation:

Reference:

https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-dns#on-premises-workloads-using-a-dns-fo https://azure.microsoft.com/en-gb/blog/new-enhanced-dns-features-in-azure-firewall-now-generally-available/

NEW QUESTION 35

- (Exam Topic 3)

You have an Azure virtual network that contains two subnets named Subnet1 and Subnet2. Subnet1 contains a virtual machine named VM1. Subnet2 contains a virtual machine named VM2.

You have two network security groups (NSGs) named NSG1 and NSG2. NSG1 has 100 inbound security rules and is associated to VM1. NSG2 has 200 inbound security rules and is associated to Subnet1.

VM2 cannot connect to VM1.

You suspect that an NSG rule blocks connectivity.

You need to identify which rule blocks the connection. The issue must be resolved as quickly as possible. Which Azure Network Watcher feature should you use?

- A. Effective security rules
- B. Connection troubleshoot
- C. NSG diagnostic
- D. NSG flow logs

Answer: C

NEW QUESTION 39

- (Exam Topic 3)


You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.

You build the website on Web1.

You plan to configure ContosoFD1 to publish the website for testing.

When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.



You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net
- B. a CNAME record that maps www.contoso.com to Web1.contoso.com
- C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
- D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain#map-the-temporary-afdverify-subd>

NEW QUESTION 43

- (Exam Topic 3)

Your company has an Azure virtual network named Vnet1 that uses an IP address space of 192.168.0.0/20. Vnet1 contains a subnet named Subnet1 that uses an IP address space of 192.168.0.0/24.

You create an IPv6 address range to Vnet1 by using a CIDR suffix of /48.

You need to enable the virtual machines on Subnet1 to communicate with each other by using IPv6 addresses assigned by the company. The solution must minimize the number of additional IPv4 addresses.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Create an IPv6 subnet that uses a CIDR suffix of:

	▼
/20	
/24	
/48	
/64	

For each virtual machine, create an additional:

	▼
IP configuration	
NIC	
Public IPv6 address	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

:

Add IPv6 configuration to NIC. "Configure all of the VM NICs with an IPv6 address using Add-AzNetworkInterfaceIpConfig"

Source: <https://docs.microsoft.com/en-us/azure/load-balancer/ipv6-add-to-existing-vnet-powershell>

NEW QUESTION 44

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 46

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-700 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-700 Product From:

<https://www.2passeasy.com/dumps/AZ-700/>

Money Back Guarantee

AZ-700 Practice Exam Features:

- * AZ-700 Questions and Answers Updated Frequently
- * AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year