

## Exam Questions 70-778

Analyzing and Visualizing Data with Microsoft Power BI (beta)

<https://www.2passeasy.com/dumps/70-778/>



#### NEW QUESTION 1

You have a sales report in an app workspace. The report displays a map of sales by location and a bar chart of sales by year. The report has a slicer to filter the data by year.

You need to create a dashboard that contains visualizations. The solution must ensure that you can use the slicer to filter the data by year.

What should you do?

- A. Pin each visualization to the dashboard, and then add a web content tile.
- B. Add a page level filter, and then pin each visualization to the dashboard.
- C. Publish the app workspace.
- D. Pin the report as a live page.

**Answer:** D

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-dashboard-pin-live-tile-from-report>

#### NEW QUESTION 2

You create a report in the Power BI service that displays the following visualizations:

- A KPI that displays the count of customers
- A table that displays the count of customers by country
- A line chart that displays the count of customers by year

You need to receive an alert when the total number of customers reaches 10,000. What should you do first?

- A. Pin the line chart to a dashboard.
- B. Pin the KPI to a dashboard.
- C. Embed the report into a Microsoft SharePoint page.
- D. Pin the report to a dashboard.

**Answer:** D

#### NEW QUESTION 3

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Replace Errors. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-shape-and-combine-data>

#### NEW QUESTION 4

You have a Power BI dashboard that displays different visualizations of company sales. You enable Q&A on the dashboard.

You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

**Answer:** C

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

#### NEW QUESTION 5

You have a Microsoft SharePoint Online site named Sales.

Your company has 1,000 sales users. All the sales users can access Sales.

You create a report in an app workspace in the Power BI service. You embed the report into a page on the Sales site by using the Power BI web part.

You need to ensure that all the sales can view the report from the Sales site. What should you do?

- A. Configure the app workspace for Premium capacity.
- B. Enable anonymous access for the Sales site.
- C. Configure the Portal Site Connection for the Sales site.
- D. Disable the Embed content in apps setting from the Tenant settings in Power BI.

**Answer:** A

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

### NEW QUESTION 6

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)

<div>dimGeography</div> <div>[GeographyKey] [City] [StateProvinceCode] [StateProvinceName] [CountryRegionCode] [EnglishCountryRegionName] [PostalCode] [SalesTerritoryKey] [IpAddressLocator]</div>	<div>Sales</div> <div>[ProductKey] [OrderDateKey] [DueDateKey] [ShipDateKey] [CustomerKey] [PromotionKey] [CurrencyKey] [SalesTerritoryKey] [SalesOrderNumber] [SalesOrderLineNumber] [OrderQuantity] [UnitPrice] [ExtendedAmount] [UnitPriceDiscountPct] [DiscountAmount] ProductStandardCost [TotalProductCost] [SalesAmount] [TaxAmt] [Freight] [OrderDate] [DueDate] [ShipDate]</div>	<div>dimProduct</div> <div>[ProductKey] [ProductSubcategoryKey] [EnglishProductName] [Color] [ListPrice] [Size] [StartDate] [EndDate] [Status]</div>
<div>dimCustomer</div> <div>[CustomerKey] [GeographyKey] [DisplayName] [MaritalStatus] [Gender] [YearlyIncome]</div>		<div>dimProductSubcategory</div> <div>[ProductSubcategoryKey] [ProductSubcategoryAlternateKey] [EnglishProductSubcategoryName] [SpanishProductSubcategoryName] [FrenchProductSubcategoryName] [ProductCategoryKey]</div>
		<div>dimProductCategory</div> <div>[ProductCategoryKey] [ProductCategoryAlternateKey] [EnglishProductCategoryName] [SpanishProductCategoryName] [FrenchProductCategoryName]</div>

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)





You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario.  
You implement the Power BI model.

You plan to add a table named Date to the model. The table will have columns for the date, year, month, and end of the last month, and will include data from January 1, 2013 to December 31, 2015.

The Date table and the Sales table will have a relationship. Which DAX functions should you use to create the columns?

- A. CALENDARAUTO, YEAR, MONTH, and EOMONTH
- B. CALENDAR, YEAR, MONTH, and ENDOFMONTH
- C. CALENDARAUTO, YEAR, MONTH, and ENDOFMONTH
- D. CALENDAR, YEAR, MONTH, and EOMONTH

**Answer:** D

**Explanation:**

References:

<https://msdn.microsoft.com/en-us/query-bi/dax/calendar-function-dax> <https://msdn.microsoft.com/en-us/query-bi/dax/year-function-dax>

<https://msdn.microsoft.com/en-us/query-bi/dax/month-function-dax> <https://msdn.microsoft.com/en-us/query-bi/dax/eomonth-function-dax>

#### NEW QUESTION 7

You have an app workspace that contains a dashboard and four reports. All the reports are generated from a single dataset that contains sales data for your company.

The reports display the data configured as shown in the following table.

Report name	Data displayed	Data characteristic
Sales Data1	Sales from the start of 2013 to the end of 2015	The company was owned by another company named Contoso, Ltd. from 2013 to 2015
Sales Data2	Sales from the start of 2011 to the end of 2016	The company changed the line of products sold frequently from 2011 to 2016
Sales Data3	Sales from the start of 2016 to the end of 2017	The company hired new management that started in 2016
Sales Data4	Sales from the start of 2011 to the end of 2014	The company was being sued by a competitor from 2011 to 2014

You need to ensure that the users of the reports can locate the correct report by using natural language queries. What should you do?

- A. From the properties of the dataset, create four Featured Q&A Questions.
- B. From the Format settings of the reports, modify the Page Information.
- C. From the properties of the dataset, modify the Q&A and Cortana settings.
- D. From the properties of the workspace, modify the Language Settings.

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

**NEW QUESTION 8**

You have a Power BI app named App1. The privacy for the App1 workspace is set to Private.

A user named User1 reports that App1 does not appear in the My organization AppSource. App1 appears in the My organization AppSource for your account.

You need to ensure that User sees App1 from the My organization AppSource. What should you do?

- A. From the app workspace, click Update app, configure the Content settings, and then click Update app.
- B. From the app workspace settings, add a member.
- C. From the app workspace, click Update app, configure the Access setting, and then click Update app.
- D. From the app workspace, share the dashboard.

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/power-bi/service-organizational-content-pack-introduction#what-is-appsource>

**NEW QUESTION 9**

A data analyst publishes several Power BI visualizations to a blog.

You discover that some of the visualizations contain data that is considered private by your company. You need to prevent the visualizations from being published to the blog.

What should you do?

- A. From the Power BI Admin portal, disable the Publish to web setting.
- B. From the Power BI settings, delete the embedded codes.
- C. From the Power BI Admin portal, disable the Share content with external users setting.
- D. From the dashboard settings, modify the Share dashboard settings.

**Answer:** A

**Explanation:**

References: <https://docs.microsoft.com/en-us/power-bi/service-publish-to-web>

**NEW QUESTION 10**

You have a Power BI model for sales data. You create a measure to calculate the year-to-date sales.

You need to compare the year-to-date sales with the previous year for the same time period. Which DAX function should you use?

- A. LASTDATE
- B. TOTALYTFD
- C. SAMEPERIODOOLASTYEAR
- D. PREVIOUSYEAR

**Answer:** C

**NEW QUESTION 10**

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
  - Date[Date\_ID] in the ddmmmyyyy format
  - Date[Date\_name] in the mm/dd/yyyy format
  - Monthly\_returns[Month\_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly\_returns table on the StoreID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data. End of repeated scenario.

You are modeling the data in Power BI.

You need to import only a sample of the data from the Order table.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. In the Power BI model, create a calculated table.
- B. From Query Editor, create a custom column that uses a custom column formula.
- C. From Query Editor, add a select statement that uses a where clause to the source definition.
- D. From Query Editor, create a column by using Column From Examples.
- E. From Query Editor, filter the table by Order\_date.

**Answer: C**

### NEW QUESTION 13

You have a service published to a website.

When you connect to the website, you receive the following data.



```
<service xmlns="http://www.w3.org/2007/app"
  xmlns:atom="http://www.w3.org/2005/Atom"
  xml:base="http://data.northwindtraders.com/Northwind/Northwind.svc/">
  <workspace>
    <atom:title>Default</atom:title>
    <collection href="Categories">
      <atom:title>Categories</atom:title>
    </collection>
    <collection href="Customers">
      <atom: title>Customers</atom:title>
    </collection>
    <collection href="Order_Details">
      <atom:title>Order_Details</atom:title>
    </collection>
  </workspace>
</service>
```

You need to create a query that retrieves the Categories data and the Customers data. Which type of source should you use?

- A. JSON
- B. Text/CSV
- C. OData Feed
- D. XML

**Answer:** D

#### NEW QUESTION 15

You need to create a dashboard in the Power BI service to display data from a PubNub source. What should you do?

- A. Add a Microsoft SQL Server Analysis Services (SSAS) data source that uses Connect live and create a repor
- B. Pin the report to a dashboard.
- C. Create an app workspace and publish the workspace to a dashboard.
- D. Add a Microsoft Azure SQL database data source that uses DirectQuery and create a repor
- E. Pin the report to a dashboard.
- F. Add a custom streaming data tile to a dashboard.

**Answer:** D


#### Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming#set-up-your-real-time-streaming-dataset->

#### NEW QUESTION 20

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

## Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

Customers  
 Insurance  
 Insurance Data  
 Sale

The dashboard uses a dataset named [answer choice].

Customers  
 Insurance  
 Insurance Data  
 Sale

- A. Mastered
- B. Not Mastered

Answer: A

### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

### NEW QUESTION 21

You have a Power Pivot model that includes a KPI.

You need to create a visualization based on the Power Pivot model as shown in the exhibit. (Click the Exhibit button.)



Year	Month	RevenueTY	RevenueTY Goal	RevenueTY Status
2013	August	\$4,689,121	\$4,521,528	●
	September	\$5,284,376	\$5,455,457	●
	October	\$5,962,371	\$6,418,957	●
	November	\$5,532,316	\$5,770,254	●
	December	\$6,714,041	\$6,771,982	●
2014	January	\$6,748,259	\$6,924,711	●
	February	\$6,999,557	\$7,328,599	●
	March	\$8,938,044	\$8,196,823	●
	April	\$8,518,611	\$8,142,711	●
	May	\$7,982,229	\$7,817,442	●
	June	\$9,183,416	\$9,227,351	●
	July	\$7,451,696	\$7,593,963	●
	August	\$8,068,372	\$7,791,851	●
	September	\$7,669,263	\$7,919,924	●
	October	\$7,813,739	\$7,592,288	●
	November	\$10,322...	\$9,857,259	●

Which type of visualization should you use?

- A. matrix
- B. KPI
- C. multi row card
- D. table

**Answer:** B

#### NEW QUESTION 23

You embed a Power BI report in a Microsoft SharePoint Online page.

A user name User1 can access the SharePoint Online page, but the Power BI web part displays the following error message: "This content isn't available".

User1 is unable to view the report.

You verify that you can access the SharePoint Online page and that the Power BI report displays as expected. You need to ensure that User1 can view the report from SharePoint Online.

What should you do?

- A. Publish the app workspace.
- B. Edit the settings of the Power BI web part.
- C. Modify the members of the app workplace.
- D. Share the dashboards in the app workspace.

**Answer:** C

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-embed-report-spo>

#### NEW QUESTION 25

From Power BI Desktop, you create a query that imports the following table.

City
UK-London
France-Paris
Spain-Madrid
Canada-Montreal

You need to configure the table to appear as shown in the following table.

City
London
Paris
Madrid
Montreal

What should you do?

- A. From the Extract menu, click Last Characters.
- B. From the Extract menu, click Text After Delimiter.
- C. From the Format menu, click Trim.
- D. From the Split Column menu, click BY Delimiter.

**Answer:** B

**Explanation:**

References: <https://msdn.microsoft.com/en-us/library/mt798301.aspx>

#### NEW QUESTION 29

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)

dimGeography
[GeographyKey]
[City]
[StateProvinceCode]
[StateProvinceName]
[CountryRegionCode]
[EnglishCountryRegionName]
[PostalCode]
[SalesTerritoryKey]
[IpAddressLocator]

dimCustomer
[CustomerKey]
[GeographyKey]
[DisplayName]
[MaritalStatus]
[Gender]
[YearlyIncome]

Sales
[ProductKey]
[OrderDateKey]
[DueDateKey]
[ShipDateKey]
[CustomerKey]
[PromotionKey]
[CurrencyKey]
[SalesTerritoryKey]
[SalesOrderNumber]
[SalesOrderLineNumber]
[OrderQuantity]
[UnitPrice]
[ExtendedAmount]
[UnitPriceDiscountPct]
[DiscountAmount]
ProductStandardCost]
[TotalProductCost]
[SalesAmount]
[TaxAmt]
[Freight]
[OrderDate]
[DueDate]
[ShipDate]


dimProduct
[ProductKey]
[ProductSubcategoryKey]
[EnglishProductName]
[Color]
[ListPrice]
[Size]
[StartDate]
[EndDate]
[Status]

dimProductSubcategory
[ProductSubcategoryKey]
[ProductSubcategoryAlternateKey]
[EnglishProductSubcategoryName]
[SpanishProductSubcategoryName]
[FrenchProductSubcategoryName]
[ProductCategoryKey]

dimProductCategory
[ProductCategoryKey]
[ProductCategoryAlternateKey]
[EnglishProductCategoryName]
[SpanishProductCategoryName]
[FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)





You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario.

You are implementing the Power BI model.

You need to edit the Product Category query to match the desired Power BI model.

How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
Table.Combine	let
Table.RemoveColumns	Source = Sql.Database("localhost"),
Table.RemoveRows	DB1 = Source([Name="DB1"])[Data],
Table.RenameColumns	dbo_DimProductCategory = DB1[Schema="dbo",Item="DimProductCategory"][Data],
Table.ReorderColumns	#"Var1" = (dbo_DimProductCategory, ("ProductCategoryAlternateKey",
Table.SelectColumns	"SpanishProductCategoryName", "FrenchProductCategoryName"))
	#"Var2" = (#"Var1", {"EnglishProductCategoryName", "Category"})
	in
	#"Var2"

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Box 1: Table.RemoveColumns

Box 2: Table.RenameColumns References:

<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

### NEW QUESTION 33

You have a Microsoft SQL Server Analysis Services (SSAS) cube that contains historical data. In Power BI Desktop, you have the following query for the cube.



```
let
    Source = AnalysisServices.Database("msi", "Test", [TypedMeasureColumns=true]),
    Model1 = Source{[Id="Model"]}[Data],
    Model2 = Model1{[Id="Model"]}[Data],
    #"Added Items" = Cube.Transform(Model2,
        {
            ...
        }),
    #"Changed Type" = Table.TransformColumnTypes(#"Added Items",{{"FactInternetSales.CarrierTrackingNumber", Int64.Type}}),
    #"Removed Duplicates" = Table.Distinct(#"Changed Type", {"FactInternetSales.CarrierTrackingNumber"}),
    #"Changed Type1" = Table.TransformColumnTypes(#"Removed Duplicates", {{"FactInternetSales.CustomerPONumber", Int64.Type}})
in
    #"Changed Type1"
```

The query retrieves 25,499 records.

When you check the data warehouse that is the source of the cube, you discover that there are 26,423 records. You need to ensure that the query retrieves all 26,423 records.

What should you do?

- A. From Query Editor, refresh all the data.
- B. Change the query to use Live connection mode.
- C. Delete the Remove Duplicates step.
- D. Add an Unpivot Columns step.

**Answer: C**

#### NEW QUESTION 36

You manage a Power BI model has a table named Sales and product.

You need to ensure that a sales team can view only data that has a CountryRegionName value of United States and a ProductCategory value of Clothing.

What should you do from Power BI Desktop?

- A. From Power BI Desktop, create a new role that has the following filter.[countryRegionName]= "United States" && [ProductCategory]= "Clothing"
- B. Add the following filters in Query Editor.CountryRegionName is United StatesProductCategory is Clothing
- C. From Power BI Desktop, create a new role that has the following filters.[CountryRegionName]= "United States"
- D. Add the following filters to a report.CountryRegionName is United SatesProductCategory is Clothing

**Answer: D**

#### Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/power-bi-how-to-report-filter>

#### NEW QUESTION 41

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



## Database Diagram

dimGeography
[GeographyKey]
[City]
[StateProvinceCode]
[StateProvinceName]
[CountryRegionCode]
[EnglishCountryRegionName]
[PostalCode]
[SalesTerritoryKey]
[IpAddressLocator]

dimCustomer
[CustomerKey]
[GeographyKey]
[Display Name]
[MaritalStatus]
[Gender]
[YearlyIncome]


Sales
[ProductKey]
[OrderDateKey]
[DueDateKey]
[ShipDateKey]
[CustomerKey]
[PromotionKey]
[CurrencyKey]
[SalesTerritoryKey]
[SalesOrderNumber]
[SalesOrderLineNumber]
[OrderQuantity]
[UnitPrice]
[ExtendedAmount]
[UnitPriceDiscountpct]
[DiscountAmount]
[ProductStandardCost]
[TotalProductCost]
[SalesAmount]
[TaxAmt]
[Freight]
[OrderDate]
[DueDate]
[ShipDate]

dimProduct
[ProductKey]
[ProductsSubcategoryKey]
[EnglishProductName]
[Color]
[ListPrice]
[Size]
[StartDate]
[EndDate]
[Status]

dimProductSubcategory
[ProductSubcategoryKey]
[ProductSubcategoryAlternateKey]
[EnglishProductSubcategoryName]
[SpanishProductSubcategoryName]
[FrenchProductSubcategoryName]
[ProductCategoryKey]

dimProductCategory
[ProductCategoryKey]
[ProductCategoryAlternateKey]
[EnglishProductCategoryName]
[SpanishProductCategoryName]
[FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You add another table named Territory to the model. A sample of the data is shown in the following table.



Territory Key	Territory Name
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table.  
 Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct
- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

**Answer:** B

**Explanation:**

References: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>

#### NEW QUESTION 45

You plan to create a report in Power BI Desktop. You have the following tables.

Table name	Column name
Sales	OrderID
	Product
	ProductCategory
	ProductSubCategory
	OrderDate
	SalesAmount
Date	DateID
	Date
	Year
	Month
	Week
	Day

You have a measure that uses the following DAX formula. Total Sales = SUM('Sales'[SalesAmount])

You plan to create a report to display TotalSales by ProductCategory and ProductSubCategory. You need to create a measure to calculate the percentage of TotalSales for each ProductCategory.

How should you complete the DAX formula? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Values

ALL

ALLEXCEPT

ALLSELECTED

CALCULATE

DIVIDE

Product

ProductCategory

ProductSubcategory

Answer Area

Measure1 = 

Value

 ([TotalSales], CALCULATE ([TotalSales],  

Value

 (Sales[ 

Value

 ],Sales[ 

Value

 ])))

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

References:

<https://support.office.com/en-us/article/when-to-use-calculated-columns-and-calculated-fields-ca18d63a-5b6d-4>

NEW QUESTION 46


Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a user named User1. User1 is a member of a security group named Contoso PowerB1. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace. Solution: From the Power BI Admin portal, you modify the Tenant settings.

- A. Yes  
B. No

Answer: B

NEW QUESTION 47

You open the Power BI Admin portal as shown in the following graphic.



All the app workspaces use the customer's capacity. Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

## Answer Area

You can scale up the customers capacity by changing the [answer choice].

▼

pricing tier from the Azure portal

settings of the workspace

subscription from the Office 365 admin center

Tenant settings from the Power BI Admin portal

When designing a custom application that embeds reports from the customers capacity, the developer [answer choice].

▼

can use both the user owns data model and the app owns data model

must use the app owns data model

must use the user owns data model

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:  
<https://docs.microsoft.com/en-us/azure/power-bi-embedded/scale-capacity> <https://docs.microsoft.com/en-us/power-bi/developer/embed-sample-for-customers>

NEW QUESTION 49

You have the following tables.

Table name	Column name
Sales	SalesOrderID
	SalesDate
	OrderQty
	UnitPrice
	SalesAmount
	CustomerID
Customers	CustomerID
	CustomerName
	Phone
	Email

You need to create a new table that displays the top 10 customers by the total of SalesAmount.  
 How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Top Customers=

▼

(SUM(Sales[Profit]),

CALCULATE

FILTER

TOPN

RANKX

▼

(10, Customer, SUM(Sales[Profit]))

CALCULATE

RANKX


TOPN

VALUES

- A. Mastered  
 B. Not Mastered

Answer: A

Explanation:



## NEW QUESTION 52

You have the datasets shown in the following graphic.

Dashboards Reports Workbooks Datasets					Showing 3 item(s)	Name (A-Z)
NAME	ACTIONS	LAST REFRESH	NEXT REFRESH	API ACCESS		
Dataset1	   	1/24/2018, 2:32:12 PM	N/A	Streaming		
Dataset1	   	1/24/2018, 2:32:12 PM	N/A	Hybrid		

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Note: Each selection is worth one point.

When designing a dashboard that uses Dataset1, you can use [answer choice].

When designing a dashboard that uses Dataset2, you can use [answer choice].

- A. Mastered  
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming>

<http://radacad.com/integrate-power-bi-into-your-application-part-6-real-time-streaming-and-push-data>

## NEW QUESTION 55

You are configuring the relationships between the following tables.



Table name	Column name
InsurancePolicy	PolicyID
	AccountID
	Policy_cost
	Date
Account	AccountID
	AccountName
BridgeAccount	AccountID
	CustomerID
Customer	CustomerID
	CustomerName

A customer can have multiple accounts. An account can only be associated to one customer. Each account is associated to only one insurance policy. You need to configure the relationships between the tables to ensure that you can create a report displaying customers and their associated insurance policies. How should you configure each relationship? To answer, drag the appropriate cardinalities to the correct relationships. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
 NOTE: Each correct selection is worth one point.

### Cardinalities

### Answer Area

Many-to-one

One-to-many

One-to-one

Relationship from InsurancePolicy to Account:

Relationship from Account to BridgeAccount:

Relationship from Customer to BridgeAccount:

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

#### NEW QUESTION 56

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.  
 You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
  - Date[Date\_ID] in the ddmmyyyy format
  - Date[Date\_name] in the mm/dd/yyyy format
  - Monthly\_returns[Month\_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly\_returns table on the Store\_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Monthly\_returns table and Date[Date\_ID]. What should you do before you create the relationship?

- In the Date table, create a new calculated column named MonthJD that uses the yyyydd format.
- In the Monthly\_returns table, create a new calculated column named DateJD that uses the ddmmyyyy format.
- To the Order table, add a calculated column that uses the RELATED(Monthly\_returns[Month\_ID]) DAX formula.
- To the Date table, add a calculated column that uses the RE LATE D(Monthly\_ret urns [MonthJD]) DAX formula.

**Answer: B**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

**NEW QUESTION 57**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 70-778 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 70-778 Product From:

<https://www.2passeasy.com/dumps/70-778/>

## Money Back Guarantee

### 70-778 Practice Exam Features:

- \* 70-778 Questions and Answers Updated Frequently
- \* 70-778 Practice Questions Verified by Expert Senior Certified Staff
- \* 70-778 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 70-778 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year