

## 70-537 Dumps

# Configuring and Operating a Hybrid Cloud with Microsoft Azure Stack Exam

<https://www.certleader.com/70-537-dumps.html>



**NEW QUESTION 1**

You have an Azure Stack integrated system that uses a Microsoft Azure Active Directory (Azure AD) domain named contoso.com as the identity provider. The system has a tenant subscription that contains several resources.

In contoso.com, you create a new user named User1.

User 1 reports that when signed in to the Azure Stack user portal, no resources are displayed. You need to ensure that User1 can view the resources on the portal.

Solution: On the tenant Subscription, you assign the Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:** A user needs at least the reader role to be able to view resources in a tenant subscription.

**NEW QUESTION 2**

You have an Azure Stack integrated system that uses a Microsoft Azure Active Directory (Azure AD) domain named contoso.com as the identity provider. The system has a tenant subscription that contains several resources.

In contoso.com, you create a new user named User1.

User 1 reports that when signed in to the Azure Stack user portal, no resources are displayed. You need to ensure that User1 can view the resources on the portal.

Solution: On the Default Provider Subscription, you assign a role to User1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:** There are two portals in Azure Stack; the administrator portal and the user portal (sometimes referred to as the tenant portal.)

The Default Provider Subscription is the administrator portal. The user needs to be assigned a role in the tenant (user) subscription, not the Default Provider (admin) subscription.

References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-manage-portals>

**NEW QUESTION 3**

You have an Azure Stack integrated system that uses a Microsoft Azure Active Directory (Azure AD) domain named contoso.com as the identity provider. The system has a tenant subscription that contains several resources.

In contoso.com, you create a new user named User1.

User 1 reports that when signed in to the Azure Stack user portal, no resources are displayed. You need to ensure that User1 can view the resources on the portal.

Solution: On the Default Provider Subscription, you add User1 to an Azure AD group and assign a role to the group.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 4**

You have two Azure Stack integrated systems named Stack1 and Stack2.

You create an Azure Resource Manager template that successfully deploys to Stack1. You attempt to deploy the template to Stack2, but the deployment fails.

What is a possible cause of the deployment failure?

- A. The template was created by using Microsoft Visual Studio Code.
- B. The template was deployed to Stack2 by using Microsoft Visual Studio.
- C. Stack 1 has Azure Marketplace syndication enabled and Stack2 has Azure Marketplace syndication disabled.
- D. The API version used in the template is a later version than the API version available on Stack2.

**Answer:** D

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stack-considerations#version-requirements>

**NEW QUESTION 5**

You have an Azure Stack integrated system.

From an administrator workstation, you plan to publish a Marketplace item that is based on a custom Azure Resource Manager template.

You download the template. Which files must be available before you can publish the Marketplace item by using the Marketplace Toolkit?

- A. the Azurestack-Tools GitHub repository and Manifest.json
- B. a thumbnail image, icon files, and AzureGalleryPackager.exe
- C. Manifest.json and AzureGalleryPackager.exe
- D. the AzureRM.Bootstrapper module, icon files, and the Azurestack-Tools GitHub repository

**Answer:** C

**NEW QUESTION 6**

You plan to create a Linux virtual machine on an Azure Stack integrated system.  
You download an Ubuntu Server image.  
Which authentication method can use to access the Linux virtual machine by using SSH?

- A. a service principal
- B. Microsoft Hello for Business
- C. a password
- D. OAuth

**Answer:** C

#### NEW QUESTION 7

HOTSPOT

You have an Azure Stack integrated system that uses a namespace of fabrikam.onnnicrosoft.com. A company named

**Answer:**

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-enable-multitenancy>

#### NEW QUESTION 8

DRAG DROP

You have an Azure Stack integrated system that uses a Microsoft Azure Active Directory (Azure AD) tenant named fabrikam.com as the identity provider.  
You need to onboard contoso.com as a guest directory tenant.  
Which action should each role perform? To answer, drag the appropriate actions to the correct roles. Each action may be used once, more than once or not at all.  
NOTE: Each correct selection is worth one point.

Actions	Answer area
Run Register-AzGuestDirectoryTenant against http://adminmanagement.fabrikam.com.	The Azure Stack cloud operator:
Run Register-AzGuestDirectoryTenant against http://management.fabrikam.com.	
Run Register-AzSWithMyDirectoryTenant against http://adminmanagement.fabrikam.com.	The global administrator of contoso.com:
Run Register-AzSWithMyDirectoryTenant against http://management.fabrikam.com.	

**Answer:**

**Explanation:** <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-enable-multitenancy>

#### NEW QUESTION 9

You have an Azure Stack integrated system that has a SQL Server resource provider. You have an Azure Resource Manager template named Template1. You need to validate whether Template1 can be deployed to the system. Which cmdlet should you run before you run Test-AzureRMTemplate?

- A. Get-AzureDeployment
- B. Get-AzsResourceProviderManifest
- C. Get-RmsTemplates
- D. Get-AzureRMCloudCapability

**Answer:** D

**Explanation:** <https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stack-validate-templates>

#### NEW QUESTION 10

Your company has a Microsoft Azure subscription that contains that tenants configured as shown in the following table.

Tenant name	IP address range	Internal namespace	Number of virtual machines	Number of virtual networks
Tenant 1	192.168.1.0/24	Contoso.com	24	5
Tenant 2	192.168.1.0/24	Contoso.com	30	4

You plan to recreate both tenants in an Azure Stack integrated system. The tenants will be configured to use the DNS service provided by Azure Stack.  
Which tenant configuration should you modify to ensure that the tenants can be deployed to Azure Stack?

- A. the number of virtual machines
- B. the number of virtual workers

- C. the internal namespace
- D. the IP address range

**Answer:** A

#### NEW QUESTION 10

You implement an Azure Stack integrated system.

You receive the following service Fabric warning alert: "The infrastructure role FabricResourceProvider is experiencing issues."

You contact Microsoft support and are instructed to modify the configuration of the Azure Stack integrated system.

You successfully modify the configuration. You need to restart the Azure Stack integrated system. What should you do first?

- A. Connect to the Azure Resource Manager administrative endpoint.
- B. Connect to the privileged endpoint.
- C. From the Azure Stack administrator portal, stop the infrastructure role.
- D. From the Azure Stack administrator portal, restart the infrastructure role.

**Answer:** D

#### NEW QUESTION 12

You implement an Azure Stack integrated system.

You need to identify the lowest amount of file share usage that will trigger a file capacity alert. Which amount should you identify?

- A. 70%
- B. 80%
- C. 90%
- D. 95%

**Answer:** C

#### NEW QUESTION 14

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You discovered that the developers of Dev have been testing the application on prod. You need to remove all the resource on prod consumed by Dev developers. Which cmdlet should you run?

- A. Remove-AztenantSubscription
- B. remove-AzsSubscription
- C. Remove-AzsLocation
- D. Remove-Azsoffer

**Answer:** A

#### NEW QUESTION 15

HOTSPOT

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You need to add a custom Windows Server 2016 image to the Marketplace on Dev. Which command should you run?



## Answer Area

	▼	-publisher "Microsoft" -offer "Windows"		▼
Add-AzsGalleryItem			-CreateGalleryItem true	
New-AzsServer2016VMImage			-informationAction inquire	
New-AzsVMImage			-version 1.0.0	

**Answer:**

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-add-vm-image#add-a-vm-image-to-marketplace-by-using-powershell>

### NEW QUESTION 20

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You plan to replace Offer 1 with a new offer named Offer3.

You need to prevent tenants and cloud operators from creating new subscriptions to Offer 1. Tenants already subscribed to Offer 1 must be able to continue using the subscriptions from Offer1.

What should you do?

- A. Redeploy Offer 1 to a new resource group.
- B. Delete Offer 1
- C. Mark Offer1 as Private
- D. Decommission Offer1.

**Answer: D**

**Explanation:** Offers can be:

Public: Visible to users.

Private: Only visible to cloud administrators. Useful while drafting the plan or offer, or if the cloud administrator wants to create each subscription for users.

Decommissioned: Closed to new subscribers. The cloud administrator can use decommissioned to prevent future subscriptions, but leave current subscribers untouched.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-create-offer>

### NEW QUESTION 23

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace

on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You need to recommend a backup strategy for Prod.

Which two technologies should you include in the recommendation?

- A. AzCopy
- B. a blob snapshot
- C. a virtual machine checkpoint

D. Microsoft Azure Backup

**Answer:** AD

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/backup/backup-mabs-files-applications-azure-stack>

#### NEW QUESTION 26

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location. The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You need to ensure that the team that supports the developers can perform Azure Stack operator tasks on Dev. The solution must minimize the amount of administrative effort required to manage the administrative rights.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. From the Azure Stack administrator portal, configure the Default Provider Subscription.
- B. In contoso.com, modify the group membership of the development users.
- C. From the Azure Stack administrator portal, create a new subscription.
- D. From PowerShell, run the New-CloudAdminUser cmdlet.
- E. From the Azure Stack administrator portal, create a new resource group.

**Answer:** ABD

#### NEW QUESTION 28

You deploy an Azure Stack integrated system. The system contains several tenants that use infrastructure as a service (IaaS) virtual machines. You need to recommend a solution to ensure that if a datacenter fails, you can start the virtual machines as quickly as possible. What should you include in the recommendation?

- A. Microsoft Azure Backup
- B. Microsoft Azure Site Recovery
- C. blob snapshots
- D. file-snapshot backups

**Answer:** B

#### NEW QUESTION 29

You have an Azure Stack Development Kit deployment.

You receive a Storage Resource Provider alert indicating that a file share named SUI\_ObjStore\_4 on a volume named ObjStore\_4 is more than 80 percent utilized.

You verify that none of the storage accounts were recently deleted. You need to remediate the alert as quickly as possible.

Which two actions should you perform?

- A. From the Azure Stack administrator portal, restart the infrastructure role.
- B. From the Azure Stack Resource Manager user endpoint, run Start-AzsReclaimStorageCapacity.
- C. From the Azure Stack Resource Manager administrator endpoint, migrate a container from the SUI\_ObjStore\_4 file share to a file share on a different volume.
- D. From the Azure Stack user portal, delete a storage account.
- E. From the Azure stack administrator portal modify the retention period.

**Answer:** AB


#### NEW QUESTION 31

HOTSPOT

You need to retrieve the system logs and the event logs from only the hosts in an Azure Stack integrated system.

Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

# Answer Area



**Answer:**

**Explanation:** References:  
<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-diagnostics>

## NEW QUESTION 36

You have an Azure Stack integrated system.  
You receive a storage alert that a tenant share is at 80 percent capacity. There are multiple container in the tenant share.  
You verify that there are no delete storage accounts.  
You need to increase the amount of space available on the tenant share. Which cmdlet Should run?

- A. start-AzsStorageContainerMigration
- B. Set-AzsStorageQuota
- C. Remove-AzsStorageQuota
- D. Start-AzsReclaimStoragecapacity

**Answer:** B

## NEW QUESTION 39


You have an Azure Stack integrated system that hosts several tenants. You delete a storage account that uses a large amount of data.  
You discover that the storage account continues to use disk space on the system.  
You need to ensure that the disk space is available to the tenants as quickly as possible. What should you do first?

- A. From the Azure Stack administrator portal, set Retention period for deleted storage accounts (days) to 0.
- B. From the Azure Stack administrator portal, click Reclaim space.
- C. From PowerShell, run the out-Default cmdlet.
- D. From PowerShell, migrate the blob containers in the storage account to a new share.

**Answer:** A

## NEW QUESTION 43

**HOTSPOT**  
You implement a MySQL resource provider on an Azure Stack integrated system. You install a new server named Server1 that hosts MySQL.  
You need to add Server1 as a hosting server to the resource provider.  
Which MySQL privileges should you assign to the account used to access Server1? To answer, select the appropriate options in the answer area.





**Answer:**

**Explanation:** Database: create, drop  
Login: create, set, drop, grant, revoke

#### NEW QUESTION 46

You have an Azure Stack integrated system that uses Microsoft Azure Active Directory (Azure AD) for authentication. You download and extract the Azure App Service files.

You need to configure the system to support the deployment of Node.js applications and Azure functions. What should you do before you configure the resource provider?

- A. Install certificate
- B. Register a service principa
- C. Deploy and configure a Microsoft SQL serve
- D. Create a relying party trust.
- E. Install certificate
- F. Deploy and configure a file serve
- G. Deploy and configure a Microsoft SQL serve
- H. Create an Azure AD application.
- I. Install certificate
- J. Register a service principa
- K. Deploy and configure a file serve
- L. Create a relying party in.
- M. Register a service principa
- N. Deploy and configure a file serve
- O. Implement and configure a MySQL resource provide
- P. Configure the Azure functions.

**Answer: B**

**Explanation:** Incorrect Answers:

A, C: App Service on Azure Stack does not require a service principal or a relying party trust, but does require Microsoft SQL server for the App Service databases.

D: App Service on Azure Stack requires certificates and Microsoft SQL server for the App Service databases.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-app-service-before-you-get-started>


#### NEW QUESTION 48

DRAG DROP

You manage an Azure Stack integrated system. You plan to make an Ubuntu Server image available to the Azure Stack tenants.


You need to prepare the custom Ubuntu Server image.

Which four actions should you perform in sequence before you upload the Image to Azure Stack?



**Answer:**

**Explanation:**





**NEW QUESTION 51**

You manage an Azure Stack integrated system that is accessed by using the URLs of <https://adminportal.east.azurestackfabrikam.com> and <https://portal.east.azurestack.fabrikam.com>. The fabrikam.com domain contains a Linux server named Server1 that has MySQL installed. You implement a MySQL resource provider on the system.

You need to ensure that tenants can provision MySQL database. What should you do next?

- A. From <https://portal.east.azurestack.fabrikam.com>, download the MySQL connector binary.
- B. From <https://adminportal.east.azurestack.fabrikam.com>, add a MySQL hosting server.
- C. From <https://portal.east.azurestack.fabrikam.com>, add a MySQL hosting server.
- D. From <https://adminportal.east.azurestack.fabrikam.com>, download the MySQL connector binary

**Answer:** C

**Explanation:** Hosting servers that are installed on Azure Stack integrated systems must be created from a tenant subscription. They cannot be created from the default provider subscription.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-mysql-resource-provider-deploy>

**NEW QUESTION 52**

You have an Azure Stack integrated system that has a file server running on a virtual machine used by the App Service resource provider. You need to increase the amount of memory on the file server. Which command should you run?

- A. `az vm resize`
- B. `az apservice plan update`
- C. `az vm update`
- D. `az apservice plan create`

**Answer:** A

**NEW QUESTION 57**

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack integrated system that runs in a connected environment.

You need to recommend an interval for installing Microsoft software update packages to Azure Stack. The solution must ensure that you can receive Microsoft support.

Solution: You recommend that Microsoft software updates be installed every 12 months. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:** For your Azure Stack deployment to remain in support, it must run the most recently released update version or run either of the two preceding update versions.

Microsoft will release update packages for Azure Stack integrated systems on a regular cadence that will typically fall on the fourth Tuesday of every month.

Thus to remain in support you must be running one of the last three update versions and, as an update version is released every month, you need to install updates at least every three months. References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-servicing-policy> <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-updates>

**NEW QUESTION 59**

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack integrated system that contains four nodes named Node1, Node2, Node3 and Node4.

You plan to replace Node2.

You need to drain the active workloads that run on Node2.

Solution: From Node1, you run the `Repair-AzsScaleUnitNode` cmdlet. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:** The Drain action evacuates all active workloads by distributing them among the remaining nodes in that particular scale unit.

To run the drain action through PowerShell, use the `Disable-AzsScaleUnitNode` cmdlet. Incorrect Answers:

A: The `Repair-AzsScaleUnitNode` cmdlet repairs the node. It does not drain the node. References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-replace-node>

**NEW QUESTION 62**

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack integrated system that contains four nodes named Node1, Node2, Node3 and Node4.

You plan to replace Node2.

You need to drain the active workloads that run on Node2.

Solution: From the hardware lifecycle host, you run the `Disable-AzsScaleUnitNode` cmdlet. Does this meet the goal?

- A. Yes  
B. No

**Answer: A**

**Explanation:** The Drain action evacuates all active workloads by distributing them among the remaining nodes in that particular scale unit.

To run the drain action through PowerShell, use the `Disable-AzsScaleUnitNode` cmdlet. References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-replace-node>

## NEW QUESTION 67

You have an Azure Stack integrated system that has 100 tenants. You create a new offer that is Private.

You need to provide the offer to a tenant. What should you do?

- Delegate rights to the tenant user, and then instruct the tenant user to create a new subscription.
- Create a new subscription, and then assign the subscription to the tenant.
- Run the New-AzsOffer cmdlet, and then specify the tenant user account.
- Run the Set-AzsUserSubscription cmdlet, and then specify the subscription of the tenant user.

**Answer: B**

**Explanation:** When you create an offer, you must include at least one base plan, but you can also create add-on plans that users can add to their subscription. A subscription is how users access your offers.

After you create an offer, users need a subscription to that offer before they can use it.

You can create subscriptions for both public and private offers. If do not want your tenants to create their own subscriptions, make all of your offers private, and then create subscriptions on behalf of your tenants. This approach is common when integrating Azure Stack with external billing or service catalog systems.

After you create a subscription for a user, that user can log into the user portal and will find that they are subscribed to the offer.

Incorrect Answers:

A: As the Azure Stack operator, you can delegate the creation of offers and users to other users by using the delegation functionality.

C: The New-AzsOffer cmdlet creates an offer composing of the specified base plans and add-on plans.

D: The Set-AzsSubscription cmdlet modifies the current logged-in user's tenant subscription. References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-delegated-provider> <https://docs.microsoft.com/en-us/powershell/module/azurerm.azurestackadmin/new-azsoffer?view=azurestackps-1.2.11>

<https://docs.microsoft.com/en-za/powershell/module/azurerm.azurestackadmin/set-azssubscription?view=azurestackps-1.2.11>

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-subscribe-plan-provision-vm>

### NEW QUESTION 71

You have an Azure Stack integrated system.

You plan to use the Marketplace publishing tool.

Which two parameters should you specify when you run the tool? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the Service Admin credentials
- B. the Azure Resource Manager endpoint
- C. the privileged endpoint
- D. a backup location for AzureDeploy.json
- E. the cloud administrator credentials

**Answer: AB**

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-marketplace-publisher#publish-marketplace-items>

**NEW QUESTION 75**

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a main office in New York and a branch office in Toronto. Each office has a dedicated connection to the Internet. Each office has a firewall that uses inbound and outbound rules.

The company has an on-premises network that contains several datacenters. The datacenters contain multiple hypervisor deployments, including Window Server 2016 Hyper-V. The network uses Microsoft System Center for monitoring and Windows Azure Pack for self-service.

The company has a Microsoft Azure subscription that contains several workloads. You use Azure Resource Manager templates and other automated processes to create and manage the resources in Azure.

You have an Azure Stack integrated system in the New York office. The company has a deployment team in the Toronto office and a development team in the New York office. The system has an offer named Offer1. Several tenants have subscriptions based on Offer1.

You have a Hyper-V host named Server1 that runs Windows Server 2012 R2. Server1 is used for

testing. The hardware on Server1 can support the deployment of the Azure Stack Development Kit. You have a Generation 1 virtual machine named VM1 that runs Windows Server 2012 R2. VM1 is deployed to a Hyper-V host that runs Windows Server 2016. VM1 has a fixed size disk named VM1.vhdx that is 200 GB.

End of repeated scenario.

The development team in the Toronto office fails to access the Azure Stack integrated system. The team successfully accesses the Azure subscriptions. The development team in the New York office successfully accesses the Azure Stack integrated system.

You need to ensure that the Toronto development team can access the system. What should you do?

- A. For the Toronto development team, allow the inbound endpoints of the Azure Stack infrastructure on the New York office firewalls.
- B. Create a site-to-site VPN connection from Azure to the New York office.
- C. For the Toronto development team, allow ports 4443 and 8080 on the New York firewalls.
- D. Configure and enable iDNS.

**Answer:** B

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-connect-vpn> <https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stack-solution-hybrid-connectivity>

#### NEW QUESTION 77

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a main office in New York and a branch office in Toronto. Each office has a dedicated connection to the Internet. Each office has a firewall that uses inbound and outbound rules.

The company has an on-premises network that contains several datacenters. The datacenters contain multiple hypervisor deployments, including Window Server 2016 Hyper-V. The network uses Microsoft System Center for monitoring and Windows Azure Pack for self-service.

The company has a Microsoft Azure subscription that contains several workloads. You use Azure Resource Manager templates and other automated processes to create and manage the resources in Azure.

You have an Azure Stack integrated system in the New York office. The company has a deployment team in the Toronto office and a development team in the New York office. The system has an offer named Offer1. Several tenants have subscriptions based on Offer1.

You have a Hyper-V host named Server1 that runs Windows Server 2012 R2. Server1 is used for testing. The hardware on Server1 can support the deployment of the Azure Stack Development Kit. You have a Generation 1 virtual machine named VM1 that runs Windows Server 2012 R2. VM1 is deployed to a Hyper-V host that runs Windows Server 2016. VM1 has a fixed size disk named VM1.vhdx that is 200 GB.

End of repeated scenario.

You need to ensure that you can import VM1 to Azure Stack.

What should you do?

- A. Recreate VM1 as a Generation 2 virtual machine.
- B. Convert the disk to a VHD.
- C. Convert the disk to a dynamically expanding disk.
- D. Upgrade VM1 to Windows Server 2016.

**Answer:** B

**Explanation:** Azure supports only generation 1 VMs that are in the VHD file format and have a fixed sized disk. The maximum size allowed for the VHD is 1,023 GB. You can convert a generation 1 VM from the VHDX file system to VHD and from a dynamically expanding disk to fixed-sized. But you can't change a VM's generation.

Incorrect Answers:

A: Azure supports only generation 1 VMs that are in the VHD file format.

C: Azure Stack does not support dynamic VHDs. Resizing a virtual machine (VM) with a dynamic disk attached to it leaves the VM in a failed state.

References:

<https://docs.microsoft.com/en-za/azure/virtual-machines/windows/prepare-for-upload-vhd-image> <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-update-1802>

#### NEW QUESTION 82

You have an Azure Stack integrated system that has a SQL Server resource provider.

You need to remove the resource provider.

Which three types of objects should you delete before you run the deployment script? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. user databases
- B. subscriptions
- C. storage accounts
- D. hosting servers
- E. plans

**Answer:** ADE

**Explanation:** To remove the SQL resource provider, it is essential to first remove any dependencies:

Ensure that you have the original deployment package that you downloaded for this version of the SQL resource provider adapter.

All user databases must be deleted from the resource provider. (Deleting the user databases doesn't delete the data.) This task should be performed by the users themselves.

The administrator must delete the hosting servers from the SQL resource provider adapter. The administrator must delete any plans that reference the SQL resource provider adapter.

The administrator must delete any SKUs and quotas that are associated with the SQL resource provider adapter.

Rerun the deployment script with the following elements: The -Uninstall parameter

The Azure Resource Manager endpoints The DirectoryTenantID

The credentials for the service administrator account

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-sql-resource-provider-remove>

#### NEW QUESTION 86

You have an Azure Stack integrated system.

You need to view the public IP address used by tenants. The solution must include the list of dynamically and statically assigned IP addresses.

Which blade should you review from the Azure Stack administrator portal?

- A. Offers
- B. Resource providers > Health
- C. Virtual networks
- D. Resource providers > Network

**Answer:** D

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-viewing-public-ip-address-consumption>

#### NEW QUESTION 87

You have an Azure stack integrated system.

You already have several Microsoft Azure Marketplace images downloaded.

Several tenants request that a Microsoft SQL Server 2014 Service Pack 2 (SP2) Enterprise on Windows Server 2012 R2 image be available in the Azure Stack Marketplace.

You need to meet the request by using the least amount of administrative effort. What should you do?

- A. From Azure Marketplace, deploy a SQL Server 2014 SP2 Enterprise on Windows Server 2012 R2 image, copy the VHD file to Azure Stack, and then publish the image to the Azure Stack Marketplace.
- B. Create a new virtual machine that runs Windows Server 2012 R2, install SQL Server 2014 SP2 Enterprise, and then publish the image to the Azure Stack Marketplace.
- C. From Marketplace Management, click Add from Azure, and then download the SQL Server 2014 SP2 Enterprise on Windows Server 2012 R2 image.
- D. Create a new virtual machine image based on an existing SQL Server 2014 SP2 Enterprise virtual machine, upload the image to the Azure Stack Marketplace, and then publish the image for all users.

**Answer:** C

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-download-azure-marketplace-item>

#### NEW QUESTION 88

You have an Azure Stack integrated system.

You implement an App Service resource provider. Your network contains a load balancer.

You plan to use the load balancer to load balance SSL traffic to web apps that are provisioned based on the App Services.

You need to configure the IP SSL settings of the App Service resource provider. Which configuration should you use for the internal HTTPS port?

- A.
  - VIP address 192.168.100.100 and TCP 443
  - VIP address 192.168.100.101 and TCP 443
- B.
  - VIP address 192.168.100.100 and TCP 443
  - VIP address 192.168.100.101 and TCP 444
- C.
  - VIP address 192.168.100.100 and TCP 443
  - VIP address 192.168.100.100 and TCP 444
- D.
  - VIP address 192.168.100.100 and TCP 443
  - VIP address 192.168.100.101 and TCP 4444

A. Option A

B. Option B

C. Option C

D. Option D

**Answer:** A

#### NEW QUESTION 90

You deploy an Azure Stack integrated system that uses an external domain name of west.fabrikam.com

Currently, tenant users access the system internally.

You need to create a SSL certificate for the publication of externally accessible endpoints. The solution must ensure that tenant users can upload VHD files to Azure Stack remotely.

Which two names should you include in the certificate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. adminmanagement.west.fabrikam.com
- B. \*.west.fabrikam.com
- C. \*.blob.west.fabrikam.com
- D. adminportal.west.fabrikam.com
- E. \*.trafficmanager.west.fabrikam.com

**Answer:** BC

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-pki-certs>

#### NEW QUESTION 91

You manage an Azure Stack integrated system.

You need to identify the IP address of the external time server that was configured during Azure Stack provisioning.

What should you do?



- A. Review the AzureStack.Provider.Metadata.json file
- B. From the privileged endpoint, run Get-AzureStacklog.
- C. From the Azure Resource Manager endpoint, run Get-AzsResourceProviderManifest.
- D. From the privileged endpoint, run Get-AzureStackStampInformation.

**Answer:** D

#### NEW QUESTION 93

You have an Azure Stack integrated system that has the following deployment details:

Region: East Naming prefix: azs

External domain name: cloud.fabrikam.com

Which URL should you direct tenants to use based on the deployment details?

- A. <https://adminportal.cloud.fabrikam.com>
- B. <https://portal.east.cloud.fabrikam.com>
- C. <https://portal.azs.cloud.fabrikam.com>
- D. <https://adminportal.azs.cloud.fabrikam.com>
- E. <https://portal.cloud.fabrikam.com>
- F. <https://adminportal.east.cloud.fabrikam.com>

**Answer:** B

#### NEW QUESTION 94

You plan to deploy an Azure Stack integrated system to host applications on the Internet.

Which network from the Azure Stack deployment should be routed beyond the border device?

- A. the switch network
- B. the private VIP network
- C. the storage network
- D. the public VIP network

**Answer:** D

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-network>

#### NEW QUESTION 99

You have an Azure Stack integrated system that has several tenants. You back up the tenant data.

You need to provide a backup solution for the Azure Stack infrastructure. What should you do first?

- A. From Microsoft Azure Backup, create a backup.
- B. On a file server, create an SMB share.
- C. Replicate the virtual machines in the infrastructure by using Microsoft Azure Site recovery.
- D. From Microsoft System Center Data Protection Manager, create a backup job.

**Answer:** B

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-backup-infrastructure-backup#verify-requirements-for-the-infrastructure-backup-service>

#### NEW QUESTION 101

You have an Azure Stack integrated system.

You discover that a hardware failure occurred on a node named Node1. You need to power off Node1.

Which cmdlet should you run?

- A. Stop-HpcAzureNode
- B. Disable-AzsScaleUnitNode
- C. Shutdown-HpcNode
- D. Stop-AzsScaleUnitNode

**Answer:** D

**Explanation:** References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-node-actions>

#### NEW QUESTION 106

You have an Azure integrated system.

You receive a storage alert that a tenant share is at 80 percent capacity. There are multiple containers in the tenant's share.

You verify that there are no deleted storage accounts.

You need to increase the amount of space availability on the tenant share. Which cmdlet should you run?

- A. Start-AzsReclaimStorageCapacity
- B. Start-AzsStorageContainerMigration
- C. Set-AzsStorageQuota
- D. Remove-AzsStorageQuota

**Answer:** C

**NEW QUESTION 107**

You deploy an Azure Stack integrated system.

You register the deployment by using a Cloud Solution Provider (CSP) subscription. You need to review the resource consumption of all the Azure Stack tenants. Which portal should you use?

- A. the Azure Enterprise Agreement (EA) portal
- B. Microsoft Partner Center
- C. Azure Account Center
- D. the Azure Stack administrator portal

**Answer:** B

**Explanation:** References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-csp-ref-infrastructure>

**NEW QUESTION 110**

HOTSPOT

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a main office in New York and a branch office in Toronto. Each office has a dedicated connection to the Internet. Each office has a firewall that uses inbound and outbound rules.

The company has an on-premises network that contains several datacenters. The datacenters contain multiple hypervisor deployments, including Windows Server 2016 Hyper-V. The network uses Microsoft System Center for monitoring and Windows Azure Pack for self-service.

The company has a Microsoft Azure subscription that contains several workloads. You use Azure Resource Manager templates and other automated processes to create and manage the resources in Azure.

You have an Azure Stack integrated system in the New York office. The company has a deployment team in the Toronto office and a development team in the New York office. The system has an offer named Offer1. Several tenants have subscriptions based on Offer1.

You have a Hyper-V host named Server1 that runs Windows Server 2012 R2. Server1 is used for testing. The hardware on Server1 can support the deployment of the Azure Stack Development Kit. You have a Generation 1 virtual machine named VM1 that runs Windows Server 2012 R2. VM1 is deployed to a Hyper-V host that runs Windows Server 2016. VM1 has a fixed size disk named VM1.vhdx that is 200 GB.

End of repeated scenario.

You need to provide a new user with the ability to generate support session tokens when troubleshooting Azure Stack issues with Microsoft Support.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Establish a PowerShell remoting session to :

<input type="checkbox"/> A hardware lifecycle host
<input type="checkbox"/> A network controller
<input type="checkbox"/> A privileged endpoint
<input type="checkbox"/> An infrastructure management controller

Run the following cmdlet:

<input type="checkbox"/> New-ADServiceAccount
<input type="checkbox"/> New-AzureBridgeServicePrincipal
<input type="checkbox"/> New-CloudAdminUsers
<input type="checkbox"/> New-LocalUser

**Answer:**

**Explanation:**

Establish a PowerShell remoting session to :

<input type="checkbox"/> A hardware lifecycle host
<input type="checkbox"/> A network controller
<input checked="" type="checkbox"/> A privileged endpoint
<input type="checkbox"/> An infrastructure management controller

Run the following cmdlet:

<input type="checkbox"/> New-ADServiceAccount
<input type="checkbox"/> New-AzureBridgeServicePrincipal
<input type="checkbox"/> New-CloudAdminUsers
<input checked="" type="checkbox"/> New-LocalUser

**NEW QUESTION 113**

DRAG DROP

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a main office in New York and a branch office in Toronto. Each office has a dedicated connection to the Internet. Each office has a firewall that uses inbound and outbound rules.

The company has an on-premises network that contains several datacenters. The datacenters contain multiple hypervisor deployments, including Windows Server 2016 Hyper-V. The network uses Microsoft System Center for monitoring and Windows Azure Pack for self-service.

The company has a Microsoft Azure subscription that contains several workloads. You use Azure Resource Manager templates and other automated processes to create and manage the resources in Azure.

You have an Azure Stack integrated system in the New York office. The company has a deployment team in the Toronto office and a development team in the New York office. The system has an offer named Offer1. Several tenants have subscriptions based on Offer1.

You have a Hyper-V host named Server1 that runs Windows Server 2012 R2. Server1 is used for testing. The hardware on Server1 can support the deployment of the Azure Stack Development Kit. You have a Generation 1 virtual machine named VM1 that runs Windows Server 2012 R2. VM1 is deployed to a Hyper-V host that runs Windows Server 2016. VM1 has a fixed size disk named VM1.vhdx that is 200 GB.

End of repeated scenario.

You need to deploy the Azure Stack Deployment Kit to Server1 to meet the following requirements: Implement the solution as quickly as possible.

Enable the syndication of Azure Marketplace items.

Ensure that the deployment is isolated from the existing environment.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

#### Actions

#### Answer area

Configure the development kit to use the Azure Active Directory (Azure AD) tenant from the Azure subscription of the company.

Run the `Add-AzsRegistration` cmdlet.

On Server1, install Windows Server 2016 and the latest updates.

Prepare a VHDX named Cloudbuilder.vhdx, and then deploy the development kit.

Create a trial Azure subscription, and then use the new Azure Active Directory (Azure AD) tenant to register Azure Stack.

On Server1, download the deployment package for the development kit.

**Answer:**

**Explanation:**

### Answer area

On Server1, install Windows Server 2016 and the latest updates.

On Server1, download the deployment package for the development kit.

Prepare a VHDX named Cloudbuilder.vhdx, and then deploy the development kit.

Create a trial Azure subscription, and then use the new Azure Active Directory (Azure AD) tenant to register Azure Stack.

### NEW QUESTION 114

#### HOTSPOT

You are preparing a Linux image for upload to Azure Stack. You need to install the Microsoft Azure Linux Agent manually. You install the python-setuptools. Which command should you run next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

#### Answer Area

sudo  setup.py  --register-service

Answer:

Explanation: References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-linux#prepare-your-own-image>

### NEW QUESTION 116

#### HOTSPOT

You have an Azure Stack integrated system.

You need to install the Azure Stack-compatible Azure PowerShell modules on a management workstation.

You set the \$profile variable to the correct API version.

Which commands should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

#### Answer Area

Install-Module -Name  -Force


-Profile profile\$ -Force

Answer:

Explanation:



## Answer Area



### NEW QUESTION 121

You have an Azure Stack integrated system that uses the external domain name of west.fabrikam.com. You plan to create an Azure Marketplace package. Which API endpoint must you use to publish the package?

- A. management.west.fabrikam.com
- B. <https://graph.windows.net/>
- C. <https://graph.west.fabrikam.com/>
- D. mydomain.onmicrosoft.com

**Answer:** A

**Explanation:** References:  
<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-marketplace-publisher>

### NEW QUESTION 126

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a network that contains an Active Directory forest named fabrikam.com. The forest is synchronized to a Microsoft Azure Active Directory (Azure AD) tenant and has an Azure subscription.

The company also has an Azure AD tenant named contoso.com. Contoso.com has an Azure subscription. Contoso.com includes foreign principals.

The network contains the computers configured as shown in the following table.

Computer name	Operating system	Configuration
Server1	Windows Server 2016 Datacenter	Hyper-V host that hosts two test virtual machines
Server2	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server primary replica of an Always On availability group in a cluster named Cluster1
Server3	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server, secondary replica of an Always On availability group in Cluster1
Server4	Windows Server 2016 Datacenter	Member of Cluster1
Server5	Windows Server 2016 Datacenter	File server
Client1	Windows 10 Enterprise	Privileged access workstation

Fabrikam.com contains a user named User1.

For operating system deployment, the company uses a custom operating system image of Windows Server 2016 Datacenter named Image1.

You have an Azure Stack integrated system that is accessed by using the following endpoints: <https://portal.fabrikam.com>

<https://adminportal.fabrikam.com>

<https://management.fabrikam.com> Privileged endpoint: 192.168.100.100 Hardware lifecycle host: 192.168.101.101 <https://adminmanagement.fabrikam.com>

You onboard contoso.com as a guest directory tenant on the Azure Stack integrated system. You implement in the following Azure Stack providers:

SQL Server App Service

End of repeated scenario.

You need to ensure that all the services hosted in Azure Stack can resolve the names configured in contoso.com.

Which cmdlet should you run?

- A. Add-DnsServerConditionalForwarderZone
- B. New-AzureRmDnsZone
- C. Register-CustomDnsServer

D. Set-AzureRmDnsRecordSet

**Answer:** C

**Explanation:** References:  
<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-integrate-dns>

### NEW QUESTION 130

DRAG DROP

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a network that contains an Active Directory forest named fabrikam.com. The forest is synchronized to a Microsoft Azure Active Directory (Azure AD) tenant and has an Azure subscription.

The company also has an Azure AD tenant named contoso.com. Contoso.com has an Azure subscription. Contoso.com includes foreign principals.

The network contains the computers configured as shown in the following table.

Computer name	Operating system	Configuration
Server1	Windows Server 2016 Datacenter	Hyper-V host that hosts two test virtual machines
Server2	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server primary replica of an Always On availability group in a cluster named Cluster1
Server3	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server, secondary replica of an Always On availability group in Cluster1
Server4	Windows Server 2016 Datacenter	Member of Cluster1
Server5	Windows Server 2016 Datacenter	File server
Client1	Windows 10 Enterprise	Privileged access workstation

Fabrikam.com contains a user named User1.

For operating system deployment, the company uses a custom operating system image of Windows Server 2016 Datacenter named Image1.

You have an Azure Stack integrated system that is accessed by using the following endpoints: <https://portal.fabrikam.com>

<https://adminportal.fabrikam.com> <https://management.fabrikam.com> Privileged endpoint: 192.168.100.100 Hardware lifecycle host: 192.168.101.101

<https://adminmanagement.fabrikam.com>

You onboard contoso.com as a guest directory tenant on the Azure Stack integrated system. You implement in the following Azure Stack providers:

SQL Server App Service

End of repeated scenario.

You need to ensure that tenants can use Image1 to deploy virtual machines.

Which three actions should you perform from <https://adminportal.fabrikam.com> in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

### Actions

- Delegate the Subscription resource provider.
- Create an offer.
- Create a Marketplace Item.
- Add the image to the Compute resource provider.
- Upload the image to a blob container.

### Answer Area



**Answer:**

**Explanation:**

## Answer Area

Upload the image to a blob container.

Add the image to the Compute resource provider.

Create a Marketplace item.

⬅

➡

⬆

⬇

### NEW QUESTION 134

#### DRAG DROP

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a network that contains an Active Directory forest named fabrikam.com. The forest is synchronized to a Microsoft Azure Active Directory (Azure AD) tenant and has an Azure subscription.

The company also has an Azure AD tenant named contoso.com. Contoso.com has an Azure subscription. Contoso.com includes foreign principals.

The network contains the computers configured as shown in the following table.

Computer name	Operating system	Configuration
Server1	Windows Server 2016 Datacenter	Hyper-V host that hosts two test virtual machines
Server2	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server primary replica of an Always On availability group in a cluster named Cluster1
Server3	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server, secondary replica of an Always On availability group in Cluster1
Server4	Windows Server 2016 Datacenter	Member of Cluster1
Server5	Windows Server 2016 Datacenter	File server
Client1	Windows 10 Enterprise	Privileged access workstation

Fabrikam.com contains a user named User1.

For operating system deployment, the company uses a custom operating system image of Windows Server 2016 Datacenter named Image1.

You have an Azure Stack integrated system that is accessed by using the following endpoints: <https://portal.fabrikam.com>

<https://adminportal.fabrikam.com> <https://management.fabrikam.com> Privileged endpoint: 192.168.100.100 Hardware lifecycle host: 192.168.101.101

<https://adminmanagement.fabrikam.com>

You onboard contoso.com as a guest directory tenant on the Azure Stack integrated system. You implement in the following Azure Stack providers:

SQL Server App Service

End of repeated scenario.

You plan to provide tenants with the ability to create highly available databases in Cluster1. You need to add Cluster1 as a SQL hosting server on the Azure Stack integrated system.

What should you do on each server? To answer, drag the appropriate actions to the correct servers. Each action may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

## Actions

Grant the CREATE ANY DATABASE right to Server4.

Grant the CREATE ANY DATABASE right to the availability group.

Set the SEEDING\_MODE for the availability set to *AUTOMATIC*.

Set the SEEDING\_MODE for the availability set to *MANUAL*.

## Answer Area

Server2: 

Action

Server3: 

Action

Answer:

Explanation:

## Answer Area

Server2:	Set the SEEDING_MODE for the availability set to <b>AUTOMATIC</b> .
Server3:	Grant the CREATE ANY DATABASE right to the availability group.

### NEW QUESTION 137

#### HOTSPOT

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a network that contains an Active Directory forest named fabrikam.com. The forest is synchronized to a Microsoft Azure Active Directory (Azure AD) tenant and has an Azure subscription.

The company also has an Azure AD tenant named contoso.com. Contoso.com has an Azure subscription. Contoso.com includes foreign principals.

The network contains the computers configured as shown in the following table.

Computer name	Operating system	Configuration
Server1	Windows Server 2016 Datacenter	Hyper-V host that hosts two test virtual machines
Server2	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server primary replica of an Always On availability group in a cluster named Cluster1
Server3	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server, secondary replica of an Always On availability group in Cluster1
Server4	Windows Server 2016 Datacenter	Member of Cluster1
Server5	Windows Server 2016 Datacenter	File server
Client1	Windows 10 Enterprise	Privileged access workstation

Fabrikam.com contains a user named User1.

For operating system deployment, the company uses a custom operating system image of Windows Server 2016 Datacenter named Image1.

You have an Azure Stack integrated system that is accessed by using the following endpoints: <https://portal.fabrikam.com>

<https://adminportal.fabrikam.com> <https://management.fabrikam.com> Privileged endpoint: 192.168.100.100 Hardware lifecycle host: 192.168.101.101

<https://adminmanagement.fabrikam.com>

You onboard contoso.com as a guest directory tenant on the Azure Stack integrated system. You implement in the following Azure Stack providers:

SQL Server App Service

End of repeated scenario.

You need to configure the App Service resource provider to offer the Small worker tier to tenants. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



## Answer Area

Connect to a URL of:

	▼
https://192.168.100.100	
https://adminportal.fabrikam.com	
https://portal.fabrikam.com	

Create an instance of:

	▼
The Controller role	
The Front End role	
The Management Server role	
The Publisher role	
The Web Worker role	

Answer:

Explanation:

## Answer Area

Connect to a URL of:

	▼
https://192.168.100.100	
https://adminportal.fabrikam.com	
https://portal.fabrikam.com	

Create an instance of:

	▼
The Controller role	
The Front End role	
The Management Server role	
The Publisher role	
The Web Worker role	

### NEW QUESTION 139

#### DRAG DROP

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory forest named contoso.com

You deploy an Azure Stack integrated system named Prod to a production environment. You also deploy an Azure Stack integrated system named Dev to a development environment. The developers who access Dev change frequently.

The Azure Stack integrated systems and the contoso.com forest are federated.

The on-premises network contains a Hyper-V host that hosts a Red Hat Enterprise Linux virtual machine named Linux1. Linux1 has the following characteristics:

A 2-TB disk Generation 1

10 virtual cores 128 GB of RAM

A disk named LinuxVhd.vhdx

You plan to deploy infrastructure as a service (IaaS) to Dev for developer projects. The Marketplace on Dev is configured and ready to publish items. Dev contains one plan named Dev\_Plan1 and one offer named Dev\_Offer1.

Prod contains two plans and two offers. One of the offers is named Offer1.

All the IaaS and platform as a service (PaaS) tenant data must be backed up to an external location.

The solution must ensure that the data can be restored if the datacenter that hosts Prod becomes unavailable.

End of repeated scenario.

You need to prepare a custom image based on Linux1 that will be deployed to Prod. The solution must prevent any changes to the current disk of Linux1.

Which four cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Cmdlets

Set-VHD

Copy-Item

New-VHD

Convert-VHD

Set-VM

Stop-VM

Resize-VHD

Copy-VMFile

Answer Area

⬅

➡

⬆

⬇

Answer:

Explanation:

Answer Area

Stop-VM

Copy-Item

⬅

➡

⬆

⬇

Convert-VHD

NEW QUESTION 142

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 70-537 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/70-537-dumps.html>