

Exam Questions 1z0-074

Upgrade Oracle DBA 11g/12c to 12cR2

<https://www.2passeasy.com/dumps/1z0-074/>



NEW QUESTION 1

You execute this command in your database:

```
ALTER SYSTEM SET ENCRYPT_NEW_TABLESPACES = DDL;
```

How does this affect the creation of tablespaces?

- A. User tablespaces with noENCRYPTIONclause specified in theCREATE TABLESPACEstatement are not encrypted anywhere.
- B. TEMPandUNDOTablespace are transparently encrypted with AES128 by default only in the cloud.
- C. TEMPandUNDOTablespace are transparently encrypted with AES128 by default in an on-premise database.
- D. User tablespaces with noENCRYPTIONclause specified in theCREATE TABLESPACEstatement are transparently encrypted with AES128 only in an on-premise database.
- E. User tablespaces with noENCRYPTIONclause specified in theCREATE TABLESPACEstatement are transparently encrypted with AES128 only in the cloud.

Answer: B

NEW QUESTION 2

You create a refreshable copy PDB,PDB_COPY, from thePDB_ORGPDB by using theREFRESH MODE EVERY 5 MINUTESclause.

What happens every five minutes?

- A. An automatic refresh is done providedPDB_COPYis closed; otherwise the refresh is deferred and attempted again after five minutes.
- B. PDB_COPYis automatically closed provided there is no ongoing transaction inPDB_ORGand then reopened as read-only after the refresh is complete.
- C. PDB_COPY'Sstate is automatically changed to read-write and back to read-only after the refresh is complete.
- D. PDB_COPY'Sstate is automatically changed to read-only and then reopened as read-write after the refresh is complete.
- E. An automatic refresh is done providedPDB_COPYis in read-only mode; otherwise the refresh is deferred and attempted again after five minutes.

Answer: E

NEW QUESTION 3

TheCOMPATIBLEparameter is set to 12.2.0.0.0.

Which two statements are true about SQL identifier lengths? (Choose two.)

- A. Disk group, PDB, and tablespace names are limited to 30 bytes.
- B. Table names can be as long as 128 bytes.
- C. Database names can be as long as 30 bytes.
- D. Database link names can be as long as 30 bytes.
- E. Database names can be as long as 128 bytes.

Answer: BE

NEW QUESTION 4

In which situation can the optimizer choose a hash join?

- A. when a non-equijoin is used and the join column in at least one of the tables is a primary key
- B. when a non-equijoin is used and the join column for both tables is a primary key
- C. when a non-equijoin is used between a table and a sorted hash cluster
- D. when an equality operator is used
- E. when any self-join is done

Answer: D

NEW QUESTION 5

In your CDB1 container database, theDB_CREATE_FILE_DESTparameter is set to'/u01/app/oracle/ oradata'.

CDB1has an application container calledREGIONS_APP.

There are no seeds forREGIONS_APPand there are no other application containers. You plan to execute this command.

```
CREATE PLUGGABLE DATABASE AS SEED ADMIN USER seed_adm IDENTIFIED BY admin_123;
```

What must you do for the command to execute successfully?

- A. Set the current container toREGIONS_APP
- B. Set the current container toCDB1
- C. Add theFILE_NAME_CONVERTclause to the command
- D. Add theCREATE_FILE_DESTclause to the command
- E. Set thePDB_FILE_NAME_CONVERTparameter to'/u01/app/oracle/oradata'

Answer: E

NEW QUESTION 6

TheTESTDBcontainer database (CDB) contains two pluggable databases (PDBs),PDB1andPDB2. USER1is a local user inPDB1and has theSYSBACKUPprivilege.

Connect descriptors for PDB1 and PDB2 are mapped to TNS aliasespdb1andPDB2intnsnames.ora. Examine these commands executed by USER1 when all PDBs are open:

```
$ rman target '"/user1/oracle_4U@pdb1 as sysbackup"'
RMAN> SELECT sysdate FROM dual;
```

What is the outcome and why?

- A. An error is returned because the user is connected to a pluggable database.
- B. The current date is displayed.
- C. An error is returned because SQL commands cannot be executed from RMAN without using the SQL shell syntax:SQL”<command>”.
- D. An error is returned because the user is notSYS.
- E. An error is returned because the user is not a common user.

Answer: C

NEW QUESTION 7

Which statement is true about Trace File Analyzer (TFA) Collector?

- A. TFA collects diagnostic data only for Oracle 12c Release 2 databases or later versions.
- B. If TFA is installed on any cluster node, it automatically collects diagnostic data on all other cluster nodes.
- C. It can be used to collect diagnostic data for predefined events, and can be configured to automatically collect data for other events.
- D. In Oracle 12c Release 2, TFA installation can be done only while executingroot.sh.
- E. It is used to collect diagnostic data only for ORA-600, ORA-7445, and ORA-4031 events.

Answer: D

NEW QUESTION 8

USER1is an OS user with the passwordoracleand is only a member of theinstallgroup. In theORCLdatabase, theOS_AUTHEN_PREFIXvalue isops\$.

Examine these commands executed by the DBA:

SQL> CREATE USER ops\$user1 IDENTIFIED externally; SQL> GRANT create session TO ops\$user1;

How canUSER1be given theSYSRACprivilege?

- A. MakeUser1a member of the OSDBA group in Linux or theORA_%HOMENAME%_SYSDBAgroup in Windows only.
- B. GrantSYSRACtouser1.
- C. GrantSYSRACtoops\$user1.
- D. MakeUSER1a member of theOSRACDBAgroup in Linux or theORA_%HOMENAME%_SYSRACgroup in Windows.
- E. GrantSYSDBAtoops\$user1

Answer: C

NEW QUESTION 9

In which four situations does theRMAN DUPLICATEcommand use the “pull” method? (Choose four.)

- A. when theUSING BACKUPSETclause is used
- B. when theSET ENCRYPTIONclause is added before theDUPLICATEcommand
- C. when theSECTION SIZEclause is used
- D. when the number of auxiliary channels allocated is less than the number of target channels allocated
- E. when theUSING COMPRESSED BACKUPSETclause is used
- F. when no auxiliary channels are allocated
- G. whenIMAGE COPIESare used for theDUPLICATEoperation

Answer: ACDE

NEW QUESTION 10

HR.EMP.EMPLOYEE_IDis the primary key of theHR.EMPpartitioned table, which contains 108 rows and resides in theEXAMPLEtablespace.

HR executes this command:

SQL> CREATE TABLE employees TABLESPACE users FOR EXCHANGE WITH TABLE hr.emp;

Table created.

Which two statements are true? (Choose two.)

- A. Dependent objects ofHR.EMPare automatically created forHR.EMPLOYEES.
- B. HR.EMPis moved to theUSERStablespace.
- C. The column namesHR.EMPandHR.EMPLOYEESare identical.
- D. TheHR.EMPLOYEES table has 108 records.
- E. HR.EMPLOYEES.EMPLOYEE_IDis thePRIMARY KEYofHR.EMPLOYEES
- F. The column orderHR.EMPandHR.EMPLOYEESare identical

Answer: CF

NEW QUESTION 10

Examine these steps to create a Transparent Sensitive Data Protection (TSDP) policy with unified auditing to protect sensitive data in certain table columns:

Create a TSDP policy and define the audit parameter for the audited columns.

Create a TSDP sensitive type usingDBMS_TSDP_MANAGE.ADD_SENSITIVE_TYPE. Associate the TSDP policy with the sensitive type by usingDBMS_TSDP_PROTECT.ASSOCIATE_POLICY.

Enable the TSDP policy at the sensitive type level.

Associate the column to be audited to the sensitive type by using DBMS_TSDP_MANAGE.ADD_SENSITIVE_COLUMN.

Identify the steps in the correct sequence.

- A. 1, 2, 3, 4, 5
- B. 2, 1, 4, 5, 3
- C. 2, 5, 1, 3, 4
- D. 1, 2, 4, 3, 5
- E. 2, 1, 5, 3, 4

Answer: C

NEW QUESTION 12

Which three types of database objects can have their columns stored in the In-Memory column store? (Choose three.)

- A. heap tables with composite primary key constraints
- B. heap tables with dependent materialized views
- C. clustered tables with dependent materialized views
- D. index-organized tables stored in system-defined tablespaces
- E. sys-owned objects stored in sysaux-defined tablespaces

Answer: BDE

NEW QUESTION 13

U1.T1 is in a tablespace TBS_UNCMP which has no default compression and U1.T2 is in a tablespace, TBS_CMP with default compression for query low. You execute commands:

```
SQL> EXEC DBMS_REDEFINITION.START_REDEF_TABLE (uname=>
'u1', orig_table => 't1', int_table => 't2', options_flag =>
DBMS_REDEFINITION.CONS_USE_PK, enable_rollback => TRUE);

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.SYNC_INTERIM_TABLE (uname => 'u',
orig_table => 't1', int_table => 't2');

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.FINISH_REDEF_TABLE (uname => 'u1',
orig_table => 't1', int_table => 't2');

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.ROLLBACK (uname => 'u1', orig_table =>
't1', int_table => 't2');

PL/SQL procedure successfully completed.
```

Which three statements are true? (Choose three.)

- A. The primary key constraints on T1 are dropped
- B. T1 is in the TBS_UNCMP tablespace
- C. T1 is in the TBS_CMP tablespace
- D. T1 is in compressed format
- E. T1 is in uncompressed format
- F. All indexes on T1 remain valid

Answer: ACE

NEW QUESTION 15

A multi-tenant container database (CDB) contains three PDBs.

Which three are prerequisites for performing a cross-platform transport of any of the PDBs? (Choose three.)

- A. The CDB should be in MOUNT state.
- B. The source and target platforms must have the same endianness.
- C. The COMPATIBLE parameter must be set to 12.2 or greater in the CDB.
- D. The source PDBs must be closed for a cross-platform PDB backup.
- E. Flashback database must be enabled for the CDB.
- F. The CDB must use Automatic Memory Management.

Answer: BCD

NEW QUESTION 18

You want to restrict PGA usage to 200 MB for a set of database users' sessions as part of your organization's security requirements for combating denial of service (DOS) attacks.

Which statement is true about limiting PGA usage for those users' sessions?

- A. You can limit their PGA usage by setting SORT_AREA_SIZE to 200 MB.
- B. You cannot limit PGA for a set of database user sessions.

- C. You can limit their PGA usage by setting PGA_AGGREGATE_LIMIT to 200 MB.
- D. You can limit their PGA usage by setting PGA_AGGREGATE_TARGET to 200 MB.
- E. You can limit their PGA usage by setting the SESSION_PGA_LIMIT directive by using Database Resource Manager

Answer: C

NEW QUESTION 22

Examine these commands executed in the cdb1 container database:

```
$ sqlplus sys/oracle@cdb1 as sysdba

SQL> CREATE PROFILE c##prof LIMIT

      FAILED_LOGIN_ATTEMPTS 4

      PASSWORD_LIFE_TIME 90

      PASSWORD_GRACE_TIME 3

      PASSWORD_LOCK_TIME 2;

Profile created.

SQL> GRANT SYSDBA TO c##user1 container=all;

Grant succeeded.

SQL> ALTER USER c##user1 PROFILE c##prof;

User altered.
```

Which statement is true about the c##USER1 account?

- A. It is locked for two days after the password expires.
- B. It is locked if the password is not changed within three weeks.
- C. It is locked for 90 minutes after four failed login attempts.
- D. It is locked after for consecutive failed login attempts.
- E. It is not affected by the profile because the user has the SYSDBA privilege.

Answer: D

NEW QUESTION 24

Which two are true about tables recovered by using the RMAN RECOVER TABLE command or the command itself, starting from Oracle Database 12c Release 2? (Choose two.)

- A. They may be recovered to a schema in a different PDB
- B. An AUXILIARY instance is started only if there is sufficient disk space
- C. They can be recovered by RMAN without an AUXILIARY instance
- D. They must be un-partitioned tables
- E. They may be recovered to a different schema in the same pluggable database (PDB)

Answer: BE

NEW QUESTION 28

Which three statements are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose three.)

- A. It analyzes only those memory components of the database instance that are impacting performance.
- B. It determines the segments on which waits are occurring when the database has a high number of buffer busy waits.
- C. It analyzes the performance of the database instance based on the latest two AWR snapshots.
- D. It determines SQL statements that are performing poorly.
- E. It recommends implementing SQL profiles to generate better execution plans.
- F. It analyzes only the components and waits that are impacting database performance.

Answer: BCD

NEW QUESTION 32

Which two statements are true about a PDB lockdown profile? (Choose two.)

- A. It is created by a local user with the SYSDBA privilege in each PDB where it needs to be applied.
- B. It is created by a common user with the SYSDBA privilege in CDB\$ROOT.
- C. It is created by a common user with the SYSDBA privilege in each PDB where it needs to be applied.
- D. It is enabled by default on creation.

- E. It is enabled by using thePDB_LOCKDOWNparameter in each PDBs where it needs to be applied.
- F. It is enabled in PDBs only after the CDB to which the PDBs belong is restarted.

Answer: BC

NEW QUESTION 33

Which three tasks are performed automatically byDatabase Upgrade Assistant (DBUA)when the database to be upgraded is in archivelog mode and has the database flashback feature enabled? (Choose three.)

- A. It changes Oracle kernel parameters if required
- B. It creates a restore point to restore the database if the upgrade fails
- C. It drops all the invalid objects
- D. It calls thecatctl.plscript to perform the upgrade process in parallel
- E. It automatically resets theCOMPATIBLEparameter value to12.0.0
- F. It modifies or creates new tablespaces as required

Answer: BCD

NEW QUESTION 37

Which statement is true about the Automatic Diagnostic Repository (ADR)?

- A. Space used by the ADR can be limited to a user-specified value.
- B. Space used by the ADR is limited based only on the retention period.
- C. The retention period for the ADR is set based on the space limit specified.
- D. When the ADR reaches the space limit, it deletes incident dumps and metadata before deleting old core dumps.
- E. Manual purging of all types of ADR files is allowed.

Answer: E

NEW QUESTION 40

You receive complaints about poor performance in an Oracle 12c database while long running queries execute.

You must obtain statistics such as elapsed time, CPU time, number of reads and writes, I/O wait time, and other wait times for each step of each execution plan to help diagnose the problem during query execution.

How would you achieve this?

- A. by viewing Active Reports for that time period
- B. by enabling SQL trace for each query
- C. by running the Automatic Workload Repository (AWR) report for that time period
- D. by running the Active Session History (ASH) report for that time period
- E. by enabling tracing for sessions that run these queries

Answer: E

NEW QUESTION 44

You create a new application container,SALES_APP, with applicationPDBs,SALES1_PDB, andSALES2_PDB.

You want to install theNEW_APPapplication inSALES1_PDBandSALES2_PDBby using:

```
ALTER PLUGGABLE DATABASE APPLICATION BEGIN INSTALL;

ALTER PLUGGABLE DATABASE APPLICATION END INSTALL;

ALTER PLUGGABLE DATABASE APPLICATION SYNC;
```

Where should you execute these statements?

- A. All the statements should be executed in the application root.
- B. All the statements should be executed in the application seed.
- C. All the statements should be executed in theSALES1_PDBandSALES2_PDBapplication containers.
- D. BEGIN/END INSTALLstatements should be executed in the application root and the SYNC statement inSALES1_PDBandSALES2_PDB.
- E. BEGIN/END INSTALLstatements should be executed in the CDB root and the SYNC statement in the application root.

Answer: AD

NEW QUESTION 46

In which two situations does theINHERIT ANY PRIVILIGESprivilege regulate the privileges used?

- A. when a user creates a new user
- B. when a user performs a GRANT or REVOKE operation
- C. when a user queries aBEQUEATH CURRENT_USERview that references an invoker's right procedure
- D. when a user runs a procedure created with invoker's right
- E. when a user runs a procedure created with definer's right

Answer: CD

NEW QUESTION 50

Identify four prerequisites for issuing theMAN RECOVER TABLEcommand starting from ORACLE Database 12c Release 2.

- A. TheCOMPATIBLEparameter must be set to 12.0 or greater.
- B. The database must be inARCHIVELOGmode.
- C. FLASHBACK DATABASEmust be enabled.
- D. RMANmust use a recovery catalog.
- E. The database must be in theREAD WRITEstate.
- F. RMANcan recover the table only from a backupset.
- G. An export dump file of the table must be available.
- H. There must be sufficient space to start the auxiliary instance.

Answer: ABEF

NEW QUESTION 53

Identify two types of files that are generated by the Pre-Upgrade Information tool as part of the database upgrade prerequisite checks? (Choose two.)

- A. expdpscripts to export database objects belonging to the SYS schema
- B. a log file containing a list of pre-upgrade patches to be applied
- C. RMANdatabase backup scripts
- D. a log file with tool recommendations and requirements
- E. pre- and post-upgrade fixup scripts

Answer: DE

NEW QUESTION 54

Which three resources can be controlled or managed by using Oracle Database Resource Manager? (Choose three.)

- A. number of parallel queries issued by a consumer group
- B. maximum number of DML operations performed by a consumer group
- C. sessions that are blocking other sessions
- D. sessions that are not blocking other sessions
- E. UNDO quota for a consumer group

Answer: ACE

NEW QUESTION 58

Examine these statements executed in thePROD1database:

```
SQL> CREATE USER C##J_USER IDENTIFIED BY oracle_4U;
User created.

SQL> GRANT DBA to C##J_USER;
Grant succeeded.

SQL> CREATE AUDIT POLICY AUD_DBA_POL ROLES DBA;
Audit policy created.

SQL> AUDIT POLICY AUD_DBA_POL;
Audit succeeded.

C##J_USER now executes these statements while logged in to PROD1:

SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;
System altered.

SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;
System altered.

SQL> ALTER SYSTEM SWITCH LOGFILES;
ALTER SYSTEM SWITCH LOGFILES
*
ERROR at line 1:
ORA-01900: LOGFILE keyword expected

SQL> CREATE USER C##J_USER2 IDENTIFIED BY ORACLE;
User created.
```

Which statements are audited?

- A. only theCREATE USERstatement
- B. only theALTER SYSTEMstatements
- C. only theCREATE USERstatement and the first change toJOB_QUEUE_PROCESSES

- D. only the changes toJOB_QUEUE_PROCESSESand theCREATE USERstatement
- E. all the statements

Answer: D

NEW QUESTION 60

Which two operations is theopouser authorized to perform in an Oracle Database Cloud environment? (Choose two.)

- A. Log in to the database deployment compute node.
- B. Run some commands asroot.
- C. Run all commands asroot.
- D. Only run all commands asoracle.
- E. Only run some commands asoracle.

Answer: AC

NEW QUESTION 65

Which method can be used to migrate from an on-premises Oracle Database 11g to Oracle Database 12c in the cloud if the on-premises platform is big-endian?

- A. Oracle Loader-type external tables
- B. remote cloning
- C. RMAN Transportable Tablespace with Data Pump for all tablespaces
- D. Data Pump Transportable Tablespace for all tablespaces
- E. Data Pump Conventional Export/Import

Answer: C

NEW QUESTION 66

You log in to the ORCL database as SYSTEM and successfully execute these two blocks of code:

```
BEGIN
    DBMS_REDACT.ADD_POLICY (object_schema => 'HR',
        object_name => 'EMP'
        policy_name => 'REDACT_EMP',
        column_name => 'SALARY',
        function_type => DBMS_REDACT.FULL,
        expression => '1=1');
END;

BEGIN
    DBMS_REDACT.ALTER_POLICY (object_schema => 'HR',
        object_name => 'EMP',
        policy_name => 'REDACT_EMP',
        action => DBMS_REDACT.ADD_COLUMN,
        column_name => 'LAST_NAME',
        expression => 'SYS_CONTEXT(''USERENV'', ''SESSION_USER'') !
        =''SCOTT''');
END;
```

The SCOTT user has the SELECT privilege onHR.EMP.

Which statement is true about queries bynon-DBAusers with theSELECTprivilege onHR.EMP?

- A. All their queries display blanks forLAST_NAMEand the true contents of theSALARYcolumn.
- B. OnlySCOTT'Squeries display the true contents of theSALARYcolumn and blanks forLAST_NAME.
- C. All their queries display blanks forLAST_NAMEand zeroes forSALARY.
- D. OnlySCOTT'Squeries display the true contents of theSALARYandLAST_NAMEcolumns.
- E. OnlySCOTT'Squeries display zero forSALARYand the true contents of theLAST_NAMEcolumn.

Answer: A

NEW QUESTION 69

In a database on an Oracle Exadata Database machine, a DBA executes this command: SQL> exec DBMS_INMEMORY_ADMIN.ENABLE_FASTSTART ('fs_tbs');
What is the result?

- A. All columns for all tables in theFS_TBStablespace are loaded into the In-Memory column store.
- B. Any data in the In-Memory column store is copied in compressed columnar format to theFS_TBS tablespace.
- C. Any data in the In-Memory column store is copied in uncompressed columnar format to theFS_TBS tablespace.
- D. Any data in the In-Memory column store is copied in row major format to theFS_TBStablespace.

Answer: A

NEW QUESTION 70

Examine this command:

```
$ expdp scott/password schemas=SCOTT directory=TEST_DIR parallel=4  
dumpfile=SCOTT_%  
U.dmp logfile=expdpSCOTT.log
```

Which statement is true?

- A. Up to four worker processes are allocated to export data and metadata
- B. Four worker processes are allocated to export only data
- C. Four worker processes are active to export only metadata
- D. Four worker processes are allocated to export data and metadata
- E. Four worker processes are allocated when there is sufficient CPU available

Answer: D

NEW QUESTION 75

ACDB,CDB1, has aLOCATIONSApplication container. NORTH_PDBandSOUTH_PDBare two application PDBs inLOCATIONS.
Both application PDBs are synchronized with the application installed in theLOCATIONS root... InCDB2, you create a remote clone,LOC_R, of theLOCATIONSApplication root.
You want to query data across theLOCATIONSApplication PDBs created inCDB1andCDB2. How can you do this?

- A. by creating a proxy PDB inLOCATIONS_ROOTinCDB1, referencingLOC_R
- B. by creating a proxy PDB inCDB1root, referencingLOC_R
- C. by using private database links created inCDB1andCDB2
- D. by using public database links created inCDB1andCDB2
- E. by creating a proxy PDB inCDB2root, referencingLOC_R

Answer: E

NEW QUESTION 77

APP1is an application container that has an application seed and two application PDBs,APP_PDB1andAPP_PDB2.
1.1 is the current version of the application. You execute this block in the application root:

```
ALTER PLUGGABLE DATABASE APPLICATION app1  
BEGIN UPGRADE '1.0' TO '1.5';  
CREATE ROLE role1;  
ALTER PLUGGABLE DATABASE APPLICATION app1  
END UPGRADE TO '1.5';
```

What is the outcome?

- A. An error is thrown because the version number should be sequential, either 1.1 or 2.0.
- B. An error is thrown because theCONTAINER=ALLclause is missing.
- C. An error is thrown because thec##prefix is missing in the role name.
- D. A common role is created only in the application root.
- E. A common role is created only in the application root and application seed.
- F. A common role is created in the application root, application seed,APP_PDB1, andAPP_PDB2.

Answer: D

NEW QUESTION 81

The In-Memory compression level is set toMEMCOMPRESS FOR QUERY HIGH. For what purpose is this optimized?

- A. for parallel query performance only
- B. for query performance and space saving
- C. for query performance and space saving with greater bias toward space saving
- D. for query performance only
- E. for space saving only

Answer: B

NEW QUESTION 86

TheORCLCDB has a PDB,ORCL_PDB.
 Examine these parameters inORCL:

NAME	TYPE	VALUE
-----	-----	-----
sga_max_size	big integer	1360M
sga_min_size	big integer	0
sga_target	big integer	1360M
db_cache_size	big integer	0

Examine these parameters inORCL_PDB:

NAME	TYPE	VALUE
-----	-----	-----
sga_max_size	big integer	1360M
sga_min_size	big integer	0
sga_target	big integer	0
db_cache_size	big integer	0

You switch toORCL_PDBand plan to execute these commands:

```
ALTER SYSTEM SET DB_CACHE_SIZE = 200M;

ALTER SYSTEM SET SGA_TARGET = 600M;
```

What will be the outcome?

- A. SGA_TARGETis set to 600M.The other values remain unchanged in bothORCLandORCL_PDB.
- B. SGA_TARGETis set to 600M andDB_CACHE_SIZEto 200M inORCL_PD
- C. The other values remain unchanged in bothORCLandORCL_PDB.
- D. SGA_TARGETandSGA_MAX_SIZEare set to 600M andDB_CACHE_SIZEto 200M inORCL_PD
- E. SGA_TARGETandSGA_MAX_SIZEare set to (1360-600)M andDB_CACHE_SIZEto 200M inORCL.
- F. Altering theDB_CACHE_SIZEresults in an error becauseSGA_TARGETshould be altered to 600M first.
- G. Altering theDB_CACHE_SIZEresults in an error because it cannot be altered in a PD
- H. SGA_TARGETsize is changed to 600 M.

Answer: D

NEW QUESTION 87

You plan to execute this command:

```
CREATE TABLE sales
(
  prod_id          NUMBER(3),
  annual_sale_amt  NUMBER(10, 2),
  country          VARCHAR2(4),
  channel          VARCHAR2(1)
)
PARTITION BY LIST(country, channel)
(
  PARTITION p1 VALUES (('USA', 'D'), ('CA', 'D')),
  PARTITION p2 VALUES (('USA', 'I'), ('CA', 'I'))
);
```

Which statement is true and why?

- A. It creates partitionsP1andP2whereCOUNTRYis a single column partition key andCHANNELis a subpartition key.
- B. It returns an error because only one set of multiple values can be specified for each partition.

- C. It returns an error because only a single column key can be used for a list-partitioned table.
- D. It returns an error because theAUTOMATICoption must be specified.
- E. It creates partitionsP1andP2whereCOUNTRYandCHANNELare multi-column partition keys.

Answer: E

NEW QUESTION 89

Your CDB is inARCHIVELOGmode and has an application container with a container PDB. A backup exists for the CDB. When you connect to the container PDB and try to execute a query, you get an error that aSYSTEMdata file is missing in the container PDB. You want to use the RMANRESTORE DATABASEandRECOVER DATABASEcommands to perform the recovery.

Examine these actions:

Connect toCDB\$ROOTand executeSHUTDOWN ABORTandSTARTUP MOUNT.

Connect to the application container and executeSHUTDOWN ABORT.

Connect to the application container and executeALTER PLUGGABLE DATABASE CLOSE ABORT. Which option correctly lists the actions that you must execute before performing the recovery?

- A. 1 and 3
- B. 1 and 2
- C. only 2
- D. only 3

Answer: A

NEW QUESTION 92

Which two statements are true about a band join? (Choose two.)

- A. The optimizer always uses the smaller of the two row sources to build a hash table on the join key.
- B. It returns rows for SQL statements that contain an equijoin.
- C. It is a non-equijoin in which the key values in one data set must fall within the specified range of the second data set.
- D. For each row in the first row source, Oracle probes the second row source for matching rows and joins them.
- E. The SQL runtime engine avoids unnecessary scanning of rows that fall outside the defined ranges.

Answer: CE

NEW QUESTION 94

TheEMP_CDB1andEMP_CDB2CDBs are in ARCHIVELOG mode. Oracle Managed Files is enabled in both CDBs.

EMP_CDB1has a PDB,EMP_PDB1.

InEMP_CDB2, you log in as theSYSuser. You plan to execute this statement:

CREATE PLUGGABLE DATABASE emp_pdb2 FROM emp_pdb1 @emp_link RELOCATE; Which two statements are true? (Choose two.)

- A. TheAVAILABILITY MAXclause should be added to the command to ensure transaction consistency during the relocation process.
- B. SYSOPERprivilege should be granted to the user defined inEMP_LINKand used to connect to the remotedatabase.
- C. EMP_PDB2should be opened in read-write mode to complete the relocation process.
- D. EMP_PDB1should be dropped manually fromEMP_CDB1after executing the relocating command.
- E. EMP_LINKshould exist as a public link inEMP_CDB1andEMP_CDB2.
- F. OnlyEMP_PDB1should be in local undo mode.

Answer: CE

NEW QUESTION 98

You plan to use Information Lifecycle Management (ILM) for theORDERStable. Which is true about Heat Map statistics whenHEAT_MAPisON?

- A. They are collected for all segments except for those in theSYSTEMandSYSAUXtablespaces, and are stored in theSYSTEMtablespace.
- B. They are collected for all segments except for those in theSYSTEMandSYSAUXtablespaces, and are stored in theSYSAUXtablespace.
- C. They are collected for all segments and are stored in theSYSAUXtablespace.
- D. They are collected for all segments and are stored in theSYSTEMtablespace.
- E. They are collected only for theORDERStable if it has an associated ADO policy.

Answer: D

NEW QUESTION 102

The TESTDB container database (CDB) running inARCHIVELOGmode contains two pluggable databases (PDBs)PDB1andPDB2.

A connect descriptor forTESTDBis mapped to the TNS aliaستestdb in tnsnames.ora. The defaultRMANconfiguration is used.

Examine these commands:

```
$ RMAN sys/oracle_4U@TESTDB  
  
RMAN> BACKUP PLUGGABLE DATABASE "CDB$ROOT", PDB1;
```

Which files are backed up?

- A. all root andPDB1data files, and theCONTROLFILE, SPFILE, andFLASHBACKLOGS
- B. all root andPDB1data files, and theCONTROLFILE, SPFILE, andARCHIVELOGS
- C. all root andPDB1data files, and theCONTROLFILEandSPFILE
- D. all root andPDB1data files, and theCONTROLFILE, SPFILE, ONLINE REDO LOG FILES, and ARCHIVELOGS
- E. all root andPDB1data files

Answer: E

NEW QUESTION 103

While performing a cross-platform PDB transport in an Oracle Database 12c Release 2 database, by using XTTs from a Linux (x86-64) server to a Solaris (x86-64) server, this command is executed to back up the files in a compatible format:

```

RMAN> BACKUP TO PLATFORM 'Solaris[tm] OE (64-bit)'
        UNPLUG INTO '/tmp/pdb_orcl.xml'
        PLUGGABLE DATABASE pdb_orcl
        FORMAT '/home/oracle/backup/ORCL/transport_solaris_%U';
  
```

What will be the outcome?

- A. It creates the /tmp/pdb_orcl.xml file, which contains the metadata and data of the source database.
- B. The backup fails because the UNPLUG operation for cross-endian platforms is not supported.
- C. It successfully takes a backup but the UNPLUG operation of PDB_ORCL fails.
- D. It successfully completes.
- E. It creates a backupset of the source database in the /home/oracle/backup directory.

Answer: E

NEW QUESTION 104

In which three situations would you recommend DB Replay to be used? (Choose three.)

- A. to check the impact of schema changes such as adding new indexes or materialized views
- B. to check the impact of database migration to the cloud
- C. to check the impact of changing the storage system or the network
- D. to check the impact of partitioning a table
- E. to check the impact of new optimizer statistics
- F. to check the impact of upgrading and patching databases

Answer: BCF

NEW QUESTION 105

Examine these parameters in a PFILE used to start database instance.

NAME	TYPE	VALUE
-----	-----	-----
memory_max_target	big integer	0
memory_target	big integer	4G
sga_max_size	big integer	4G
sga_target	big integer	2G
pga-aggregate-target	big integer	1G

Which two statements are true after an instance restart is attempted and why? (Choose two.)

- A. PGA_AGGREGATE_TARGET and SGA_TARGET remain 1G and 2G respectively.
- B. PGA_AGGREGATE_TARGET and SGA_TARGET are set to zero for the instance.
- C. The MEMORY_MAX_TARGET parameter is set to zero for the instance.
- D. MEMORY_MAX_TARGET is automatically set to 4G for the instance.
- E. The instance does not start because AMM is enabled but PGA_AGGREGATE_TARGET and SGA_TARGET are set to nonzero values.

Answer: CD

NEW QUESTION 108

In your CDB, DEPTCDB, local undo is enabled. You successfully execute this command: FLASHBACK PLUGGABLE DATABASE hrpdb to SCN 424366; Which action must you perform next?

- A. Open HRPDB
- B. Take a backup of DEPTCDB
- C. Take a backup of HRPDB
- D. Open HRPDB with RESETLOGS
- E. Open DEPTCDB with RESETLOGS
- F. Open DEPTPDB

Answer: D

NEW QUESTION 111

In TESTDB, U1 has SYSDBA privileges and the password Oracle_4U. You recreate the password file:
 \$ orapwd FILE=orapwtestdb FORMAT=12.2 password=Oracle_123 ENTRIES=5
 Examine the command and result:

\$ sqlplus u1/Oracle_4U@testdb as sysdba ERROR:
ORA-01017: invalid username/password; logon denied What can you do to fix this error?

- A. Recreate the password file with the password set to Oracle_4U.
- B. Change the password of U1 to Oracle_123.
- C. Set the REMOTE_LOGIN_PASSWORDFILE parameter value to NONE.
- D. Regrant SYSDBA to U1.
- E. Restart the database instance.

Answer: A

NEW QUESTION 113

Examine this parameter:

NAME	TYPE	VALUE
-----	-----	-----
optimizer_capture_sql_plan_baselines	boolean	TRUE

Examine these commands:

```
SQL EXEC DBMS_SPM.CONFIGURE('AUTO_CAPTURE_PARSING_SCHEMA_NAME','SH', true);  
PL/SQL procedure successfully completed.  
SQL> EXEC DBMS_SPM.CONFIGURE('AUTO_CAPTURE_PARSING_SCHEMA_NAME','SYS', true);  
PL/SQL procedure successfully completed.  
SQL>EXEC DBMS_SPM.CONFIGURE('AUTO_CAPTURE_SQL_TEXT','%TEST_ONLY%', false);  
PL/SQL procedure successfully completed.
```

Which three are true after executing these commands? (Choose three.) (Choose three.)

- A. All statements executed by SH are captured and included in a baseline.
- B. Statements executed by both SH and SYS may be captured and included in a baseline.
- C. Only statements executed by SYS are captured and included in a baseline.
- D. Only statements executed by SH containing the "TEST_ONLY" string are excluded from capture.
- E. Statements executed by any user containing the "TEST_ONLY" string are excluded from capture.
- F. Only repeatable statements executed by SYS and SH are considered for baselines.

Answer: AEF

NEW QUESTION 115

Which three statements are true about the SQL Performance Analyzer? (Choose three.)

- A. It recommends the use of SQL Tuning Advisor for regressed SQL statements.
- B. It recommends the creation of indexes for regressed SQL statements.
- C. It compares and analyzes execution plans for the SQL statements in a SQL Tuning Set (STS).
- D. It always executes triggers that are fired recursively in FULLDML mode.
- E. It generates execution plans for each SQL statement in an STS.

Answer: ACE

NEW QUESTION 120

Which two statements are true about application containers? (Choose two.)

- A. A regular PDB can be plugged in to an application container provided it is an Oracle Database 12c Release 2 (12.2) PDB.
- B. An application root can be unplugged from a CDB and plugged in to another CDB.
- C. An application PDB can belong to multiple application containers.
- D. User-created common objects are accessible from the CDB root.
- E. The application root stores user-created common objects and Oracle-supplied common objects.
- F. Multiple application roots can be created in one container database.

Answer: DE

NEW QUESTION 123

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-074 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-074 Product From:

<https://www.2passeasy.com/dumps/1z0-074/>

Money Back Guarantee

1z0-074 Practice Exam Features:

- * 1z0-074 Questions and Answers Updated Frequently
- * 1z0-074 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-074 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-074 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year