

Exam Questions MS-200

Planning and Configuring a Messaging Platform

<https://www.2passeasy.com/dumps/MS-200/>



NEW QUESTION 1

- (Exam Topic 1)

After a power failure, some users in the London office report that they cannot access email. You need to restore mailbox access for the affected users as quickly as possible.

What should you do?

- A. Create a recovery database on another Exchange server, and then restore the database from EX07 to the recovery database
- B. On a new server, run setup.exe /Mode:RecoverServer from the Exchange Server 2019 installation media, and then restore a backup of the database
- C. On a server in DAG15, create a copy of the mailbox databases hosted on EX07
- D. Copy the database files from EX07, and then mount the database on a server in DAG15

Answer: B

NEW QUESTION 2

- (Exam Topic 1)

You need to ensure that all the users in the Exchange organization can connect to their mailbox by using MAPI over HTTP.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set-MapiVirtualDirectory
- B. Set-ECPVirtualDirectory
- C. Set-OutlookAnywhere
- D. Set-CasMailbox
- E. Set-OrganizationConfig

Answer: AE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/clients/mapi-over-http/configure-mapi-over-http?view=exchserver-2>

NEW QUESTION 3

- (Exam Topic 1)

You need to restore mailbox access for the main office users as quickly as possible. What should you do?

- A. Create a recovery database on another Exchange server, and then restore the database from EX07 to the recovery database.
- B. On a server in DAG15, create a copy of the mailbox databases hosted on EX07.
- C. Copy the database files from EX07, and then mount the database on a server in DAG15.
- D. On a new server, run setup.exe /Mode:RecoverServer from the Exchange Server 2019 installation media and then restore a backup of the database.

Answer: D

NEW QUESTION 4

- (Exam Topic 2)

You need to recommend a deployment plan that meets the technical requirements for the mailbox databases. What should you include in the recommendation?

- A. Deploy one Exchange server to the main office and two Exchange servers to each branch office
- B. Create one mailbox database on each server.
- C. Deploy 10 Exchange servers to the main office and one Exchange server to each branch office
- D. Create two mailbox databases on each server.
- E. Deploy 11 Exchange servers to the main office and one Exchange server to each branch office
- F. Create one mailbox database on each server.
- G. Deploy one Exchange server to each office
- H. Create two mailbox databases on each server
- I. Create copies of the databases on another server.

Answer: D

NEW QUESTION 5

- (Exam Topic 3)

QUESTION NO: 88

You have a Microsoft Exchange Server 2019 organization.

You have a database availability group (DAG) that contains the members and databases shown in the following table.

DAG member	Database
EX01	Mail1 (active), Mail2, Mail3
EX02	Mail2 (active), Mail3, Mail4
EX03	Mail3 (active), Mail4, Mail5
EX04	Mail4 (active), Mail5, Mail1

EX01 fails and cannot be repaired within an acceptable timeframe.

You plan to replace EX01 with a new DAG member named EX05. EX05 will host the same databases as EX01.

What should you do first?

- A. Reseed Mail1 on EX02.
- B. Remove EX01 from the DAG.

- C. Suspend the replication of Mail1, Mail2, and Mail3 on EX01.
D. Remove Mail1, Mail2, and Mail3 from EX01.

Answer: D

NEW QUESTION 6

- (Exam Topic 3)

You are deploying Microsoft Exchange Server 2019 to two data centers in Paris and London. The Paris data center contains a file server named PAR-FILE01 and three Mailbox servers named PAR-MBX01, PAR-MBX02 and PAR-MBX03. The London data center contains a file server named LON-FILE01 and three Mailbox servers named LON-MBX01, LON-MBX02, and LON-MBX03.

You create a database availability group (DAG) that contains all six Mailbox servers and has PAR-FILE01 as a primary witness.

You need to set LON-FILE01 as the alternate witness. Which cmdlet should you run?

- A. New-DatabaseAvailabilityGroupNetwork
B. Set-MailboxDatabaseCopy
C. Set-DatabaseAvailabilityGroupNetwork
D. Set-DatabaseAvailabilityGroup
E. Add-DatabaseAvailabilityGroupServer

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/database-availability-groups/setdatabaseavailabil>

NEW QUESTION 7

- (Exam Topic 3)

NO: 8 HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

```
Identity           : Outlook-Android/2.0 (UserAgent)
AccessLevel        : allow
Characteristic     : UserAgent
QueryString        : Outlook-Android/2.0
```

```
Identity           : Outlook-iOS/2.0 (UserAgent)
AccessLevel        : Allow
Characteristic     : UserAgent
QueryString        : Outlook-iOS/2.0
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 8

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

Get-MailboxRestoreRequest -Identity "user1\MailboxRestore"

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 9

- (Exam Topic 3)

Your company has offices in New York and Los Angeles. Each office has a Mailbox server.

The company has a Microsoft Exchange Server 2019 hybrid deployment that uses a namespace of litware.com.

Currently, all email messages received from the Internet are routed from Exchange Online to the New York office.

You need to ensure that messages sent to users in the Los Angeles office are routed from Exchange Online directly to the local Mailbox server in the Los Angeles office.

What should you create in Exchange Online?

- A. a remote domain and a client access rule.
- B. a connector and a remote domain
- C. a connector and a mail flow rule
- D. an email address policy and a client access rule

Answer: C

NEW QUESTION 10

- (Exam Topic 3)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the company's accounting department have on-premises mailboxes. Users in the company's sales department have mailboxes in Exchange Online.

You need to configure Outlook on the web to meet the following requirements:

- ☒ The accounting department users must be prevented from using Outlook on the web.
- ☒ The sales department users must be prevented from using Outlook on the web from the Internet.
- ☒ The accounting and sales department users must be able to use Outlook Anywhere and Exchange ActiveSync.

Which cmdlet should you run for the users in each department? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Accounting department users:

	▼
New-ClientAccessRule	
Set-CASMailbox	
New-OWAMailboxPolicy	
Set-OWAMailboxPolicy	

Sales department users:

	▼
New-ClientAccessRule	
Set-CASMailbox	
New-OWAMailboxPolicy	
Set-OWAMailboxPolicy	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Accounting department users:

	▼
New-ClientAccessRule	
Set-CASMailbox	
New-OWAMailboxPolicy	
Set-OWAMailboxPolicy	

Sales department users:

	▼
New-ClientAccessRule	
Set-CASMailbox	
New-OWAMailboxPolicy	
Set-OWAMailboxPolicy	

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription. A user loses a mobile device.

You need to tell the user how to remove corporate data from the lost device. What should you instruct the user to use?

- A. Outlook on the web
- B. the Exchange admin center
- C. the Security & Compliance admin center
- D. the Microsoft 365 admin center

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 11

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

You perform a Server Core installation of Windows Server 2019 on a server named EX05. You need to deploy Exchange Server 2019 to EX05.

Which two components should you install before you can install Exchange Server 2019 on EX05? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Visual C++ Redistributable package for Microsoft Visual Studio 2013
- B. Microsoft Office Filter Pack
- C. Microsoft Report Viewer 2015 Runtime
- D. Windows Identity Foundation
- E. Unified Communications Managed API 4.0 Runtime

Answer: AE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prerequisites?view=exchserver-2019>

NEW QUESTION 16

- (Exam Topic 3)

You plan to deploy a Microsoft Exchange Server 2019 organization that will contain the servers shown in the following table.

Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site2

The sites connect to each other by using a high-cost, slow WAN link. Each site also connects directly to the Internet.

You need to ensure that outgoing email to the Internet always uses a server in the local site. What should you create?

- A. one Send connector that uses two smart hosts
- B. two Send connectors that use different smart hosts
- C. two scoped Send connectors that have the same namespace
- D. two Send connectors that have different namespaces

Answer: C

NEW QUESTION 18

- (Exam Topic 3)

Your company has two data centers in Berlin and one data center in Toronto. Each data center contains two Microsoft Exchange Server 2019 servers.

You have a database availability group (DAG) that contains all the Exchange servers. Each server contains a copy of all the mailbox databases. Datacenter

Activation Coordination (DAC) mode is enabled for the DAG.

A power failure causes both data centers in Berlin to become unavailable.

You need to ensure that users can access their mailbox as quickly as possible.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Stop-DatabaseAvailabilityGroup
- B. Restore-DatabaseAvailabilityGroup
- C. Remove-DatabaseAvailabilityGroupServer
- D. Suspend-MailboxDatabaseCopy
- E. Start-DatabaseAvailabilityGroup

Answer: AB

NEW QUESTION 21

- (Exam Topic 3)

Your company has a main office and 20 remote offices.

The network contains an Active Directory forest. The forest contains domain controllers that run Windows Server 2012 R2. The forest functional level is Windows Server 2008 R2.

The company has a Microsoft Exchange Server organization. Most servers have Exchange Server 2013 installed. Three servers in the remote offices have Exchange Server 2010 installed.

One quarter of users have voicemail provided by Unified Messaging (UM).

You need to deploy an Exchange Server 2019 database availability group (DAG) to the main office. Which two actions should you perform to prepare the organization for the DAG deployment? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Disable UM for all the users.
- B. Upgrade all the domain controllers to Windows Server 2019.
- C. Create a new Active Directory site for the main office.
- D. Raise the forest functional level to Windows Server 2012 R2.
- E. Upgrade the remaining Exchange Server 2010 servers to Exchange Server 2013.

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Exchange/plan-and-deploy/system-requirements?view=exchserver-2019>

NEW QUESTION 25

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You add a second IP address to EX01. You create a new linked connector named App1 EX01. Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/mail-routing/mail-routing?view=exchserver-2019>

NEW QUESTION 30

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains two Active Directory sites named Site1 and Site2.

You have a Microsoft Exchange Server 2019 organization that contains a database availability group (DAG) named DAG1. DAG1 has three member servers in each site.

You need to prevent users from Site1 from sending email messages larger than 5 MB to the mailboxes in Site2.

What should you do?

- Modify the properties of the Active Directory site link.
- From Site1, create a custom Send connector, and then modify the address space.
- From Site2, create a custom Receive connector, and then modify the remote IP address range.
- Modify the properties of DAG1.

Answer: B

NEW QUESTION 35

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization named litwareinc.com.

The organization publishes Exchange services by using a namespace of mail.litwareinc.com. You deploy a new server named EX10 to the organization.

User reports that sometimes they receive warnings about certificate errors when they connect to their mailbox. The warning message reference is ex10.litwareinc.com.


You need to resolve the issue.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 38

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

Your company plant to allow user to use their mailbox phone to access their mailbox.

You need to ensure the user devices are password protected before the user can connect to their mailbox. What should you create?

- A. A device access rule
- B. A client access rule
- C. A data loss prevention (DLP) rule
- D. A mobile device mailbox policy

Answer: D

NEW QUESTION 41

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

You have a database availability group (DAG) that contains the members and databases shown in the following table.

DAG member	Database
EX01	Mail1 (active), Mail2, Mail3
EX02	Mail2 (active), Mail3, Mail4
EX03	Mail3 (active), Mail4, Mail5
EX04	Mail4 (active), Mail5, Mail1

EX01 fails.

All users report that they can access their email normally. You resolve the issue on EX01.

You need to return the DAG to its original configuration as quickly as possible. What should you do?

- A. Resume the replication of Mail1, Mail2, and Mail3 on EX01
- B. Reseed Mail1 on EX01
- C. Activate a copy of Mail1 on EX01
- D. Suspend database copy operations on Mail1, Mail2, and Mail3

Answer: A

NEW QUESTION 45

- (Exam Topic 3)

You have a Microsoft Exchange Server organization that contains the servers shown in the following table.

Name	Exchange version
EX01	Exchange Server 2016 Standard
EX02	Exchange Server 2019 Standard

You have the users shown in the following table.

Name	Mailbox server
User1	EX01
User2	EX02
User3	EX02

All users have a Standard CAL.

You need provide an archive mailbox to each user in the organization. What should you do before you provide each user with an archive mailbox?

- A. Upgrade EX01 and EX02 to Exchange Server 2019 Enterprise.
- B. Move all the mailboxes to EX02.
- C. Purchase an Enterprise CAL for each user.
- D. Upgrade EX01 to Exchange Server 2019 Standard.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 48

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

All mailboxes are assigned the same mobile device mailbox policy. You run the command as shown in the following exhibit.

```
PS C:\> Get-MobileDeviceMailboxPolicy | fl *password*, MaxInactivityTimeLock

AlphanumericPasswordRequired      : True
PasswordEnabled                   : True
PasswordRecoveryEnabled           : False
AllowSimplePassword               : False
MinPasswordLength                 : 4
MaxPasswordFailedAttempts         : Unlimited
PasswordExpiration                : Unlimited
PasswordHistory                   : 0
MinPasswordComplexCharacters       : 4
MaxInactivityTimeLock             : 01:00:00
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

An unlocked device can be inactive for up to [answer choice] before a password is required to unlock the device.

▼

one day

one hour

one minute

A password of [answer choice] is compliant with the policy.

▼

Pass1!

p@\$\$word1!

PA\$\$1!

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

An unlocked device can be inactive for up to [answer choice] before a password is required to unlock the device.

▼

one day

one hour

one minute

A password of [answer choice] is compliant with the policy.

▼

Pass1!

p@\$\$word1!

PA\$\$1!

NEW QUESTION 52

- (Exam Topic 3)

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS. What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
- B. a remote domain named contoso.com
- C. a new connector that specifies the fabrikam.com SMTP domain
- D. a remote domain named fabrikam.com

Answer: A

Explanation:

Configure a Send connector in Fabrikam to point to Contoso.

NEW QUESTION 56

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

NEW QUESTION 58

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains multiple servers. The exchange organization contains a server named EX01. Contains a mailbox database that uses 200 GB of disk space.

You run the following commands on EX01.

```
Get-Mailbox -MailboxDatabase DB01 | New-MoveRequest -TargetDatabase 'DB02'

Remove-MailboxDatabase -Identity DB01
```

You need to reclaim the available disk space on EX01. What should you do?

- A. From Exchange Management Shell run the Remove-item cmdlet and specify the path parameter.
- B. From Exchange Management Shell, run the Remove-migration batch cmdlet and specify the force parameter.
- C. From a command prompt, run the eseutil.exe /R EX01 command.
- D. From Exchange Management Shell, run the remove-StoreMailbox cmdlet.

Answer: A

NEW QUESTION 63

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains a single domain named Contoso.com. The forest contains a Microsoft Exchange Server 2019 organization and the sites shown in the following table. You run the Get_ClientAccessRule cmdlet AND YU RECEVE THE FOLLOWING OUTPUT?

Active Directory site	Domain controller	Mailbox server	Subnet
Paris	DC1	EX1, EX2	172.16.2.0/24
Rome	DC2	EX3, EX4	172.16.3.0/23
London	DC3	EX5, EX6	172.16.4.0/23
Seattle	DC4	EX7, EX8	172.16.0.0/24

```

NameSpaceId : 3ba00c95-e9e3-4623-a1ed-d4d7e253de93
Priority : 1
Enabled : True
Action : AllowAccess
ExceptAnyOfClientIPAddressesOrRanges : {}
AnyOfProtocols : {RemotePowerShell}
Scope : All
ExchangeVersion : 0.20 (15.0.0.0)
Name : CARInternal
DistinguishedName : CN=CARInternal,CN=Client Access Rules,CN=Contoso,CN=Microsoft
Exchange,CN=Services,CN=Configuration,DC=hybriddemo,DC=cloud
Identity : CARInternal
Guid : 9b4c7619-018c-418a-8093-d5e95f68e01
ObjectCategory : hybriddemo.cloud/Configuration/Schemas-Exch-Client-Access-Rule
ObjectClass : {top, msExchClientAccessRule}
IsValid : True
ObjectState : Changed

NameSpaceId : 3ba00c95-e9e3-4623-a1ed-d4d7e253de93
Enabled : True
Action : DenyAccess
ExceptAnyOfClientIPAddressesOrRanges : {172.16.0.0/24}
AnyOfProtocols : {ExchangeAdminCenter}
Scope : All
ExchangeVersion : 0.20 (15.0.0.0)
Name : NoSync
DistinguishedName : CN=NoSync,CN=Client Access Rules,CN=Contoso,CN=Microsoft
Exchange,CN=Services,CN=Configuration,DC=hybriddemo,DC=cloud
Identity : NoSync
Guid : ff1347ee-5e02-40c3-b495-9089cf07e932
ObjectCategory : hybriddemo.cloud/Configuration/Schemas-Exch-Client-Access-Rule
ObjectClass : {top, msExchClientAccessRule}
IsValid : True
ObjectState : Changed

```

For each of the following statements, select Yes if the statements is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Administrators in the Paris site can create mailboxes by running the New-Mailbox cmdlet.	<input type="radio"/>	<input type="radio"/>
Administrators in the Paris site can create new mailboxes by using the Exchange admin center.	<input type="radio"/>	<input type="radio"/>
Administrators in the London site can create new mailboxes by using the Exchange admin center.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Administrators in the Paris site can create mailboxes by running the New-Mailbox cmdlet.	<input checked="" type="radio"/>	<input type="radio"/>
Administrators in the Paris site can create new mailboxes by using the Exchange admin center.	<input checked="" type="radio"/>	<input type="radio"/>
Administrators in the London site can create new mailboxes by using the Exchange admin center.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 66

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains an Edge Transport server named Edge01. Edge01 has 50 transport rules.

You deploy a new Edge Transport server named Edge02.

You need to ensure that Edge01 and Edge02 have the same transport rules. What should you do?

- A. Run the Set-TransportConfig cmdlet
B. Export the Edge Subscription from Edge01 and import the Edge Subscription to Edge 02
C. Create a new subscription for Edge02
D. Run the ExportEdgeConfig.ps1 and ImportEdgeConfig.ps1 PowerShell scripts

Answer: D

NEW QUESTION 71

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named EX01. EX01 contains a mailbox database named MailDB01. You attach a new hard drive named F to EX01. On drive F, you create a folder named Databases. You plan to run the following command on EX01.

Move-DatabasePath -Identity MailDB01 -EdbFilePath F:\Databases\MailDB01.edb -ConfigurationOnly \$false

What is the effect of running the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

The command will:

- complete successfully but disconnect users
- complete without disconnecting any users
- only run during a maintenance schedule

If MailDB01 was mounted before running the command, the database:

- will mount automatically
- must be mounted manually
- must be repaired before the database can be mounted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailbox-databases-and-servers/move-databasepa>

NEW QUESTION 75

- (Exam Topic 3)

You are deploying Microsoft Exchange Server 2019.

You plan to test the performance of the MetaCache Database (MCDB).

You deploy a new Exchange Server 2019 server that has the following configurations:

- Four quad-core Xeon processors
- One 1-Gbps network adapter
- Four 1-TB hard disk drives (HDDs)
- 256 GB of memory

What should you do to support the MCDB?

- A. Add four additional processors
- B. Replace the 1-Gbps network adapter with a 10-Gbps network adapter
- C. Add an additional 256 GB of memory
- D. Add two solid-state drives (SSDs)

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/database-availability-groups/metacachedatabasesetu view=exchserver-2019>

NEW QUESTION 77

- (Exam Topic 3)

You plan to deploy Microsoft Exchange Server 2019.

You need to verify whether the Active Directory environment is prepared for the deployment.

What are two methods to verify whether the Active Directory environment is prepared? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Use ADSI Edit.
- B. Run the Get-ExchangeServer cmdlet.
- C. Review the Exchange.Setup log.
- D. Run the Get-ADForest cmdlet.
- E. Run the dcdiag.exe command.

Answer: AC

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prepare-ad-and-domains?view=exchserver-2019>

NEW QUESTION 82

- (Exam Topic 3)

You deploy a Microsoft Exchange server named EX01.

Users report that they cannot access Outlook on the web by using a URL of https://EX01.

You need to ensure that the users can reach their mailbox when they go to https://EX01 in their web browser. What should you do?

- A. Install the WebDav Publishing role service.

- B. Enable Require SSL for the OWA virtual directory.
- C. Configure HTTP Redirection for the default website.
- D. Clear HTTP Redirection for the OWA virtual directory.

Answer: C

NEW QUESTION 85

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You create a second IP address for EX01. You create a new Receive connector named App1 EX01. You configure the remote IP address ranges and the local IP address bindings of App1 EX01.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/receive-connectors?view=exchserver-2019>

NEW QUESTION 89

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has two offices.

The network contains an Active Directory forest. The forest contains two domains. Each office is configured as an Active Directory site.

You need to recommend a plan for the deployment of Microsoft Exchange Server 2019 servers. The plan must ensure that a copy of each sent email message is always retained in a shadow queue.

Solution: You recommend deploying a standalone server to each site. Each server will be in a different domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/transport-high-availability/shadow-redundancy?view=exchserver-2019>

NEW QUESTION 94

- (Exam Topic 3)

You have a Microsoft Exchange 2019 server that contains a mailbox database named DB01. DB01 is located on a drive named E. The transaction log files for DB01 are located on a drive named F.

You receive several disk alerts for drive E and suspect that the drive is failing. You dismount DB01 and verify that the database is in a clean shutdown state. You create a new mailbox database named DB02 on a drive named G.

You need to ensure that users can connect to their mailbox as quickly as possible.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Move the log files of DB01 to drive G.	
Run the Move-DatabasePath cmdlet.	
Move the database files of DB01 to drive G.	<div>></div>
Run the Set-Mailbox cmdlet.	<div><</div>
Mount DB02.	<div>↑</div>
From DB02, select the This database can be overwritten by a restore check box.	<div>↓</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/database-portability?view=exchse>

NEW QUESTION 97

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-200 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-200 Product From:

<https://www.2passeasy.com/dumps/MS-200/>

Money Back Guarantee

MS-200 Practice Exam Features:

- * MS-200 Questions and Answers Updated Frequently
- * MS-200 Practice Questions Verified by Expert Senior Certified Staff
- * MS-200 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-200 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year