


## 1Z0-344 Dumps

# JD Edwards EnterpriseOne Configurable Network Computing 9.2 Implementation Essentials

<https://www.certleader.com/1Z0-344-dumps.html>



#### NEW QUESTION 1

Identify the correct list of requirements when enabling Long Passwords in EnterpriseOne.

- A. \*EnterpriseOne Tools 9.2 must be installed and configured on each Enterprise server.\*Long User IDS are not required before Long passwords are implemented..\*The application that is used to manage user password will change from P980WSEC to P98LPSEC.
- B. \*EnterpriseOne Tools 9.2 must be installed and configured on each Enterprise Server.\*Long User IDs must be enabled before Long passwords are implemented..\*The application that is used to manage user passwords will remain P980WSEC.
- C. \*EnterpriseOne Tools 9.1 must be installed and configured on each Enterprise Server.\*Long User IDS must be enable before Long passwords are implemented.\*The application that is used to manage user passwords will remain P980WSEC.
- D. \*EnterpriseOne Tools 9.0 must be installed and configured on each Enterprise Server.\*Long User JDs are not required before Long passwords are implemented.\*The application that is used to manage user password s will remain P980WSEC.
- E. \*EnterpriseOne Tools 9.0 must be installed and configured on each Enterprise server.\*Long User IDs must be Enabled before Long passwords are implemented.\*The application that is used to manage user passwords will change from P980WSEC to P98LPSEC.
- F. \*EnterpriseOne Tools 9.01 must be installed and configured on each Enterprise Server.\*Long User IDs are not required before Long passwords are implemented.\*The application that is used to manage user passwords will change from P980WSEC to P98LPSEC.

**Answer: B**

#### NEW QUESTION 2

When trying to add new CAFE1 content, you do not get option to drag the EnterpriseOne from content typing because it is missing in the list. Which of the following security setups will you review to fix this issue?

- A. Action Security
- B. Feature Security
- C. View Security
- D. Content Security
- E. Row Security

**Answer: D**

#### NEW QUESTION 3

Which of the following is not applicable or does not exist in the User password (P98LPSEC) or global password Revisions (P98LPSEC|W98LPSECB) application?

- A. Allowed password Attempts
- B. Daily password change Limit
- C. Maximum Number of Consecutive Characters
- D. Maximum number of Alphabets
- E. Maximum Number of Numerics

**Answer: D**

#### NEW QUESTION 4

Which three are required components for installing Tools Release 9.2.1.2 on Application Release 9.0?

- A. EnterpriseOne Tools 9.2.1.2 Release Components.
- B. JDE E1 9.0 Planner ESU
- C. ASU for Management of User Defined Objects for Tools 9.2.1.2
- D. JDE E1 9.2 Planner ESU
- E. E1 9.2 Tools Application Enhancement ESU for Tools 9.2.1.2

**Answer: CDE**

#### NEW QUESTION 5

Which two components are required to create Business Services Server instance?

- A. JDeveloper
- B. J2EE Application Server Container
- C. J2EE Application Server: WebSphere or Weblogic
- D. Business Service server installatio
- E. PAR file
- F. JDBC driver

**Answer: CD**

#### NEW QUESTION 6

Which statement is false about EnterpriseOne post-installation tasks?

- A. The installation plan must be configured or installed from the Deployment Server's JDEPLAN (planner) environment.
- B. Media Objects (P98MOQUE) can be build from the Deployment Server's deployment environment.
- C. Client and Server packages can be build from the Deployment Server's deployment (planner) environment
- D. The Signon Security Server can be configured from the Deployment Server's deployment environment.
- E. ESUs must be applied from the Deployment Server's JDEPLAN (planner) environment.

**Answer: A**

**NEW QUESTION 7**

Which two statements are true about JDEBase Database Middleware?

- A. It provides a set of translation programs to JD Edwards EnterpriseOne that are embedded in data source definitions.
- B. It contains processing requests such as business functions, batch jobs, and EnterpriseOne login security.
- C. It provides platform-independent Application Program Interfaces (APIs) to access multiple database versions.
- D. It is the JD Edwards EnterpriseOne proprietary communication middleware package that provides server-to-server and client-to-server communication.

**Answer:** CD

**Explanation:**

[https://docs.oracle.com/cd/E17984\\_01/doc.898/e14695/undrstnd\\_app\\_communic.htm](https://docs.oracle.com/cd/E17984_01/doc.898/e14695/undrstnd_app_communic.htm)

**NEW QUESTION 8**

A user is unable to save One View Reports from JDE applications. An "Invalid user and password" error message is logged in the HTML SERVER ERROR LOG. Which two things must be verified to troubleshoot the issue?

- A. whether the JD Edwards EnterpriseOne user is mapped to the BI Publisher user
- B. whether correct security overrides are set up for the JD Edwards EnterpriseOne user
- C. whether the softcoding record is set up for the correct environment and user combination in P954000
- D. whether the Security Server is enabled in JAS.INI
- E. whether View Security is enabled for OVR

**Answer:** AC

**NEW QUESTION 9**

Which package Assembly from must you use to add registry setting to a package?

- A. Language Component from
- B. Features Component from
- C. Database Component from
- D. Foundation Component from
- E. Object Component from

**Answer:** B

**NEW QUESTION 10**

Using Tools Release 9.2.0.x, you have built a full server package called DV920FUIL for the DV920 pathcode. You find that several business functions (BSFN) built with errors on the R9621S pdf. Which two are correct about troubleshooting BSFN errors for the server package?

- A. BSFN build errors are found in files in the following folder on Deployment Server: DV920\PACKAGE\DV920FULL\work.
- B. NER generation errors are found in files in the following folder on Enterprise Server: packages\DV920FULL\GenerateNER\_logs
- C. BSFN and NER build errors are found in files in the following folder on Enterprise Server: packages\DV920FULL\work.
- D. NER build errors are found in files in the following folder on Deployment Server: DV920\PACKAGE\DV920FULL\GENNER.
- E. BSFN build errors are found in files in the following folder on Enterprise Server: Packages\DV920FULL\compileLogs Name].

**Answer:** DE

**NEW QUESTION 10**

The ACME company is upgrading from E1 9.1 to E1 9.2 by using the Simplified Upgrade method. Which of the Mowing activities is considered a prerequisite for the upgrade?

- A. running Planner Validation Report R9840B
- B. running Spec Merge Report - R98700
- C. running Path Code Copy - R9800942
- D. running Object Librarian Merge - R98604
- E. running Impact Analysis Report R96711

**Answer:** E

**NEW QUESTION 15**

Before Tools 9.2.1.0, which three object types had components stored on the deployment server's patch code check-in location?

- A. Tables
- B. BSSV Business Functions
- C. Data Dictionary
- D. C Business Functions
- E. Tasks

**Answer:** ABD

**NEW QUESTION 17**

You are creating a custom in Change Assistant for fix-current Electronic software Updates (ESUs) for your system. The last time you have installed fix-current ESUs was three months ago. Which three criteria options need to be set in Change Assistant ?

- A. Type

- B. Release
- C. Platform
- D. Description
- E. Data Range

**Answer:** ABC

**Explanation:**

[https://docs.oracle.com/cd/E17984\\_01/doc.898/e14719/changeassistant.htm](https://docs.oracle.com/cd/E17984_01/doc.898/e14719/changeassistant.htm)

**NEW QUESTION 19**

Which Option determines whether a data source is shown in Machine Search & Select (W986115E) of the P986115 application?

- A. Data Class
- B. Data Source Use
- C. OCM Data Source
- D. Data Source Type
- E. Use Table Owner

**Answer:** B

**NEW QUESTION 20**

Which statement is false concerning the installation of the JD Edwards EnterpriseOne Deployment server?

- A. The least planner ESU should be installed before starting the installation plan.
- B. The ODBC data source must be configured before beginning the installation.
- C. All the server that are participating in the solution must meet the specified minimum technical requirements.
- D. Disk space must be checked to ensure that appropriate capacity is available for desired installation components.
- E. The hardware servers that are participating in the solution must have been properly sized by an authorized hardware vendor.

**Answer:** B

**NEW QUESTION 22**

Identify the unique purpose of the JD Edwards internet of things (IOT) Orchestrator.

- A. Provides the capacity to transfer raw data from multiple devices and sensors into a single spreadsheet for processing
- B. Provides the capability to automate the real-time processing data from device and sensors into actionable business process
- C. Provides the capability to accept external data files from devices and sensors and prepare them for processing
- D. Provides the capability to mechanize the batch processing of data from device s and sensors
- E. Provides the capability to create Java-based data processing applications

**Answer:** A

**NEW QUESTION 26**

You deploy a server update package that contains only interactive applications. Which three will occur?

- A. The package discovery process will delete specifications for related objects in the serialized objects tables.
- B. Package Deployment UBE (R98825D) indicates "Quick APP Package Deploy" for the server.
- C. The package process waits for UBEs to finish and then deploys the package.
- D. The package deploys with the quick deploy process.
- E. <packagename>.inf for the update package indicates a value of a for objectTypePKG.

**Answer:** A

**NEW QUESTION 29**

What is the correct URL syntax to launch the JDE One-Click provisioning Console in a web browser?

- A. [https://public\\_ip\\_address:5000](https://public_ip_address:5000)
- B. [http://public\\_pi\\_address:4000](http://public_pi_address:4000)
- C. [https://public\\_ip\\_address:4000](https://public_ip_address:4000)
- D. [https://public\\_ip\\_address:3000](https://public_ip_address:3000)
- E. [http://public\\_ip\\_address:3000](http://public_ip_address:3000)

**Answer:** D

**Explanation:**

[http://www.oracle.com/webfolder/technetwork/tutorials/jdedwards/Cloud%20Elements/OCI/Deploy/deploying\\_k\\_92\\_oci.html#section1](http://www.oracle.com/webfolder/technetwork/tutorials/jdedwards/Cloud%20Elements/OCI/Deploy/deploying_k_92_oci.html#section1)

**NEW QUESTION 32**

Where will you specify the project status for a default project on the P98230 – Object Management Setup screen?

- A. Notification setup
- B. Constants
- C. Activity Rules
- D. Allowed Actions
- E. Save Locations

**Answer:** A

**NEW QUESTION 34**

Which three objects can be checked out by using Web Object Management Workbench – P98220W?

- A. Grid Format
- B. Report Template
- C. One View Report
- D. Interactive application
- E. Advanced Query

**Answer:** ADE

**NEW QUESTION 36**

While you were deploying the UBE+AAP package, users were unable to run any application from the HTML, However, after the package deployment was complete, users able to run the same application.

What is the reason for this glitch?

- A. the server manager agent was restart during the package deployment.
- B. the HTML server was unable to poll relevant tables for a package change during the package deployment.
- C. the HTML server was restarted during the package deployment.
- D. the enterprise server is put in a locked state during package deployment where all JD Edwards EnterpriseOne users are prevented from running any application
- E. After the package is deployment, the state of the enterprise server changes to Available and users run their application again.

**Answer:** D

**NEW QUESTION 37**

The server package build on a Linux enterprise server fails with the following error in the server package build logs.

“spkginit. C: 2341 PKGN0029 ERROR: Failed to find data source ABCDEF in the current environment, F98611 PKGSRVUTIL0066. C: 471 PKGSRVUTi0066 ERROR. Failed getting server name ABCDEF from the F98611, ERROR: failed to get initialize the detail struct for the primary server “

What should you verify in to troubleshooting this issue?

- A. Check the database connectivity between the deployment server and enterprise server.
- B. Check the enterprise server name for all data source entries where Data source Use = SVR to ensure that the name (uppercase/lowercase) matches exactly with the actual host name of the database server.
- C. Check the database server name for all data source entries where Data source Use = DB to ensure that the name (uppercase/lowercase) matches exactly with the actual host name of the database server.
- D. Check the connectivity between the deployment server and enterprise server host machines by using the ping test or telnet.
- E. Check the database connectivity between the deployment server and JAS server.

**Answer:** B

**NEW QUESTION 42**

Users are able to see shared One View reports (OVR) but they unable to create custom OVRs. What is the type of security needed for creating custom OVRs?

- A. Row Security
- B. Action Security
- C. Application Security
- D. View security
- E. Content security

**Answer:** C

**NEW QUESTION 44**

When defining a new Full package definition for development Workstation, which three must you include in the definition?

- A. Parent package
- B. Features
- C. Objects
- D. Database
- E. Foundation

**Answer:** ACD

**NEW QUESTION 45**

The ACME company has executed an upgrade plan for the DV920 environment. Which three activities are mandatory post-upgrade tasks that should be performed after an upgrade?

- A. running manual table conversions for DV920
- B. building and deploying a full package to DV920
- C. generating missing tables and indexes for DV920
- D. creating DV920 data sources and OCMs
- E. performing Unicode conversion for DV920 business data and DV920 control tables

**Answer:** ABC

**NEW QUESTION 46**

What does the following security record found in Security Workbench (P00950) enforce?

|                   |                    |
|-------------------|--------------------|
| User/Role         | *PUBLIC            |
| Object Name       | W95921A            |
| Security Type     | I (Image security) |
| Image Description | Remove Role        |
| Enable            | N                  |
| View              | N                  |

- A. The Remove Role button is not shown for all users in the Work with role relationships application on a fat Client machine.
- B. The Remove Role button is not shown for all users in the Work Role Relationships application on a Web client.
- C. The Remove Role button is for all users in the work role Relationships application on both the Web and fat machines.
- D. The Remove Role button is not shown for all users in the Work Role Relationships application on both the Web and fat client machines.
- E. The error message "Not Authorized" is displayed when a user click the Remove Role button.

**Answer:** D

**NEW QUESTION 47**

What is the correct sequence to install French Language on your JDE system?

- A. Install French Language on deployment server > Create Typical installation plan > Build and deploy language packages.
- B. Create language only installation plan > run Workbench > install French Language on deployment server > Build and deploy language packages.
- C. Install French Language on deployment server > Create language only installation plan > run Workbench > Build and deploy language packages.
- D. Create Language only installation plan > install French Language on deployment server > Run Workbench > Build and language packages.
- E. Install French Language on deployment server > Create add on Server plan > Run Workbench > Build and deployment language packages.

**Answer:** C

**Explanation:**

1. Install the localization on the Deployment server. 2. Create a Language-Only Plan. 3. Run the Language-Only Plan with the Workbench. 4. Build/Deploy a Full Package with the English and newly added language. 5. Verify/Test the Localization.

**NEW QUESTION 48**

How should you configured a custom-made mobile application to work in mode?

- A. JD Edwards EnterpriseOne does not support mobile application in disconnected mode.
- B. The application must be specifically designed and coded to support disconnected functionality
- C. Configure "Mode=Disconnected " under the [Basic Config] section of .INI in the interface Server (AIS), followed by AIS Server reset.
- D. On the App Configuration page of the mobile device, select the Work Offline radio button.
- E. Configure "Mode=Disconnected "under the [FORMSERVICE] section of the HTML Service's JAS.

**Answer:** B

**NEW QUESTION 52**

The ACME company plans to upgrade from DV910 to DV920. For better performance, the company decides to run the upgrade table conversions on the enterprise server Instead of the deployment server. Which of the following is a prerequisite to running table conversions on the enterprise server?

- A. creating a default UBE OCM mapping that points to the enterprise server under the JDEPLAN (Planner) environment
- B. installing the certified Visual Studio redistributable package
- C. installing the Pristine path code on the enterprise server and marking the default environment in JDE.INI as a Pristine environment
- D. installing JDBC drivers
- E. configuring additional job queues

**Answer:** C

**NEW QUESTION 54**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 1Z0-344 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/1Z0-344-dumps.html>