

Exam Questions MS-200

Planning and Configuring a Messaging Platform

<https://www.2passeasy.com/dumps/MS-200/>



NEW QUESTION 1

- (Exam Topic 1)

After a power failure, some users in the London office report that they cannot access email. You need to restore mailbox access for the affected users as quickly as possible.

What should you do?

- A. Create a recovery database on another Exchange server, and then restore the database from EX07 to the recovery database
- B. On a new server, run setup.exe /Mode:RecoverServer from the Exchange Server 2019 installation media, and then restore a backup of the database
- C. On a server in DAG15, create a copy of the mailbox databases hosted on EX07
- D. Copy the database files from EX07, and then mount the database on a server in DAG15

Answer: B

NEW QUESTION 2

- (Exam Topic 1)

You need to ensure that all the users in the Exchange organization can connect to their mailbox by using MAPI over HTTP.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set-MapiVirtualDirectory
- B. Set-ECPVirtualDirectory
- C. Set-OutlookAnywhere
- D. Set-CasMailbox
- E. Set-OrganizationConfig

Answer: AE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/clients/mapi-over-http/configure-mapi-over-http?view=exchserver-2>

NEW QUESTION 3

- (Exam Topic 1)

You are evaluating the current configuration of the DAG.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If the WAN link between the London and New York offices fails, the mailbox database copies in the New York office will remain mounted.	<input type="radio"/>	<input type="radio"/>
If the WAN link between the Paris and New York offices fails, the mailbox database copies in the New York office will remain mounted.	<input type="radio"/>	<input type="radio"/>
If the WAN link between the London and New York offices fails, the mailbox database copies in the London office will remain mounted.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If the WAN link between the London and New York offices fails, the mailbox database copies in the New York office will remain mounted.	<input checked="" type="radio"/>	<input type="radio"/>
If the WAN link between the Paris and New York offices fails, the mailbox database copies in the New York office will remain mounted.	<input checked="" type="radio"/>	<input type="radio"/>
If the WAN link between the London and New York offices fails, the mailbox database copies in the London office will remain mounted.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 4

- (Exam Topic 1)

You need to recommend a solution for the Audits and Notes folders.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Audits folder:

Notes folder:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?vi>

NEW QUESTION 5

- (Exam Topic 1)

You need to implement the required changes to the current Exchange organization for the Fabrikam partnership. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set up directory synchronization.
- B. Create a remote domain.
- C. Configure an email address policy.
- D. Configure an external relay accepted domain.
- E. Configure an internal relay accepted domain.

Answer: CE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-20>

NEW QUESTION 6

- (Exam Topic 2)

You need to implement a routing solution that meets the technical requirements. What should you do?

- A. In each office, create a scoped Send connector.
- B. Create an SMTP site link for each office.
- C. Configure the main office as an Active Directory hub site.
- D. Create 10 accepted domains.

Answer: C

NEW QUESTION 7

- (Exam Topic 2)

You need to configure the virtual directories to meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 8

- (Exam Topic 2)

You need to recommend a load balancing solution for the client connections that must be created to meet the disaster recovery requirements. What should you recommend?

- A. Deploy a Layer 7 load balancing solution.
- B. Deploy a Layer 4 load balancing solution.
- C. Implement Network Load Balancing (NLB) on each Exchange server.
- D. Implement DNS load balancing for all the Exchange-related DNS records and implement round robin for DNS name resolution.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/architecture/client-access/load-balancing?view=exchserver-2019>

NEW QUESTION 9

- (Exam Topic 2)

You need to configure a mail flow solution for email that will be sent from each branch office to the Internet. The solution must meet the technical requirements. What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. a Send connector in the main office that has a cost of 100 and uses a Mailbox server in each office as an SMTP smart host
- B. a Send connector in each office that each has the default costs
- C. two Send connectors in the main office that both have the default costs.
- D. a Send connector in each branch office that has a cost of 100 and uses a Mailbox server in the main office as an SMTP smart host

Answer: D

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft Exchange Server 2013 organization that has the following configurations: The forest functional level if Active Directory is Windows Server 2008 R2.

The domain controllers in Active Directory run Windows Server 2012 R2. The Exchange servers run Windows Server 2012 Datacenter.

You plan to upgrade the organization to Exchange Server 2019.

You need to ensure that the organization meets the minimum supported requirements for the upgrade. What should you do?

- A. Upgrade the Exchange servers to Windows Server 2019.
- B. Raise the forest functional level to Windows Server 2012 R2.
- C. Upgrade the Exchange servers to Windows Server 2016.
- D. Upgrade the domain controllers to Windows Server 2016.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/system-requirements?view=exchserver-2019>

NEW QUESTION 10

- (Exam Topic 3)

STION NO: 88

You have a Microsoft Exchange Server 2019 organization.

You have a database availability group (DAG) that contains the members and databases shown in the following table.

DAG member	Database
EX01	Mail1 (active), Mail2, Mail3
EX02	Mail2 (active), Mail3, Mail4
EX03	Mail3 (active), Mail4, Mail5
EX04	Mail4 (active), Mail5, Mail1

EX01 fails and cannot be repaired within an acceptable timeframe.

You plan to replace EX01 with a new DAG member named EX05. EX05 will host the same databases as EX01.

What should you do first?

- A. Reseed Mail1 on EX02.

- B. Remove EX01 from the DAG.
- C. Suspend the replication of Mail1, Mail2, and Mail3 on EX01.
- D. Remove Mail1, Mail2, and Mail3 from EX01.

Answer: D

NEW QUESTION 12

- (Exam Topic 3)

NO: 8 HOTSPOT

You have a Microsoft Exchange Online subscription. You run the following command.

Set-ActiveSyncOrganizationSettings –DefaultAccessLevel Block

You run Get-ActiveSyncDeviceAccessRule | f1 Identity, AccessLevel, Characteristic, QueryString and you receive the following output.

```
Identity           : Outlook-Android/2.0 (UserAgent)
AccessLevel        : allow
Characteristic      : UserAgent
QueryString         : Outlook-Android/2.0
```

```
Identity           : Outlook-iOS/2.0 (UserAgent)
AccessLevel        : Allow
Characteristic      : UserAgent
QueryString         : Outlook-iOS/2.0
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
iOS devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
Android devices can use the Microsoft Outlook app to sync mailbox data.	<input checked="" type="radio"/>	<input type="radio"/>
iOS devices can use the native Mail app to sync mailbox data.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 16

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

Get-MailboxRestoreRequest –Identity "user1\MailboxRestore"

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 18

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

A user reports that several email messages were not received. You suspect that the messages were filtered by the Exchange servers.

You need to review the filter that removed the messages. Which cmdlet should you run?

- A. Get-MpThreatDetection

- B. Search-UnifiedAuditLog
- C. Get-AuditLogSearch
- D. Get-AgentLog

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/antispam-antimalware/get-agentlog?view=excha>

NEW QUESTION 20

- (Exam Topic 3)
You have a Microsoft Exchange Server 2019 organization.
The recovery options for a user named User1 are configured as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-Mailbox User1 | #1 RetainDeletedItemsFor,
RetainDeletedItemsUntilBackup,SingleItemRecovery
Enabled, Database

RetainDeletedItemsFor           : 14.00:00:00
RetainDeletedItemsUntilBackup   : False
SingleItemRecoveryEnabled       : False
Database                        : MD801

[PS] C:\Windows\system32>Get-MailboxDatabase MD801 | f1 DeletedItemRetention,
RetainDeletedItemsUntilBackup

DeletedItemRetention            : 30.00:00:00
RetainDeletedItemsUntilBackup   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

NEW QUESTION 21

- (Exam Topic 3)
You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers and one Edge Transport server. The organization supports hundreds of remote users.
You need to block offline access to Outlook on the web for all the users. What should you do?

- A. Run the Set-OWMailboxPolicy cmdlet and specify the–ExplicitLogonEnabled \$true parameter

- B. Run the Set-OWMailboxPolicy cmdlet and specify the–AllowOfflineOn NoComputers parameter
- C. On the Edge Transport server, run the Set-OwaVirtualDirectory cmdlet and specify the – AllowOfflineOn NoComputers parameter.
- D. On each Mailbox server, run the Set-OwaVirtualDirectory cmdlet and specify the–ExternalURLs \$null parameter.

Answer: C

NEW QUESTION 22

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription. A user loses a mobile device.

You need to tell the user how to remove corporate data from the lost device. What should you instruct the user to use?

- A. Outlook on the web
- B. the Exchange admin center
- C. the Security & Compliance admin center
- D. the Microsoft 365 admin center

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 27

- (Exam Topic 3)

Your network contains two Active Directory sites named Site1 and Site2.

You deploy a new Microsoft Exchange Server 2019 organization that contains a Mailbox server in each site. You need to configure the organization to use a single namespace for Autodiscover.

What should you do?

- A. Create an SRV record named AutoDiscover.
- B. Create a TXT record named AutoDiscover.
- C. Run the Set-ClientAccessService cmdlet.
- D. Run the Set-AutodiscoverVirtualDirectory cmdlet.

Answer: C

NEW QUESTION 32

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains two domains named litware.com and exchange.litware.com and a Microsoft Exchange Server 2019 organization.

The relevant servers are configured as shown in the following table.

EX01 and EX02 have Exchange Server 2019 installed and are in a database availability group (DAG) named DAG01.

You need to add in additional server to DAG01. Which server should you add?

- A. Server01
- B. Server02
- C. Server03
- D. Server04

Answer: D

NEW QUESTION 36

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription.

You need to prevent all Android devices from using Exchange ActiveSync to sync email. Other devices must be allowed to sync email by using Exchange ActiveSync.

What should you use?

- A. device access rules
- B. Exchange ActiveSync access settings
- C. data loss prevention (DLP) policies
- D. mobile device mailbox policies

Answer: B

NEW QUESTION 38

- (Exam Topic 3)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. a URL trace
- B. a message trace
- C. the SMTP protocol logs
- D. the transport logs

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 39

- (Exam Topic 3)

Your company has two data centers in Berlin and one data center in Toronto. Each data center contains two Microsoft Exchange Server 2019 servers.

You have a database availability group (DAG) that contains all the Exchange servers. Each server contains a copy of all the mailbox databases. Datacenter

Activation Coordination (DAC) mode is enabled for the DAG.

A power failure causes both data centers in Berlin to become unavailable.

You need to ensure that users can access their mailbox as quickly as possible.

Which two cmdlets should you run? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Stop-DatabaseAvailabilityGroup
- B. Restore-DatabaseAvailabilityGroup
- C. Remove-DatabaseAvailabilityGroupServer
- D. Suspend-MailboxDatabaseCopy
- E. Start-DatabaseAvailabilityGroup

Answer: AB

NEW QUESTION 44

- (Exam Topic 3)

Your company has offices in Montreal and Seattle. Each office has 2,000 users.

You are designing a Microsoft Exchange Server 2019 organization that will span both offices.

You need to recommend a high-availability solution for mailbox databases. The solution must ensure that high availability is maintained if a single site fails.

Which recommendation best meets the requirements? More than one answer choice may achieve the goal.

- A. Deploy one database availability group (DAG) that has one node in each office
- B. Deploy a Mailbox server to a Hyper-V host and use Hyper-V replication
- C. In each office, deploy one database availability group (DAG) that has two nodes
- D. Deploy one database availability group (DAG) that has two nodes in each office

Answer: D

NEW QUESTION 47

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com. You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal.

- A. Create a remote domain
- B. Create a mail flow rule
- C. Create an accepted domain
- D. Create a connector

Answer: A

NEW QUESTION 51

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You add a second IP address to EX01. You create a new linked connector named App1 EX01. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/mail-routing/mail-routing?view=exchserver-2019>

NEW QUESTION 54

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains two Active Directory sites named Site1 and Site2.

You have a Microsoft Exchange Server 2019 organization that contains a database availability group (DAG) named DAG1. DAG1 has three member servers in

each site.

You need to prevent users from Site1 from sending email messages larger than 5 MB to the mailboxes in Site2.

What should you do?

- A. Modify the properties of the Active Directory site link.
- B. From Site1, create a custom Send connector, and then modify the address space.
- C. From Site2, create a custom Receive connector, and then modify the remote IP address range.
- D. Modify the properties of DAG1.

Answer: B

NEW QUESTION 57

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization named litwareinc.com.

The organization publishes Exchange services by using a namespace of mail.litwareinc.com. You deploy a new server named EX10 to the organization.

User reports that sometimes they receive warnings about certificate errors when they connect to their mailbox. The warning message reference is ex10.litwareinc.com.

You need to resolve the issue.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Set-AutodiscoverVirtualDirectory

Set-ClientAccessServer

Set-OutlookAnywhere

Set-ClientAccessArray

-Identity EX10

-AutoDiscoverServiceInternalUri

-InternalURL

-ExternalURL

-AutoDiscoverSiteScope

"https://mail.litwareinc.com/autodiscover/autodiscover.xml"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-AutodiscoverVirtualDirectory

Set-ClientAccessServer

Set-OutlookAnywhere

Set-ClientAccessArray

-Identity EX10

-AutoDiscoverServiceInternalUri

-InternalURL

-ExternalURL

-AutoDiscoverSiteScope

"https://mail.litwareinc.com/autodiscover/autodiscover.xml"

NEW QUESTION 60

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that has a database availability group (DAG). The DAG contains the servers shown in the following table.

You install a new server named File02 that runs Windows Server 2019.

You attempt to add File02 as an alternate witness server, and you receive the following error messages: You need to ensure that you can configure File02 successfully as the alternate witness server.

What should you do on File02?

- A. Create an inbound firewall rule
- B. Add a member to the Administrators group.
- C. Enable PowerShell remoting.
- D. Create a shared folder.

Answer: B

NEW QUESTION 63

- (Exam Topic 3)

You have a Microsoft Exchange Server organization that contains the servers shown in the following table.

Name	Exchange version
EX01	Exchange Server 2016 Standard
EX02	Exchange Server 2019 Standard

You have the users shown in the following table.

Name	Mailbox server
User1	EX01
User2	EX02
User3	EX02

All users have a Standard CAL.

You need provide an archive mailbox to each user in the organization. What should you do before you provide each user with an archive mailbox?

- A. Upgrade EX01 and EX02 to Exchange Server 2019 Enterprise.
- B. Move all the mailboxes to EX02.
- C. Purchase an Enterprise CAL for each user.
- D. Upgrade EX01 to Exchange Server 2019 Standard.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 66

- (Exam Topic 3)

You manage a Microsoft Exchange Server 2019 organization that has 3,000 users. Each user has a company provided mobile device that uses Exchange ActiveSync.

You discover that devices running a specific operating system version contain a bug that causes the excessive consumption of resources on the Exchange servers.

You need to prevent the devices from accessing email until the devices are updated. Which cmdlet should you run?

- A. Set-ActiveSyncDeviceAutoblockThreshold
- B. Set-MobileDeviceMailboxPolicy
- C. New-ActiveSyncDeviceAccessRule
- D. Set-CasMailbox

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 69

- (Exam Topic 3)

Your network contains an Active Directory forest named contoso.com. The forest contains five domains. You plan to deploy Microsoft Exchange Server 2019.

You have the administrative accounts shown in the following table.

Name	Member of
Admin1	Enterprise Admins, Schema Admins
Admin2	Enterprise Admins
Admin3	Schema Admins
Admin4	Domain Admins

You need to prepare the forest for Exchange Server 2019.

Which user accounts can you use to perform each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Extend the Active Directory schema:

▼

Admin1 only
Admin1 and Admin2 only
Admin1 and Admin3 only
Admin1 and Admin2, and Admin3 only
Admin1, Admin2, Admin3, and Admin4

Prepare the Active Directory forest:

▼

Admin1 only
Admin1 and Admin2 only
Admin1 and Admin3 only
Admin1 and Admin2, and Admin3 only
Admin1, Admin2, Admin3, and Admin4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prepare-ad-and-domains?view=exchserver-2019#st>

NEW QUESTION 71

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

All mailboxes are assigned the same mobile device mailbox policy. You run the command as shown in the following exhibit.

```
PS C:\> Get-MobileDeviceMailboxPolicy | fl *password*, MaxInactivityTimeLock
```

AlphanumericPasswordRequired	: True
PasswordEnabled	: True
PasswordRecoveryEnabled	: False
AllowSimplePassword	: False
MinPasswordLength	: 4
MaxPasswordFailedAttempts	: Unlimited
PasswordExpiration	: Unlimited
PasswordHistory	: 0
MinPasswordComplexCharacters	: 4
MaxInactivityTimeLock	: 01:00:00

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

An unlocked device can be inactive for up to [answer choice] before a password is required to unlock the device.

▼

one day

one hour

one minute

A password of [answer choice] is compliant with the policy.

▼

Pass1!

p@\$\$word1!

PASS1!

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

An unlocked device can be inactive for up to [answer choice] before a password is required to unlock the device.

▼

one day

one hour

one minute

A password of [answer choice] is compliant with the policy.

▼

Pass1!

p@\$\$word1!

PASS1!

NEW QUESTION 72

- (Exam Topic 3)

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS. What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
 B. a remote domain named contoso.com
 C. a new connector that specifies the fabrikam.com SMTP domain
 D. a remote domain named fabrikam.com

Answer: A

Explanation:

Configure a Send connector in Fabrikam to point to Contoso.

NEW QUESTION 77

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

NEW QUESTION 79

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains multiple servers. The exchange organization contains a server named EX01. Contains a mailbox database that uses 200 GB of disk space.

You run the following commands on EX01.

```
Get-Mailbox -MailboxDatabase DB01 | New-MoveRequest -TargetDatabase 'DB02'

Remove-MailboxDatabase -Identity DB01
```

You need to reclaim the available disk space on EX01. What should you do?

- A. From Exchange Management Shell run the Remove-item cmdlet and specify the path parameter.
- B. From Exchange Management Shell, run the Remove-migration batch cmdlet and specify the force parameter.
- C. From a command prompt, run the eseutil.exe /R EX01 command.
- D. From Exchange Management Shell, run the remove-StoreMailbox cmdlet.

Answer: A

NEW QUESTION 83

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains an Edge Transport server named Edge01. Edge01 has 50 transport rules. You deploy a new Edge Transport server named Edge02.

You need to ensure that Edge01 and Edge02 have the same transport rules. What should you do?

- A. Run the Set-TransportConfig cmdlet
- B. Export the Edge Subscription from Edge01 and import the Edge Subscription to Edge 02
- C. Create a new subscription for Edge02

D. Run the ExportEdgeConfig.ps1 and ImportEdgeConfig.ps1 PowerShell scripts

Answer: D

NEW QUESTION 85

- (Exam Topic 3)

DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named MBX01. You back up MBX01 by using Windows Server Backup. You need to recover a deleted mailbox. The solution must minimize the impact on other mailboxes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the <code>isinteg.exe</code> command and specify the <code>-fix</code> parameter.	
Create a recovery database.	
Run the <code>New-MailboxRestoreRequest</code> cmdlet.	
Restore the database backup.	⬅️
Run the <code>New-MailboxMoveRequest</code> cmdlet.	➡️
Install Exchange Server 2019 on a new server.	⬆️
Run the <code>eseutil.exe</code> command and specify the <code>/r</code> parameter.	⬇️

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/restore-data-using-recovery-dbs?v>

NEW QUESTION 90

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named EX01. EX01 contains a mailbox database named MailDB01. You attach a new hard drive named F to EX01. On drive F, you create a folder named Databases. You plan to run the following command on EX01.

`Move-DatabasePath -Identity MailDB01 -EdbFilePath F:\Databases\MailDB1.edb -ConfigurationOnly $false`

What is the effect of running the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

The command will:

- ☐ complete successfully but disconnect users
- ☐ complete without disconnecting any users
- ☐ only run during a maintenance schedule

If MailDB1 was mounted before running the command, the database:

- ☐ will mount automatically
- ☐ must be mounted manually
- ☐ must be repaired before the database can be mounted

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailbox-databases-and-servers/move-databasepa>

NEW QUESTION 94

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server organization that contains the servers shown in the following table.

Name	Office
EX01	London
EX02	Seattle

Users access their email by using Outlook on the web.

You install Office Online Server in the London and Seattle offices.

You need to ensure that users can view Microsoft Office attachments within Outlook on the web without downloading the attachments. The solution must ensure that the users can open the attachments by using the nearest server that runs Office Online Server.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

	EX01	
Set-CasMailbox		-AutoDiscoverSiteScope
Set-ClientAccessService		-ExternalSPMySiteHostURL
Set-MailboxServer		-InternalURL
Set-OrganizationConfig		-WacDiscoveryEndpoint

"https://oos.London.contoso.com/hosting/discovery"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	EX01	
Set-CasMailbox		-AutoDiscoverSiteScope
Set-ClientAccessService		-ExternalSPMySiteHostURL
Set-MailboxServer		-InternalURL
Set-OrganizationConfig		-WacDiscoveryEndpoint

"https://oos.London.contoso.com/hosting/discovery"

NEW QUESTION 99

- (Exam Topic 3)

NO: 14 DRAG DROP

You have data centers in Seattle and Montreal. Each data center has its own Active Directory site.

You deploy Microsoft Exchange Server 2019 to a database availability group (DAG) named DAG01. DAG01 spans both data centers.

Each data center contains two Mailbox servers that have Datacenter Activation Coordination (DAC) mode enabled.

A WAN outage prevents communication between the Montreal and Seattle data centers. The outage will last several days.

You stop the cluster service on the Mailbox servers in the Seattle data center, and you stop the DAG in the Montreal data center.

You need to switch all the Exchange operations to the Seattle data center for a weekend.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
Stop-Service -id ClusSvc	
Stop-DatabaseAvailabilityGroup -id DAG01	
Set-DatabaseAvailabilityGroup -id DAG01	-ActiveDirectorySite Montreal -ConfigurationOnly
Start-DatabaseAvailabilityGroup -id DAG01	-ActiveDirectorySite Seattle
Restore-DatabaseAvailabilityGroup -id DAG01	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/manage-ha/datacenter-switchovers?view=exchserve>

NEW QUESTION 100

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

You run the Get-TransportRule cmdlet as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-TransportRule | Select-Object Name,State,Mode,SetHeaderName,SetHeaderValue,Description

Name      : Rule #1
State     : Enabled
Mode      : Enforce
SetHeaderName : X-MS-Exchange-Organization-CalendarBooking-Response
SetHeaderValue : Accept
Description : If the message:
              Is received from 'corp-hr@litware.com'
              Take the following actions:
                set message header 'X-MS-Exchange-Organization-CalendarBooking-Response' with the value 'Accept'

Name      : Rule #2
State     : Enabled
Mode      : Enforce
SetHeaderName : X-MS-Exchange-Organization-CalendarBooking-TriageAction
SetHeaderValue : MoveToDeletedItems
Description : If the message:
              Is received from 'corp-hr@litware.com'
              Take the following actions:
                set message header 'X-MS-Exchange-Organization-CalendarBooking-TriageAction' with the value
                'MoveToDeletedItems'
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

When a meeting invite is received from corp-hr@litware.com, the meeting invite will be

▼

accepted and deleted from the inbox

deleted without being accepted

forwarded to the calendar owner

If corp-hr@litware.com sends a meeting invite to a user who has OUT Of Office Assistant turned on,

▼

a notification will be sent to corp-hr@litware.com

the meeting invite will be accepted automatically

the meeting will be rejected automatically

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/use-rules-to-add-meetings>

NEW QUESTION 101

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has two offices.

The network contains an Active Directory forest. The forest contains two domains. Each office is configured as an Active Directory site.

You need to recommend a plan for the deployment of Microsoft Exchange Server 2019 servers. The plan must ensure that a copy of each sent email message is always retained in a shadow queue.

Solution: You recommend deploying a database availability group (DAG) that will contain two servers. Each server will be in a different site. Both servers will be in the same domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/transport-high-availability/shadow-redundancy? view=exchserver-2019>

NEW QUESTION 104

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25

from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You create a second IP address for EX01. You create a new Receive connector named App1 EX01. You configure the remote IP address ranges and the local IP address bindings of App1 EX01.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/receive-connectors?view=exchserver-2019>

NEW QUESTION 109

- (Exam Topic 3)

Your company has a Microsoft Exchange Server 2019 organization.

The company's IT department has a monitoring application that generates email message alerts.

You need to configure Exchange to accept messages from the monitoring application. The solution must ensure that messages are accepted regardless of their size.

You create a new Receive connector scoped to the IP address of the server used by the monitoring application.

Which two actions should you perform next? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add the Exchange servers permission group to the Receive connector.
- B. Add the Exchange users permission group to the Receive connector.
- C. Grant the Ms-Exch-SMTP-Accept-Any-Recipient right to the NT AUTHORITY\ANONYMOUS LOGON user account.
- D. Set the authentication mechanism to ExternalAuthoritative.
- E. Add the Anonymous users permission group to the Receive connector.

Answer: CE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/allow-anonymous-relay?view=exchserver-2019>

NEW QUESTION 112

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 Mailbox server named EX01. You run the command as shown in the following exhibit.

```
PS C:\> Get-TransportService EX01 | fl "tracking"

MessageTrackingLogEnabled      : True
MessageTrackingLogMaxAge       : 00:00:00
MessageTrackingLogMaxDirectorySize : 1000 MB (1,048, 576, 000 bytes)
MessageTrackingLogMaxFileSize  : 10 MB (10, 485, 760 bytes)
MessageTrackingLogPath         : E:\Logs\MessageTracking
MessageTrackingLogSubjectLoggingEnabled : True
```

What is the effect of the configuration?

- A. The message tracking log files will be retained for 30 days, and then they will be purged.
- B. The message tracking log files will be purged immediately.
- C. The message tracking log files will be retained until the directory size limit is exceeded.
- D. The message tracking log files will be retained for 365 days, and then they will be purged.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/transport-logs/configure-message-tracking?view=exchserv>

NEW QUESTION 113

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

Get-MailboxDatabase | Get-MailboxStatistics | Where {\$_.DisconnectReason -eq "Disabled"} | Format-Table DisplayName, Database, DisconnectDate

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

https://docs.microsoft.com/en-us/Exchange/recipients/disconnected-mailboxes/restore-deleted-mailboxes?view=

NEW QUESTION 115

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has two offices.

The network contains an Active Directory forest. The forest contains two domains. Each office is configured as an Active Directory site.

You need to recommend a plan for the deployment of Microsoft Exchnage Server 2019 servers. The plan must ensure that a copy of each sent email message is always retained in a shadow queue.

Solution: You recommend deploying a standalone server to each site. Each server will be in a different domain.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:


References:

https://docs.microsoft.com/en-us/exchange/mail-flow/transport-high-availability/shadow-redundancy? view=exchserver-2019

NEW QUESTION 120

- (Exam Topic 3)

You have a distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Users [answer choice]	<div>can add their own user account to Car Parking Distribution Group</div> <div>can only be added to Car Parking Distribution Group by a group owner</div> <div>are added automatically to Car Parking Distribution Group when they sign in to their mailbox</div>
The members of Car Parking Distribution Group [answer choice]	<div>can remove their own user account from the group</div> <div>can only be removed from the group by a group owner</div> <div>can only be removed from the group by an Exchange administrator</div>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Users [answer choice]	<div>can add their own user account to Car Parking Distribution Group</div> <div>can only be added to Car Parking Distribution Group by a group owner</div> <div>are added automatically to Car Parking Distribution Group when they sign in to their mailbox</div>
The members of Car Parking Distribution Group [answer choice]	<div>can remove their own user account from the group</div> <div>can only be removed from the group by a group owner</div> <div>can only be removed from the group by an Exchange administrator</div>

NEW QUESTION 125

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-200 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-200 Product From:

<https://www.2passeasy.com/dumps/MS-200/>

Money Back Guarantee

MS-200 Practice Exam Features:

- * MS-200 Questions and Answers Updated Frequently
- * MS-200 Practice Questions Verified by Expert Senior Certified Staff
- * MS-200 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-200 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year