

Exam Questions MS-200

Planning and Configuring a Messaging Platform

<https://www.2passeasy.com/dumps/MS-200/>



NEW QUESTION 1

- (Exam Topic 1)

You need to recommend a solution for the Audits and Notes folders.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Audits folder: ▼

Personal archive tags
Default retention tags
Retention policies

Notes folder: ▼

Personal archive tags
Default retention tags
Retention policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?vi>

NEW QUESTION 2

- (Exam Topic 1)

You need to implement the required changes to the current Exchange organization for the Fabrikam partnership.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set up directory synchronization.
- B. Create a remote domain.
- C. Configure an email address policy.
- D. Configure an external relay accepted domain.
- E. Configure an internal relay accepted domain.

Answer: CE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-20>

NEW QUESTION 3

- (Exam Topic 2)

You need to configure the virtual directories to meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

▼ -Identity "<servername>\mapi (Default Web Site)" ▼

Set-MapVirtualDirectory
Set-OrganizationConfig
Set-OutlookAnywhere
Set-RpcClientAccess

-MapiHttpEnabled \$true
-Internal https://mail.contoso.com/mapi
-Internal https://mail.contoso.com/rpc

▼ -IISSAuthenticationMethods Negotiate

-ExternalUri https://mail.contoso.com/rpc
-ExternalUri https://mail.contoso.com/mapi
-MapiHttpEnabled \$false

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-MapVirtualDirectory Set-OrganizationConfig Set-OutlookAnywhere Set-RpcClientAccess	-Identity "<servername>\mapi (Default Web Site)"	-MapiHttpEnabled \$true -Internal https://mail.contoso.com/mapi -Internal https://mail.contoso.com/rpc
-ExternalUri https://mail.contoso.com/rpc -ExternalUri https://mail.contoso.com/mapi -MapiHttpEnabled \$false	-IISAuthenticationMethods Negotiate	

NEW QUESTION 4

- (Exam Topic 3)

HOTSPOT

You have three Microsoft Exchange Server 2019 servers named MBX01, MBX02, and MBX03 in a database availability group (DAG) named DAG01. You have a single mailbox database named MDB01 that replicates to all the servers.

All users report that mailbox searches from Outlook on the web return no results. You discover that the mailbox content index on MBX02 has failed.

You need to ensure that all the users can search mailboxes successfully by using Outlook on the web. The solution must resolve the issue as quickly as possible. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Update-MailboxDatabaseCopy	-Identity MDB01\MBX02 -SourceServer MBX02 -Server DAG01	-CatalogOnly -DatabaseOnly -PrimaryDatabasePartitionOnly -DeleteExistingFiles
----------------------------	---------------------------------------------------------------	----------------------------------------------------------------------------------------

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/database-availability-groups/update-mailboxdata>

NEW QUESTION 5

- (Exam Topic 3)

You have a Microsoft Exchange Server organization.

You configure an Exchange server named EX1 to deliver email messages for an application named App1. App1 sends messages in large bursts overnight by using a client frontend Receive connector on EX1. You discover that it takes a long time to deliver the messages.

You need to reduce how long it takes to deliver the messages. Which value should you configure on the Receive connector?

- A. maximum inbound connections
- B. message rate limit
- C. connection time out
- D. tarpit interval

Answer: B

NEW QUESTION 6

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

A user reports that several email messages were not received. You suspect that the messages were filtered by the Exchange servers.

You need to review the filter that removed the messages. Which cmdlet should you run?

- A. Get-MpThreatDetection
- B. Search-UnifiedAuditLog
- C. Get-AuditLogSearch
- D. Get-AgentLog

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/antispam-antimalware/get-agentlog?view=excha>

NEW QUESTION 7

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 database availability group (DAG) named DAG1. DAG1 contains a Mailbox server named EX01. EX01 fails and must be replaced.

You plan to recover EX01 to a new server.

You deploy Windows Server 2019 to a new server that has identical hardware as EX01. You need to restore EX01 to the new server.

What should you do before you restore EX01?

- A. Join EX01 to the domain.

- B. Reset the computer account of EX01.
- C. Create a new computer account for EX01.
- D. Rename the computer account of EX01.
- E. Register a service principal name (SPN).

Answer: B

Explanation:

Before you restore EX01 to the new server you must reset the computer account for EX01 and then join it to the domain.

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/recover-exchange-servers?view=exchserver-2019>

NEW QUESTION 8

- (Exam Topic 3)

You plan to deploy a Microsoft Exchange Server 2019 organization that will contain the servers shown in the following table.

Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site2

The sites connect to each other by using a high-cost, slow WAN link. Each site also connects directly to the Internet.

You need to ensure that outgoing email to the Internet always uses a server in the local site. What should you create?

- A. one Send connector that uses two smart hosts
- B. two Send connectors that use different smart hosts
- C. two scoped Send connectors that have the same namespace
- D. two Send connectors that have different namespaces

Answer: C

NEW QUESTION 9

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company's perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You add a second IP address to EX01. You create a new linked connector named App1 EX01. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/mail-routing/mail-routing?view=exchserver-2019>

NEW QUESTION 10

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains two Active Directory sites named Site1 and Site2.

You have a Microsoft Exchange Server 2019 organization that contains a database availability group (DAG) named DAG1. DAG1 has three member servers in each site.

You need to prevent users from Site1 from sending email messages larger than 5 MB to the mailboxes in Site2.

What should you do?

- A. Modify the properties of the Active Directory site link.
- B. From Site1, create a custom Send connector, and then modify the address space.
- C. From Site2, create a custom Receive connector, and then modify the remote IP address range.
- D. Modify the properties of DAG1.

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that has a database availability group (DAG). The DAG contains the servers shown in the following table.

You install a new server named File02 that runs Windows Server 2019.

You attempt to add File02 as an alternate witness server, and you receive the following error messages: You need to ensure that you can configure File02 successfully as the alternate witness server.

What should you do on File02?

- A. Create an inbound firewall rule
- B. Add a member to the Administrators group.
- C. Enable PowerShell remoting.

D. Create a shared folder.

Answer: B

NEW QUESTION 15

- (Exam Topic 3)

You have a Microsoft Exchange Server organization that contains the servers shown in the following table.

Name	Exchange version
EX01	Exchange Server 2016 Standard
EX02	Exchange Server 2019 Standard

You have the users shown in the following table.

Name	Mailbox server
User1	EX01
User2	EX02
User3	EX02

All users have a Standard CAL.

You need provide an archive mailbox to each user in the organization. What should you do before you provide each user with an archive mailbox?

- A. Upgrade EX01 and EX02 to Exchange Server 2019 Enterprise.
- B. Move all the mailboxes to EX02.
- C. Purchase an Enterprise CAL for each user.
- D. Upgrade EX01 to Exchange Server 2019 Standard.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 19

- (Exam Topic 3)

You manage a Microsoft Exchange Server 2019 organization that has 3,000 users. Each user has a company provided mobile device that uses Exchange ActiveSync.

You discover that devices running a specific operating system version contain a bug that causes the excessive consumption of resources on the Exchange servers.

You need to prevent the devices from accessing email until the devices are updated. Which cmdlet should you run?

- A. Set-ActiveSyncDeviceAutoblockThreshold
- B. Set-MobileDeviceMailboxPolicy
- C. New-ActiveSyncDeviceAccessRule
- D. Set-CasMailbox

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 20

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers. You are decommissioning a Mailbox server named EX01.

When you attempt to remove one of the mailbox databases from EX01, you receive a warning message that the database still contains mailboxes.

You run Get-Mailbox –Server EX01 and confirm that all user mailboxes are hosted on other servers. You need to remove the mailbox database.

What should you do first?

- A. Disable circular logging.
- B. Move the arbitration mailboxes to another server.
- C. Run eseutil /p.
- D. Stop the Microsoft Exchange Information Store service.

Answer: B

NEW QUESTION 22

- (Exam Topic 3)

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS. What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
- B. a remote domain named contoso.com
- C. a new connector that specifies the fabrikam.com SMTP domain
- D. a remote domain named fabrikam.com

Answer: A

Explanation:

Configure a Send connector in Fabrikam to point to Contoso.

NEW QUESTION 24

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

NEW QUESTION 29

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization that contains a shared mailbox named Inquiries. You need to configure Inquiries to meet the following requirements:

- A user named User1 must have full access to the mailbox without having permissions to send email messages.
- A user named User2 must be able to send email messages that appear to come from the mailbox.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Add-AdPermission
Add-MailboxPermission
Add-RecipientPermission
Set-Mailbox

-Id Inquiries -User User1 -AccessRights

ChangeOwner
ChangePermission
DeleteItem
ExternalAccount
FullAccess
ReadOnly

Add-AdPermission
Add-MailboxPermission
Add-RecipientPermission
Set-Mailbox

-Id Inquiries -User User2 -ExtendedRights "Send-As"

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Add-AdPermission
Add-MailboxPermission
Add-RecipientPermission
Set-Mailbox

-Id Inquiries -User User1 -AccessRights

ChangeOwner
ChangePermission
DeleteItem
ExternalAccount
FullAccess
ReadOnly

Add-AdPermission
Add-MailboxPermission
Add-RecipientPermission
Set-Mailbox

-Id Inquiries -User User2 -ExtendedRights "Send-As"

NEW QUESTION 33

- (Exam Topic 3)

You are deploying a new Microsoft Exchange Server 2019 organization.

You plan to create a database availability group (DAG) that will contain four Mailbox servers and a witness server named FS01. FS01 is a file server.

You attempt to provision the DAG by running the following command. New-DatabaseAvailabilityGroup -Name DAG1-WitnessServer FS01

-WitnessDirectory C: \DAG1

-DatabaseAvailabilityGroupIPAddresses 10.0.0.10 The command fails.

You need to ensure that you can provision the DAG. What should you do?

- A. Run the Set-DatabaseAvailabilityGroup -AutoDagTotalNumberOfServers 5 command.
B. Add the Server Management group in Active Directory to the local Administrators group on FS01.
C. Run the Set-DatabaseAvailabilityGroup -AutoDagAutoReseedEnabled \$false command.
D. Add the Exchange Trusted Subsystem group in Active Directory to the local Administrators group on FS01.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/database-availability-groups/new-databaseavailabilitygroup>

NEW QUESTION 36

- (Exam Topic 3)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
B. Get-ActiveSyncMailboxPolicy
C. Get-ActiveSyncDeviceClass
D. Get-MobileDevice

Answer: D

NEW QUESTION 39

- (Exam Topic 3)

DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named MBX01. You back up MBX01 by using Windows Server Backup.

You need to recover a deleted mailbox. The solution must minimize the impact on other mailboxes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Run the `isinteg.exe` command and specify the `-fix` parameter.

Create a recovery database.

Run the `New-MailboxRestoreRequest` cmdlet.

Restore the database backup.

Run the `New-MailboxMoveRequest` cmdlet.

Install Exchange Server 2019 on a new server.

Run the `eseutil.exe` command and specify the `/r` parameter.

Answer Area

⬅

➡

⬆

⬇

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/restore-data-using-recovery-dbs?v>

NEW QUESTION 41

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

Active Directory contains the site links shown in the following table.

Site link	Site	Site link cost	Exchange cost
Site1-Site2	Site1 and Site2	10	15
Site1-Site3	Site1 and Site3	25	\$null
Site2-Site3	Site2 and Site3	10	\$null
Site1-Site4	Site1 and Site4	10	\$null

Site1 is configured as a hub site.

You have the Mailbox servers shown in the following table.

Name	Database	Active Directory site membership
EX01	Mail1	Site1
EX02	Mail2	Site2
EX03	Mail3	Site3
EX04	Mail4	Site4

On the Mailbox servers, you have the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3
User4	Mail4

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 sends an email message to User2, the next hop will be from EX01 to EX02.	<input type="radio"/>	<input type="radio"/>
When User2 sends an email message to User3, the next hop will be from EX02 to EX03.	<input type="radio"/>	<input type="radio"/>
When User4 sends an email message to User2, the next hop will be from EX04 to EX02.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/route-mail-between-active-directory-sites-exchange-2013-help>

NEW QUESTION 45

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization.

You are configuring backups of a server that has a single mailbox database named MDB01. The database file is in a folder named MDB01 on drive E, and the log files that are in a folder named MDB01 on drive F.

You need to back up the server to meet the following requirements:

- Ensure that all the logs truncate automatically after a backup
- Ensure that all the logs replay automatically when restored
- Minimize the amount of storage used for the backups.

Which two items should you select for the backups? To answer, select the appropriate items in the answer area.

NOTE: Each correct selection is worth one point.

Select Items
×

Specify items to include in the backup by selecting or cleaning the associated check boxes.
 The items that you have included in the current backup are already selected.

<input type="checkbox"/>	Bare metal recovery
<input type="checkbox"/>	System state
<input type="checkbox"/>	EFI System Partition
<input type="checkbox"/>	Local disk (C:)
<input type="checkbox"/>	Databases (E:)
<input checked="" type="checkbox"/>	\$RECYCLE BIN
<input checked="" type="checkbox"/>	Archived PST Files
<input checked="" type="checkbox"/>	MDB01
<input checked="" type="checkbox"/>	Recovery Database
<input type="checkbox"/>	Logs (F:)
<input checked="" type="checkbox"/>	\$RECYCLE BIN
<input checked="" type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Select Items
×

Specify items to include in the backup by selecting or cleaning the associated check boxes.
 The items that you have included in the current backup are already selected.

<input type="checkbox"/>	Bare metal recovery
<input type="checkbox"/>	System state
<input type="checkbox"/>	EFI System Partition
<input type="checkbox"/>	Local disk (C:)
<input type="checkbox"/>	Databases (E:)
<input checked="" type="checkbox"/>	\$RECYCLE BIN
<input checked="" type="checkbox"/>	Archived PST Files
<input checked="" type="checkbox"/>	MDB01
<input checked="" type="checkbox"/>	Recovery Database
<input type="checkbox"/>	Logs (F:)
<input checked="" type="checkbox"/>	\$RECYCLE BIN
<input checked="" type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery

NEW QUESTION 48

- (Exam Topic 3)

You plan to deploy Microsoft Exchange Server 2019.

You need to verify whether the Active Directory environment is prepared for the deployment.

What are two methods to verify whether the Active Directory environment is prepared? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Use ADSI Edit.
- B. Run the Get-ExchangeServer cmdlet.
- C. Review the Exchange.Setup log.
- D. Run the Get-ADForest cmdlet.
- E. Run the dcdiag.exe command.

Answer: AC

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prepare-ad-and-domains?view=exchserver-2019>

NEW QUESTION 50

- (Exam Topic 3)

NO: 14 DRAG DROP

You have data centers in Seattle and Montreal. Each data center has its own Active Directory site.

You deploy Microsoft Exchange Server 2019 to a database availability group (DAG) named DAG01. DAG01 spans both data centers.

Each data center contains two Mailbox servers that have Datacenter Activation Coordination (DAC) mode enabled.

A WAN outage prevents communication between the Montreal and Seattle data centers. The outage will last several days.

You stop the cluster service on the Mailbox servers in the Seattle data center, and you stop the DAG in the Montreal data center.

You need to switch all the Exchange operations to the Seattle data center for a weekend.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<code>Stop-Service -id ClusSvc</code>	
<code>Stop-DatabaseAvailabilityGroup -id DAG01</code>	<code>-ActiveDirectorySite Montreal</code>
<code>Set-DatabaseAvailabilityGroup -id DAG01</code>	<code>-ConfigurationOnly</code>
<code>Start-DatabaseAvailabilityGroup -id DAG01</code>	<code>-ActiveDirectorySite Seattle</code>
<code>Restore-DatabaseAvailabilityGroup -id DAG01</code>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/manage-ha/datacenter-switchovers?view=exchserve>

NEW QUESTION 51

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has two offices.

The network contains an Active Directory forest. The forest contains two domains. Each office is configured as an Active Directory site.

You need to recommend a plan for the deployment of Microsoft Exchange Server 2019 servers. The plan must ensure that a copy of each sent email message is always retained in a shadow queue.

Solution: You recommend deploying a database availability group (DAG) that will contain two servers. Each server will be in a different site. Both servers will be in the same domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/transport-high-availability/shadow-redundancy?view=exchserver-2019>

NEW QUESTION 52

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 Mailbox server named EX01. You run the command as shown in the following exhibit.

```
PS C:\> Get-TransportService EX01 | fl "tracking"

MessageTrackingLogEnabled      : True
MessageTrackingLogMaxAge       : 00:00:00
MessageTrackingLogMaxDirectorySize : 1000 MB (1,048, 576, 000 bytes)
MessageTrackingLogMaxFileSize  : 10 MB (10, 485, 760 bytes)
MessageTrackingLogPath         : E:\Logs\MessageTracking
MessageTrackingLogSubjectLoggingEnabled : True
```

What is the effect of the configuration?

- A. The message tracking log files will be retained for 30 days, and then they will be purged.
- B. The message tracking log files will be purged immediately.
- C. The message tracking log files will be retained until the directory size limit is exceeded.
- D. The message tracking log files will be retained for 365 days, and then they will be purged.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/mail-flow/transport-logs/configure-message-tracking?view=exchserv>

NEW QUESTION 55

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

\$30 days – (Get-Date).AddDays(30)

Get-MailboxDatabase | Get-MailboxStatistics | Where {\$_.DisconnectDate –lt \$30days} | Format-Table DisplayName,Database,DisconnectDate

Does this meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 59

- (Exam Topic 3)

NO: 6 DRAG DROP

You have a Microsoft Exchange Server 2016 organization.

Users access their email by using a URL of https://mail.contoso.com.

You are installing a new Exchange Server 2019 Mailbox server to replace an existing Exchange Server 2016 server.

You need to secure all the Exchange services by using a certificate. The solution must minimize warnings on client computers.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Assign the certificate to the services.

Create a self-signed certificate.

Import a certificate.

Export a certificate.

Request a new certificate.

Answer Area

⏪

⏩

⏴

⏵

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Actions

Assign the certificate to the services.

Create a self-signed certificate.

Import a certificate.

Export a certificate.

Request a new certificate.

Answer Area

Export a certificate.

Import a certificate.

Assign the certificate to the services.

NEW QUESTION 63

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-200 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-200 Product From:

<https://www.2passeasy.com/dumps/MS-200/>

Money Back Guarantee

MS-200 Practice Exam Features:

- * MS-200 Questions and Answers Updated Frequently
- * MS-200 Practice Questions Verified by Expert Senior Certified Staff
- * MS-200 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-200 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year