

Exam Questions 70-742

Identity with Windows Server 2016

<https://www.2passeasy.com/dumps/70-742/>



NEW QUESTION 1

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to ensure that the members of the Backup Operators group can back up domain controllers. What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.
- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: D

NEW QUESTION 2

Your network contains an Active Directory forest. The forest contains two domain controllers named DC1 and DC2 that run Windows Server 2016. DC1 holds all of the operations master roles.

DC1 experiences a hardware failure.

You plan to use an automated process that will create 1,000 user accounts. You need to ensure that the automated process can complete successfully.

Which command should you run? To answer, select the appropriate options in the answer area.

Answer Area

<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> Move-ADDirectoryServerOperationMasterRole </div> </div> <div style="border: 1px solid #ccc; padding: 2px;"> ntdsutil </div>	<div style="font-family: monospace; font-size: 1.2em;">-identity "DC2" -OperationMasterRole</div>
--	---

<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> InfrastructureMaster PDCEmulator RIDMaster SchemaMaster </div> </div>	<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="padding: 2px;"> -Force Seize pdc </div> </div>
---	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Move-ADDirectoryServerOperationMasterRole

Box 2: RIDMaster

Box 3: -Force

NEW QUESTION 3

Your network contains an Active Directory domain named contoso.com. A Group Policy object (GPO) named GPO1 is linked to contoso.com.

GPO1 has computer configuration policies, user configuration policies and user preferences configured.

You need to ensure that the user preferences in GPO1 apply only to users who sign in to computers that runs Windows 10. All the other settings in GPO1 must be applied, regardless of the computer to which the user sign in.

What should you configure?

- A. Security Settings
- B. WMI filtering
- C. Security Filtering
- D. item-level targeting

Answer: D

NEW QUESTION 4

Your network contains an Active Directory named contoso.com

You have three top-level organizational units (OUs) named OU1, OU2 and OU3. OU1 contains user accounts. OU2 contains the computer accounts for shared public computers. OU3 contains the computer accounts for laptops.

You have two Group Policy objects (GPOs) named GPO1 and GP02. GPO1 is linked to OU1. GP02 is linked to OU2. You need to prevent the user settings in GPO1 from being applied when a user signs in to a shared public computer. If a user signs in to a laptop, the user settings in GPO1 must be applied. What should you configure?

- A. inheritance blocking
- B. Security Filtering
- C. loopback processing
- D. GPO link enforcement

Answer: C

NEW QUESTION 5

Your network contains an Active Directory domain named contoso.com. The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com. Solution: From Active Directory Domains and Trusts, you configure an alternative UPN suffix, From Active Directory Administrative Center, you configure the User UPN logon property of User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 6

Your network contains an Active Directory forest named contoso.com. All domain controllers run Windows Server 2012 R2. You deploy a new server named Server1 that runs Windows Server 2016. A server administrator named ServerAdmin01 is a member of the Domain users group. You add ServerAdmin01 to the Administrators group on Server1. ServerAdmin01 signs in to Server1 and successfully configures a new Active Directory flights Management Services (AD RMS) cluster. You need to ensure that clients can discover the AD RMS cluster by querying Active Directory. What should you do?

- A. Register a Service Connection Point (SCP).
- B. Modify the Security settings of the computer account of Server1.
- C. Update the Active Directory schema.
- D. Upgrade one domain controller to Windows Server 2016.

Answer: A

NEW QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You deploy a new Active Directory forest. You need to ensure that you can create a group Managed Service Account (gMSA) for multiple member servers. Solution: You configure Kerberos constrained delegation on the computer account of each member server. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 8

Your network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named Server1. On a standalone server named Server2. You install and configure the Web Application Proxy. You have an internal web application named WebApp1. AD FS has a replying party trust for WebApp1. You need to provide external users with access to WebApp1. Authentication to WebApp1, must use AD FS preauthentication. Which tool should you use to publish webapp1?

- A. Remote Access Management on Server2
- B. AD FS Management on Server2
- C. Routing and Remote Access on Server1
- D. Remote Access Management on Server1
- E. AD FS Management on Server1

Answer: E

NEW QUESTION 9

Your company has multiple branch offices. The network contains an Active Directory domain named contoso.com. In one of the branch offices, a new technician is hired to add computers to the domain. After successfully joining multiple computers to the domain, the technician fails to join anymore computers to the domain. You need to ensure that the technician can join an unlimited number of computers to the domain. What should you do?

- A. Modify the Security settings of the technician's user account.
- B. Modify the Security settings of the Computers container.
- C. Configure the technician's user account as a managed service account.

D. Run the redircmp.exe command.

Answer: B

NEW QUESTION 10

You network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA) named CA1. You have a test environment that is isolated physically from the corporate network and the Internet. You deploy a web server to the test environment. On CA1, you duplicate the Web Server template, and you name the template Web_Cert_Test. For the web server, you need to request a certificate that does not contain the revocation information of CA1. What should you do first?

- A. From the properties of CA1, allow certificates to be published to the file system.
- B. From the properties of CA1, select Restrict enrollment agents, and then add Web_Cert_Test to the restricted enrollment agent.
- C. From the properties of Web_Cert_Test, assign the Enroll permission to the guest account.
- D. From the properties of Web_Cert_Test, set the Compatibility setting of CA1 to Windows Server 2016.

Answer: D

NEW QUESTION 10

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. Your network contains an Active Directory domain named contoso.com. You need to limit the number of Active Directory Domain Services (AD DS) objects that a user can create in the domain. Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacis
- E. Dsmain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: A

NEW QUESTION 15

Your network contains an Active Directory forest named contoso.com. The forest contains three domains named contoso.com, corp.contoso.com, and ext.contoso.com. The forest contains three Active Directory sites named Site1, Site2, and Site3. You have the three administrators as described in the following table.

Administrator name	Group membership	Domain
Admin1	Domain Admins	Contoso.com
Admin2	Domain Admins	Corp.contoso.com
Admin3	Enterprise Admins	Contoso.com

You create a Group Policy object (GPO) named GPO1. Which administrator or administrators can link GPO1 to Site2?

- A. Admin1 and Admin2 only
- B. Admin1, Admin2, and Admin3
- C. Admin3 only
- D. Admin1 and Admin3 only

Answer: D

Explanation:

References:
[https://technet.microsoft.com/en-us/library/cc732979\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc732979(v=ws.11).aspx)

NEW QUESTION 20

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers. A domain controller named lon-dc1 fails. You are unable to repair lon-dc1. You need to prevent the other domain controllers from attempting to replicate to lon-dc1. Solution: From Active Directory Sites and Services, you remove the object of lon-dc1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 24

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers. A domain controller named lon-dc1 fails. You are unable to repair lon-dc1.

You need to prevent the other domain controllers from attempting to replicate to lon-dc1.

Solution: From Active Directory Domains and Trusts, you transfer the operations master roles from lon-dc1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 27

Your company has multiple offices.

The network contains an Active Directory domain named contoso.com. An Active Directory site exists for each office. All of the sites connect to each other by using DEFAULTSITELINK.

The company plans to open a new office. The new office will have a domain controller and 100 client computers.

You install Windows Server 2016 on a member server in the new office. The new server will become a domain controller.

You need to deploy the domain controller to the new office. The solution must ensure that the client computers in the new office will authenticate by using the local domain controller.

Which three actions should you perform next in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Create a new site object.

Create a new connection object.

Promote the member server to a domain controller.

Create a new subnet object.

Move the server object of the domain controller.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Create a new site object.

Create a new site object.

Create a new connection object.

Create a new subnet object.

Promote the member server to a domain controller.

Promote the member server to a domain controller.

Create a new subnet object.

Move the server object of the domain controller.

NEW QUESTION 29

Your network contains an Active Directory domain named contoso.com.

You create a domain security group named Group1 and add several users to it.

You need to force all of the users in Group1 to change their password every 35 days. The solution must affect the Group1 users only.

What should you do?

- A. From Windows PowerShell, run the Set-ADDomain cmdlet, and then run the Set-ADAccountPassword cmdlet.
- B. Modify the Password Policy settings in a Group Policy object (GPO) that is linked to the domain, and then filter the GPO to Group1 only.
- C. Create a forms authentication provider, and then set the forms authentication credentials.
- D. From Active Directory Administrative Center, create a Password Setting object (PSO).

Answer: D

NEW QUESTION 31

Your network contains an Active Directory domain named contoso.com. The domain contains a web application that uses Kerberos authentication.

You change the domain name of the web application.

You need to ensure that the service principal name (SPN) for the application is registered. Which tool should you use?

- A. Repladmin
- B. Setspn
- C. Netsh
- D. Pdspnf

Answer: B

Explanation:

<https://social.technet.microsoft.com/wiki/contents/articles/18996.active-directory-powershell-script-to-list-all-sp>

NEW QUESTION 34

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named User1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the Local Users and Groups preference.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 37

Your network contains an Active Directory domain named contoso.com. The domain contains a read-only domain controller (RODC) named RODC1.

You need to retrieve a list of accounts that have their password cached on RODC1. Which command should you run?

- A. netdom.exe
- B. ntdsutil.exe
- C. repadmin.exe
- D. dcdiag.exe

Answer: C

Explanation:

[https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy\(v=](https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy(v=)

NEW QUESTION 42

Note: This question is part of a series of questions that use the same scenario. For you convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	<i>Not applicable</i>	<i>Not applicable</i>
User2	User	<i>Not applicable</i>	<i>Not applicable</i>
Computer1	Computer	<i>Not applicable</i>	<i>Not applicable</i>
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the

contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com.

End of repeated scenario.

You need to join Computer3 to the contoso.com domain by using offline domain join.

Which command should you use in the contoso.com domain and on Computer3? To answer, select the appropriate options in the answer area.

Answer Area

The contoso.com domain:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

Computer3:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The contoso.com domain:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

Computer3:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

NEW QUESTION 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You are troubleshooting a folder access issue for User1.
You need a list of groups to which User1 is either a direct member or ab indirect member. Solution: You run Get-ADGroup –Identity User1 –Property MemberOf.
Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
The Get-ADGroup cmdlet does not include the MemberOf property. The command above is, therefore, not valid.
References:
<https://docs.microsoft.com/en-us/powershell/module/addsadministration/get-adgroup?view=win10-ps>

NEW QUESTION 52

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1.
You create and link a Group Policy object (GPO) named SalesAppGPO to an organizational unit (OU) named SalesOU. All the computer accounts are in the Computers container. All the user accounts of the users in the sales department are in SalesOU.
You have a line-of-business application named SalesApp that is installed by using a Windows Installer package.
You need to make SalesApp available to only the sales department users.
Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

On DC1, create a WebDAV folder named SalesApp.

Copy the Windows Installer package to SalesApp.

In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.

On DC1, create a shared folder named SalesApp.

In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.

In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.

In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.

Answer Area

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

On DC1, create a WebDAV folder named SalesApp.

Copy the Windows Installer package to SalesApp.

In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.

On DC1, create a shared folder named SalesApp.

In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.

In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.

In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.

Answer Area

On DC1, create a shared folder named SalesApp.

Copy the Windows Installer package to SalesApp.

In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.

>

<

NEW QUESTION 56

Your network contains two network domains sales.fabrikam.com, and contoso.com, You recently added a site named Europe. The forest contains four users who are members of the groups shown in the following table.

User name	Member of	Domain
User1	Domain Admins	Fabrikam.com
User2	Enterprise Admins	Fabrikam.com
User3	Domain Admins	Sales.fabrikam.com
User4	Domain Admins	Contoso.com

You need to create a Group Policy object (GPO) named GP01 and to link GP01 to the Europe site. Which users can perform each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Users who can create GPO1:

User1 and User2 only

User1 only

User2 only

User3 only

User4 only

User1 and User4 only

User1 and User2 only

User2 and User3 only

User1, User2, User3, and User4

Users who can link GPO1 to Europe:

User1, User2, User3, and User4

User1 only

User2 only

User3 only

User4 only

User1 and User4 only

User1 and User2 only


User2 and User3 only

User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 59

You have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed. You publish an application named App1 by using the Web Application Proxy. You need to change the URL that users use to connect to App1 when they work remotely. Which command should you run? To answer, select the appropriate options in the answer area.

Answer Area

Set-WebApplicationProxyApplication

Set-WebApplicationProxyConfiguration

Set-WebApplicationProxySslCertificate

-ID 874A4543-7983-77A3-1E6D-1163E7419AC1

-ADFSUrl

-BackendServerUrl

-ExternalURL

https://SP.Contoso.com/

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The Set-WebApplicationProxyApplication cmdlet modifies settings of a web application published through Web Application Proxy. Specify the web application to modify by using its ID. Note that the method of preauthentication cannot be changed. The cmdlet ensures that no other applications are already configured to use any specified ExternalURL or BackendServerURL.
References: <https://technet.microsoft.com/itpro/powershell/windows/wap/set-webapplicationproxyapplication>

NEW QUESTION 64

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1. You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1. You need to add a domain user named User1 to the local Administrators group on Server1. Solution: From a domain controller, you run the Set-AdComputer cmdlet. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 66

You use Application Request Routing (ARR) to make internal web applications available to the Internet by using NTLM authentication. You need to replace ARR by using the Web Application Proxy. Which server role should you deploy first?

- A. Active Directory Lightweight Directory Services
- B. Active Directory Rights Management Services
- C. Active Directory federation Services
- D. Active Directory Certificate Services

Answer: C

NEW QUESTION 71

Your network contains an Active Directory forest. The forest functional level is Windows Server 2016. You have a failover cluster named Cluster1. Cluster1 has two nodes named Server1 and Server2. All the optional features in Active Directory are enabled.

A junior administrator accidentally deletes the computer object named Cluster1. You discover that Cluster1 is offline. You need to restore the operation of Cluster1 in the least amount of time possible. What should you do?

- A. Run the Enable-ADAccount cmdlet from Windows PowerShell.
- B. Perform an authoritative restore by running ntdutil.exe.
- C. Perform a tombstone reanimation by running ldp.exe.
- D. Recover a deleted object from the Active Directory Recycle Bin.

Answer: D

NEW QUESTION 75

You are deploying a web application named WebApp1 to your internal network. WebApp1 is hosted on a server named Web1 that runs Windows Server 2016. You deploy an Active Directory Federation Services (AD FS) infrastructure and a Web Application Proxy to provide access to WebApp1 for remote users. You need to ensure that Web1 can authenticate the remote users. What should you do?

- A. Publish WebApp1 by using pass-through preauthentication.
- B. Publish WebApp 1 as a Remote Desktop Gateway (RD Gateway) application in the Web Application Proxy.
- C. Publish WebApp1 by using AD FS preauthentication.
- D. Publish WebApp1 by using client certificate preauthentication.


Answer: A

NEW QUESTION 76

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1. The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you set User Group Policy loopback processing mode to Replace in A7.

Which GPO or GPOs will apply to User2 when the user signs in to Computer1 after loopback processing is configured?


- A. A1 and A7 only
- B. A3, A1, A5, A6, and A7
- C. A3, A5, A1, and A7 only
- D. A7 only

Answer: D

NEW QUESTION 78

Your network contains an Active Directory domain named contoso.com. The domain contains a Group Policy object (GPO) named GPO1.

You configure the Internet Settings preference in GPO1 as shown in the exhibit. (Click the Exhibit button.)



A user reports that the homepage of Internet Explorer is not set to <http://www.contoso.com>. You confirm that the other settings in GPO1 are applied. You need to configure GPO1 to set the Internet Explorer homepage. What should you do?

- A. Edit the GPO1 preference and press F5.
- B. Modify Security Settings for GPO1.
- C. Modify WMI Filtering for GPO1.
- D. Modify the GPO1 preference to use item-level targeting.

Answer: A

Explanation:

The red dotted line under the homepage URL means that setting is disabled. Pressing F5 enables all settings.

NEW QUESTION 83

Your network contains an Active Directory domain named [contoso.com](http://www.contoso.com). Domain users use smart cards to sign in to their client computer. Some users report that it takes a long time to sign in to their computer and that the logon attempt times out, so they must restart the sign in process. You discover that the issues to checking the certificate revocation list (CRL) of the smart card certificates. You need to resolve the issue without diminishing the security of the smart card logons. What should you do?

- A. From the properties of the smart card's certificate template, modify the Request Handling settings.
- B. From the properties of the smart card's certificate template, modify the Issuance Requirements settings.
- C. Deactivate certificate revocation checks on the computers.
- D. Implement an Online Certification Status Protocol (OCSP) responder.

Answer: D

NEW QUESTION 88

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	<i>Not applicable</i>	<i>Not applicable</i>
User2	User	<i>Not applicable</i>	<i>Not applicable</i>
Computer1	Computer	<i>Not applicable</i>	<i>Not applicable</i>
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named

Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the

contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com.

End of repeated scenario.

You need to ensure that Admin1 can add Group2 as a member of Group3. What should you modify?

- A. Modify the Security settings of Group3.
- B. Modify the group scope of Group3.
- C. Modify the group type of Group3.
- D. Set Admin1 as the manager of Group3.

Answer: B

NEW QUESTION 91

Your network contains an Active Directory forest. The forest contains an Active Directory Federation Services (AD FS) deployment.

The AD FS deployment contains the following:

- * An AD FS server named server1.contoso.com that runs Windows Server 2016
- * A Web Application Proxy used to publish AD FS
- * A LIPN that uses the contoso.com suffix
- * A namespace named adfs.contoso.com

You create a Microsoft Office 365 tenant named contoso.onmicrosoft.com. You use Microsoft Azure Active Directory Connect (AD Connect) to synchronize all of the users and the UPNs from the contoso.com forest to Office 365.

You need to configure federation between Office 365 and the on-premises deployment of Active Directory. Which three commands should you run in sequence from Server1? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands	Answer Area
Convert-MsolDomainToFederated -DomainName contoso.com	
Enter-PSSession -Name Office365	
Convert_MsolDomainToFederated -DomainName adfs.contoso.com	
Set-MsolADFSContext -Computer server1contoso.com	
Connect-MsolService	
Set-MsolADFSContext -Computer contoso.com	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Commands	Answer Area
Convert-MsolDomainToFederated -DomainName contoso.com	Connect-MsolService
Enter-PSSession -Name Office365	Set-MsolADFSContext -Computer server1contoso.com
Convert_MsolDomainToFederated -DomainName adfs.contoso.com	Convert-MsolDomainToFederated -DomainName contoso.com
Set-MsolADFSContext -Computer server1contoso.com	
Connect-MsolService	
Set-MsolADFSContext -Computer contoso.com	

NEW QUESTION 96

The network contains an Active Directory forest named contoso.com.
The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle

The company physically relocates Server2 from the Montreal office to the Seattle office.
You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authenticates users who sign in to the computers in the Seattle office.
You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations. What should you do?

- A. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.
- B. From Active Directory Users and Computers, modify the Location Property of Server2.
- C. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.

D. From Windows PowerShell, run the Move-ADDirectoryServer cmdlet.

Answer: A

NEW QUESTION 99

You have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed. You need to publish Microsoft Exchange Server 2013 services through the Web Application Proxy. The solution must use preauthentication whenever possible. How should you configure the preauthentication method for each service? To answer, select the appropriate options in the answer area.

Answer Area

Exchange ActiveSync:	<div><div></div><div>Active Directory Federation Services (AD FS) Pass-through</div></div>
Outlook Web App:	<div><div></div><div>Active Directory Federation Services (AD FS) Pass-through</div></div>
Outlook Anywhere:	<div><div></div><div>Active Directory Federation Services (AD FS) Pass-through</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Pass-through

Box 2: Active Directory Federation Services (ADFS) Box 3: Pass-through

The following table describes the Exchange services that you can publish through Web Application Proxy and the supported preauthentication for these services:

Exchange service	Preauthentication
Outlook Web App	<ul style="list-style-type: none"> AD FS using non-claims-based authentication Pass-through AD FS using claims-based authentication for on-premises Exchange 2013 Service Pack 1 (SP1)
Exchange Control Panel	Pass-through
Outlook Anywhere	Pass-through
Exchange ActiveSync	Pass-through

References: [https://technet.microsoft.com/en-us/library/dn528827\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/dn528827(v=ws.11).aspx)

NEW QUESTION 101

You have a server named Server1 that runs Windows Server 2016. You need to configure Server1 as a Web Application Proxy. Which server role or role service should you install on Server1?

- A. Remote Access
- B. Active Directory Federation Services
- C. Web Server (IIS)
- D. DirectAccess and VPN (RAS)
- E. Network Policy and Access Services

Answer: A

NEW QUESTION 104

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You need to enable User1 to sign in as user1@adatum.com.

You need a list of groups to which User1 is either a direct member or an indirect member.

Solution: From Windows PowerShell, you run Set -Aduser User1 -UserPrincipalName User1@Adatum.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 105

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2.

Contoso.com has the following configuration. PS C:\> (Get-ADForest).ForestMode Windows2008R2Forest

PS C:\> (Get-ADDomain).DomainMode Windows2008R2Domain

PS C:\>

You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration.

You need to configure Active Directory to support the planned deployment. Solution: You raise the domain functional level to Windows Server 2012 R2. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Device Registration requires Windows Server 2012 R2 forest schema (not just domain schema).

NEW QUESTION 107

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration.

ZoneName	ZoneType	IsAutoCreated	IsDsIntegrated	IsReverseLookupZone	IsSigned
_nsdcs.contoso.com	Primary	False	True	False	False
0.in-addr.arpa	Primary	True	False	True	False
127.in-addr.arpa	Primary	True	False	True	False
255.in-addr.arpa	Primary	True	False	True	False
adatum.com	Forwarder	False	False	False	
contoso.com	Primary	False	True	False	False
fabrikam.com	Primary	False	True	False	True
TrustAnchors	Primary	False	True	False	False

You need to ensure that all of the client computers in the domain perform DNSSEC validation for the fabrikam.com namespace.

Solution: From a Group Policy object (GPO) in the domain, you add a rule to the Name Resolution Policy Table (NRPT).

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The NRPT stores configurations and settings that are used to deploy DNS Security Extensions (DNSSEC), and also stores information related to DirectAccess, a remote access technology.

Note: The Name Resolution Policy Table (NRPT) is a new feature available in Windows Server 2008 R2. The NRPT is a table that contains rules you can configure to specify DNS settings or special behavior for names or namespaces. When performing DNS name resolution, the DNS Client service checks the NRPT before sending a DNS query. If a DNS query or response matches an entry in the NRPT, it is handled according to settings in the policy. Queries and responses that do not match an NRPT entry are processed normally.

References: [https://technet.microsoft.com/en-us/library/ee649207\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/ee649207(v=ws.10).aspx)

NEW QUESTION 109

Your network contains an Active Directory forest.

Some users report experiencing difficulties signing in to domain controllers. You suspect that the service location (SRV) records might be causing the issue.

What are two possible commands that you can run to verify the SRV records? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. dcdiag.exe /test:connectivity
- B. dnscmd /info
- C. dnscmd /DirectoryPartitionInfo
- D. dcdiag.exe /test:dns /DnsRecordRegistration
- E. dcdiag.exe /test:dns
- F. dnscmd /IPValidate

Answer: BD

Explanation:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/troubleshoot/verify-dns-functionality-to>

NEW QUESTION 114

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1 and an organizational unit (OU) named OU1. What should you do?

- A. Modify the security settings of GPO1.
- B. Modify the security settings of OU1.
- C. Add User1 to the Group Policy Creator Owner group.
- D. Modify the security settings of User.

Answer: B

NEW QUESTION 117

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You stop the NTDS service on DC1. You run ntdsutil.exe, use the metadata cleanup option, and then start the NTDS

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to run ntdsutil.exe with the 'compact to' option. References:

<https://theitbros.com/active-directory-database-compact-defrag/>

NEW QUESTION 119

Your network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named TestOU that contains test computers.

You need to enable a technician named Tech1 to create Group Policy objects (GPOs) and to link the GPOs to TestOU. The solution must use the principle of least privilege.

Which two actions should you perform? Each correct answer presents part of the solution.

- A. Add Tech1 to the Group Policy Creator Owners group.
- B. From Group Policy Management, modify the Delegation settings of the TestOU OU.
- C. Add Tech1 to the Protected Users group.
- D. From Group Policy Management, modify the Delegation settings of the contoso.com container.
- E. Create a new universal security group and add Tech1 to the group.

Answer: AB

NEW QUESTION 120

You have a server named Server1 that runs Windows Server 2016. Server1 has the Windows Application Proxy role service installed.

You need to publish Microsoft Exchange ActiveSync services by using the Publish New Application Wizard. The ActiveSync services must use preauthentication.

How should you configure Server1? To answer, select the appropriate options in the answer area.

Answer Area

Preauthentication method:

▼
Active Directory Federation Services (AD FS)
Pass-through

Preauthentication type:

▼
HTTP Basic
OAuth2
Web and MS-OFBA

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Preauthentication method:

▼

Active Directory Federation Services (AD FS)

Pass-through

Preauthentication type:

▼

HTTP Basic

OAuth2


Web and MS-OFBA

NEW QUESTION 122

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1. The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you disable the Group Policy link for A6.

Which GPOs will apply to User2 when the user signs in to Computer1 after the link for A6 is disabled?

- A. A1 and A5 only
- B. A3, A1, and A5 only
- C. A3, A1, A5, and A4 only
- D. A3, A1, A5, and A7

Answer: D

NEW QUESTION 127

Your network contains an Active Directory domain named contoso.com.

The domain contains an enterprise root certification authority (CA) on a server that runs Windows Server 2016.

You need to configure the CA to support Online Certificate Status Protocol (OCSP) responders. Which two actions should you perform? Each correct selection presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add a new certificate template to issue.
- B. Modify the Authority Information Access (AIA) of the CA.
- C. Configure an enrollment agent.
- D. Install a standalone subordinate CA.
- E. Modify the CRL distribution point (CDP) of the CA.

Answer: AB

Explanation:

Once the OCSP service is configured, we need to configure the OCSP Response Signing template. This process includes adding an Authority Information Access (AIA) extension and then issuing a new certificate template.

References:

<https://www.poweradmin.com/blog/deploying-active-directory-certificate-services-and-online-responder/>

NEW QUESTION 132

Your network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named OU1 that contains the computer accounts of two servers and the user account of a user named User1. A Group Policy object (GPO) named GPO1 is linked to OU1.

You have an application named App1 that installs by using an application installer named App1.exe. You need to publish App1 to OU1 by using Group Policy. What should you do?

- A. Create a Config.zap file and add a file to the File System node to the Computer Configuration node of GPO1.
- B. Create a Config.xml file and add a software installation package to the User Configuration node of GPO1.
- C. Create a Config.zap file and add a software installation package to the User Configuration node of GPO1.
- D. Create a Config.xml file and add a software installation package to the Computer Configuration node of GPO1.

Answer: C

NEW QUESTION 136

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated Scenario

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	<i>Not applicable</i>	<i>Not applicable</i>
User2	User	<i>Not applicable</i>	<i>Not applicable</i>
Computer1	Computer	<i>Not applicable</i>	<i>Not applicable</i>
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group 1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of user1@litwareinc.com.

End of repeated scenario

You need to ensure that Admin1 can convert Group1 to a global group. What should you do?

- A. Add Admin1 to the Enterprise Admin group.
- B. Remove all the member from Group1.
- C. Modify the Security settings of Group1.
- D. Convert Group1 to a universal security group.

Answer: B

NEW QUESTION 141

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Windows PowerShell, You run Set-ADObject 'CN=User1, OU=OU1, DC=Contoso,DC=com'

–Add @ {UserPrincipalName='User1@Adatum.com'} –Remove

@{UserPrincipalName='User1@Contoso.com'},

Does this meet the goal?

- A. Yes
- B. No

Answer: A


NEW QUESTION 142

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you block inheritance on OU4.

Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after block inheritance is configured?

- A. A1, A5, and A6
- B. A3, A1, A5, and A7
- C. A3 and A7 only
- D. A7 only

Answer: D

NEW QUESTION 144

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DC1 and DC2.

DC1 holds the RID master operations role. DC1 fails and cannot be repaired. You need to move the RID role to DC2.

Solution: On DC2, you open the command prompt, run dsmgmt.exe, connect to DC2, and use the Seize RID master opinion.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 145

Your network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named

Server1.

On a standalone server named Server2, you install and configure the Web Application Proxy.

You have an internal web application named WebApp1. AD FS has a relying party trust for WebApp1. You need to provide external users with access to WebApp1. Authentication to WebApp1 must use AD FS pre-authentication.

Which tool should you use to publish WebApp1?

- A. Remote Access Management on Server1
- B. AD FS Management on Server2
- C. Remote Access Management on Server2
- D. Routing and Remote Access on Server1
- E. AD FS Management on Server1.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/web-application-proxy/publishing-appli>

NEW QUESTION 146

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use that laptop. The laptop names must start with four characters indicating the department followed by a four-digit number

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and that the computer accounts of the laptops are in the correct OUs.

Solution: You instruct Tech1 to sign in to each laptop, to rename each laptop by using System in Control Panel, and then to join each laptop to the domain by using the Netdom join command.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 151

Your network contains an Active Directory forest named contoso.com

Your company plans to hire 500 temporary employees for a project that will last 90 days.

You create a new user account for each employee. An organizational unit (OU) named Temp contains the user accounts for the employees.

You need to prevent the new users from accessing any of the resources in the domain after 90 days. What should you do?

- A. Run the Get-ADUser cmdlet and pipe the output to the Set-ADUser cmdlet.
- B. Create a group that contains all of the users in the Temp O
- C. Create a Password Setting object (PSO) for the new group.
- D. Create a Group Policy object (GPO) and link the GPO to the Temp O
- E. Modify the Password Policy settings of the GPO.
- F. Run the GET-ADOrganizationalUnit cmdlet and pipe the output to the Set-Date cmdlet.

Answer: A

NEW QUESTION 155

Your company has a marketing department and a security department.

The network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA).

You have two organizational units (OUs) named MKT_UsersOU and MKT_ComputersOU. MKT_UsersOU contains the user accounts for the users in the marketing department. MKT_ComputersOU contains the computer accounts for the computers in the marketing department.

A Group policy object (GPO) named GPO1 is linked to MKT_UsersOU. A GPO named GPO2 linked to MKT_ComputersOU.

You plan to deploy a web application for the marketing department users. The application will require certificates for authentication.

The security department configures the CA to support the planned deployment.

You need to ensure that the web application can authenticate the marketing department users. What should you do?

- A. From the User Configuration node of GPO1, create an Internet Setting preference.
- B. From the User Configuration node of GPO1, configure the Certificate Services Client - Auto enrollment settings.
- C. From the Computer Configuration node of GPO2, configure the Certificate Services Client - Certificate Enrollment Policy settings.
- D. From the Computer Configuration node of GPO2, create the Automatic Certificate Request Settings.

Answer: A

NEW QUESTION 157

Your company has a marketing department.

The network contains an Active Directory domain named comoso.com.

The domain contains two top-level organizational units (OUs) named MKT_Comps and MKT_Users. MKT_Comps contains the computer accounts for the computers in the marketing department. MKT_Users contains the user accounts for the users in the marketing department.

You link a new Group Policy object (GPO) named GPO1 to MKT_Comps.

You need to deploy a VPN connection to all of the users who sign in to the marketing department computers. The users must be

- A. Computer Configuration/Policies/Administrative Templates/Network/Network Connections
- B. Computer Configuration/Preferences/Control Panel Settings/Network Options
- C. User Configuration/Preferences/Control Panel Settings/Network Options
- D. User configuration/Policies/Administrative Templates/Network/Network Connections

Answer: B


NEW QUESTION 161

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer1	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you set user Group Policy loopback processing mode to Replace in A4.

Which GPO or GPOs will apply to User2 when the user signs in to Computer1 after loopback processing is configured?

- A. A1, A5, A6 and A4
- B. A3, A1, A4, A6 and A7
- C. A3, A1, A5 and A4
- D. A4 only

Answer: A

NEW QUESTION 164

Your network contains an Active Directory domain named contoso.com.

You plan to deploy a new Active Directory Rights Management Services (AD RMS) cluster on a server named Server1.

You need to create the AD RMS service account. The solution must use the principle of least privilege. What should you do?

- A. Create a domain user account and add the account to the Administrators group on Server1.
- B. Create a local user account on Server1 and add the account to the Administrators group on Server1.
- C. Create a domain user account and add the account to the Domain Users group in the domain
- D. Create a domain user account and add the account to the Account Operators group in the domain.

Answer: A

NEW QUESTION 167

You deploy a new enterprise certification authority (CA) named CA1. You plan to issue certificates based on the User certificate template. You need to ensure that the issued certificates are valid for two years and support autoenrollment. What should you do first?

- A. Run the certutil.exe command and specify the resubmit parameter.
- B. Duplicate the User certificate template.
- C. Add a new certificate template for CA1 to issue.
- D. Modify the Request Handling settings for the CA.

Answer: B

NEW QUESTION 168

Your network contains an Active Directory domain named contoso.com. The domain contains a web application that uses Kerberos authentication. You change the domain name of the web application. You need to ensure that the service principal name (SPN) for the application is registered. Which tool should you use?

- A. Rdsperf
- B. Active Directory Users and Computers
- C. Dnscmd
- D. Ldifde

Answer: B

NEW QUESTION 171

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1 and grant Group1 Full Control permission to OU1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 172

Your network contains a single-domain Active Directory forest named contoso.com. The forest functional level is Windows Server 2016. The forest has Dynamic Access Control enabled.

The domain contains two domain controllers named DC1 and DC2. Privileged user accounts used to manage Active Directory reside in a group named ContosoAD_Admns.

You create an authentication policy named Policy1 and an authentication policy silo named Silo1.

You need to ensure that the accounts in the Contoso\AD-Admins group can sign in to the domain controllers only.

Which three configurations should you perform? Each correction answer presents part of the solution.

- A. Create an access control condition in Policy1.
- B. Create a managed service account and add the account to Permitted Accounts in Silo1.
- C. Add the domain controllers to the Contoso\AD_Admns group.
- D. Add the privileged user accounts and the domain controllers to Permitted Accounts in Silo1.
- E. Assign Silo1 to the privileged user accounts and the domain controllers.

Answer: ADE

NEW QUESTION 175

You have a server named Server1 in a workgroup.

You need to configure a Group Policy setting on Server1 that will apply to only non-administrative users. What should you do?

- A. Run mnc.exe
- B. Add the Group Policy Object Editor snap-in and change the Group Policy object (GPO)
- C. Open Local Group Policy Editor
- D. From the File menu, modify the Options settings.
- E. Open Local Users and Groups
- F. Create a new group Run New.GPO.
- G. Open Local Group Policy Editor
- H. From the View menu, modify the Customize settings.

Answer: A

NEW QUESTION 180

Your network contains an Active Directory domain named contoso.com. You deploy a standalone root certification authority (CA) named CA1.

You need to auto enroll domain computers for certificates by using a custom certificate template. What should you do first?

- A. Modify the Policy Module for CA1.
- B. Modify the Exit Module for CA1.
- C. Install a standalone subordinate CA.
- D. Install an enterprise subordinate CA.

Answer: D

Explanation:

You can't create templates or configure auto-enrollment on a standalone CA.

NEW QUESTION 181

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You restart DC1 in Safe Mode. You run ntdsutil.exe, use the files option, and then restart DC1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 182

Your company has an office in Montreal.

The network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named Montreal that contains all of the users accounts for the users in the Montreal office. An office manager in the Montreal office knows each user personally.

You need to ensure that the office manager can provide the users with a new password if the users forget their password. What should you do?

- A. From the Security settings of the Montreal OU, assign the office manager the Reset Password permission.
- B. From the Security settings of each user account in the Montreal OU, assign the office manager the Change Password permission.
- C. Create a Group Policy object (GPO) and link the GPO to the OU of the domain.
- D. Filter the GPO to the Montreal user.
- E. Assign the office manager the Apply Group Policy permission on the GPO.
- F. Configure the Password Policy settings of the GPO.
- G. Create a Group Policy object (GPO) and link the GPO to the Montreal OU.
- H. Assign the office manager the Apply Group Policy permission on the GPO.
- I. Configure the Password Policy settings of the GPO.

Answer: B

NEW QUESTION 185

You have an internal web server that hosts websites. The websites use HTTP and HTTPS. You deploy a Web Application Proxy to your perimeter network.

You need to ensure that users from the Internet can access the websites by using HTTPS only. Internet access to the websites must use the Web Application Proxy.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Remote Access Management Console, publish the website.
- B. Configure pass-through authentication and select Enable HTTP to HTTPS redirection.
- C. Configure the Web Application Proxy to perform preauthentication by using OAuth2.
- D. On external DNS name servers, create DNS entries that point to the private IP address of the web server.
- E. From the web server, enable HTTP Redirect on the Web Application Proxy server.
- F. On external DNS name servers, create DNS entries that point to the public IP address of the Web Application Proxy.

Answer: AE

NEW QUESTION 186

You have a standalone root certification authority (CA).

You have a new security policy requirement specifying that any changes to the CA configuration must be logged.

You need to ensure that the CA meets the new security requirement.

Which two actions should you perform? Each correct answer presents part of the solution.

- A. From Local Group Policy Editor, configure auditing for policy change.
- B. From Local Group Policy Editor, configure auditing for object access.
- C. From the Certification Authority console, modify the Security settings for the CA.
- D. From the Certification Authority console, modify the Auditing settings for the CA.
- E. From the Certification Authority console, modify the Certificate Managers settings for the CA.

Answer: AE

NEW QUESTION 191

You have an offline root certification authority (CA) named CA1. CA1 is hosted on a virtual machine. You only turn on CA1 when the CA must be patched or you must generate a key for subordinate CAs. You start CA1, and you discover that the filesystem is corrupted.

You resolve the filesystem corruption and discover that you must reload the CA root from a backup.

When you attempt to run the Restore-CARoleService cmdlet, you receive the following error message: "The process cannot access the file because it is being used by another process."

- A. Stop the Active Directory Domain Services (AD DS) service.
- B. Run the Restore-CARoleService cmdlet and specify the path to a valid CA key.
- C. Stop the Active Directory Certificate Services (AD CS) service.
- D. Run the Restore-CARoleService cmdlet and specify the Force parameter.

Answer: C

NEW QUESTION 196

Your network contains an Active Directory forest named contoso.com. You need to add a new domain named fabrikam.com to the forest. What command should you run? To answer, select the appropriate options in the answer area.

Answer Area

▼	-DomainType	▼
Install-ADDSDomain		TreeDomain
Install-ADDSDomainController		ChildDomain
Install-ADDSEForest		

`-InstallDns:$true -NewDomainName fabrikam.com -ParentDomainName contoso.com`

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

[https://technet.microsoft.com/en-us/library/hh974722\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh974722(v=wps.630).aspx)

NEW QUESTION 199

Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The domain contains a server named Server1. An administrator named Admin01 plans to configure Server1 as a standalone certification authority (CA). You need to identify to which group Admin01 must be a member to configure Server1 as a standalone CA. The solution must use the principle of least privilege. To which group should you add Admin01?

- A. Administrators on Server1.
- B. Domain Admins in contoso.com
- C. Cert Publishers on Server1
- D. Key Admins in contoso.com

Answer: A

NEW QUESTION 202

Your network contains an Active Directory forest. The forest contains two domains named litwarenc.com and contoso.com. The contoso.com domain contains two domain controllers named LON-DC01 and LON-DC02. The domain controllers are located in a site named London that is associated to a subnet of 192.168.10.0/24. You discover that LON-DC02 is not a global catalog server. You need to configure LON-DC02 as a global catalog server. What should you do?

- A. From Active Directory Sites and Services, modify the properties of the 192.168.10.0/24 IP subnet.
- B. From Windows PowerShell, run the Set-NetNatGlobal cmdlet.
- C. From Active Directory Sites and Services, modify the NTDS Settings object of LON-DC02.
- D. From Windows PowerShell, run the Enable-ADOptionalFeature cmdlet.

Answer: C

NEW QUESTION 204

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016. Server1 has IP Address Management (IPAM) installed. Server2 has the DHCP Server role installed. The IPAM server retrieves data from Server2. You create a domain user account named User1. You need to ensure that User1 can use IPAM to manage DHCP. Which command should you run on Server1? To answer, select the appropriate options in the answer area.

Answer Area


▼	▼	User1 /add
net localgroup	"Server1\IPAM IP Audit Administrators"	
Set-AdGroup	"Server1\IPAM IP Users"	
	"Server1\IPAM MSM Administrators"	
	"Server2\Administrators"	
	"Server2\DHCP Administtrators"	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area




NEW QUESTION 205

Your company has a testing environment that contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. Server1 has IP Address Management (IPAM) installed. IPAM has the following configuration.

```
Version : 6.3.0.1
Port : 48885
ProvisioningMethod : Automatic
GpoPrefix : IPAM
HMACKey : System.Security.SecureString
```

The IPAM Overview page from Server Manager is shown in the IPAM Overview exhibit. (Click the Exhibit button.)



The group policy configurations are shown in the GPO exhibit. (Click the Exhibit button.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements	Yes	No
If a DNS server is added to contoso.com, the server will be discovered by IPAM automatically.	<input type="radio"/>	<input type="radio"/>
If you manually add a DHCP server named Server3 to IPAM and set the Manageability status to Managed , the IPAM_DHCP Group Policy will apply to Server3.	<input type="radio"/>	<input type="radio"/>
If you click Start server discovery , the domain controllers in contoso.com will be discovered by IPAM.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

No domains have been selected in the “Configure Server Discovery” option. Therefore, no automatic discovery will take place. Manual addition of a server will also fail because IPAM needs a domain configured for server verification.

NEW QUESTION 206

Your network contains an Active Directory forest named contoso.com.

A partner company has a forest named fabrikam.com. Each forest contains one domain.

You need to provide access for a group named Research in fabrikam.com to resources in contoso.com. The solution must use the principle of least privilege. What should you do?

- A. Create an external trust from fabrikam.com to contoso.co
- B. Enable Active Directory split permissions in fabrikam.com.
- C. Create an external trust from contoso.com to fabrikam.co
- D. Enable Active Directory split permissions in contoso.com.
- E. Create a one-way forest trust from contoso.com to fabrikam.com that uses selective authentication.
- F. Create a one-way forest trust from fabrikam.com to contoso.com that uses selective authentication.

Answer: C

NEW QUESTION 208

Your company has multiple branch offices.

The network contains an Active Directory domain named contoso.com.

In one of the branch offices, a new technician is hired to add computers to the domain.

After successfully joining multiple computers to the domain, the technician fails to join any more computers to the domain.

You need to ensure that the technician can join an unlimited number of computers to the domain. What should you do?

- A. Run the Delegation of Control Wizard on the Computers container.
- B. Run the redircmp.exe command.
- C. Modify the Security settings of the technician’s user account.
- D. Add the technician to the Windows Authorization Access group.

Answer: A

NEW QUESTION 210

You have an enterprise certification authority (CA). You create a global security group named Group1.

You need to provide members of Group1 with the ability to issue and manage certificates. The solution must prevent the Group1 members from managing certificates requested by members of the Domain Admins group.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the CA properties, modify the Policy Module settings.
- B. From the Certificate Templates console, modify the Security settings of the Administrator certificate template.
- C. From the CA properties, modify the security settings.
- D. From the CA properties, modify the Enrollment Agents settings.
- E. From the CA properties, modify the Certificate Managers Settings.
- F. From the Certificate Templates console, modify the Security settings of the User certificate template.

Answer: AE

NEW QUESTION 211

You have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed.

You plan to deploy Remote Desktop Gateway (RD Gateway) services. Clients will connect to the RD Gateway services by using various types of devices including Windows, iOS and Android devices.

You need to publish the RD Gateway services through the Web Application Proxy.

Which command should you run? To answer, select the appropriate options in the answer area.

Answer Area

▼

Add-WebApplicationProxyApplication
Set-WebApplicationProxyApplication
Set-WebApplicationProxyConfiguration

-BackendServerURL 'https://rdg.contoso.com/rdg1/' -ExternalCertificateThumbprint

'1a2b3c4d5e6f'1a2b3c4d5e6f'1a2b3c4d5e6f1a2b' -ExternalURL 'https://rdg.contoso.com/rdg1' -Name 'RDG1'

-ExternalPreAuthentication

▼

ADFS
ADFSforOAuth
ClientCertificate
PassThrough

-ADFSRelyingPartyName 'Default provider'

-BackendServerAuthenticationSPN 'HTTP/RDG1'

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 215

Your network contains an Active Directory domain named contoso.com.
You plan to deploy a new Active Directory Rights Management Services (AD RMS) cluster on a server named Server1.
You need to create the AD RMS service account. The solution must use the principle of least privilege What should you do?

- A. Create a domain user account and add the account to the Account Operators group in the domain.
- B. Create a local user account on Server1 and add the account to the Administrators group on Server1.
- C. Create a domain user account and add the account to the Domain Users group in the domain.
- D. Create a domain user account and add the account to the Administrators group on Server1.

Answer: C

NEW QUESTION 218

Your company has two offices. The offices are located in Montreal and Seattle. The network contains an Active Directory forest named contoso.com.
The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle


The company physically relocates Server2 from the Montreal office the Seattle office.
You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authentications users who sign in to the computers in the Seattle office.
You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations. What should you do?

- A. From Windows Power Shell, run the Move-AD Directory Server cmdlet.
- B. From Active Directory Users and Computers, modify the Location property of Server2.
- C. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.
- D. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.

Answer: C

NEW QUESTION 223


Your network contains an Active Directory domain named contoso.com.
You need to view a list of all the domain user accounts that are enabled. But whose users have not signed in during the last 30 days.
Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 226

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2.

Contoso.com has the following configuration. PS C:\> (Get-ADForest).ForestMode Windows2008R2Forest

PS C:\> (Get-ADDomain).DomainMode Windows2008R2Domain

PS C:\>

You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration.

You need to configure Active Directory to support the planned deployment. Solution: You run adprep.exe from the Windows Server 2016 installation media. Does this meet the goal?

- A. Yes
- B. No

Answer: A


Explanation:

Device Registration requires Windows Server 2012 R2 forest schema.

NEW QUESTION 229

Your network contains an Active Directory domain named contoso.com.

You have an administrative computer named Computer1 that runs Windows Server 2016. From Computer1, you edit a Group Policy object (GPO) named GPO1 as shown in the exhibit.



You receive a new administrative template named Template1. Template1 consists of Template1.adml. Template1 is in English US.

You need to ensure that the settings of Template1 appear under the Administrative Templates node.

To where should you copy the Template1 files? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Copy Template1admx to:

▼
C:\Windows\en-US
C:\Windows\System32\GroupPolicy
C:\Windows\System32\PolicyDefinitions
C:\Windows\System32\PolicyDefinitions\en-US
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions\en-US

Copy Template1adml to:

▼
C:\Windows\en-US
C:\Windows\System32\GroupPolicy
C:\Windows\System32\PolicyDefinitions
C:\Windows\System32\PolicyDefinitions\en-US
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions\en-US

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Copy Template1admx to:

▼
C:\Windows\en-US
C:\Windows\System32\GroupPolicy
C:\Windows\System32\PolicyDefinitions
C:\Windows\System32\PolicyDefinitions\en-US
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions\en-US

Copy Template1adml to:

▼
C:\Windows\en-US
C:\Windows\System32\GroupPolicy
C:\Windows\System32\PolicyDefinitions
C:\Windows\System32\PolicyDefinitions\en-US
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions
\\Contoso.com\Sysvol\Contoso.com\Policies\PolicyDefinitions\en-US

NEW QUESTION 232

You have a server named Server1 in a workgroup.

You need to configure a Group Policy setting on Server1 that will apply to only non-administrative users. What should you do?

- A. Open Local Group Policy Edito
- B. From the File menu, modify the Options settings.
- C. Run mmc.exe Add the Group Policy Object Editor snap-in and change the Group Policy object (GPO).
- D. Open Local Group Policy Edito
- E. From the View menu, modify the Customize settings.
- F. Open Local Users and Groups, Create a new group Run New-GPO.

Answer: A

NEW QUESTION 236

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 70-742 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 70-742 Product From:

<https://www.2passeasy.com/dumps/70-742/>

Money Back Guarantee

70-742 Practice Exam Features:

- * 70-742 Questions and Answers Updated Frequently
- * 70-742 Practice Questions Verified by Expert Senior Certified Staff
- * 70-742 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 70-742 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year