

Exam Questions 70-742

Identity with Windows Server 2016

<https://www.2passeasy.com/dumps/70-742/>



NEW QUESTION 1

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use that laptop. The laptop names must start with four characters indicating the department followed by a four-digit number

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and that the computer accounts of the laptops are in the correct OUs.

Solution: You pre-create the computer account of each laptop in Active Directory users and computers. You instruct Tech1 to sign in to each laptop, and then to run djoin.exe.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 2

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated Scenario:

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table. Scenario:

Refer to following table:

Object name	Object type	Group scope	Group type
User1	User	Not applicable	Not applicable
User2	User	Not applicable	Not applicable
Computer1	Computer	Not applicable	Not applicable
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group 2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computed that runs Windows 10. Computed is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the

contoso.com domain, and then you create a contact named Contact1 in OU1,

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com.

End of Scenario:

Admin1 attempts to delete OU1 and receives an error message. You need to ensure that Admin1 can delete OU1. What should you do first?

- A. Delete Contact1.
- B. Add Admin1 to the Enterprise Admins group.
- C. Modify the Object settings for OU1.
- D. Disable the Active Directory Recycle Bin.

Answer: C

NEW QUESTION 3

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to ensure that all of the client computers on the network automatically download and install Windows updates.

What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.

- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: F

NEW QUESTION 4

Your network contains an Active Directory domain named contoso.com.

All the accounts of the users in the sales department are in an organizational unit (OU) named SalesOU. An application named App1 is deployed to the user accounts in SalesOU by using a Group Policy object

(GPO) named SalesGPO. You need to set the registry value of

\HKEY_CURRENT_USER\Software\App1\Collaboration to 0.

Solution: You add a user preference that has an Update action. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named User1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the Account Policies settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 6

Your network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named Server1.

On a standalone server named Server2. You install and configure the Web Application Proxy.

You have an internal web application named WebApp1. AD FS has a replying party trust for WebApp1. You need to provide external users with access to WebApp1. Authentication to WebApp1, must use AD FS preauthentication.

Which tool should you use to publish webapp1?

- A. Remote Access Management on Server2
- B. AD FS Management on Server2
- C. Routing and Remote Access on Server1
- D. Remote Access Management on Server1
- E. AD FS Management on Server1

Answer: E

NEW QUESTION 7

Your network contains an Active Directory domain named contoso.com. The relevant objects in the domain are configured as shown in the following table.

Object name	Type
Server1	Member server
OU1	Organizational unit (OU)
OU2	Organizational unit (OU)
GPO1	Group Policy object (GPO)
User1	User account
User2	User account
Group1	Global group
Group2	Global group
Group3	Global group

You have the following configurations:


User1 is in OU1 and is a member of Group1 and Group2

User2 is in OU2 and is a member of Group1 and Group3

GPO1 is linked to OU1.

Server1 has three shares named Share1, Share2, and Share3. The Domain Users group permissions to all three shares.

GPO1 is configured as shown in the exhibit. (Click the Exhibit button.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
When User1 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share1.	<input type="radio"/>	<input type="radio"/>
If you add User1 to Group3, and then User1 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share3.	<input type="radio"/>	<input type="radio"/>
When User2 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes

No

When User1 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share1.

☐
☐

If you add User1 to Group3, and then User1 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share3.

☐
☐

When User2 signs in to Server1, the user's Documents folder will be redirected to \\Server1\Share1

☐
☐

NEW QUESTION 8

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com.

You need to limit the number of Active Directory Domain Services (AD DS) objects that a user can create in the domain.

Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacis
- E. Dsmain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: A

NEW QUESTION 9

Your network contains an Active Directory forest named contoso.com. The forest contains three domains named contoso.com, corp.contoso.com, and ext.contoso.com. The forest contains three Active Directory sites named Site1, Site2, and Site3.

You have the three administrators as described in the following table.

Administrator name	Group membership	Domain
Admin1	Domain Admins	Contoso.com
Admin2	Domain Admins	Corp.contoso.com
Admin3	Enterprise Admins	Contoso.com

You create a Group Policy object (GPO) named GPO1.

Which administrator or administrators can link GPO1 to Site2?

- A. Admin1 and Admin2 only
- B. Admin1, Admin2, and Admin3
- C. Admin3 only
- D. Admin1 and Admin3 only

Answer: D

Explanation:

References:

[https://technet.microsoft.com/en-us/library/cc732979\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc732979(v=ws.11).aspx)

NEW QUESTION 10

Your company has an office in Montreal.

The network contains an Active Directory domain named conloso.com.

You have an organizational unit (OU) named Montreal that contains all of the users accounts for the users in the Montreal office. An office manager in the Montreal office knows each user personally.

You need to ensure that the office manager can provide the users with a new password if the users forget their password.

What should you do?

- A. Create a Group Policy object (GPO) and link the GPO to the Montreal O
- B. Assign the office manager the Apply Group Policy permission on the GP
- C. Configure the Password Policy settings on the GPO.
- D. From the Security settings of the Montreal OU, assign the office manager the Reset Password permission.

- E. From the Security settings of each user account in the Montreal OU, assign the office manager the Change Password permission.
- F. Create a Group Policy object (GPO) and link the GPO to the OU of the domain.
- G. Filter the GPO to the Montreal user.
- H. Assign the office manager the Apply Group Policy permission on the GPO.
- I. Configure the Password Policy settings of the GPO.

Answer: A

NEW QUESTION 10

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You restart DC1 in Directory Services Repair Mode. You run compact.exe, and then restart DC1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to run ntdsutil.exe with the 'compact to' option. References:

<https://theitbros.com/active-directory-database-compact-defrag/>

NEW QUESTION 12

Your network contains an Active Directory domain named adatum.com. The domain contains a security group named G_Research and an organizational unit (OU) named OU_Research.

All the users in the research department are members of G_Research and their user accounts are in OU_Research.

You need to ensure that all the research department users change their password every 28 days and enforce a complex password that is 12 characters long.

What should you do?

- A. From a Group Policy Management, create and link a Group Policy object (GPO) to OU_Research. Modify the password policy in the GPO.
- B. From a Group Policy Management, create and link a Group Policy object (GPO) to the domain.
- C. Modify the password policy in the GPO.
- D. Filter the GPO to apply to G_Research only.
- E. From Active Directory Users and Computers, modify the properties of the Password Settings Container.
- F. From Active Directory Administrative Center, create a new Password Settings object (PSO).

Answer: D

NEW QUESTION 16

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You are troubleshooting a folder access issue for User1.

You need a list of groups to which User1 is either a direct member or an indirect member. Solution: You run Get-ADGroup -Identity User1 -Property MemberOf.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Get-ADGroup cmdlet does not include the MemberOf property. The command above is, therefore, not valid.

References:

<https://docs.microsoft.com/en-us/powershell/module/addsadministration/get-adgroup?view=win10-ps>

NEW QUESTION 20

Your network contains an Active Directory domain named contoso.com. The domain contains three servers named Server1, Server2, and Server3 that run Windows Server 2016.

Server1 has IP Address Management (IPAM) installed. Server2 and Server3 have the DHCP Server role installed and have several DHCP scopes configured. The IPAM server retrieves data from Server2 and Server3.

A domain user named User1 is a member of the groups shown in the following table.

Server name	Group
Server2	DHCP Administrators
Server3	DHCP Users

On Server1, you create a security policy for User1. The policy grants the IPAM DHCP Scope Administrator Role with the \Global access scope to the user. Which actions can User1 perform? To answer, select the appropriate options in the answer area.

Answer Area

From Server Manager on Server1, User1 can modify the description of the DHCP scopes:

	▼
On Server2 only	
On Server3 only	
On both Server2 and Server3	

From Server Manager on Server1, User1 can create a new DHCP scope:

	▼
On Server2 only	
On Server3 only	
On both Server2 and Server3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1 is using Server Manager, not IPAM to perform the administration. Therefore, only the “DHCP Administrators” permission on Server2 and the “DHCP Users” permissions on Server3 are applied.

The permissions granted through membership of the “IPAM DHCP Scope Administrator Role” are not applied when the user is not using the IPAM console.

NEW QUESTION 23

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. On Server1, you create a local user named User1. User1 is a member of the local Administrators group. Server1 has the following local Group Policies: K

- Local Computer Policy
- Local Computer\User1Policy
- Local Computer\Administrators Policy

You need to force User1 to change his password every 14 days.

Solution: You configure the Password Policy settings in a Group Policy object (GPO) that is linked to the Domain Controllers organizational unit (OU).

- A. Yes
- B. No

Answer: B

NEW QUESTION 24

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1.

You create and link a Group Policy object (GPO) named SalesAppGPO to an organizational unit (OU) named SalesOU. All the computer accounts are in the Computers container. All the user accounts of the users in the sales department are in SalesOU.

You have a line-of-business application named SalesApp that is installed by using a Windows Installer package.

You need to make SalesApp available to only the sales department users.

Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
On DC1, create a WebDAV folder named SalesApp.		
Copy the Windows Installer package to SalesApp.		
In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.		
On DC1, create a shared folder named SalesApp.		
In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.		
In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.		
In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions		Answer Area
On DC1, create a WebDAV folder named SalesApp.		On DC1, create a shared folder named SalesApp.
Copy the Windows Installer package to SalesApp.		Copy the Windows Installer package to SalesApp.
In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.		In GPO1, add a package to Computer Configuration\Policies\Software Settings\Software installation.
On DC1, create a shared folder named SalesApp.		
In GPO1, add a package to User Configuration\Policies\Software Settings\Software installation.		
In GPO1, create a software restriction policy in Computer Configuration\Policies\Windows Settings\Security Settings.		
In GPO1, create a software restriction policy in User Configuration\Policies\Windows Settings\Security Settings.		

NEW QUESTION 25

You use Application Request Routing (ARR) to make internal web applications available to the Internet by using NTLM authentication. You need to replace ARR by using the Web Application Proxy. Which server role should you deploy first?

- A. Active Directory Lightweight Directory Services
- B. Active Directory Rights Management Services

- C. Active Directory federation Services
- D. Active Directory Certificate Services

Answer: C

NEW QUESTION 28

Your network contains an Active Directory domain named adatum.com. The domain contains a security group named G_Research and an organizational unit (OU) named OU_Research.

All the users in the research department are members of G_Research and their user accounts are in OU_Research.

You need to ensure that all the research department users change their password every 28 days and enforce a complex password that is characters long. What should you do?

- A. From Group Policy Management, create and link a Group Policy object (GPO) to the domain.
- B. Modify the password policy in the GPO. Filter the GPO to apply to G_Research only.
- C. From Active Directory Administrative Center, create a new Password Settings object (PSO).
- D. From Active Directory Users and Computers, modify the properties of the Password Settings Container.
- E. From Group Policy Management, create and link a Group Policy object (GPO) to OU_Research.
- F. Modify the password policy in the GPO.

Answer: C

NEW QUESTION 29

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a new Active Directory forest.

You need to ensure that you can create a group Managed Service Account (gMSA) for multiple member servers.

Solution: You configure Kerberos constrained delegation on the computer account of each domain controller. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 33

Your network contains an Active Directory domain named contoso.com. The domain contains five domain controllers.

You have a branch office that has a local support technician named Tech1. Tech1 installs Windows Server 2016 on a server named RODC1 in a workgroup.

You need Tech1 to deploy RODC1 as a read-only domain controller (RODC) in the contoso.com domain.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Instruct Tech1 to run the Active Directory Domain Services Configuration Wizard.
- B. Create an RODC computer account by using Active Administrative Center.
- C. Instruct Tech1 to run dcpromo.exe on RODC1.
- D. Instruct Tech1 to install the Active Directory Domain Services server role on RODC1.
- E. Modify the permissions of the Domain Controllers organizational unit (OU).

Answer: ACD

NEW QUESTION 36

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Dcgpofix.exe
- B. Copy-Item
- C. Copy-GPO
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 39

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016. The computer accounts of Server1 and Server2 are in the Computers container.

A Group Policy object (GPO) named GPO1 is linked to the domain. GPO1 has multiple computer settings defined and has following configurations.

DisplayName: GPO1
Domain Name: Contoso.com
Owner: CONTOSO\Domain Admins
Id: bf3b4d96-59f6-4d0f-84c3-b9c37180b9ca
GpoStatus: UserSettingsDisabled
Description:
CreationTime: 2/18/2017 7:11:30 AM
ModificationTime: 2/18/2017 9:33:04 AM
UserVersion: AD Version 18, SysVol Version: 18
ComputerVersion: AD Version 6, SysVol Version: 6
WmiFilter: WMI1

An administrator discovers that GPO1 is not applied to Server1. GPO1 is applied to Server2. Which configuration possibly prevents GPO1 from being applied to Server1?

- A. The permissions on the domain object of contoso.com
- B. The WMI filter settings
- C. The Enforced setting of GPO1
- D. The GpoStatus property

Answer: B

NEW QUESTION 43

You network contains an Active Directory domain named contoso.com. The domain contains 1,000 desktop computers and 500 laptops. An organizational unit (OU) named OU1 contains the computer accounts for the desktop computers and the laptops.

You create a Windows PowerShell script named Script1.ps1 that removes temporary files and cookies. You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to run the script once weekly only on the laptops. What should you do?

- A. In GPO1, create a File preference that uses item-level targeting.
- B. In GPO1, create a Scheduled Tasks preference that uses item-level targeting.
- C. In GPO1, configure the File System security policy.
- D. Attach a WMI filter to GPO1.
- E. In GPO1, add Script1.ps1 as a startup script.
- F. Attach a WMI filter to GPO1.

Answer: B

NEW QUESTION 44

The network contains an Active Directory forest named contoso.com.

The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle

The company physically relocates Server2 from the Montreal office to the Seattle office.

You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authenticates users who sign in to the computers in the Seattle office.

You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations. What should you do?

- A. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.
- B. From Active Directory Users and Computers, modify the Location Property of Server2.
- C. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.
- D. From Windows PowerShell, run the Move-ADDirectoryServer cmdlet.

Answer: A

NEW QUESTION 49

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1. Server1 has several line-of-business applications. Each application runs as a service that uses the Network Service account. You need to configure the line-of-business applications to run by using a virtual account. What should you do?

- A. From the Services console, modify the Log On properties of the services.
- B. From the Microsoft Application Compatibility Toolkit (ACT), create a shim.

- C. From Windows PowerShell, run the Install-ADServiceAccount cmdlet.
D. From Windows PowerShell, run the New-ADServiceAccount cmdlet.

Answer: A

NEW QUESTION 53

Your network contains an Active Directory domain. The domain contains computer named Comouter1 and an organizational unit (OU) named TestOU. TestOU contains 10 computer accounts that are used for testing. A Group Policy object (GPO) named GPO1 is linked to TestOU. On Computer1, you modify the User Right Assignment by using the local policy. You need to apply the User Right Assignment from Computer1 to the 10 test computers. What should you do?

- A. On Computer1, run the gpresult.exe command and specify the A paramete
B. From Group Policy Management, run the Restore Group Policy Object Wizard.
C. On Computer1, run the secedit.exe command and specify the /export paramete
D. From Group Policy Management, run the Import Settings Wizard.
E. On Computer1, run the gpresult.exe command and specify the A paramete
F. Edit GPO1, and then import a security template.
G. On Computer1 run the secedit.exe command and specify the /export paramete
H. Edit GPO1, and then import a security template.

Answer: D

NEW QUESTION 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2.

Contoso.com has the following configuration. PS C:\> (Get-ADForest).ForestMode Windows2008R2Forest

PS C:\> (Get-ADDomain).DomainMode Windows2008R2Domain

PS C:\>

You plan to deploy an Active Directory Federation Services (AD FS) farm on Server1 and to configure device registration.

You need to configure Active Directory to support the planned deployment. Solution: You raise the domain functional level to Windows Server 2012 R2. Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Device Registration requires Windows Server 2012 R2 forest schema (not just domain schema).

NEW QUESTION 55

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration.

ZoneName	ZoneType	IsAutoCreated	IsDsIntegrated	IsReverseLookupZone	IsSigned
_nsdcs.contoso.com	Primary	False	True	False	False
0.in-addr.arpa	Primary	True	False	True	False
127.in-addr.arpa	Primary	True	False	True	False
255.in-addr.arpa	Primary	True	False	True	False
adatum.com	Forwarder	False	False	False	
contoso.com	Primary	False	True	False	False
fabrikam.com	Primary	False	True	False	True
TrustAnchors	Primary	False	True	False	False

You need to ensure that all of the client computers in the domain perform DNSSEC validation for the fabrikam.com namespace.

Solution: From a Group Policy object (GPO) in the domain, you add a rule to the Name Resolution Policy Table (NRPT).

Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

The NRPT stores configurations and settings that are used to deploy DNS Security Extensions (DNSSEC), and also stores information related to DirectAccess, a remote access technology.

Note: The Name Resolution Policy Table (NRPT) is a new feature available in Windows Server 2008 R2. The NRPT is a table that contains rules you can configure to specify DNS settings or special behavior for names or namespaces. When performing DNS name resolution, the DNS Client service checks the NRPT before sending a DNS query. If a DNS query or response matches an entry in the NRPT, it is handled according to settings in the policy. Queries and responses that do not match an NRPT entry are processed normally.

References: [https://technet.microsoft.com/en-us/library/ee649207\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/ee649207(v=ws.10).aspx)

NEW QUESTION 56

You deploy a new certification authority (CA) to a server that runs Windows Server 2016. You need to configure the CA to support recovery of certificates. What should you do first?

- A. Modify the Recovery Agents settings from the properties of the CA.
- B. Assign the Request Certificates permission to the user account that will be responsible for recovering certificates.
- C. Configure the Key Recovery Agent template as a certificate template to issue.
- D. Modify the extensions of the OCSP Response Signing template.

Answer: C


Explanation:

References:

<http://markgossa.blogspot.co.uk/2017/03/enable-key-archival-in-server-2012-r2.html>


NEW QUESTION 57

Your network contains an Active Directory forest named contoso.com. They connect to the forest by using ldp.exe and receive the output as shown in the following exhibit.



Use drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 58

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1 and an organizational unit (OU) named OU1. What should you do?

- A. Modify the security settings of GPO1.
- B. Modify the security settings of OU1.
- C. Add User1 to the Group Policy Creator Owner group.
- D. Modify the security settings of User.

Answer: B

NEW QUESTION 61

Your network contains an Active Directory domain named contoso.com.

The domain contains an enterprise root certification authority (CA) on a server that runs Windows Server 2016.

You need to configure the CA to support Online Certificate Status Protocol (OCSP) responders. Which two actions should you perform? Each correct selection presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add a new certificate template to issue.
- B. Modify the Authority Information Access (AIA) of the CA.
- C. Configure an enrollment agent.
- D. Install a standalone subordinate CA.
- E. Modify the CRL distribution point (CDP) of the CA.

Answer: AB

Explanation:

Once the OCSP service is configured, we need to configure the OCSP Response Signing template. This process includes adding an Authority Information Access (AIA) extension and then issuing a new certificate template.

References:

<https://www.poweradmin.com/blog/deploying-active-directory-certificate-services-and-online-responder/>

NEW QUESTION 66

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. A user named User1 is in an organizational unit (OU) named OU1.

You are troubleshooting a folder access issue for User1.

You need a list of groups to which User1 is either a direct member or an indirect member. Solution: You run Get-ADUser –Identity User1 –Property MemberOf.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Get-ADUser cmdlet does not include the MemberOf property. The command above is, therefore, not valid.

References:

<https://docs.microsoft.com/en-us/powershell/module/addsadministration/get-aduser?view=win10-ps>

NEW QUESTION 67

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Web1 that runs Windows Server 2016.

You need to list all the SSL certificates on Web1 that will expire during the next 60 days. Solution: You run the following command.

Get-ChildItem Cert:\LocalMachine\My |? { \$_.NotAfter –lt (Get-Date).AddDays(60) } Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 71

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to configure the Documents folder of every user to be stored on a server named FileServer1. What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.
- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: E

NEW QUESTION 73

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use that laptop. The laptop names must start with four characters indicating the department followed by a four-digit number

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and that the computer accounts of the laptops are in the correct OUs.

Solution: You instruct Tech1 to sign in to each laptop, to rename each laptop by using System in Control Panel, and then to join each laptop to the domain by using the Netdom join command.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 76

You have users that access web applications by using HTTPS. The web applications are located on the servers in your perimeter network. The servers use


certificates obtained from an enterprise root certification authority (CA). The certificates are generated by using a custom template named WebApps. The certificate revocation list (CRL) is published to Active Directory. When users attempt to access the web applications from the Internet, the users report that they receive a revocation warning message in their web browser. The users do not receive the message when they access the web applications from the intranet. You need to ensure that the warning message is not generated when the users attempt to access the web applications from the Internet. What should you do?

- A. Install the Certificate Enrollment Web Service role service on a server in the perimeter network.
- B. Modify the WebApps certificate template, and then issue the certificates used by the web application servers.
- C. Install the Web Application Proxy role service on a server in the perimeter network
- D. Create a publishing point for the CA.
- E. Modify the CRL distribution point, and then reissue the certificates used by the web application servers.

Answer: C

NEW QUESTION 81

Your network contains an Active Directory domain named contoso.com. You open Group Policy Management as shown in the exhibit. (Click the Exhibit button.)



You discover that some of the settings configured in the A1 Group Policy object (GPO) fail to apply to the users in the OU1 organizational unit (OU). You need to ensure that all of the settings in A1 apply to the users in OU1. What should you do?

- A. Enable loopback policy processing in A1.
- B. Block inheritance on OU1.
- C. Modify the policy processing order for OU1.
- D. Modify the GPO Status of A1.

Answer: C

NEW QUESTION 85

Your network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA). A user named Admin1 is a member of the Domain Admins group. You need to ensure that you can archive keys on the CA. The solution must use Admin1 as a key recovery agent. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the Certificate Templates console, modify the extensions of a certificate template.

From Server Manager, install the Online Responder role service.

From the Certificates Console, request a certificate.

From the Certification Authority console, add a certificate template to issue.

From the Certification Authority console, add a Key Recovery Agent certificate.

From the Certification Authority console, issue a pending request.

From the Certificate Templates console, modify the security of a certificate template.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

From the Certificate Templates console, modify the extensions of a certificate template.

From Server Manager, install the Online Responder role service.

From the Certificates Console, request a certificate.

From the Certification Authority console, add a certificate template to issue.

From the Certification Authority console, add a Key Recovery Agent certificate.

From the Certification Authority console, issue a pending request.

From the Certificate Templates console, modify the security of a certificate template.

Answer Area

From the Certificates Console, request a certificate.
From the Certificate Templates console, modify the security of a certificate template.
From the Certification Authority console, add a Key Recovery Agent certificate.
From the Certification Authority console, issue a pending request.

NEW QUESTION 90

Your network contains an Active Directory forest named contoso.com.

Your company has a custom application named ERP1. ERP1 uses an Active Directory Lightweight Directory Services (AD LDS) server named Server1 to authenticate users.

You have a member server named Server2 that runs Windows Server 2016. You install the Active Directory Federation Services (AD FS) server role on Server2 and create an AD FS farm.

You need to configure AD FS to authenticate users from the AD LDS server.

Which cmdlets should you run? To answer, select the appropriate options in the answer area.

Answer Area

First cmdlet to run:

	▼
Add-AdfsRelyingPartyTrust	
New-AdfsLdapServerConnection	
Set-AdfsEndpoint	

Second cmdlet to run:

	▼
Add-AdfsLocalClaimsProviderTrust	
Enable-AdfsRelyingPartyTrust	
Set-AdfsEndpoint	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To configure your AD FSfarm to authenticate users from an LDAP directory, you can complete the following steps:

Step 1: New-AdfsLdapServerConnection

First, configure a connection to your LDAP directory using the New-AdfsLdapServerConnection cmdlet:

\$DirectoryCred = Get-Credential

\$vendorDirectory = New-AdfsLdapServerConnection -HostName dirserver -Port 50000-SslMode None

-AuthenticationMethod Basic -Credential \$DirectoryCred

Step 2 (optional):

Next, you can perform the optional step of mapping LDAP attributes to the existing AD FS claims using the New-AdfsLdapAttributeToClaimMapping cmdlet.

Step 3: Add-AdfsLocalClaimsProviderTrust

Finally, you must register the LDAP store with AD FS as a local claims provider trust using the Add-AdfsLocalClaimsProviderTrust cmdlet:

Add-AdfsLocalClaimsProviderTrust -Name "Vendors" -Identifier "urn:vendors" -Type L References: [https://technet.microsoft.com/en-us/library/dn823754\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/dn823754(v=ws.11).aspx)

NEW QUESTION 95

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Active Directory Users and Computers, you set the E-mail property of User1 to user1@adatum.com.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 97

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1 and an organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1. You need to ensure that User1 can link GPO1 to OU1. What should you do?

- A. Modify the security setting of User1.
- B. Add User1 to the Group Policy Creator Owner group.
- C. Modify the security setting of OU1.
- D. Modify the security setting of GPO1.

Answer: D


NEW QUESTION 98

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016.


Server1 has IP Address Management (IPAM) installed. Server2 has the DHCP Server role installed. The IPAM server retrieves data from Server2.

The domain has two users named User1 and User2 and a group named Group1. User1 is the only member of Group1.

Server1 has one IPAM access policy. You edit the access policy as shown in the Policy exhibit. (Click the Exhibit button.)



The DHCP scopes are configured as shown in the Scopes exhibit. (Click the Exhibit button.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements	Yes	No
User1 can modify the description of Scope1.	<input type="radio"/>	<input type="radio"/>
User2 can modify the description of Scope1.	<input type="radio"/>	<input type="radio"/>
User1 can modify the description of Scope2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can modify the description of Scope1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can modify the description of Scope1.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can modify the description of Scope2.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 103

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable user1 to link Group Policies to OU1.

Solution: From Active Directory Users and Computers, you add User1 to the Group Policy Creator owners group.

Does this meet the goal?

- A. Yes
B. NO

Answer: BExplanation:References:

Explanation:

<http://www.itprotoday.com/management-mobility/what-group-policy-creator-owners-group>

NEW QUESTION 108

Your network contains an Active Directory domain named contoso.com, All users are in an organizational unit (OU) named Corp_Users.

You plan to modify the description of all the users who have a string of 514 in their mobile phone number. You need to view a list of the users that will be modified. What should you run?

- A. Get-APUser-Filter "mobilePhone-Like '*514*'"
B. Get-ADOrganizationalUnit-LDAPFilter "(mobilePhone= '*514*')"
C. Get-ADOrganizationalUnit-Filter "mobilePhone-Like '*514* '"
D. Get-ADUser-LDAPFilter "(mobilePhone= '*514*')"

Answer: A

NEW QUESTION 112

You have an enterprise certification authority (CA) named ContosoCA. Recovery agents are configured for ContosoCA.

You duplicate the User certificate template and name it Cont_User. You plan to issue the certificates based on Cont_User to provide users with the ability to encrypt email messages and files.

You need to ensure that the recovery agents can access any user-encrypted files and email messages if the users lose their certificate.

What should you do?

- A. Issue a certificate based on a key recovery agent certificate.
B. Modify the Recovery Agents settings for ContosoCA.
C. Modify the Request Handling settings for Cont_User.
D. On ContosoCA, configure the Key Recovery Agent template as a certificate template to issue.

Answer: C

NEW QUESTION 115

Your network contains an Active Directory domain named contoso.com.

All the accounts of the users in the sales department are in an organizational unit (OU) named SalesOU. An application named App1 is deployed to the user accounts in SalesOU by using a Group Policy object

(GPO) named SalesGPO. You need to set the registry value of

\HKEY_CURRENT_USER\Software\App1\Collaboration to 0.

Solution: You add a user preference that has an Replace action. Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

[https://technet.microsoft.com/en-us/library/cc753092\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc753092(v=ws.11).aspx)

NEW QUESTION 116

You have an offline root certification authority (CA) named CA1. CA1 is hosted on a virtual machine. You only turn on CA1 when the CA must be patched or you must generate a key for subordinate CAs. You start CA1, and you discover that the filesystem is corrupted.

You resolve the filesystem corruption and discover that you must reload the CA root from a backup.

When you attempt to run the Restore-CARoleService cmdlet, you receive the following error message: "The process cannot access the file because it is being used by another process."

- A. Stop the Active Directory Domain Services (AD DS) service.
- B. Run the Restore-CARoleService cmdlet and specify the path to a valid CA key.
- C. Stop the Active Directory Certificate Services (AD CS) service.
- D. Run the Restore-CARoleService cmdlet and specify the Force parameter.

Answer: C

NEW QUESTION 121

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DC1 and DC2.

DC1 holds the RID master operations role. DC1 fails and cannot be repaired. You need to move the RID role to DC2.

Solution: On DC2, you open Active Directory Users and Computers, click Operations Masters..., verify that dc2.contoso.com is listed on the RID tab, and click Change.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

This would work if DC1 was still online. In that case we would be "transferring" the role. However, as DC1 is offline, we need to "seize" the role which can only be done by using the ntdsutil command or the

Move-AddirectoryServerOperationMasterRole PowerShell cmdlet with the -Force parameter.

NEW QUESTION 126

Your network contains an Active Directory domain named contoso.com. The domain contains an administrative workstation named WKS1 that runs Windows 10.

You have a Group Policy object (GPO) named GPO1.

You download a custom administrative template that contains the following files:

You need to ensure that you can configure GPO1 by using the settings in the new administrative template. To where should you copy each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

App1.adml:

C:\Windows\PolicyDefinitions
C:\Windows\PolicyDefinitions\en-US
C:\Windows\System32\Configuration
C:\Windows\System32\en-US

App1.admx:

C:\Windows\PolicyDefinitions
C:\Windows\PolicyDefinitions\en-US
C:\Windows\System32\Configuration
C:\Windows\System32\en-US

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://support.microsoft.com/en-us/help/918239/how-to-write-custom-adm-and-admx-administrative-template-f>

NEW QUESTION 128

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016.

Server1 has IP Address Management (IPAM) installed. Server2 has the DHCP Server role installed. The IPAM server retrieves data from Server2.

You create a domain user account named User1.

You need to ensure that User1 can use IPAM to manage DHCP.

Which command should you run on Server1? To answer, select the appropriate options in the answer area.

Answer Area

<div>▼</div> <div>net localgroup</div> <div>Set-AdGroup</div>	<div>▼</div> <div>"Server1\IPAM IP Audit Administrators"</div> <div>"Server1\IPAM IP Users"</div> <div>"Server1\IPAM MSM Administrators"</div> <div>"Server2\Administrators"</div> <div>"Server2\DHCP Administtrators"</div>	User1 /add
---	--	------------

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

<div>▼</div> <div>net localgroup</div> <div>Set-AdGroup</div>	<div>▼</div> <div>"Server1\IPAM IP Audit Administrators"</div> <div>"Server1\IPAM IP Users"</div> <div>"Server1\IPAM MSM Administrators"</div> <div>"Server2\Administrators"</div> <div>"Server2\DHCP Administtrators"</div>	User1 /add
---	--	------------

NEW QUESTION 132

Your network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA) named CA1.

You duplicate the Computer certificate template, and you name the template Cont_Computers.

You need to ensure that all of the certificates issued based on Cont_Computers have a key size of 4,096 bits. What should you do?

A. From the properties of CA1, modify the Security settings.

B. From the properties of CA1, modify the Request Handling settings.

C. From the properties of the Computer template, modify the Key Attestation settings.

D. From the properties of Cont_Computers, modify the Cryptography settings.

Answer: C

NEW QUESTION 135

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to use the application control policy settings to prevent several applications from running on the network.

What should you do?

A. From the Computer Configuration node of DCPolicy, modify Security Settings.

B. From the Computer Configuration node of DomainPolicy, modify Security Settings.

C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.

D. From the User Configuration node of DCPolicy, modify Security Settings.

E. From the User Configuration node of DomainPolicy, modify Folder Redirection.

F. From user Configuration node of DomainPolicy, modify Administrative Templates.

G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.

H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: B

NEW QUESTION 138

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 70-742 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 70-742 Product From:

<https://www.2passeasy.com/dumps/70-742/>

Money Back Guarantee

70-742 Practice Exam Features:

- * 70-742 Questions and Answers Updated Frequently
- * 70-742 Practice Questions Verified by Expert Senior Certified Staff
- * 70-742 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 70-742 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year