

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

Refer to the exhibit.

	Value
Name	ProdNet 100
VLAN ID	100
Type	Tagged

What is the PowerShell command to create an Ethernet Network resource?

- A. New-HPOVNetwork -Name "ProdNet 100" -VlanId 100
- B. New-HPOVuplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet 100")
- C. Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1-Name "ProdNet 100"
- D. New-HPOVNetworkSet -Name "ProdNet 100"

Answer: A

NEW QUESTION 2

A customer has a mixture of Gen8 and newer DL and BL devices. They want to enable support automation and run inventory reports on their devices. They are currently using Insight Control but are considering HPE OneView. They can't have any downtime on the devices if they change management strategies. What option is most efficient for them?

- A. Move to HPE OneView Advanced with Remote Support enabled.
- B. Move to HPE OneView Standard with Remote Support enabled.
- C. Stay on Insight Control and activate a Proactive Care contract.
- D. Stay on Insight Control and enable Insight Online.

Answer: A

NEW QUESTION 3

When deploying the HPE OneView virtual appliance in a VMware ESXi environment, what disk format does HPE recommend to use?

- A. Thick Provision Lazy Zeroed
- B. Full Provision
- C. Thick Provision Eager Zeroed
- D. Thin Provision

Answer: C

NEW QUESTION 4

You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What Is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 5

Match the HPE OneView element to its function.

Element

metric streaming message bus (MSMB)
RESTful API
state change message bus (SCMB)

Function

Used by message bus consumers to carry out CRUD operations


Provide information about changes in managed resources

Provide temperature, power, or CPU utilization for managed resources

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 6

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
- B. VLAN Type
- C. CHAP Password
- D. association with subnet ID
- E. WWPN

Answer: AB

NEW QUESTION 7

You would like to assign permissions to an external authentication directory group that can create, delete, and update server profile templates. Which HPE OneView role should you assign to the user account?

- A. Server profile architect
- B. Scope administrator
- C. Server profile administrator
- D. Server profile operator

Answer: C

NEW QUESTION 8

How can HPE OneView help with power management within a datacenter?

- A. by automatically adjusting cooling devices based on calculated heat generation
- B. by disabling servers which are consuming too much power
- C. by providing data center thermal visualization
- D. by enabling power source selection for a specific frame

Answer: C

NEW QUESTION 9

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. QoS
- B. M-LAG
- C. Smart Link
- D. VxLAN

Answer: C

NEW QUESTION 10

Click where the server administrator can see the server profiles using the selected firmware Bundle.

The screenshot shows the HPE OneView 'Firmware Bundles' page. A table lists two bundles, with the first one selected. The details panel on the right shows the 'General' tab for 'Service Pack for ProLiant, 2017.04.0'.

Name	Version	Size	Type
Service Pack for ProLiant	2017.04.0	6.57 GB	SPP
Service Pack for ProLiant	2017.07.1	4.65 GB	SPP

Service Pack for ProLiant, 2017.04.0 General Actions

General

Version: 2017.04.0
Size: 6.57 GB
Type: SPP
Description: The Service Pack for ProLiant (SPP) is a comprehensive systems software and firmware update solution, which is delivered as a single ISO image. This solution uses HP Smart Update Manager (HP SUM) as the deployment tool and is tested on all HPE ProLiant Gen9, Gen8 and earlier servers as defined in the Service Pack for ProLiant Server Support Guide found at www.hpe.com/servers/spp/documentation.

Used by: ~~16 server profiles~~
2 server profile templates

Locations: Internal

Release Date

8/30/18

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
16 server profiles

NEW QUESTION 10

You want to create a Support Dump file using REST: How would you accomplish this?

- A. POST /rest/backups/support-dumps
- B. PUT /rest/appliance/support-dumps
- C. GET /rest/appliance/support-dumps
- D. POST /rest/appliance/support-dumps

Answer: D

NEW QUESTION 15

A customer wants to restrict certain business units from accessing resources owned by other groups, click the area where you would begin to configure this type of security measure.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 19

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Answer: AC

NEW QUESTION 23

A systems administrator needs to add a VLAN to a network set to support a new application. They have added the network to the upstream switch and the Logical Interconnect Group in HPE OneView but traffic is not passing. What is the most likely cause of the problem?

- A. Intelligent Management Center (IMG) has not been updated via REST.
- B. The administrator failed to update the state change message bus.
- C. The administrator needs to update the Logical Interconnects from the Logical Interconnect Group.
- D. The upstream switch doesn't have the VLAN enabled.

Answer: D

NEW QUESTION 24

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. REST API
- B. VMware autodeploy
- C. Image Streamer
- D. Grow Cluster

Answer: D

NEW QUESTION 29

What unique identifier does HPE OneView use to interact with each resource individually?

- A. WWN
- B. URI
- C. MAC address
- D. serial number

Answer: B

NEW QUESTION 31

Which functionality is enabled when a supported SAN Manager is added to HPE OneView?

- A. local storage management
- B. VSA monitoring
- C. storage replication
- D. automated zoning

Answer: D

NEW QUESTION 34

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 37

How does HPE OneView identify the revision of each resource when using REST APIs?

- A. with an eTag for each resource
- B. with a resource revision included in the SSH header
- C. with a Uniform Resource Identifier (URI) for each resource
- D. with direct access requests to the HPE OneView database

Answer: C

NEW QUESTION 42

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

Answer: C

NEW QUESTION 45

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.)

Answer Area

HPE OneView Standard

HPE OneView Advanced

HPE OneView License

Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Partner integration – HPE OneView Advanced Storage provisioning – HPE OneView Advanced Firmware management – HPE OneView Advanced Inventory – HPE OneView Standard Health monitoring – HPE OneView Standard Remote support – HPE OneView Advanced

NEW QUESTION 48

Where would you go in the HPE OneView Main Menu to access information about the environment status that can be exported to csv?

- A. Reports
- B. Dashboard
- C. Data Centers
- D. Activity

Answer: A

NEW QUESTION 50

Your customer added some Gen10 servers to an environment managed by HPE OneView. The position of the Gen10 servers in the intelligent racks is not automatically detected. What can cause this problem?

- A. Gen10 servers do not support Location Discovery Services.
- B. Location sensor is not enabled for Gen10 servers.
- C. Intelligent Rack is not properly licensed in HPE OneView.
- D. Gen10 servers are mixed with Gen9 or Gen8 servers, which is not supported.

Answer: A

NEW QUESTION 54

Which attributes are required to create a blade server profile? (Choose two.)

- A. BIOS settings
- B. Enclosure Group
- C. local storage configuration
- D. uplink set
- E. server hardware type

Answer: AC

Explanation:

You can assign an unassigned profile only to server hardware that matches the server hardware type and enclosure group. After the profile is created, you cannot change the server hardware type and enclosure group.

NEW QUESTION 55

Which information is required to integrate HPE OneView authentication with OpenLDAP server? (Choose two.)

- A. organizational unit
- B. domain component
- C. common name
- D. base DN

E. group CN

Answer: AD

NEW QUESTION 57

Besides SPP's (Service Pack for HPE ProLiant), what else can be uploaded to the firmware repository section in the HPE OneView UI?

- A. operating system patch
- B. third party drivers
- C. Support Dump
- D. Smart Component

Answer: D

NEW QUESTION 58

Match the HPE OneView element to its definition.

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	
HPE OneView OVF	Information aggregation point for multiple HPE OneView environments.	
HPE OneView resource managers	Customizable graphical representation of the health and capacity of data center resources.	
HPE Synergy Composer		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	HPE Synergy Composer
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	HPE OneView resource managers
HPE OneView OVF	Information aggregation point for multiple HPE OneView environments.	HPE OneView Global Dashboard
HPE OneView resource managers	Customizable graphical representation of the health and capacity of data center resources.	HPE OneView dashboard
HPE Synergy Composer		

NEW QUESTION 60

Match the HPE management tools to their function.

<u>TOOL</u>		<u>FUNCTION</u>
HPE SUT		Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard		Provides HPE OneView management for a Synergy environment
Composer		Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO		Provides hardware management of and remote console to a server

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<u>TOOL</u>	<u>FUNCTION</u>
HPE SUT	HPE OneView Global Dashboard Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard	Composer Provides HPE OneView management for a Synergy environment
Composer	HPE SUT Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO	HPE iLO Provides hardware management of and remote console to a server

NEW QUESTION 63

Match each task or environment with the most common approach for using HPE OneView. (Matches may be used more than once.)

Answer Area

API	GUI	Traditional NetOps business model simplifying infrastructure lifecycle management.	
		DevOps environment that wants to accelerate application delivery.	
		Automating management tasks through scripting.	
		Enhancing the interaction and collaboration between IT staff.	
		Integrating with service desk ticketing function	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

API	GUI	Traditional NetOps business model simplifying infrastructure lifecycle management.	GUI
		DevOps environment that wants to accelerate application delivery.	API
		Automating management tasks through scripting.	API
		Enhancing the interaction and collaboration between IT staff.	GUI
		Integrating with service desk ticketing function	GUI

NEW QUESTION 64

What information is required to complete a first time setup of an HPE OneView appliance? (Select two.)

- A. Frame Link Module IP address subnet mask for Frame 1
- B. Onboard Administrator IP address/subnet mask
- C. appliance IP address/subnet mask
- D. appliance host name
- E. Virtual Connect IP address/subnet mask

Answer: CD

NEW QUESTION 68

Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
- B. HPE Global Dashboard can be used to enable HPE OneView high availability
- C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
- D. HPE OneView can be connected to two different databases to provide high availability

Answer: C

NEW QUESTION 73

When creating a Server Profile Template, what are advantages of creating an unassigned Ethernet type connection during template creation? (Choose two.)

- A. It enables auto-zoning of SAN connections
- B. It avoids re-enumeration when assigning a network to existing connections
- C. It eliminates the need to power off the server when adding connectivity to the production networks or disabling a profile connection
- D. Template creation is the only time that new network adapters can be created

Answer: BC

NEW QUESTION 76

A server that is managed by HPE OneView is having issues, and HPE support has requested that you reapply the server profile. What action must first be executed?

- A. Delete the server profile template.
- B. The server hardware must be powered off.
- C. Reboot the HPE OneView appliance.
- D. Rename the server profile.

Answer: B

NEW QUESTION 78

Refer to the exhibit.

The screenshot shows the HPE OneView interface. On the left, there's a sidebar with 'Server Profile Templates' and a list of templates: 'esx 3 based', 'ESX BL460c Gen10 template' (selected), and 'HYPERV TEMPLATE'. The main area displays the 'ESX BL460c Gen10 template' with a status of 'Update Completed 1s'. Below this, there's a 'Connections' section with a table of connections. The table has columns for ID, Name, Network, Port, and Boot. There are four connections listed, all with 'Not bootable' status. The first connection (ID 1) is expanded, showing details like 'Interconnect: pending assignment', 'Type: Ethernet', 'MAC address: pending assignment', and 'Requested bandwidth: 2.5 Gb/s'.

ID	Name	Network	Port	Boot
1	management	VLAN1	FlexibleLOM 1:1 -a	Not bootable
2	management	VLAN1	FlexibleLOM 1:2 -a	Not bootable
3	prod 13	VLAN13	FlexibleLOM 1:1 -c	Not bootable
4	prod 13	VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Answer: C

NEW QUESTION 81

Match the HPE OneView interconnect module state to its definition. (Not all states will be used.)

STATE	DEFINITION
Configured	The interconnect module is undergoing a procedure and any configuration changes are queued for later application.
Configuring	The module in the interconnect bay is not configured.
Unmanaged	The module in the interconnect bay is not supported.
Inventory	

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

STATE	DEFINITION
Configured	The interconnect module is undergoing a procedure and any configuration changes are queued for later application.
Configuring	The module in the interconnect bay is not configured.
Unmanaged	The module in the interconnect bay is not supported.
Inventory	

NEW QUESTION 85


Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 89

What are benefits of the RESTful API for HPE OneView? (Choose two.)

- A. REST is a heavyweight toolkit that can create and modify just about any type of resource
- B. REST enables automating anything that can be done from the UI using a favorite scripting or programming language
- C. REST enables developers and users to create their own apps, or provide integration with other applications
- D. REST is an HPE invention built into HPE OneView and iLO that enables management of devices through the Red Fish standard

Answer: BC

NEW QUESTION 93

A customer is preparing their environment for a new two frame Synergy configuration. They have deployed an HPE OneView virtual appliance on ESXi and are not able to discover the new Synergy frames. What is preventing the discovery of the Synergy frames?

- A. Synergy isn't supported with the HPE OneView appliance.
- B. The IPv6 address of the Frame Link module is entered incorrectly.
- C. The x.509 certificates aren't authenticating with the HPE OneView appliance.
- D. The management ring isn't cabled properly.

Answer: A

NEW QUESTION 97

Which HPE tool can be integrated with HPE OneView to provision ToR switch ports automatically for newly added BladeSystem enclosures?

- A. StoreServ Management Console
- B. Synergy Composer
- C. Onboard Administrator
- D. Global Dashboard
- E. Intelligent Management Console

Answer: E

NEW QUESTION 99

Which REST API headers are recommended when creating a new Ethernet network? (Choose two.)

- A. Content-Type
- B. X-API-Version
- C. Accept-Language
- D. Accept-CharSet

Answer: AD

NEW QUESTION 100

What tool provides a unified view of aggregated information from multiple OneView appliances?

- A. Redfish management
- B. Intelligent Management Console
- C. Global Dashboard
- D. Integrated Lights Out

Answer: C

NEW QUESTION 102

How does HPE OneView 4.0 along with HPE ProLiant Gen 10 benefit customers who are concerned about malware attacks?

- A. Continuously scans server firmware for malware code.
- B. Introduces Trusted Platform Module 2.0 support.
- C. Provides a Secure Boot option setting as part of the server profile.
- D. Forces secure boot for both Legacy and UEFI BIOS mode.

Answer: D

NEW QUESTION 107

Which option from the HPE OneView main menu provides the utilization data for a server?

- A. Server Hardware
- B. Data Centers
- C. Settings
- D. Power Delivery Devices

Answer: A

NEW QUESTION 109

What is a benefit of using HPE OneView UI instead of the REST API when configuring secure boot in a server profile?

- A. Secure boot configuration via REST API is not supported on HPE ProLiant rack servers
- B. HPE OneView automatically disables invalid combinations of settings
- C. REST API does not return configuration validation
- D. Not all configuration settings are available via the REST API

Answer: B

NEW QUESTION 111

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

```
curl -X POST -H "Content-Type: application/json" -d '{"username": "administrator", "password": "iloveREST", "authDomain": "LOCAL"}' https://10.10.10.10/ov/api/login-sessions
```

[-] Response

Headers Response Preview

```
{ "errorMessage": "Forbidden", "errorSource": null, "nestedErrors": [], "errorCode": "GENERIC_HTTP_403", "data": {}, "recommendedActions": [ "Check the request & URI, then resend the request." ], "details": "You are not allowed to access the requested resource.", "message": "Forbidden" }
```

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the POST method to PUT
- D. change the "login-sessions" string in the URL to "login-session"

Answer: C

NEW QUESTION 116

What can be used to query the server hardware portion of the HPE OneView appliance database?

- A. SQL Connect Client
- B. REST API
- C. JSON reader
- D. OpenSource Editor

Answer: B

NEW QUESTION 118

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Choose two.)

- A. Add the domain group in Users and Groups menu.

- B. Define the Active Directory domain and associated directory server(s) in Directory settings.
- C. Add the domain group as Base DN in Directory settings.
- D. Add the domain group as Organization Unit in Directory settings.
- E. Add the Active directory server in Users and Groups menu.

Answer: BE

NEW QUESTION 119

Which HPE OneView logical resource is used to define default server connectivity characteristics, such as the preferred and maximum bandwidth?

- A. networks
- B. uplink set
- C. server profiles
- D. logical interconnect groups

Answer: A

NEW QUESTION 124

What is the best place to find installed firmware for all systems managed by HPE OneView?

- A. HPE Service Pack for HPE ProLiant
- B. HPE OneView predefined reports
- C. HPE Insight Online
- D. HPE OneView for Microsoft System Center

Answer: A

NEW QUESTION 127

A system administrator needs to update the firmware in all Virtual Connect Flex-10/10D modules. This needs to be done during a maintenance window, when the servers are powered off. Which firmware activation setting performs the update in the shortest possible time?

- A. serial
- B. custom
- C. parallel
- D. odd/even

Answer: C

NEW QUESTION 130

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 131

A customer has HPE OneView 1.2 and wants to upgrade to 4.0. What is the correct procedure?

- A. import all virtual connect manager environments and then upgrade directly to 4.0
- B. upgrade directly to 4.0
- C. upgrade to 3.1, import all virtual connect manager environments, then upgrade to 4.0
- D. upgrade to 3.1 and then upgrade to 4.0

Answer: B

NEW QUESTION 136

The administrator has configured Server Profile Templates to use Virtual serial numbers. Where can you go in HPE OneView to see hardware-based serial numbers? (Choose two.)

- A. Server Profile Templates page
- B. Server Hardware page
- C. Server Profile page
- D. Server Hardware Types page
- E. Reports > Server inventory page.

Answer: BC

NEW QUESTION 140

A customer has a strict change control environment. How do Server Profile Templates help with change control policies?

- A. They allow users to define configurations once and within minutes.

- B. They help to monitor, flag, and update server profiles in HPE OneView.
- C. They allow server profile mobility.
- D. They provision hardware quickly.

Answer: B

NEW QUESTION 142

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to “Device Bay + Server Hardware”. What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if the correct server hardware type is installed.
- B. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will apply the profile if a server with the correct serial number installed.

Answer: B

NEW QUESTION 146

What permissions are included with the user role: "Server profile architect"? (select two.)

- A. delete server profile templates
- B. delete scopes
- C. perform firmware updates
- D. update scopes
- E. create server profile templates

Answer: AE

NEW QUESTION 150

A customer is interested in monitoring the hardware health of server blades in a c7000 enclosure equipped with Comware switches, and also wants to use iLO remote console. Which licensing option can you recommend as the lowest price level?

- A. HPE OneView Advanced without iLO Advanced
- B. HPE OneView Standard and iLO Advanced
- C. HPE OneView Advanced with iLO Advanced
- D. HPE OneView Standard and iLO Standard for BladeSystem

Answer: C

NEW QUESTION 153

You plan to add a user account that can only manage a subset of resources. You notice that the Scope field only lists All Resources when creating the user. What is the cause of this behavior?

- A. Scopes can only be assigned when using certain roles.
- B. Scopes can only be assigned after creating the user account.
- C. Scopes cannot be used if roles are assigned to the user account.
- D. Scopes must be defined before assigning them to user accounts.

Answer: B

NEW QUESTION 154

What is the eTag attribute of resource objects used for?

- A. to identify the version of the IP protocol
- B. to identify the current revision of the resource
- C. to identify the server in a bay
- D. to identify the server profile assigned to a bay

Answer: B

NEW QUESTION 159

Which string value attribute provides information to the REST client about a resource revision?

- A. client cache
- B. URI
- C. eTag
- D. request header

Answer: C

NEW QUESTION 164

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which step is part of the procedure?

- A. Add the domain group as Organization Unit in Directory settings.

- B. Add the domain group as Base DN in Directory settings.
- C. Define the Active Directory domain and associated directory server(s) in Directory settings.
- D. Add the Active Directory server in Users and Group menus.

Answer: D

NEW QUESTION 166

Refer to the exhibit.



An administrator is creating new volumes in preparation for a new Hyper-V cluster. On the Create Volume screen, the storage administrator notices that the capacity of the volume can't be edited. What is preventing the administrator from increasing the volume size?

- A. The administrator doesn't have permissions to create volumes.
- B. The wrong storage system is selected.
- C. The storage pool is out of capacity, so no additional storage can be allocated.
- D. The capacity is a locked value in the volume template.

Answer: B

NEW QUESTION 167

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. in an unmanaged state
- B. with the same state (monitored or managed) as the iPDU
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

Answer: C

NEW QUESTION 170

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>