



Cisco

Exam Questions 300-835

Automating Cisco Collaboration Solutions (CLAUTO)

NEW QUESTION 1

Which two characteristics of REST APIs? (Choose two.)

- A. Resources are accessed using Uniform Resource Identifiers.
- B. API operations for Create/Read/Update/Delete are mapped to standard HTTP methods.
- C. Cookies are used for the duration of the session.
- D. REST API extends Remote Procedure Call.
- E. The server manages the session state.

Answer: AB

NEW QUESTION 2

```
def my_function(listOfNumbers, b):  
    total1 = b  
    total2 = 0  
  
    for num in listOfNumbers:  
        if num < 5:  
            total1 += num  
        else:  
            total2 += num  
  
    return total1  
  
listOfNums = [4, 3, 9, 1, 7, 2, 9, 0, 6, 8, 5]  
a = my_function(listOfNums, 3)  
print(a)
```

Refer to the exhibit. Which value of “a” is displayed when the Python code is executed?

- A. 10
- B. 13
- C. 18
- D. 21

Answer: B

NEW QUESTION 3

Which two files must be downloaded from a Cisco Unified Communications Manager server in order to build requests for the AXL API? (Choose two.)

- A. AXLEnums.xsd
- B. AXL_CUCM.xsd
- C. AXLSOap.xsd
- D. CUCM_AXL.json
- E. AXLWSDL.xml

Answer: AC

NEW QUESTION 4

After the AXL query ns:updatePhone is used to upgrade a phone configuration successfully, the phone does not reflect the change. Which other method must be performed for the change to take effect?

- A. ns:getPhone
- B. ns:restartPhone
- C. ns:rebootPhone
- D. ns:savePhone

Answer: B

NEW QUESTION 5

Refer to the exhibit. Based on the schema diagram in the exhibit, which two XML objects are valid AXL <getPhone> request <Body> elements? (Choose two.)

- A.

```
<soapenv:Body>  
  <ns:getPhone sequence="1">  
    <name>BOT209342098</name>  
    <returnedtags><model/></returnedtags>  
  </ns:getPhone>  
</soapenv:Body>
```
- B.

- ```
<soapenv:Body>
 <ns:getPhone>
 <name>BOT209342098</name>
 <returnedTags><model/></returnedTags>
 </ns:getPhone>
</soapenv:Body>
```
- C. <soapenv:Body>  
 <ns:getPhone>  
 <name>BOT209342098</name>  
 <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid>  
 </ns:getPhone>  
</soapenv:Body>
- D. <soapenv:Body>  
 <ns:getPhone sequence="1">  
 <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid>  
 </ns:getPhone>  
</soapenv:Body>
- E. <soapenv:Body>  
 <ns:getPhone sequence="1">  
 <name>BOT209342098</name>  
 <returnedTags>All</returnedTags>  
 </ns:getPhone>  
</soapenv:Body>

**Answer:** E

#### NEW QUESTION 6

Which two use cases can be accomplished using the Finesse JavaScript library? (Choose two.)

- A. Integrate customer relationship management capabilities into the Finesse agent desktop.
- B. Build a custom browser-based agent desktop.
- C. Build a Finesse gadget to add quick dial to the Finesse agent desktop.
- D. Build a Finesse gadget to create new agents on the Finesse system.
- E. Build a Finesse gadget to configure Finesse log levels for the Finesse administrator console.

**Answer:** AB

#### NEW QUESTION 7

When a Webex site has single-sign-on enabled, which type of data is required in the body element of an AuthenticateUser XML API Request?

- A. Webex username and password
- B. Webex Teams OAuth access token
- C. JWT token
- D. BOT access token

**Answer:** B

#### NEW QUESTION 8

DRAG DROP

Drag and drop the correct items from the right to complete this Python script to automate the creation of Cisco Webex Teams spaces and memberships. Not all options are used.

Select and Place:

Answer Area

```
import requests

def makePost(apiKey, url, body):
 headers = {
 '': "Bearer " + apiKey,
 'Content-Type': "application/json"
 }
 response = requests.post(url = url, headers = headers, = body)
 return response

def createSpace(apiKey, roomName):
 url = "https://api.ciscospark.com/v1/rooms/"
 body = {
 "title": roomName
 }
 response = makePost(apiKey, url, body)
 roomId =
 return roomId

def addMembership(apiKey, roomId, membershipeMail):
 url = "https://api.ciscospark.com/v1/memberships/"
 body = {
 "roomId": roomId,
 "": membershipeMail
 }

 makePost(apikey, url, body)

def main():
 apiKey = input("What is your personal access token? ")
 spacename = input("What is the name of the space you want to create? ")
 membershipEmail = input("What is the email address of the person to add? ")
 roomId = createSpace(apiKey, spaceName)
 addMembership(apiKey, roomId, membershipEmail)

if __name__ == '__main__':
 main()
```

response['id']

personEmail

json

data

Authorization

membershipEmail

apiKey

Authentication

OAuth

response.id

response[body]['id']

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

```
import requests

def makePost(apiKey, url, body):
 headers = {
 'Authorization': "Bearer " + apiKey,
 'Content-Type': "application/json"
 }
 response = requests.post(url = url, headers = headers, data = body)
 return response

def createSpace(apiKey, roomName):
 url = "https://api.ciscospark.com/v1/rooms/"
 body = {
 "title": roomName
 }
 response = makePost(apiKey, url, body)
 roomId = response.id
 return roomId

def addMembership(apiKey, roomId, membershipeMail):
 url = "https://api.ciscospark.com/v1/memberships/"
 body = {
 "roomId": roomId,
 "personEmail": membershipeMail
 }

 makePost(apikey, url, body)

def main():
 apiKey = input("What is your personal access token? ")
 spacename = input("What is the name of the space you want to create? ")
 membershipEmail = input("What is the email address of the person to add? ")
 roomId = createSpace(apiKey, spaceName)
 addMembership(apiKey, roomId, membershipEmail)

if __name__ == '__main__':
 main()
```

response['id']

personEmail

json

data

Authorization

membershipEmail

apiKey

Authentication

OAuth

response.id

response[body]['id']

NEW QUESTION 9



```
import requests

def createUser(apiKey, email, firstName, lastName, displayName):
 url = "https://api.ciscospark.com/v1/people"
 headers = {
 'Authorization': "Bearer " + apiKey,
 'Content-Type': "application/json"
 }
 body = {

 }
 response = requests.post(url = url, headers = headers, json=body)
 return response
```

Refer to the exhibit. Which snippet of code does a user with the administrator role use in the missing “body” section to create a new user in a Webex Teams organization?

- A. `"displayName": displayName,`  
`"firstName": firstName,`  
`"lastName": lastName`
- B. `"emails": {`  
`email`  
`},`  
`"displayName": displayName,`  
`"firstName": firstName,`  
`"lastName": lastName`
- C. `"email": email,`  
`"displayName": displayName,`  
`"firstName": firstName,`  
`"lastName": lastName`
- D. `"emails": [`  
`email`  
`],`  
`"displayName": displayName,`  
`"firstName": firstName,`  
`"lastName": lastName`

Answer: C

#### NEW QUESTION 10

A Webex Teams bot receives a Webhook payload, which notifies the bot that a message was created in a space. Which two API requests must be issued for the bot to answer the author of the message? (Choose two.)

- A. POST /v1/messages
- B. GET /v1/messages/{messageId}
- C. GET /v1/webhooks/{webhookId}
- D. PUT /v1/messages/{messageId}
- E. POST /v1/webhooks

Answer: CE

#### NEW QUESTION 10

Refer to the exhibit. The code includes the beginning of a short Python script that is constructed to notify the guard in case of an intruder alert. Which code snippet completes the script?

- A. `request.put('https://api.ciscospark.com/v1/rooms' + room,`  
`headers = {'Authorization': 'Bearer' + token },`  
`data = {`  
`'toPersonEmail' : 'guard2319@perimeter.net',`  
`'html' : '<b>Warning!</b> Intruder alert in Section 12'`  
`}`  
`)`
- B. `request.post('https://api.ciscospark.com/v1/messages',`  
`headers = {'Authorization': 'Bearer' + token },`  
`data = {`  
`'roomId' : 'Perimeter Guard Space',`  
`'markdown' : '**Warning!** Intruder alert in Section 12'`  
`}`  
`)`
- C.

```
request.post('https://api.ciscospark.com/v1/rooms' + room,
 headers = { 'Authorization': 'Bearer' + token },
 data = {
 'text' : 'Warning! Intruder alert in Section 12'
 'markdown' : '**Warning!** Intruder alert in Section 12'
 }
)
D. request.post('https://api.ciscospark.com/v1/messages',
 headers = { 'Authorization': 'Bearer' + token },
 data = {
 'toPersonEmail' : 'guard2319@perimeter.net',
 'markdown' : '**Warning!** Intruder alert in Section 12'
 }
)
```

Answer: A

#### NEW QUESTION 14

Refer to the exhibit. An administrator is creating a script using the Python xAPI over WebSockets(pyxows) library. The goal of this script is to monitor the volume of the endpoint and set the volume to 60 whenever the volume has been set higher than that amount. Which code snippet accomplishes this task when it is added?

- A. 

```
if data ['Status']['Audio']['Volume'] > 60:
 await client.xCommand(['Audio', 'Volume', 'Set'], Level=60)
```
- B. 

```
if data ['Status']['Audio']['Volume'] > 60:
 await client.xGet(['Status', 'Audio', 'Volume'])
```
- C. 

```
if data ['Status']['Audio']['Volume'] > 60:
 await client.subscribe(['Status', 'Audio', 'Volume'].callback, Level=60))
```
- D. 

```
if data ['Status']['Audio']['Volume'] > 60:
 await client.xSet(['Configuration', 'Audio', 'DefaultVolume'], 60))
```

Answer: A

#### NEW QUESTION 17

Refer to the exhibit. This exhibit is based on the simple Python script to update a Webex registered room device (local IP = 10.10.20.153) with a new custom half-wake message. What is the URL to complete the requests.post() method?

- A. <http://10.10.20.153:22/>
- B. <http://10.10.20.153/jsxapi>
- C. <http://api.webex.com/v1/ui>
- D. <http://10.10.20.153/putxml>

Answer: D

#### NEW QUESTION 18

An In-Room Control Panel can be configured as “global” (always available). Which order panel type is supported?

- A. Background
- B. Do Not Disturb
- C. Never
- D. Out-of-Call

Answer: D

#### NEW QUESTION 20

```
from pyxows import xows
import asyncio

async def main():

 async with xows.XoWSCClient('10.10.20.153', 'integrator', 'integrator') as client:

 async def callback(data, id):
 print(f'Call status event: { data }')

 await client.wait_until_closed()

asyncio.run(main())
```

Refer to the exhibit. This exhibit is a simple Python scrip to monitor call activity for a local Webex room device. Which code snippet listens for call events and completes the script?



- A. await client.xfeedback( ['Status', 'Call', 'Status'], callback, False)
- B. await client.subscribe( ['Feedback', 'Call', 'Status'], callback, False)
- C. await client.subscribe( ['Status', 'Call', 'Status'], callback, False)
- D. await client.xfeedback( ['Feedback', 'Call', 'Status'], callback, False)

Answer: C

#### NEW QUESTION 24

```
<?xml version="1.0" encoding = "UTF-8"?>
<serv:message xmlns:serv="http://www.webex.com/schemas/2002/06/service"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
 <header>
 <securityContext>
 <siteName>apidemoeu</siteName>
 <webExID>alice@example.com</webExID>
 <sessionTicket>AAABb6TooBMAABUYA0gAKEgyU0sAAAAE9FpXDKRKO</sessionTicket>
 </securityContext>
 </header>
 <body>

 </body>
</serv:message>
```

Refer to the exhibit. Alice is a Webex Meetings admin for her organization. Which code snippet completes a Webex Meetings XML API request that returns all users?

- A. <bodyContent xsi:type=<java:com.webex.service.binding.user.GetUser">
 <webExID></webExID>
 </bodyContent>
- B. <bodyContent xsi:type=<java:com.webex.service.binding.user.LstsummaryUser">
 </bodyContent>
- C. <bodyContent xsi:type=<java:com.webex.service.binding.user.GetUser">
 </bodyContent>
- D. <bodyContent xsi:type=<java:com.webex.service.binding.user.LstsummaryUser">
 <webExID>\*</webExID>
 </bodyContent>

Answer: A

#### NEW QUESTION 27

Refer to the exhibit. Based on this Webex Meetings XML API schema snippet, which XML object is a valid <metaData> element?

- A. <metaData>
 <confName>Sample Meeting</confName>
 <meetingType>Event Center</meetingType>
 <agenda>Coding 101</agenda>
 <isInternal>Internal</isInternal>
 </metaData>
- B. <metaData>
 <confName>Sample Meeting</confName>
 <meetingType>105</meetingType>
 <agenda>Coding 101</agenda>
 <isInternal>true</isInternal>
 </metaData>
- C. <metaData>
 <confname>Sample Meeting</confname>
 <meetingType>105</meetingType>
 <agenda>Coding 101</agenda>
 <isInternal>true</isInternal>
 </metaData>
- D. <metaData>
 <confName>Sample Meeting</confName>
 <meetingType>Event Center</meetingType>
 <agenda>Coding 101</agenda>
 <isInternal>no</isInternal>
 </metaData>

Answer: C

#### NEW QUESTION 28

An existing user (identified by userId) needs to be allowed to host Webex meetings. Which API call is used to assign the new license?

- A. PUT /license/{userId}
- B. POST /people/{userId}
- C. PUT /people/{userId}
- D. POST /license/{userId}

**Answer:** C

#### NEW QUESTION 29

Which two methods can be used to add a custom UI panel to a Webex room device? (Choose two.)

- A. Import an existing panel configuration file by connecting a USB storage drive to the device.
- B. Use xAPI to push a JSON panel configuration to the device.
- C. Create a panel using the device UI Extensions Editor (previously In-Room Controls).
- D. Restore a device backup file present on a PC that contains a panel configuration.
- E. From a T-shell session, use the git command to merge the XML configuration of a panel.

**Answer:** AE

#### NEW QUESTION 32

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 300-835 Practice Exam Features:

- \* 300-835 Questions and Answers Updated Frequently
- \* 300-835 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-835 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 300-835 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 300-835 Practice Test Here](#)**