

70-779 Dumps

Analyzing and Visualizing Data with Microsoft Excel (beta)

<https://www.certleader.com/70-779-dumps.html>



NEW QUESTION 1


You use a workbook query to import a table named Customers that contains a column named CustomerName. CustomerName has names in the format of Lastname, Firstname.

You need the CustomerName column to contain names in the format of Firstname Lastname. A space must separate Firstname and Lastname.

Which two commands should you use? To answer, drag the appropriate fields to the correct areas. Each field may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- ▶ Split Column By Delimiter
- ▶ Merge Columns

<https://support.office.com/en-us/article/split-a-column-of-text-power-query-5282d425-6dd0-46ca-95bf-8e0da9539662>

<https://support.office.com/en-us/article/merge-columns-power-query-80ec9e1e-1eb6-4048-b500-d5d42d9f0>


NEW QUESTION 2

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You have six workbook queries that each extracts a table from a Microsoft Azure SQL database. The table are loaded to the data model, but the data is not loaded to any worksheets. The data model is shown in the Data Model exhibit. (Click the Exhibit button.)

Your company has 100 product subcategories and more than 10,000 products.



End of repeated scenario.

You have a PivotChart that uses Manufacturer as the axis and the sum of SalesAmount as the values. You need to ensure that only the top 10 manufactures appear in the chart.

What should you do?

- A. Change the format of the SalesAmount field.
- B. Create a calculated column.
- C. Configure the Value Filters.
- D. Summarize the SaleAmount field by Max.

Answer: C

Explanation:

<https://www.extendoffice.com/documents/excel/1963-excel-pivot-table-filter-top-10.html>

NEW QUESTION 3

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

You have an Excel workbook that contains a table named Table1. A sample of the data in Table1 is shown in the following table.

ProductID	ProductName	ProductCategory	ProductSubCategory	Price
1	Product1	Category1	Subcategory1	10.22
2	Product2	Category1	Subcategory1	10.44
3	Product3	Category1	Subcategory1	10.33
4	Product4	Category1	Subcategory2	11.19
5	Product5	Category1	Subcategory2	11.19
6	Product6	Category2	Subcategory3	10.15
7	Product7	Category2	Subcategory3	10.77
8	Product8	Category2	Subcategory3	10.55
9	Product9	Category2	Subcategory4	10.19
10	Product10	Category2	Subcategory4	10.88

You need to create a PivotTable in PowerPivot as shown in the exhibit.

Row Labels	Sum of Price
Category1	
Subcategory1	
Product1	10.22
Product2	10.44
Product3	10.33
Subcategory1	
Total	30.99
Subcategory2	
Product4	11.19
Product5	11.19
Subcategory2	
Total	22.38
Category1 Total	53.37
Category2	
Subcategory3	
Product6	10.15
Product7	10.77
Product8	10.55
Subcategory3	
Total	31.47
Subcategory4	
Product10	10.88
Product9	10.19
Subcategory4	
Total	21.07
Category2 Total	52.54
Grand Total	105.91

Solution: You create a measure named Products the uses the CONCATENATEX DAX function. You add a PivotTable. You drag Products to the Rows field. You drag Price to the Values field.


Does this meet the goal?

- A. Yes
- B. No


Answer: B

NEW QUESTION 4

You have the data model shown in the Data Model exhibit. (Click the Exhibit button.)



You have the PivotChart shown in the Pivot Chart exhibit. (Click the Exhibit button.)



You need to change the current view of the PivotChart to display ProductCategory only. What should you do?

- A. Double-click a bar in the PivotChart.
- B. Click the - button.
- C. Right-click the PivotChart and click Reset to Match Style
- D. Right-click a bar in the PivotChart and click Expand Entire Field.

Answer: D

NEW QUESTION 5

You have multiple workbook queries that load data from tables in Microsoft Azure SQL Database to a Power Pivot data model. You discover that new rows were added to the tables in Azure SQL Database. You need to ensure that the workbook has the new data. Why should you do?


- A. Select a cell in the worksheet and press F5.
- B. From the data tab, click Refresh All.
- C. Close and open the workbook.
- D. From the Power Pivot tab, click Update All.

Answer: B

Explanation:

Refresh data from a Microsoft Query, the Data Connection Wizard, or web query

- ▶ Click any cell in the range or table that contains the link to the external data.
- ▶ On the Data tab, in the Connections group, click Refresh All.



▶ To update only the selected data, click Refresh.

You can also right-click a cell in the range or table, and then click Refresh.

▶ To update all the data connections in the workbook, click Refresh All.

Note: If you have more than one workbook open, you'll need to repeat the operation in each workbook. <https://support.office.com/en-us/article/refresh-an-external-data-connection-in-excel-2016-for-windows-152417>

NEW QUESTION 6

You install Microsoft Power BI Publisher for Excel.

You need to use Excel to connect and analyze Power BI data.

To which two types of Power BI data can you connect? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. apps
- B. datasets
- C. reports
- D. dashboard

Answer: BC

Explanation:

Analyze in Excel is very useful for datasets and reports that connect to Analysis Services

Tabular or Multidimensional databases, or from Power BI Desktop files or Excel workbooks with data models that have model measures created using Data Analysis Expressions (DAX).

<https://docs.microsoft.com/en-us/power-bi/service-analyze-in-excel>

NEW QUESTION 7

You have a workbook query that gets a table from an Excel workbook. The table contains a column1. In the query, you configure Column1 to use a Data Type of Whole Number.

You refresh the data and find several errors in Column1. You discover that new entries in the table contain nonnumeric characters.

You need to ensure that when the data is imported, any fields that contain nonnumeric values are set to 1. What should you do from Query Editor?

- A. Select the table and click Keep Errors.
- B. Select the column and click Replace Values...
- C. Select the column and click Remove Errors.
- D. Select the column and click Replace Errors...

Answer: D

NEW QUESTION 8

Your company has a data analyst who uses Microsoft Power BI Desktop to create a data model and several reports.

The data analyst publishes the reports to the Power BI service.

You need to create a PivotTable in Excel that uses the data model created by the data analyst. The solution must prevent the data from being imported into Excel. What should you do first?

- A. From powerbi.com, select the report
- B. From the File menu, click Save as.
- C. From Excel, create a new query that uses the Data Catalog.
- D. From powerbi.com, select the report From the File menu, click Download report.
- E. From powerbi.com, select the report and click Analyze in Excel.

Answer: D

NEW QUESTION 9

You need to create a PivotChart as shown in the exhibit. (Click the Exhibit button.) Exhibit:



Which field should you use for each area? To answer, drag the appropriate fields to the correct areas. Each field may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Legend: BrandName Axis: MonthName


NEW QUESTION 10

You have a query as shown in the following exhibit.

Date	Amount	Category	Description
2016-01-01	\$923.00	Operations	Telephone and Internet
2016-01-04	\$338.00	Operations	Electricity Bill
2016-01-10	\$300.00	Marketing	TV Advertisements - West Coast
2016-01-15	\$126.00	Operations	Water and City Utilities
2016-01-15	\$68.45	Office Supplies	Pencils & Paper clips
2016-01-15	\$420.00	Research & Development	Azure HDInsight Subscription
2016-01-21	\$400.00	Marketing	TV Advertisements - East Coast
2016-02-30	\$340.00	Office Supplies	Postage Stamps
2016-02-02	\$785.00	Operations	Telephone and Internet
2016-02-05	\$255.00	Operations	Electricity Bill

You need to ensure that the data only contains rows that have a valid date.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Change the column type of the Date Column Group rows by the Date column
Remove errors from the date column.

NEW QUESTION 10

You have an Excel workbook that contains a table named Sales. You add Sales to the Power Pivot model. You need to set a column named TransactionID as the row identifier for the Sales table. What should you do?

- A. From Power Pivot, modify the Table Behavior setting.
- B. From Query Editor, add an index column.
- C. From Query Editor, modify the Data Type.
- D. From Power Pivot, modify the Default Field Set.

Answer: A

Explanation:


[https://msdn.microsoft.com/en-us/library/hh560542\(v=sql.110\).aspx](https://msdn.microsoft.com/en-us/library/hh560542(v=sql.110).aspx)

- ▶ In the Data View of your PowerPivot Window, click the PowerPivot Window: Advanced Tab.
- ▶ Click the table tab at the bottom of the window to select the table for which you are configuring properties.
- ▶ In Reporting Properties, click Table Behavior.
- ▶ Set the Row Identifier, and then proceed to specify other properties in this dialog.

Opening the Table Behavior dialog box <https://ksdconsultancy.blog/2015/10/08/set-table-behaviour-in-powerpivot/>

NEW QUESTION 14

You need to create a PivotChart that has a filter as shown in the following exhibit.



What should you do first?

- A. From the model, create a measure.
- B. From Query Editor, create a function.
- C. From Query Editor, create a parameter.
- D. From the model, create a hierarchy.

Answer: A

Explanation:

References:

<https://support.office.com/en-us/article/measures-in-power-pivot-86484821-a324-4da3-803b-82fd2e5033f4>

NEW QUESTION 18

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query named Quety1 that retrieves the user information from two Excel files. One of the Excel files does not contain location information. A sample of the data retrieved by the query is shown in the following table.

UserName	UserId	Location
User1	1001	null
User1	1001	Seattle
User2	1002	null
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null

You need to ensure that values in UserName are unique. The solution must ensure that the locations are retained. A sample of desired output is shown in the following table.

UserName	UserId	Location
User1	1001	Seattle
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null
User5	1005	null

Solution: You sort the UserName column in ascending order. You select the UserName column, and then you click Remove Duplicates. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 19

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

Your company has sales offices in several cities.

You create a table that represents the amount of sales in each city by month as shown in the exhibit.

	A	B	C	D	E	F	G	H
1	City	January	February	March	April	May	June	July
2	Montreal	20.00	90.00	170.00	200.00	200.00	400.00	420.00
3	Toronto	0.00	30.00	75.00	60.00	85.00	190.00	203.00
4	Miami	0.00	25.00	105.00	75.00	70.00	155.00	140.00
5	Madrid	220.00	440.00	650.00	610.00	424.00	500.00	542.00
6	Los Angeles	0.00	10.00	25.00	55.00	40.00	45.00	75.00
7	Brussels	3,400.00	3,000.00	3,300.00	3,700.00	2,300.00	2,700.00	2,340.00
8	Antwerp	2,500.00	2,350.00	2,300.00	2,400.00	1,800.00	1,970.00	1,690.00
9	Tel Aviv	100.00	150.00	190.00	230.00	260.00	230.00	115.00
10	Melbourne	90.00	75.00	140.00	120.00	110.00	175.00	65.00

You need to ensure that all values lower than 250 display a red icon. The solution must ensure that all values greater than 500 display a green icon.

Solution: You modify the conditional formatting rule, and then set a new value for the yellow icon. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 24

You open C:\Data\Data.xlsx in Excel.

When you attempt to publish the file to Microsoft Power BI, you receive the following error message: "We couldn't publish to Power BI. Make sure your workbook is saved as an Excel file (.xlsx or .xlsm) and is not password protected."

You need to ensure that you can publish the file to Power BI. What should you do first?

- A. Decrypt the workbook.
- B. Disable iterative calculation for the workbook.
- C. Copy the file to a network share.
- D. Add a digital signature to the workbook.

Answer: A

Explanation:

With Excel 2016, you can publish your Excel workbooks right to your Power BI site, where you can create highly interactive reports and dashboards based on your workbook's data. You can then share your insights with others in your organization.

Before we go any further, there are few things to keep in mind:

- Before you can publish to Power BI, your workbook must be saved to OneDrive for Business.
- The account you use to sign in to Office, OneDrive for Business, and Power BI must be the same account.
- You cannot publish an empty workbook or a workbook that doesn't have any Power BI supported content.
- You cannot publish encrypted or password protected workbooks, or workbooks with Information Protection Management.
- Publishing to Power BI requires modern authentication be enabled (default). If disabled, the Publish option is not available from the File menu.

<https://docs.microsoft.com/en-us/power-bi/service-publish-from-excel>

NEW QUESTION 27

You have an Excel workbook query that loads data to a worksheet and the data model. You need to ensure that the data is refreshed whenever you open the workbook.

What should you do?

- A. From the File tab, click Option, and then modify the Data option.
- B. From the File tab, click Options, and then modify the General options.
- C. From the Data tab, click Queries & Connections, and then edit the properties of the query.
- D. From the Power Pivot model, modify the Table Behavior setting.

Answer: C

Explanation:

<https://support.office.com/en-us/article/refresh-an-external-data-connection-in-excel-2016-for-windows-152417>

NEW QUESTION 28

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have the following data.

OrderDate	OrderNumber	ProductName	OrderQuantity
1/28/2018	998989	Product1	10
1/28/2018	998990	Product1	22
1/28/2018	998991	Product2	21
1/29/2018	998992	Product3	43
1/29/2018	998993	Product2	56
1/29/2018	998994	Product3	12

You need to retrieve a list of the unique ProductName entries.

Solution: Create a PivotTable that uses the ProductName field in the Rows area. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 32

You need to configure a PivotChart as shown in the following exhibit.



Which chart element should you enable?

- A. Data Labels
- B. Axis Titles
- C. Data Table
- D. Error Bars

Answer: B

NEW QUESTION 34

You have the following data sample.

OrderDate	OrderQuantity	UnitPrice	SalesAmount
7/3/2017	3	12.00	36.00
7/3/2017	2	19.99	28.00
7/3/2017	2	22.00	44.00
7/4/2017	1	29.99	29.00
7/4/2017	2	31.99	62.00
7/3/2017	1	38.00	38.00

You need to create a PivotTable that presents the data as shown in the following table.


Unit Price Range	Sum of Sales Amount
10-20	54.00
20-30	73.00
30-40	100.00

- A. Create a PivotTable
- B. Add UnitPrice to the Rows area and add SalesAmount to the Values area.Right-click a cell value for UnitPrice and modify the Group settings.
- C. Create a PivotTable
- D. Add SalesAmount to the Rows area and add UnitPrice to the Values area.Right-click a cell value for SalesAmount and modify the Group settings.
- E. Create a PivotTable
- F. Add UnitPrice to the Rows area and add SalesAmount to the Values area.Right-click a cell value for SalesAmount and modify the Field Settings.
- G. Create a PivotTable
- H. Add SalesAmount to the Rows area and add UnitPrice to the Values area.Right-click a cell value for UnitPrice and modify the Field Settings.

Answer: A

NEW QUESTION 39

You open an Excel worksheet as shown in the following exhibit.



You need to export the data into a dataset in the Microsoft Power BI service. What should you do first?

- A. Save the tile as an Excel template.
- B. Select the data, and then insert a table.
- C. Select the data, and Then insert a PivotTable.
- D. Install Power BI Publisher for Excel.


Answer: D

NEW QUESTION 44

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You have six workbook queries that each extracts a table from a Microsoft Azure SQL database. The tables are loaded to the data model, but the data is not loaded to any worksheets. The data model is shown in the Data Model exhibit.



Your company has 100 product subcategories and more than 10,000 products. End of repeated scenario. You need to create a simplified view of the workbook for some users. The simplified view must only display data from FactSales, DimProduct, and DimDate. What should you do in the data model?

- A. Click Hide from Client Tolls for all the tables except FactSales, DimProduct, and DimDate.
- B. Create a new perspective.
- C. Modify the Table Behavior settings for FactSales, DimProduct, and DimDate.
- D. Add the columns from FactSales, DimProduct, and DimDate to the Default Field Set.

Answer: A


NEW QUESTION 49

You have a model that contains data relating to corporate profits. The model contains a measure named Profit. You need to create a PivotTable to display the Profit measure in three different formats by using the Show Value As feature. The PivotTable must produce the results shown in the following table.

Date	Profit	Annual Total	% Profit of Grand Total
2016	\$58,000	100.0%	49.6%
Jan	\$10,000	17.2%	8.6%
Feb	\$8,000	13.8%	6.8%
Mar	\$12,000	20.7%	10.3%
Apr	\$13,000	22.4%	11.1%
May	\$9,000	15.5%	7.7%
Jun	\$6,000	10.3%	5.1%
2017	\$58,950	100.0%	50.4%
Jan	\$11,000	18.7%	9.4%
Feb	\$7,800	13.2%	6.7%
Mar	\$11,450	19.4%	9.8%
Apr	\$13,200	22.4%	11.3%
May	\$10,000	17.0%	8.6%
Jun	\$5,500	9.3%	4.7%
Grand Total	\$116,950		100.0%

How should you configure the Show Value As feature for % Profit of Annual Total and % profit of Grand Total? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

% Profit of Annual Total: % of Parent Total

% Profit of Grand Total: % of Column Total

<https://support.office.com/en-us/article/show-different-calculations-in-pivottable-value-fields-014d2777-baaf-480b-a32b-98431f48bfec>

NEW QUESTION 51

You have an Excel workbook that displays two PivotCharts. One chart displays sales by month. The other chart displays sales by year.

You add a slicer for month.

You discover that when you select a month in the slicer, the data in the sales by year PivotChart changes. You need to prevent the slicer from affecting the sales by year PivotChart.

What should you do?

- A. Remove all the fields from the Filters area of the sales by month PivotChart.
- B. Modify the Value Field Settings for the values of the sales by year PivotChart.
- C. Modify the Report Connections of the slicer.
- D. Remove all the fields from the Filters area of the sales by year PivotChart.

Answer: C

NEW QUESTION 55

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Microsoft SQL Server database servers named Production1 and Test1. Production1 contains the same tables as Test1, but only a subset of the data.

You add Test1 as a data source, and you select 10 tables. You configure several transformations. You need to connect the model to the tables in Production1. The solution must maintain the existing transformations.

Solution: You delete the existing queries, and then you add new data sources. Does this meet the goal?

- A. yes
- B. No

Answer: B

NEW QUESTION 58

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions

will not appear in the review screen.

You have two Microsoft SQL Server database servers named Production1 and Test1. Production1 contains the same tables as Test1, but only a subset of the data.

You add Test1 as a data source, and you select 10 tables. You configure several transformations. You need to connect the model to the tables in Production1. The solution must maintain the existing transformations.

Solution: From Query Editor, you edit the source of each table query. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 59

You have the PivotTable shown in the following exhibit.

LineTotal	All
Row Labels	Sum of LineTotal
AWC Logo Cap	61.63623912
Bike Wash - Dissolver	71.96453572
Chain	48.576
Classic Vest, M	431.8
Classic Vest, S	602.90075
Front Brakes	219.0857142
Front Derailleur	237.874
Half-Finger Gloves, L	186.124
Half-Finger Gloves, M	127.348
Half-Finger Gloves, S	117.552
Hitch Rack - 4-Bike	576
HL Bottom Bracket	546.705
HL Crankset	1457.964
Grand Total	4685.530239

You need to display only rows in the PivotTable in which the sum of LineTotal is greater than 100. What should you do?

- A. From Row Label, configure a Label filter.
- B. Add a slicer for LineTotal and select the values from the slicer.
- C. From Row Label, configure a Value Filter.
- D. Add LineTotal to the Filters area of PivotTable Field
- E. Configure the Filters value.

Answer: B

NEW QUESTION 62

From a workbook query, you import a table that has the following data.

City	StateProv	Country
Montreal, Canada	QC	CA
Toronto, Canada	ON	CA
Seattle, Washington	WA	US
Miami, Florida	FL	US

You need to configure the table to appear as shown in the following table.

City	StateProv	Country
Montreal	QC	CA
Toronto	ON	CA
Seattle	WA	US
Miami	FL	US

What should you do?

- A. From the Format menu, click Trim.
- B. From the Format menu, click Clean.
- C. From the Split Column menu, click By Delimiter.
- D. From the Extract menu, click Last Characters.

Answer: A

NEW QUESTION 63

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario.

You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit. (Click the Exhibit button.)


Data Sample exhibit:

DailyRepairs						Workshops			
Date	WorkshopID	RepairTypeID	Hours	Revenue		ID	Workshop Name	Workshop Manager	Manager Since
2016-10-01	1	4	2	£	432	1	Cambridge	Alex Hankin	2
2016-10-01	6	8	16	£	4,144	2	Bedford	Ben Miller	2
2016-10-01	3	6	12	£	564	3	Camden	Karl Furze	2
2016-10-01	6	5	4	£	1,680	4	Belsize	Ron Gabel	2
2016-10-01	5	4	12	£	1,968	5	Reading	Josh Edwards	2
2016-10-01	3	4	14	£	854	6	Kilburn	Karen Toh	2
2016-10-01	2	4	15	£	3,030	6	Kilburn	Eva Corets	2
2016-10-01	1	1	0	£	-				

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

ID	Repair Type
1	Engine
2	Radiator
3	Gearbox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



The tables in the model contain the following data:

- DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue column.
- Workshops have a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.
- RepairTypes has a list of all the repair types
- Dates has a list of dates from 2015 to 2018

End of repeated scenario.

You need to create a PivotChart that displays the month, the hours of the month, and the hours of the previous month, as shown in the following exhibit.

Row Labels	Total Hours	Total Hours Last Month
Oct '16	9,265	
Nov '16	9,152	9,265
Dec '16	9,196	9,152
Jan '17	9,392	9,196
Feb '17	8,809	9,392
Mar '17	7,585	8,809
Grand Total	53,399	53,399

Which DAX formula should you use for the Total Hours Last Month measure? To answer, drag the appropriate fields to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

VALUES

BLANK

CALCULATE

DATEADD

DATESBETWEEN

IF

NULL

-1

1

ANSWER AREA

Value

(ISBLANK([Total Hours]),

Value

([Total Hours],

Value

(tblDates[Date],

Value

(-1,MONTH)))

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

IF (ISBLANK([Total Hours]),BLANK(), CALCULATE([total Hours], DATEADD(tblDates(Date), -1,MONTH)))

NEW QUESTION 68

You have a workbook query that loads data from a table named Products. Products contains a column named InternalPrice that has a Data Type of Decimal. From Query Editor you create a custom column named ResellerPrice that uses a formula to multiply InternalPrice by 1.2, and then you remove the InternalPrice

column.


What will occur when you load the data to a worksheet?

- A. All the columns except InternalPrice will load to the worksheet The values in ResellerPrice will be correct.
- B. An error message will appear and all the data will fail to load.
- C. An error message will appear and all the columns except InternalPnce and ResellerPrice will load to the worksheet.
- D. All the columns except InternalPrice will load to the workshee
- E. The values in ResellerPrice will be null.

Answer: D

NEW QUESTION 69

You have the data model shown in the exhibit.



You need to create a hierarchy from DimProductSubcategory[ProduaSubcategoryName]andDimProduct[ProductName]. What should you do before you create the hierarchy?

- A. Create a relationship between the table
- B. To DimProductSubcategory, add a calculated column named ProductName that uses the LOOKUPVALUE(DimProduct[ProductName],DimProduct[ProductKey],[ProductKey]) DAX formula.
- C. To DimProduct, add a calculated column named ProductSubcategoryName that uses the LOOKUPVALUE(DimProductSubcategory [ProductSubcategoryName],DimProductSubcategory[ProductCategoryKey],[ProductSubcategoryKey]) DAX formula.
- D. Create a relationship between the table
- E. To DimProduct, add a calculated column named ProductSubcategoryName that uses the RELATEDTABLE (DimProductSubcategory[ProductSubcategoryName]) DAX formula.
- F. To DimProduct, add a calculated column named ProductSubcategoryName that uses the VALUES(DimProductSubcategory[ProductSubcategoryName]) DAX formula.

Answer: B

NEW QUESTION 70

You have an Excel workbook that contains two tables named User and Activity. You plan to publish the workbook to the Power BI service.

Users will use Q&A in the Power BI service to perform natural language queries.

You need to ensure that the users can query the term employee and receive results from the User table. What should you do before you publish to Power BI?

- A. From the Power Pivot model, edit the synonyms.
- B. From PowerPivot Settings, modify the language options.
- C. From PowerPivot Settings modify the categorization options.
- D. From Workbook Connections, add a connection.

Answer: B

NEW QUESTION 75

You have a table named AnnualSales. A sample of the data in AnnualSales is shown in the following table.

Year	BrandName	ChannelName	PromotionType	Total Sales
2007	Contoso	Catalog	No Discount	1,000,000
2007	Contoso	Online	Seasonal Discount	2,499,864
2007	Fabrikam	Store	No Discount	7,665,666
2007	Fabrikam	Reseller	Seasonal Discount	3,666,845

You need to create a PivotTable as shown in the exhibit. (Click the Exhibit tab.)

Sum of TotalSales	Column Labels		
Row Labels	2007	2008	Grand Total
Catalog			
No Discount	1000000	1100000	2100000
Seasonal Discount	500000	660000	1160000
Catalog Total	1500000	1760000	3260000
Online			
No Discount	2499864	2465864	4965728
Seasonal Discount	499864	2445464	2945328
Online Total	2999728	4911328	7911056
Reseller			
No Discount	3666	36606	40272
Seasonal Discount	333266	36776	370042
Reseller Total	336932	73382	410314
Store			
No Discount	7665666	7667889	15333555
Seasonal Discount	3365666	7699889	11065555
Store Total	11031332	15367778	26399110
Grand Total	15867992	22112488	37980480

How should you configure the Rows area and the Columns area in PivotTable Fields? To answer, drag the appropriate fields to the correct areas. Each field may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Fields

BrandName

PromotionType

Total Sales

Answer Area

Columns:

Field

Rows:

Field

Field

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Fields

BrandName

PromotionType

Total Sales

Answer Area

Columns:

Year

Rows:

PromotionType

Total Sales

NEW QUESTION 77

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit.


Data Sample exhibit:

DailyRepairs					Workshops			
Date	WorkshopID	RepairTypeID	Hours	Revenue	ID	Workshop Name	Workshop Manager	Manager Since
2016-10-01	1	4	2	£ 432	1	Cambridge	Alex Hankin	2
2016-10-01	6	8	16	£ 4,144	2	Bedford	Ben Miller	2
2016-10-01	3	6	12	£ 564	3	Camden	Karl Furse	2
2016-10-01	6	5	4	£ 1,680	4	Belsize	Ron Gabel	2
2016-10-01	5	4	12	£ 1,968	5	Reading	Josh Edwards	2
2016-10-01	3	4	14	£ 854	6	Kilburn	Karen Toh	2
2016-10-01	2	4	15	£ 3,030	6	Kilburn	Eva Corets	2
2016-10-01	1	1	0	£ -				

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

ID	Repair Type
1	Engine
2	Radiator
3	Gearbox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



The tables in the model contain the following data:

- DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue column.
- Workshops have a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.
- RepairTypes has a list of all the repair types
- Dates has a list of dates from 2015 to 2018

End of repeated scenario.

When you attempt to create a relationship between DailyRepairs and Workshops, Power Pivot generates the following error message: “The relationship cannot be created because each column contains duplicate values. Select at least one column that contains only unique values”.

You need to ensure that you can create a valid relationship between the tables. What should you do?

- In the Power Pivot model, change the data type for Workshop[ID] to General
- In the workbook query for Workshops, add an index column
- In the Power Pivot model, change the Table Behavior setting for Workshops
- In the workbook query for Workshops, filter [IsLatest] to equal 1

Answer: C

Explanation:

References: [https://msdn.microsoft.com/en-us/library/hh560544\(v=sql.110\).aspx](https://msdn.microsoft.com/en-us/library/hh560544(v=sql.110).aspx)

NEW QUESTION 79

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Microsoft SQL Server database servers named Production1 and Test1. Production1 contains the same tables as Test1. but only a subset of the data.

You add Test1 as a data source, and you select 10 tables. You configure several transformations. You need to connect the model to the tables in Production1. The solution must maintain the existing transformations.

Solution You create a new connection to Production1, and then you import the tables. Does this meet the goal?

- yes
- No

Answer: B

NEW QUESTION 83

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario.

You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A

Data Sample exhibit:


DailyRepairs				
Date	WorkshopID	RepairTypeID	Hours	Revenue
2016-10-01	1	4	2	£ 432
2016-10-01	6	8	16	£ 4,144
2016-10-01	3	6	12	£ 564
2016-10-01	6	5	4	£ 1,600
2016-10-01	5	4	12	£ 1,968
2016-10-01	3	4	14	£ 854
2016-10-01	2	4	15	£ 3,030
2016-10-01	1	1	0	£ -

ID	Workshop Name	Workshop Manager	Manager Since	Interest
1	Cambridge	Alice Hamilton	2012-11-10	1
2	Bedford	Ben Miller	2015-04-22	1
3	Camden	Karl Furse	2015-08-23	1
4	Belknap	Don Gebel	2016-03-14	1
5	Reading	Josh Edwards	2009-11-07	1
6	Kilburn	Karen Toh	2012-02-25	1
6	Kilburn	Eva Coratti	2009-06-06	0

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

ID	Repair Type
1	Engine
2	Radiator
3	GearBox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



• DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue column.

- Workshops have a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.

- ▶ RepairTypes has a list of all the repair types

- ▶ Dates has a list of dates from 2015 to 2018

End of repeated scenario.

To the Dates table, you need to add a calculated column named Months Ago. Months Ago must display the number of calendar months before the current month. For example, if the current date is July 10, 2017, the Value of Months Ago will be 0 for all the dates in July 2017, 1 for all the dates in June 2017, and 2 for all the dates in May 2017.

How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

(TODAY())-MONTH([Date])+(YEAR(
)-[Year])*12)

CALCULATE
DATEDIFF
MONTH
YEAR

DATE
DATESYTD
DATEVALUE
TODAY

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: MONTH

Box 2: TODAY

References:

<https://msdn.microsoft.com/en-us/library/ee634914.aspx> <https://msdn.microsoft.com/en-us/library/ee634567.aspx> <https://msdn.microsoft.com/en-us/library/ee634554.aspx>

NEW QUESTION 84

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Excel workbook that contains a table named Table1. A sample of the data in Table1 is shown in the following table.

ProductID	ProductName	ProductCategory	ProductSubCategory	Price
1	Product1	Category1	Subcategory1	10.22
2	Product2	Category1	Subcategory1	10.44
3	Product3	Category1	Subcategory1	10.33
4	Product4	Category1	Subcategory2	11.19
5	Product5	Category1	Subcategory2	11.19
6	Product6	Category2	Subcategory3	10.15
7	Product7	Category2	Subcategory3	10.77
8	Product8	Category2	Subcategory3	10.55
9	Product9	Category2	Subcategory4	10.19
10	Product10	Category2	Subcategory4	10.88

You need to create a PivotTable in PowerPivot as shown in the exhibit.

Row Labels	Sum of Price
Category1	
Subcategory1	
Product1	10.22
Product2	10.44
Product3	10.33
Subcategory1	
Total	30.99
Subcategory2	
Product4	11.19
Product5	11.19
Subcategory2	
Total	22.38
Category1 Total	53.37
Category2	
Subcategory3	
Product6	10.15
Product7	10.77
Product8	10.55
Subcategory3	
Total	31.47
Subcategory4	
Product10	10.88
Product9	10.19
Subcategory4	
Total	21.07
Category2 Total	52.54
Grand Total	105.91

Solution: You create a hierarchy named Products that contains ProductCategory, ProductSubCategory, and ProductName. You add a PivotTable. You drag Products to the Rows field. You drag Price to the Values field. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Hierarchy Products that contains ProductCategory, ProductSubCategory, and ProductName
https://www.tutorialspoint.com/excel_power_pivot/excel_power_pivot_hierarchies.htm

NEW QUESTION 86

You have 12 sales reports stored in a folder as CSV files. Each report represents one month of sales data for a year. The reports have the same structure. You need to analyze the entire year of sales data.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Edit the query, and then click **Combine Binaries**.

Click **From Folder**, and then add the folder path.

Click **From CSV**, and then select the first file in the folder.

Edit the query, and then click **Append Queries**.

From the Data tab, create a new query.

From the Power Pivot tab, click **Add to Data Model**.

Answer Area

>

<

<

>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Click From CSV, and then select the first file in the folder. Edit the query, and then click Append Queries.
From the Power Pivot tab, click Add to Data Model.


NEW QUESTION 91

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario.

You have six workbook queries that each extracts a table from a Microsoft Azure SQL database. The tables are loaded to the data model, but the data is not loaded to any worksheets. The data model is shown in the Data Model exhibit. (Click the Exhibit button.)

Exhibit:



Your company has 100 product subcategories and more than 10,000 products. End of repeated scenario.

You plan to use the DAX time intelligence functions of DATEADD and DATESMTD. You need to ensure that the functions return the correct data. What should you do first?

- A. Delete and recreate the relationship between FactSales and DimDate.
- B. Change the Data Type of FactSales[DateKey].
- C. Mark DimDate as the date table.
- D. Change the Data Type of DimDate[DateKey].

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/sql/analysis-services/lesson-3-mark-as-date-table?view=sql-analysis-services-2>

NEW QUESTION 93

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario


You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit.

DailyRepairs						Workshops			
Date	WorkshopID	RepairTypeID	Hours	Revenue		ID	Workshop Name	Workshop Manager	Manager Since
2016-10-01	1	4	2	£	432	1	Cambridge	Alex Hankin	2
2016-10-01	6	8	16	£	4,144	2	Bedford	Ben Miller	2
2016-10-01	3	6	12	£	564	3	Camden	Karl Furze	2
2016-10-01	6	5	4	£	1,680	4	Belsize	Ron Gabel	2
2016-10-01	5	4	12	£	1,968	5	Reading	Josh Edwards	2
2016-10-01	3	4	14	£	854	6	Kilburn	Karen Toh	2
2016-10-01	2	4	15	£	3,030	6	Kilburn	Eva Corets	2
2016-10-01	1	1	0	£	-				

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

ID	Repair Type
1	Engine
2	Radiator
3	Gearbox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit.



The tables in the model contain the following data:

DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue are two measures defined in DailyRepairs. Total Hours sums the Hours column, and Total Revenue sums the Revenue column.

Workshops has a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.

RepairTypes has a list of all the repair types. Dates has a list of dates from 2015 to 2018. End of repeated scenario.

You create a measure named Average Revenue Per Hour that calculates the average revenue per hour.

You need to populate a cell in a worksheet to display the Average Revenue Per Hour where Repair Type is Engine.

Which Excel formula should you use?


- A. =CUBEVALUE("ThisWorkbookDataModel",[DailyRepairs].[Avg Revenue Per Hour],CUBEVALUE("ThisWorkbookDataModel",[Dimensions].[Repair Type].[Engine]))
- B. =CUBEVALUE("ThisWorkbookDataModel",[Measures].[Avg Revenue Per Hour],CUBEVALUE("ThisWorkbookDataModel",[Dimensions].[Repair Type].[Engine]))
- C. =CUBEVALUE("ThisWorkbookDataModel",[DailyRepairs].[Avg Revenue Per Hour],CUBEVALUE("ThisWorkbookDataModel",[RepairTypes].[Repair Type].[Engine]))
- D. =CUBEVALUE("ThisWorkbookDataModel",[Measures].[Avg Revenue Per Hour],CUBEVALUE("ThisWorkbookDataModel",[RepairTypes].[Repair Type].[Engine]))

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: D

NEW QUESTION 97

You have the Excel worksheet shown in the exhibit.



You need to transform the data by using Query Editor. What should you do first?

- A. From the Data tab, Click From Table/Range.
- B. From the Insert tab, Click Store.
- C. From the Data tab, Click Flash Fill.
- D. From the Data tab, Click Consolidate.

Answer: A

Explanation:

Excel uses a dedicated Query Editor to facilitate and display data transformations. When you select Data > Get Data, then select the data source, such as a workbook, or a database, the Navigator window appears so you can select which table (or tables) you want to use in your query. When you select a table, a preview of its data is shown in the right pane of the Navigator window.

<https://support.office.com/en-us/article/getting-started-with-get-transform-in-excel-2016-a8310388-2a12-438c-9>

NEW QUESTION 99

You have two queries named Client and Invoices. A sample of Client is shown in the following table.

ClientID	ClientName
1	Client1
2	Client2
3	Client3
4	Client4

A sample of Invoices is shown in the following table.

InvoiceID	ClientID	InvoiceDate	InvoiceAmount
1	1	07-07-2017	15.99
2	1	07-09-2017	20.88
3	2	08-17-2017	5.03
4	3	08-24-2017	8.98

You need to create a new table that has the following information.

ClientID	ClientName	InvoiceID	ClientID.1	InvoiceDate	InvoiceAmount
1	Client1	1	1	07-07-2017	15.99
1	Client1	2	1	07-09-2017	20.88
2	Client2	3	2	08-17-2017	5.03
3	Client3	4	3	08-24-2017	8.98
4	Client4	null	null	null	null

Which join kind should you use?

- A. Inner
- B. Left Outer
- C. Right Anti
- D. Left Anti

Answer: B

Explanation:

<https://www.excelguru.ca/blog/2015/12/16/merge-tables-using-outer-joins-in-power-query/>

NEW QUESTION 103

You have a query that retrieves customers and their locations. You have a sample of the data as shown in the following table.

Customer	Locations
Customer A	FL, TX
Customer B	CA, TX
Customer C	FL, TX, GA

Additional customers and locations are added frequently.

You need to transform the data as shown in the following table.

Customer	Locations
Customer A	FL
Customer A	TX
Customer B	CA
Customer B	TX
Customer C	FL
Customer C	TX
Customer C	GA

What should you do?

- A. Select the Locations columns and then select Split Column by Delimited
- B. Use a comma as the delimiter and split into rows.
- C. Select the Locations columns and then select Split Column by Delimited
- D. Use a comma as the delimiter and split into columns.
- E. Select the Customer columns, and then click Unpivot Columns.
- F. Select the Customer columns, and then click Unpivot Other Columns.

Answer: A

NEW QUESTION 108

You have a date column named [Date] in the format of mm-dd-yyyy.

You need to create a column named Quarter that displays the yearly quarter. A sample of the desired data is shown in the following table.

Date	Quarter
01-01-2017	Qtr 1
03-30-2017	Qtr 1
04-01-2017	Qtr 2
06-30-2017	Qtr 2
07-01-2017	Qtr 3
09-30-2017	Qtr 3
10-01-2017	Qtr 4
12-31-2017	Qtr 4

How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

"Qtr " & ROUNDUP(DATE ([Date]) / 3 ,0)

DATE
DATESMTD
MONTH
YEAR

3
4
12
52

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

MONTH3

= "Qtr " & ROUNDUP(MONTH([Date])/3,0)

= "Qtr " & ROUNDUP(MONTH([Date])/3,0)

<http://www.decisivedata.net/blog/quickly-create-week-month-quarter-and-year-fields-from-a-date-using-dax>

NEW QUESTION 112

You have an Excel workbook that has the following two workbook queries:

- * A query named Consultants that retrieves a table named Consultants_Contact from a Microsoft SQL Server database
- * A query named Employees that retrieves a table named Employee_Contact from a Microsoft Azure SQL database

Both tables have the same columns.

You need to combine all the data from Consultants and Employees into one table. Which command should you use?

- A. Transpose
- B. Merge Queries
- C. Combine Binaries
- D. Append Queries

Answer: D

Explanation:

Append is similar to UNION ALL in T-SQL.

Append Queries will NOT remove duplicates. You have to use Group By or Remove Duplicate Rows to get rid of duplicates.

Merge is similar to JOIN in T-SQL

<http://radacad.com/append-vs-merge-in-power-bi-and-power-query>

NEW QUESTION 117

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power Pivot model that contains the following tables.

Table name	Column name
Products	ProductID
	ProductName
	Price
	ProductCategoryID
ProductCategory	ProductCategoryID
	ProductCategoryName

There is a relationship between Products and ProductCategory.

You need to create a hierarchy in Products that contains ProductCategoryName and ProductName.

Solution: You create a measure that uses the ISCROSSFILTERED DAX function Does this meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 121

You have a table named Sales that has three columns named OrderDate, OrderNumber, and SalesAmount. You need to create the PivotTable as shown in the following table.

OrderDate (Month)	Sum of SalesAmount
Dec	\$33,077.00
Nov	\$30,180.00
Oct	\$29,295.00
Sep	\$26,520.00
Aug	\$25,513.00
Jul	\$23,591.00
Jun	\$21,000.00
May	\$19,809.00
Apr	\$17,340.00
Mar	\$16,027.00
Feb	\$12,856.00
Jan	\$35,495.00

What should you use?

A. KPIs

B. sparklines

C. conditional formatting

D. banded rows

Answer: A

NEW QUESTION 123

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions

will not appear in the review screen. You have the following data.

OrderDate	OrderNumber	ProductName	OrderQuantity
1/28/2018	998989	Product1	10
1/28/2018	998990	Product1	22
1/28/2018	998991	Product2	21
1/29/2018	998992	Product3	43
1/29/2018	998993	Product2	56
1/29/2018	998994	Product3	12

You need to retrieve a list of the unique ProductName entries.

Solution: Create a PivotTable that uses the ProductName field in the Values area. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 124

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-779 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-779-dumps.html>