

Exam Questions 70-778

Analyzing and Visualizing Data with Microsoft Power BI (beta)

<https://www.2passeasy.com/dumps/70-778/>



NEW QUESTION 1

You have a sales report in an app workspace. The report displays a map of sales by location and a bar chart of sales by year. The report has a slicer to filter the data by year.

You need to create a dashboard that contains visualizations. The solution must ensure that you can use the slicer to filter the data by year.

What should you do?

- A. Pin each visualization to the dashboard, and then add a web content tile.
- B. Add a page level filter, and then pin each visualization to the dashboard.
- C. Publish the app workspace.
- D. Pin the report as a live page.

Answer: D


Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-dashboard-pin-live-tile-from-report>

NEW QUESTION 2

You have two tables named CustomerVisits and Date in a Power BI model.

You create a measure to calculate the number of customer visits. You use the measure in the report shown in the exhibit. (Click the Exhibit.)



You discover that the total number of customer visits was 60,000, and that there were only 5,000 customer visits in August.

You need to fix the report to display the correct data for each month. What should you do?

- A. Create a relationship between the CustomerVisits table and the Date table.
- B. Create a hierarchy in the Date table.
- C. Modify the measure to use the CALCULATE DAX function.
- D. Modify the measure to use the SUM DAX function.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships> <https://docs.microsoft.com/en-us/power-bi/desktop-tutorial-create-measures>

NEW QUESTION 3

You create a report in the Power BI service.

You plan to provide external users with access to the report in the blog post will be updated as the data is refreshed.

What should you do in the Power BI service?

- A. Publish the app workspace to the entire organization.
- B. In the blog post, use the URL of the workspace.
- C. Share the report.
- D. In the blog post, use the URL of the dashboard.
- E. Publish the report to the web.
- F. In the blog post, use the embed code URL.
- G. In the blog post, use the URL of the report.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-publish-to-web>

NEW QUESTION 4

You have an app workspace named Retail Analysis in the Power BI service. You need manage the members that have access to the app workspace. What should you do?

- A. From the Power BI Admin portal, click Usage metrics.
- B. From the Office 365 Admin center, click Users.
- C. From the Office 365 Admin center, click Groups.
- D. From the Power BI Admin portal, click Tenant settings.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-manage-app-workspace-in-power-bi-and-office-365>

NEW QUESTION 5

You use Power BI Desktop to create a visualization for a Microsoft SQL Server data source. You need to ensure that you can use R visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Download and install Microsoft R Server.
- B. Download and install RStudio Server on the computer that has Power BI Desktop installed.
- C. Install SQL Server R Services on the server that runs SQL Server.
- D. Enable R Scripting on the computer that has Power BI Desktop installed.
- E. Download and install Microsoft R on the computer that has Power BI Desktop installed.

Answer: E

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-r-visuals>

NEW QUESTION 6

You have a query that uses a Microsoft Excel data source. The data source contains the following table.

GeoCode	CustomerCount	2014	2015	2016	2017
MA	2300	38885900	40830195	46954724.25	49302460.46
SD	1200	3993773.76	4193461.65	3983788.56	4182977.99
PA	340	89433932.54	93905628.6	98600910.03	103530955.5
NC	890	2000243.76	2100255.15	2289278.15	2403742.01
US	7777	6994777.75	7344515.85	9180644.81	9639677.05

You need the data to appear as shown in the following table.

GeoCode	CustomerCount	Attribute	Value
MA	2300	2014	38885900
MA	2300	2016	46954724.25
MA	2300	2017	49302460.46
SD	1200	2014	3993773.76
SD	1200	2015	4193461.65
SD	1200	2016	3983788.56
SD	1200	2017	4182977.99
PA	340	2014	89433932.54
PA	340	2015	93905628.6
PA	340	2016	98600910.03
PA	340	2017	103530955.5
NC	890	2014	2000243.76
NC	890	2015	2100255.15
NC	890	2016	2289278.15
NC	890	2017	2403742.01
US	7777	2014	6994777.75
US	7777	2015	7344515.85
US	7777	2016	9180644.81
US	7777	2017	9639677.05

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Columns to select:

GeoCode only
GeoCode and CustomerCount
2014, 2015, 2016, and 2017

Command to use:

Pivot Column
Reverse Rows
Unpivot Columns

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Columns to select:


GeoCode only
GeoCode and CustomerCount
2014, 2015, 2016, and 2017

Command to use:

Pivot Column
Reverse Rows
Unpivot Columns

NEW QUESTION 7

You are creating a report in Power BI Desktop that has two visualizations on a page as shown in the following exhibit.



You need to ensure that when you click the bar of a country, only the values for that country are shown on the Revenue by Year and Manufacturer chart.

- A. Click the Revenue by Year and Manufacturer char
- B. On the Format tab, click Edit Interaction
- C. On the Units by Country chart, click Filter.
- D. Click the Revenue by Year and Manufacturer char
- E. On the Format tab, click Edit Interaction
- F. On the Units by Country chart, click Highlight.
- G. Click the Units by Country char
- H. On the Format tab, click Edit Interaction
- I. On the Revenue by Year and Manufacturer chart, click Filter.

- J. Click the Units by Country char
- K. On the Format tab, click Edit Interaction
- L. On the Revenue by Year and Manufacturer chart, click Highlight.

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/power-bi/service-reports-visual-interactions>

NEW QUESTION 8

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0. Solution: From Query Editor, select the CustomerID column and click Replace Errors. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-shape-and-combine-data>

NEW QUESTION 9

You have a Power BI report that displays a bar chart and a donut chart on the same page. The bar chart shows the total sales by year and the donut chart shows the total sale by category.

You need to ensure that when you select a year on the bar chart, the donut remains unchanged. What should you do?

- A. Set a visual level filter on the bar chart.
- B. Edit the interactions form the Format menu.
- C. Set a visual level filter on the donut chart.
- D. Add a slicer to the page that uses the year column.

Answer: B

Explanation:

References: <https://www.excelguru.ca/blog/2016/11/23/visual-interactions-in-power-bi/>

NEW QUESTION 10

You have a Power BI model for sales data. You create a measure to calculate the year-to-date sales.

You need to compare the year-to-date sales with the previous year for the same time period. Which DAX function should you use?

- A. LASTDATE
- B. TOTALYTFD
- C. SAMEPERIOOLASTYEAR
- D. PREVIOUSYEAR

Answer: C

NEW QUESTION 10

You have a Power BI model that contains the following tables:

Sales (Sales_ID, DateID, sales_amount)

Date (DateID, Date, Month, week, Year)

The tables have a relationship. Date is marked as a date table in the Power BI model. You need to create a measure to calculate the sales for the last 12 months. Which DAX formula should you use?

- A. CALCULATEx(SUM(sales[sales_amount]) DATESYTD ('Date' [Date]))
- B. CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR ('Date' [Date]))
- C. SUM(sales[sales_amount])-CALCULATE(SUM(sales[sales_amount]), SAMEPERIODLASTYEAR('Date'[Date]))
- D. SUM(sales[sales_amount])-CALCULATE(SUM(sales[sales_amount]),DATESYTD('Date'[Date]))

Answer: C

Explanation:

References:
<https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://docs.microsoft.com/en-us/power-bi/desktop-quickstart-learn-dax-basics>
<https://msdn.microsoft.com/en-us/library/ee634972.aspx>

NEW QUESTION 13

Your company plans to use Power BI for 20 users in the sales department. The users will perform the following tasks:

- Access a published Power BI app
- Modify reports in an app workspace

Share dashboards created in My Workspace

You need to identify which Power BI licenses are required for the tasks. The solution must use the Power BI (free) licenses, whenever possible.

Which license should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Access a published Power BI app:

☐

Power BI (free)

Power BI PRO

Modify report in an app workspace:

☐

Power BI (free)

Power BI PRO

Share dashboards created in My Workspace:

☐

Power BI (free)

Power BI PRO

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-create-distribute-apps> <https://docs.microsoft.com/en-us/power-bi/service-collaborate-power-bi-workspace>

NEW QUESTION 14

You have a Power BI model that contains the following two tables:

Sales(Sales_ID, sales_date, sales_amount, CustomerID)

Customer(CustomerID, First_name, Last_name)

There is a relationship between Sales and Customer.

You need to create a measure to rank the customers based on their total sales amount. Which DAX formula should you use?

- A. RANKX(ALL(Sales), SUMX(RELATEDTABLE(Customer), [Sales_amount]))
- B. TOPN(ALL(customer), SUMX(RELATEDTABLE(Sales), [Sales_amount]))
- C. RANKX(ALL(customer), SUMX(RELATEDTABLE(Sales), [Sales_amount]))
- D. RANK.EQ(Sales[sales_amount], Customer[CustomerID])

Answer: A

Explanation:

References: <https://msdn.microsoft.com/query-bi/dax/rankx-function-dax>

NEW QUESTION 17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User1. User1 is a member of a security group named Contoso PowerBI. User1 has access to a workspace named Contoso Workspace.

You need to prevent User1 from exporting data from the visualizations in Contoso Workspace.

Solution: From the Microsoft Office 365 Admin center, you remove User1 from the All Users security group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 18

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app workspace that contains a report. The report contains sensitive data.

You need to ensure that you can embed the report into a custom application that will be accessed by external users. The external users will NOT have a Microsoft Azure Active Directory user account or Power BI licenses.

Solution: Purchase Power BI Premium P1, and then configure the app workspace to run in a dedicated capacity.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/developer/embed-sample-for-customers>

NEW QUESTION 22

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Datetime
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Datetime
	Store_ID	Varchar(100)
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain data information:

Date[Month] in the mmyyyy format

Date[Date_ID] in the ddmmyyyy format

Date[Date_name] in the mm/dd/yyyy format

Monthly_returns[Month_ID] in the mmyyyy format

The Order table contains more than one million rows.

The Store table has relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI desktop to create an analytics solution for the data.

End of repeated scenario.

You need to configure a KPI indicator to show the monthly sales of a store versus the target sales of the store. How should you configure the KPI indicator? To answer, drag the appropriate column to the correct fields.

Each column may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

COLUMNS

Date[Date_name]

Date[Month]

Order[Order_amount]

Order[Order_ID]

Store[Sales-target]

Indicator:

COLUMNS

Trend axis:

COLUMNS

Target goals:

COLUMNS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Indicator : Order[Order_amount] Trend axis = Date[Month]

Target goals = Store[Sales-target]

References:

<https://powerbi.microsoft.com/en-us/guided-learning/powerbi-service-tutorial-kpi/#how-to-create-a-kpi>

NEW QUESTION 26

You have a Power Pivot model that includes a KPI.

You need to create a visualization based on the Power Pivot model as shown in the exhibit. (Click the Exhibit button.)

Year	Month	RevenueTY	RevenueTY Goal	RevenueTY Status
2013	August	\$4,689,121	\$4,521,528	●
	September	\$5,284,376	\$5,455,457	●
	October	\$5,962,371	\$6,418,957	●
	November	\$5,532,316	\$5,770,254	●
	December	\$6,714,041	\$6,771,982	●
2014	January	\$6,748,259	\$6,924,711	●
	February	\$6,999,557	\$7,328,599	●
	March	\$8,938,044	\$8,196,823	●
	April	\$8,518,611	\$8,142,711	●
	May	\$7,982,229	\$7,817,442	●
	June	\$9,183,416	\$9,227,351	●
	July	\$7,451,696	\$7,593,963	●
	August	\$8,068,372	\$7,791,851	●
	September	\$7,669,263	\$7,919,924	●
	October	\$7,813,739	\$7,592,288	●
	November	\$10,322...	\$9,857,259	●

Which type of visualization should you use?

- A. matrix
- B. KPI
- C. multi row card
- D. table

Answer: B

NEW QUESTION 30

You have a Power BI model that has the following tables:

Sales (Order_id, Order_Date, Product_id, Salesperson_id, Sales_Amount)

Salesperson (Salesperson_id, Salesperson_name, address)

Product (Product_id, Product_Name)

You need to create the following relationships:

Sales to Product

Sales to Sales person

You need to ensure that you can create a report that displays the count of products sold by each salesperson. How should you configure the relationships? To answer, drag the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Cardinality:

▼

Many to One(*:1)

One to Many (1:*)

One to One (1:1)

Cross filter direction:

▼

Both

Single

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 34

In the Power BI service, you create an app workspace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards. What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 38

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization.

You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gateway
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gateway
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes>

NEW QUESTION 42

You have a Power BI model for sales data. You create a measure to calculate the year-to-date sales. You need to compare the year-to-date sales with the previous year for the same time period. Which DAX function should you use?

- A. DATE ADD
- B. LASTDATE
- C. ENDOFYEAR
- D. PREVIOUSYEAR

Answer: D

NEW QUESTION 44

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships: The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and FILTER DAX functions. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/ee634966.aspx> <https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://msdn.microsoft.com/en-us/library/ee634791.aspx>

NEW QUESTION 48

You plan to deploy a Power BI app workspace that will be viewed by 10,000 users. You need to ensure that dashboard data can be updated every 30 minutes. What should you do?

- A. Assign each user a Power BI Pro license.
- B. Store the dataset in Microsoft Azure Storage that uses the Premium storage tier.
- C. Create the app workspace by using an account that is assigned a Power BI Pro license.
- D. Configure the app workspace for Premium capacity.

Answer: D

Explanation:


References: <https://docs.microsoft.com/en-us/power-bi/service-premium>

NEW QUESTION 49


Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario.

You are implementing the Power BI model.

You need to edit the Product Category query to match the desired Power BI model.

How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
Table.Combine	let
Table.RemoveColumns	Source = Sql.Database("localhost"),
Table.RemoveRows	DB1 = Source([Name="DB1"])[Data],
Table.RenameColumns	dbo_DimProductCategory = DB1[Schema="dbo",Item="DimProductCategory"][Data],
Table.ReorderColumns	#"Var1" = Value (dbo_DimProductCategory, {"ProductCategoryAlternateKey",
Table.SelectColumns	"SpanishProductCategoryName", "FrenchProductCategoryName"})
	#"Var2" = Value (#"Var1", {"EnglishProductCategoryName", "Category"})
	in
	#"Var2"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table.RemoveColumns

Box 2: Table.RenameColumns References:

<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

NEW QUESTION 54

You have a workspace that contains 10 dashboards. A dashboard named Sales Data from two datasets. You discover that users are unable to find data on the dashboard by using natural language queries. You need to ensure that the users can find data by using natural language queries.

What should you do?

- A. From the settings of the workspace, modify the Language Settings.
- B. From the properties of the dashboard, modify the Q&A settings.
- C. From the Sales Data dashboard, modify the dashboard as a Favorite.
- D. From the properties of the datasets, modify the Q&A and Cortana settings.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 55

Your company has a custom line-of-business application named SalesApp.

The developers of SalesApp want to push data into the Power BI service to create several visualizations. You need to ensure that the developers can push the data from SalesApp to the Power BI service.

What should you do?

- A. Go to portal.azure.com and create a web app.
- B. Go to dev.powerbi.com/apps and register an application.
- C. Go to app.powerbi.com/admin-portal and click Publish to web.
- D. Go to app.powerbi.com and create an app workspace.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/developer/walkthrough-push-data-register-app-with-azure-ad>

NEW QUESTION 60

You have a Power BI report in an app workspace.

You plan to embed a report from the app workspace into a line-of-business application by using Power BI Embedded.

Which information should you provide to the application developers?

- A. The application token and the report URL
- B. The report URL and a user name
- C. The app workspace name and the access key
- D. The access key and the report ID

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/developer/integrate-report>

NEW QUESTION 64

You have a Power BI report that is configured to use row-level security (RLS).

You have the following roles:

A manager role that limits managers to see only the sales data from the stores they manage.

A region role that limits users to see only the data from their respective region

You plan to use Power BI Embedded to embed the report into an application. The application will authenticate the users.

You need to ensure that RLS is enforced when accessing the embedded report. What should you do?

- A. In the access token for the application, include the user name and the role name.
- B. In the access token for the application, include the report URL and the Microsoft Azure Active Directory Domain name.
- C. From dev.powerbi.com/apps, register the new application and enable the Read All Reports API access.
- D. From dev.powerbi.com/apps, register the new application and enable the Read All Groups API access.

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/developer/embedded-row-level-security>

NEW QUESTION 68

You plan to use Power BI Desktop to import 100 CSV files.

The files contain data from different stores. The files have the same structure and are stored in a network share.

You need to import the CSV files into one table. The solution must minimize administrative effort. What should you do?

- A. Add a folder data source and use the Combine Files command.
- B. Add a folder data source and use the Merge Queries command.
- C. Add a Microsoft Excel data source and use the Merge Queries command.
- D. Add text/CSV data sources and use the Append Queries command.

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-combine-binaries>

NEW QUESTION 72

You have two tables named Customer and Orders. A sample of the Data in Customer is shown in the following table.

CustomerID	CustomerName
1	Customer1
2	Customer2
3	Customer3
4	Customer4

A sample of the data in Orders is shown in the following table.

OrderID	CustomerID	OrderDate	OrderAmount
1	1	12-22-2016	1000
2	1	12-23-2016	1200
3	2	12-24-2016	1100
4	3	12-24-2016	800

You need to create the following new table.

CustomerID	CustomerName	OrderID	OrderDate	OrderAmount
1	Customer1	1	12-22-2016	1000
1	Customer1	2	12-23-2016	1200
2	Customer2	3	12-24-2016	1100
3	Customer3	4	12-24-2016	800
4	Customer4			

You must use Customer as the first table. Which join kind should you use?

- A. Right Anti
- B. Right Outer
- C. Left Anti
- D. Left Outer
- E. Inner

Answer: D

NEW QUESTION 73

You manage a Power BI model has a table named Sales and product.

You need to ensure that a sales team can view only data that has a CountryRegionName value of United States and a ProductCategory value of Clothing.

What should you do from Power BI Desktop?

- A. From Power BI Desktop, create a new role that has the following filter.[countryRegionName]= "United States" && [ProductCategory]= "Clothing"
- B. Add the following filters in Query Editor.CountryRegionName is United StatesProductCategory is Clothing
- C. From Power BI Desktop, create a new role that has the following filters.[CountryRegionName]= "United States"
- D. Add the following filters to a report.CountryRegionName is United SatesProductCategory is Clothing

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/power-bi-how-to-report-filter>

NEW QUESTION 74

You are creating a report in Power BI Desktop. You are consuming the following tables.

Total name	Column name	Data type
Sales	SalesID	Integer
	SalesDate	Datetime
	TotalPrice	Float
	CustomerID	Integer
	SalesShipDate	Datetime
	StoreID	Integer
Date	Date	Datetime
	DateKey	Integer
	DateName	Datetime
	MonthNumber	Integer
	Week	Integer
	MonthName	Varchar(3)
	Year	Integer

Date[Date] is in the mm/dd/yyyy format. Date[DateKey] is in the ddmmyyyy format. Date[MonthNumber] is in the mm format. Date[MonthName] is in the mmm format.

You create the report shown in the exhibit. (Click the Exhibit button.)



You need to ensure that the months appear in the order of the calendar. How should you sort the MonthName column?

- A. by MonthNumber
- B. ascending
- C. descending
- D. by DateKey

Answer: A


Explanation:

References:

<http://ppmworks.com/sorting-month-names-chronologically-in-microsoft-power-bi-reports/>

NEW QUESTION 76

You plan to create a Power BI report. You have the schema model shown in the exhibit. (Click the Exhibit button.)



The model has the following relationships:

- Store to District based on DistrictID
- Sales to Store based on LocationID
- Sales to Date based on PeriodID
- Sales to Item based on ItemID

You configure row-level security (RLS) so that the district managers of the stores only see the sales from the stores they manage.

When the district managers view the Store by Items report, they see items for all the stores. You need to ensure that the district managers can see items for the stores they manage only. How should you configure the relationship from Sales to Item?

- A. Select Assume Referential Integrity.
- B. Change the Cardinality to One to Many (1:*)
- C. Change the Cross filter direction to Both.
- D. Change the Cardinality to One to one (1:1).

Answer: C

Explanation:

References: <https://powerbi.microsoft.com/en-us/guided-learning/powerbi-admin-rls/>

NEW QUESTION 81

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User1. User1 is a member of a security group named Contoso PowerB1. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace. Solution: From the Power B1 Admin portal, you modify the Tenant settings.

- A. Yes
- B. No

Answer: B

NEW QUESTION 82

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service. Solution: From Excel, click Publish to Power BI, and then click Export. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 86

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User1. User1 is a member of a security group named Contoso PowerBI. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace. Solution: From the PowerBI setting, you modify the Developer Settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 90

You have the following tables.

Table name	Column name
Sales	SalesOrderID
	SalesDate
	OrderQty
	UnitPrice
	SalesAmount
	CustomerID
Customer	CustomerID
	CustomerName
	Phone
	Email

You need to create a new table that displays the top 10 customers by the total of SalesAmount.

How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Top Customers= ▼ (10, ▼

FILTER

MAX

RANKX

TOPN

CALCULATETABLE

SUMMARIZECOLUMNS

SUMMARIZE

VALUES

(Customers', 'Customers' [CustomerName]), SUM ('Sales' [SalesAmount]), DESC)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://msdn.microsoft.com/en-us/library/gg492198.aspx>

NEW QUESTION 93

You have the following tables.

Table name	Column name
Sales	SalesOrderID
	SalesDate
	OrderQty
	UnitPrice
	SalesAmount
	CustomerID
Customers	CustomerID
	CustomerName
	Phone
	Email

You need to create a new table that displays the top 10 customers by the total of SalesAmount.
How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Top Customers=

(SUM(Sales[Profit]),

CALCULATE

FILTER

TOPN

RANKX

(10, Customer, SUM(Sales[Profit])))

CALCULATE

RANKX

TOPN

VALUES

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Top Customers=

(SUM(Sales[Profit]),

CALCULATE

FILTER

TOPN

RANKX

(10, Customer, SUM(Sales[Profit])))

CALCULATE

RANKX

TOPN

VALUES

NEW QUESTION 98


Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.
You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.
You need to ensure that nonnumeric values in the CustomerID column are set to 0.
Solution: From Query Editor, select the CustomerID column. Click Replace Errors... and enter a value of 0 Does this meet the goal?

- A. Yes
 B. No

Answer: A

NEW QUESTION 102

You have a table in Power BI Desktop as shown in the following exhibit.

	Id	ABC Key	ABC 123 Value
1	1	Student	Tom
2	1	Class	101
3	1	Score	80
4	2	Student	Jane
5	2	Class	101
6	2	Score	89
7	3	Student	Larry
8	3	Class	102
9	3	Score	95
10	3	Score	70

You pivot the columns as shown in the following exhibit.

	Id	Student	Class	Score
1	1	Tom	101	80
2	2	Jane	101	89
3	3	Larry	102	Error

You need to resolve the error in row 3. The solution must preserve all the data. What should you do?

- A. Change the Data Type of the Value column.
 B. Select the Score column, and then click Remove Errors.
 C. Select the Key column, and then click Remove Duplicates
 D. Change the Aggregate Value Function of the pivot.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-common-query-tasks>

NEW QUESTION 104

You have the datasets shown in the following graphic.

NAME	ACTIONS	LAST REFRESH	NEXT REFRESH	API ACCESS
Dataset1		1/24/2018, 2:32:12 PM	N/A	Streaming
Dataset1		1/24/2018, 2:32:12 PM	N/A	Hybrid

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Note: Each selection is worth one point.

When designing a dashboard that uses Dataset1, you can use [answer choice].

	▼
only report visualizations	
only streaming data tiles	
both report visualizations and streaming data tiles	

When designing a dashboard that uses Dataset2, you can use [answer choice].

	▼
only report visualizations	
only streaming data tiles	
both report visualizations and streaming data tiles	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming>

<http://radacad.com/integrate-power-bi-into-your-application-part-6-real-time-streaming-and-push-data>

NEW QUESTION 108

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 1,000 users in a Microsoft Office 365 subscription.

A Power BI administrator named Admin1 creates 20 dashboards and shares them with 50 users. You discover that a user named User1 can access all the dashboards.

You need to prevent User1 from accessing all the dashboards.

Solution: From the Office 365 Admin center, you remove the Power BI license from User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 113

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Order table and the Store table on the Store_ID column. What should you do before you create the relationship?

- A. In the Order table query, use the Table.TrasformRows function.
- B. In the Store table query, use the Table.TrasformRows function.
- C. In the Store table query, use the Table.TrasformColumnTypes function.
- D. In the Order table query, use the Table.TrasformColumnTypes function.

Answer: C

NEW QUESTION 116

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 70-778 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 70-778 Product From:

<https://www.2passeasy.com/dumps/70-778/>

Money Back Guarantee

70-778 Practice Exam Features:

- * 70-778 Questions and Answers Updated Frequently
- * 70-778 Practice Questions Verified by Expert Senior Certified Staff
- * 70-778 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 70-778 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year