

70-742 Dumps

Identity with Windows Server 2016

<https://www.certleader.com/70-742-dumps.html>



NEW QUESTION 1

You have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed. You are publishing an application named App1 that will use Integrated Windows authentication as shown in the following graphic.

Publish New Application Wizard

CONNECTED TO AD FS

Publishing Settings

Welcome
Preauthentication
Supported Clients
Relying Party
Publishing Settings
Confirmation
Results

Specify the publishing settings for this web application.

Name:
App1
This name will appear in the list of published web applications.

External URL:
https://server02.contoso.com/app1

External certificate:
server02.contoso.com View...

☐ Enable HTTP to HTTPS redirection

Backend server URL:
http://server02.contoso.com/publish/app1

Backend server SPN:

< Previous Next > Publish Cancel

Use the drop-down menus to select the answer area choice that completes each statement based on the information presented in the graphic.

Answer Area

Before you can complete the wizard, you must
[answer choice]

▼
change the external certificate
configure the Backend server SPN
select Enable HTTP to HTTPS redirection

To ensure that users can access App1 externally,
you must change the External URL to [answer choice]

▼
https://app1.contoso.com/app1
http://server02.contoso.com/app1
https://server02.contoso.com/publish/app1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Before you can complete the wizard, you must
[answer choice]

▽
change the external certificate
configure the Backend server SPN
select Enable HTTP to HTTPS redirection

To ensure that users can access App1 externally,
you must change the External URL to [answer choice]

▽
https://app1.contoso.com/app1
http://server02.contoso.com/app1
https://server02.contoso.com/publish/app1

NEW QUESTION 2

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Server Manager
- B. File Explorer
- C. Dcgpofix.exe
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 3

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains 5,000 user accounts.

You have a Group Policy object (GPO) named DomainPolicy that is linked to the domain and a GPO named DCPolicy that is linked to the Domain Controllers organizational unit (OU).

You need to ensure that the members of the Backup Operators group can back up domain controllers. What should you do?

- A. From the Computer Configuration node of DCPolicy, modify Security Settings.
- B. From the Computer Configuration node of DomainPolicy, modify Security Settings.
- C. From the Computer Configuration node of DomainPolicy, modify Administrative Templates.
- D. From the User Configuration node of DCPolicy, modify Security Settings.
- E. From the User Configuration node of DomainPolicy, modify Folder Redirection.
- F. From user Configuration node of DomainPolicy, modify Administrative Templates.
- G. From Preferences in the User Configuration node of DomainPolicy, modify Windows Settings.
- H. From Preferences in the Computer Configuration node of DomainPolicy, modify Windows Settings.

Answer: D

NEW QUESTION 4

Your network contains an Active Directory domain named contoso.com. A Group Policy object (GPO) named GPO1 is linked to contoso.com.

GPO1 has computer configuration polices, user configuration policies and user preferences configured.

You need to ensure that the user preferences in GPO1 apply only to users who sign in to computers that runs Windows 10. All the other settings in GPO1 must be applied, regardless of the computer to which the user sign in.

What should you configure?

- A. Security Settings
- B. WMI filtering
- C. Security Filtering
- D. item-level targeting

Answer: D

NEW QUESTION 5

Your network contains an Active Directory named contoso.com

You have three top-level organizational units (OUs) named OU1, OU2 and OU3. OU1 contains user accounts. OU2 contains the computer accounts for shared public computers. OU3 contains the computer accounts for laptops.

You have two Group Policy objects (GPOs) named GPO1 and GP02. GPO1 is linked to OU1. GP02 is linked to OU2.

You need to prevent the user settings in GPO1 from being applied when a user signs in to a shared public computer. If a user signs in to a laptop, the user settings in GPO1 must be applied.

What should you configure?

- A. inheritance blocking
- B. Security Filtering
- C. loopback processing
- D. GPO link enforcement

Answer: C

NEW QUESTION 6

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. The computer account for Server1 is in organizational unit (OU) named OU1.

You create a Group Policy object (GPO) named GPO1 and link GPO1 to OU1.

You need to add a domain user named User1 to the local Administrators group on Server1.

Solution: From the Computer Configuration node of GPO1, you configure the Account Policies settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 7

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Active Directory Domains and Trusts, you configure an alternative UPN suffix, From Active Directory Administrative Center, you configure the User UPN logon property of User1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 8

You network contains an Active Directory domain named contoso.com. The domain contains an enterprise certification authority (CA) named CA1.

You have a test environment that is isolated physically from the corporate network and the Internet.

You deploy a web server to the test environment. On CA1, you duplicate the Web Server template, and you name the template Web_Cert_Test.

For the web server, you need to request a certificate that does not contain the revocation information of CA1. What should you do first?

- A. From the properties of CA1, allow certificates to be published to the file system.
- B. From the properties of CA1, select Restrict enrollment agents, and then add Web_Cert_Test to the restricted enrollment agent.
- C. From the properties of Web_Cert_Test, assign the Enroll permission to the guest account.
- D. From the properties of Web_Cert_Test, set the Compatibility setting of CA1 to Windows Server 2016.

Answer: D

NEW QUESTION 9

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com.

You need to limit the number of Active Directory Domain Services (AD DS) objects that a user can create in the domain.

Which tool should you use?

- A. Dsadd quota
- B. Dsmod
- C. Active Directory Administrative Center
- D. Dscls
- E. Dsmain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: A

NEW QUESTION 10

Your network contains an Active Directory domain named contoso.com. The domain contains a username User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1. From ADSI Edit, you grant Group1 Full Control permissions to the “CN=Policies, CN=System, DC=Contoso, DC=com” object.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 10

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory forest named contoso.com. The forest functional level is Windows Server 2012 R2.

You need to ensure that a domain administrator can recover a deleted Active Directory object quickly. Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacis
- E. Dsomain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: C

NEW QUESTION 15

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers.

A domain controller named lon-dc1 fails. You are unable to repair lon-dc1.

You need to prevent the other domain controllers from attempting to replicate to lon-dc1. Solution: From Active Directory Sites and Services, you remove the object of lon-dc1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 19

Your company recently deployed a new child domain to an Active Directory forest.

You discover that a user modified the Default Domain Policy to configure several Windows components in the child domain.

A company policy states that the Default Domain Policy must be used only to configure domain-wide security settings.

You create a new Group Policy object (GPO) and configure the settings for the Windows components in the new GPO.

You need to restore the Default Domain Policy to the default settings from when the domain was first installed.

What should you do?

- A. From Group Policy Management, click Starter GPOs, and then click Manage Backups.
- B. From a command prompt, run the dcgpofix.exe command.
- C. From Windows PowerShell, run the Copy-GPO cmdlet.
- D. Run ntdsutil.exe to perform a metadata cleanup and a semantic database analysis.

Answer: B

NEW QUESTION 22

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers.

A domain controller named lon-dc1 fails. You are unable to repair lon-dc1.

You need to prevent the other domain controllers from attempting to replicate to lon-dc1.

Solution: From Active Directory Domains and Trusts, you transfer the operations master roles from lon-dc1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 23

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a new Active Directory forest.

You need to ensure that you can create a group Managed Service Account (gMSA) for multiple member servers.

Solution: From Windows PowerShell on a domain controller, you run the Set-KdsConfiguration cmdlet. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 25

Your company has multiple offices.

The network contains an Active Directory domain named contoso.com. An Active Directory site exists for each office. All of the sites connect to each other by using DEFAULTIPSITELINK.

The company plans to open a new office. The new office will have a domain controller and 100 client computers.

You install Windows Server 2016 on a member server in the new office. The new server will become a domain controller.

You need to deploy the domain controller to the new office. The solution must ensure that the client computers in the new office will authenticate by using the local domain controller.

Which three actions should you perform next in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Create a new site object.
Create a new connection object.
Promote the member server to a domain controller.
Create a new subnet object.
Move the server object of the domain controller.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Create a new site object.	Create a new site object.
Create a new connection object.	Create a new subnet object.
Promote the member server to a domain controller.	Promote the member server to a domain controller.
Create a new subnet object.	
Move the server object of the domain controller.	

NEW QUESTION 28

Your network contains an Active Directory domain named contoso.com. You have a Group Policy object (GPO) named GPO1. GPO1 is linked to an organizational unit (OU) named OU1. GPO1 contains several corporate desktop restrictions that apply to all computers. You plan to deploy a printer to the computers in OU1. You need to ensure that any user who signs in to a computer that runs Windows 10 in OU1 receives the new printer. All of the computers in OU1 must continue to apply the corporate desktop restrictions from GPO1. What should you configure?

- A. a user preference and a WMI filter on GPO1.
- B. a computer preference that uses item-level targeting
- C. a computer preference and WMI filter on GPO1
- D. a user preference that uses item-level targeting

Answer: D

NEW QUESTION 29

Your network contains an Active Directory domain named contoso.com. The domain contains a read-only domain controller (RODC) named RODC1. You need to retrieve a list of accounts that have their password cached on RODC1. Which command should you run?

- A. netdom.exe
- B. ntdsutil.exe
- C. repadmin.exe
- D. dcdiag.exe

Answer: C

Explanation:

[https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy\(v=11.0.0.510\).aspx](https://technet.microsoft.com/en-us/library/rodc-guidance-for-administering-the-password-replication-policy(v=11.0.0.510).aspx)

NEW QUESTION 34

Your network contains an Active Directory forest named contoso.com. The forest contains an enterprise root certification authority (CA) on a server that runs

Windows Server 2016.

You plan to create and issue a custom subordinate CA template.

You need to prevent subordinate CAs from issuing subordinate certificates. What should you configure in the template?

- A. the Request Handling settings
- B. the Cryptography settings
- C. the Basic Constraints extension
- D. the Security settings

Answer: D

NEW QUESTION 39

Note: This question is part of a series of questions that use the same scenario. For you convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	<i>Not applicable</i>	<i>Not applicable</i>
User2	User	<i>Not applicable</i>	<i>Not applicable</i>
Computer1	Computer	<i>Not applicable</i>	<i>Not applicable</i>
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com. End of repeated scenario.

You need to join Computer3 to the contoso.com domain by using offline domain join.

Which command should you use in the contoso.com domain and on Computer3? To answer, select the appropriate options in the answer area.

Answer Area

The contoso.com domain:

▼
Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

Computer3:

▼
Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

The contoso.com domain:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

Computer3:

Add-Computer with the-DomainName parameter
Djoin.exe with the /provision parameter
Djoin.exe with the /requestodj parameter
Net computer with the /add parameter
Netdom.exe with the join parameter

NEW QUESTION 43

Your network contains an Active Directory domain named contoso.com.
You need to create a central store for Group Policy administrative templates. What should you use?

- A. Server Manager
B. File Explorer
C. Dcgpofix.exe
D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 46

Your network contains an Active Directory domain named contoso.com. The domain contains three servers named Server1, Server2, and Server3 that run Windows Server 2016.
Server1 has IP Address Management (IPAM) installed. Server2 and Server3 have the DHCP Server role installed and have several DHCP scopes configured. The IPAM server retrieves data from Server2 and Server3.
A domain user named User1 is a member of the groups shown in the following table.

Server name	Group
Server2	DHCP Administrators
Server3	DHCP Users

On Server1, you create a security policy for User1. The policy grants the IPAM DHCP Scope Administrator Role with the \Global access scope to the user.
Which actions can User1 perform? To answer, select the appropriate options in the answer area.

Answer Area

From Server Manager on Server1, User1 can modify the description of the DHCP scopes:

▼

On Server2 only

On Server3 only

On both Server2 and Server3

From Server Manager on Server1, User1 can create a new DHCP scope:

▼

On Server2 only

On Server3 only

On both Server2 and Server3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

User1 is using Server Manager, not IPAM to perform the administration. Therefore, only the “DHCP Administrators” permission on Server2 and the “DHCP Users” permissions on Server3 are applied.

The permissions granted through membership of the “IPAM DHCP Scope Administrator Role” are not applied when the user is not using the IPAM console.

NEW QUESTION 48

Your network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016.

Server1 has IP Address Management (IPAM) installed. IPAM uses a Windows Internal Database. You install Microsoft SQL Server on Server1.

You plan to move the IPAM database to SQL Server.

You need to create a SQL Server login for the IPAM service account.

For which user should you create the login? To answer, select the appropriate options in the answer area.

Answer Area

▼

CONTOSO\

NT AUTHORITY\

NT SERVICE

SERVER1\

▼

LOCAL SERVICE

LOCAL SYSTEM

NETWORK SERVICE

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://blogs.technet.microsoft.com/yagmurs/2014/07/31/moving-ipam-database-from-windows-internal-databas>


NEW QUESTION 51

Your network contains two network domains sales.fabrikam.com, and contoso.com, You recently added a site named Europe.

The forest contains four users who are members of the groups shown in the following table.

User name	Member of	Domain
User1	Domain Admins	Fabrikam.com
User2	Enterprise Admins	Fabrikam.com
User3	Domain Admins	Sales.fabrikam.com
User4	Domain Admins	Contoso.com


You need to create a Group Policy object (GPO) named GP01 and to link GPO1 to the Europe site. Which users can perform each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 54

You use Application Request Routing (ARR) to make internal web applications available to the Internet by using NTLM authentication. You need to replace ARR by using the Web Application Proxy. Which server role should you deploy first?

- A. Active Directory Lightweight Directory Services
- B. Active Directory Rights Management Services
- C. Active Directory federation Services
- D. Active Directory Certificate Services

Answer: C

NEW QUESTION 58

Your network contains two Active Directory forests named fabrikam.com and contoso.com. Each forest contains two sites. Each site contains two domain controllers. You need to configure all the domain controllers in both the forests as global catalog servers. Which snap-in should you use?

- A. Active Directory Users and Computers
- B. Active Directory Sites and Services
- C. Active Directory Domains and Trusts
- D. Active Directory Federation Services

Answer: B

NEW QUESTION 59

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy a new Active Directory forest.

You need to ensure that you can create a group Managed Service Account (gMSA) for multiple member servers.

Solution: You configure Kerberos constrained delegation on the computer account of each domain controller. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 63

Your network contains an Active Directory domain named contoso.com. The domain contains five domain controllers.

You have a branch office that has a local support technician named Tech1. Tech1 installs Windows Server 2016 on a server named RODC1 in a workgroup.

You need Tech1 to deploy RODC1 as a read-only domain controller (RODC) in the contoso.com domain.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Instruct Tech1 to run the Active Directory Domain Services Configuration Wizard.
- B. Create an RODC computer account by using Active Administrative Center.
- C. Instruct Tech1 to run dcpromo.exe on RODC1.
- D. Instruct Tech1 to install the Active Directory Domain Services server role on RODC1.
- E. Modify the permissions of the Domain Controllers organizational unit (OU).

Answer: ACD

NEW QUESTION 65

You are deploying a web application named WebApp1 to your internal network. WebApp1 is hosted on a server named Web1 that runs Windows Server 2016.

You deploy an Active Directory Federation Services (AD FS) infrastructure and a Web Application Proxy to provide access to WebApp1 for remote users.

You need to ensure that Web1 can authenticate the remote users. What should you do?

- A. Publish WebApp1 by using pass-through preauthentication.
- B. Publish WebApp 1 as a Remote Desktop Gateway (RD Gateway) application in the Web Application Proxy.
- C. Publish WebApp1 by using AD FS preauthentication.
- D. Publish WebApp1 by using client certificate preauthentication.

Answer: A

NEW QUESTION 67

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named Server1.

You recently restored a backup of the Active Directory database from Server1 to an alternate Location. The restore operation does not interrupt the Active Directory services on Server1.

You need to make the Active Directory data in the backup accessible by using Lightweight Directory Access Protocol (LDAP).

Which tool should you use?

- A. Dsadd quota
- B. Dsmod
- C. Active Directory Administrative Center
- D. DsacIs
- E. Dsamain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: E

NEW QUESTION 70

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers.

A domain controller named lon-dc1 fails. You are unable to repair lon-dc1.

You need to prevent the other domain controllers from attempting to replicate to lon-dc1.

Solution: From Active Directory Sites and Trusts, you transfer the operations master roles from lon-dc1. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 72

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrator templates. What should you use?

- A. Dcgpofix.exe
- B. Copy-Item
- C. Copy-GPO
- D. Group Policy Management Console (GPMC)

Answer: B

NEW QUESTION 75

Your network contains an Active Directory forest. The forest contains an Active Directory Federation Services (AD FS) deployment. The AD FS deployment contains the following.

- An AD FS server named server1.contoso.com that runs Windows Server 2016
- A Web Application Proxy used to publish AD FS
- A UPN that uses the contoso.com suffix
- A namespace named adfs.contoso.com

You create a Microsoft Office 365 tenant named contoso.onmicrosoft.com. You use Microsoft Azure Active Directory Connect (AD Connect) to synchronize all of the users and the UPNs from the contoso.com forest to Office 365.

You need to configure federation between Office 365 and the on-premises deployment of Active Directory. Which three commands should you run in sequence from Server1? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands	Answer Area
Convert-MsolDomainToFederated -DomainName contoso.com	
Enter-PSSession -Name Office365	
Convert_MsolDomainToFederated -DomainName adfs.contoso.com	
Set-MsolADFSContext -Computer server1contoso.com	
Connect-MsolService	
Set-MsolADFSContext -Computer contoso.com	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Commands	Answer Area
Convert-MsolDomainToFederated -DomainName contoso.com	Connect-MsolService
Enter-PSSession -Name Office365	Set-MsolADFSContext -Computer server1contoso.com
Convert_MsolDomainToFederated -DomainName adfs.contoso.com	Convert-MsolDomainToFederated -DomainName contoso.com
Set-MsolADFSContext -Computer server1contoso.com	
Connect-MsolService	
Set-MsolADFSContext -Computer contoso.com	

NEW QUESTION 78

Your network contains an Active Directory forest named contoso.com.

You have an Active Directory Federation Services (AD FS) farm. The farm contains a server named Server1 that runs Windows Server 2012 R2.

You add a server named Server2 to the farm. Server2 runs Windows Server 2016. You remove Server1 from the farm.

You need to ensure that you can use role separation to manage the farm. Which cmdlet should you run?

- A. Set-AdfsFarmInformation
- B. Update-AdfsRelyingPartyTrust
- C. Set-AdfsProperties
- D. Invoke-AdfsFarmBehaviorLevelRaise

Answer: D

Explanation:

AD FS for Windows Server 2016 introduces the ability to have separation between server administrators and AD FS service administrators.

After upgrading our ADFS servers to Windows Server 2016, the last step is to raise the Farm Behavior Level using the Invoke-AdfsFarmBehaviorLevelRaise PowerShell cmdlet.

To upgrade the farm behavior level from Windows Server 2012 R2 to Windows Server 2016 use the Invoke-ADFSFarmBehaviorLevelRaise cmdlet.

References: [https://technet.microsoft.com/en-us/library/mt605334\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/mt605334(v=ws.11).aspx)

NEW QUESTION 83

Your network contains an Active Directory domain named contoso.com. Domain users use smart cards to sign in to their client computer.

Some users report that it takes a long time to sign in to their computer and that the logon attempt times out, so they must restart the sign in process.

You discover that the issues to checking the certificate revocation list (CRL) of the smart card certificates. You need to resolve the issue without diminishing the security of the smart card logons.

What should you do?

- A. From the properties of the smart card's certificate template, modify the Request Handling settings.
- B. From the properties of the smart card's certificate template, modify the Issuance Requirements settings.
- C. Deactivate certificate revocation checks on the computers.
- D. Implement an Online Certification Status Protocol (OCSP) responder.

Answer: D

NEW QUESTION 86

Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that run Windows Server 2016. The computer accounts of Server1 and Server2 are in the Computers container.

A Group Policy object (GPO) named GPO1 is linked to the domain. GPO1 has multiple computer settings defined and has following configurations.

DisplayName:	GPO1
Domain Name:	Contoso.com
Owner:	CONTOSO\Domain Admins
Id:	bf3b4d96-59f6-4d0f-84c3-b9c37180b9ca
GpoStatus:	UserSettingsDisabled
Description:	
CreationTime:	2/18/2017 7:11:30 AM
ModificationTime:	2/18/2017 9:33:04 AM
UserVersion:	AD Version 18, SysVol Version: 18
ComputerVersion:	AD Version 6, SysVol Version: 6
WmiFilter:	WMI1

An administrator discovers that GPO1 is not applied to Server1. GPO1 is applied to Server2. Which configuration possibly prevents GPO1 from being applied to Server1?

- A. The permissions on the domain object of contoso.com
- B. The WMI filter settings
- C. The Enforced setting of GPO1
- D. The GpoStatus property

Answer: B

NEW QUESTION 91

Your network contains an Active Directory forest. The forest contains an Active Directory Federation Services (AD FS) deployment.

The AD FS deployment contains the following:

- * An AD FS server named server1.contoso.com that runs Windows Server 2016
- * A Web Application Proxy used to publish AD FS
- * A LIPN that uses the contoso.com suffix
- * A namespace named adfs.contoso.com

You create a Microsoft Office 365 tenant named contoso.onmicrosoft.com. You use Microsoft Azure Active Directory Connect (AD Connect) to synchronize all of the users and the UPNs from the contoso.com forest to Office 365.

You need to configure federation between Office 365 and the on-premises deployment of Active Directory. Which three commands should you run in sequence

from Server1? To answer, move the appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands
Convert-MsolDomainToFederated -DomainName contoso.com
Enter-PSSession -Name Office365
Convert_MsolDomainToFederated -DomainName adfs.contoso.com
Set-MsolADFSContext -Computer server1contoso.com
Connect-MsolService
Set-MsolADFSContext -Computer contoso.com

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Commands	Answer Area
Convert-MsolDomainToFederated -DomainName contoso.com	Connect-MsolService
Enter-PSSession -Name Office365	Set-MsolADFSContext -Computer server1contoso.com
Convert_MsolDomainToFederated -DomainName adfs.contoso.com	Convert-MsolDomainToFederated -DomainName contoso.com
Set-MsolADFSContext -Computer server1contoso.com	
Connect-MsolService	
Set-MsolADFSContext -Computer contoso.com	

NEW QUESTION 96

The network contains an Active Directory forest named contoso.com. The forest contains three domain controllers configured as shown in the following table.

Server name	Active Directory site
Server1	Montreal
Server2	Montreal
Server3	Seattle

The company physically relocates Server2 from the Montreal office to the Seattle office. You discover that both Server1 and Server2 authenticate users who sign in to the client computers in the Montreal office. Only Server3 authenticates users who sign in to the computers in the Seattle office. You need to ensure that Server2 authenticates the users in the Seattle office during normal network operations. What should you do?

- A. From Windows PowerShell, run the Set-ADReplicationSite cmdlet.

- B. From Active Directory Users and Computers, modify the Location Property of Server2.
C. From Network Connections on Server2, modify the Internet Protocol Version 4 (TCP/IPv4) configuration.
D. From Windows PowerShell, run the Move-ADDirectoryServer cmdlet.

Answer: A

NEW QUESTION 100

Note: This question is part of a series of questions that use the same scenario. For you convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You work for a company named Contoso, Ltd.

The network contains an Active Directory forest named contoso.com. A forest trust exists between contoso.com and an Active Directory forest named adatum.com.

The contoso.com forest contains the objects configured as shown in the following table.

Object name	Object type	Group scope	Group type
User1	User	<i>Not applicable</i>	<i>Not applicable</i>
User2	User	<i>Not applicable</i>	<i>Not applicable</i>
Computer1	Computer	<i>Not applicable</i>	<i>Not applicable</i>
Group1	Group	Domain local	Security
Group2	Group	Domain local	Security
Group3	Group	Universal	Security
Group4	Group	Global	Security
Group5	Group	Universal	Security

Group1 and Group2 contain only user accounts.

Contoso hires a new remote user named User3. User3 will work from home and will use a computer named Computer3 that runs Windows 10. Computer3 is currently in a workgroup.

An administrator named Admin1 is a member of the Domain Admins group in the contoso.com domain. From Active Directory Users and Computers, you create an organizational unit (OU) named OU1 in the contoso.com domain, and then you create a contact named Contact1 in OU1.

An administrator of the adatum.com domain runs the Set-ADUser cmdlet to configure a user named User1 to have a user logon name of User1@litwareinc.com.

End of repeated scenario.

You need to ensure that User2 can add Group4 as a member of Group5. What should you modify?

- A. the group scope of Group5
B. the Managed By settings of Group4
C. the group scope of Group4
D. the Managed By settings of Group5

Answer: D

NEW QUESTION 102

You deploy a new certification authority (CA) to a server that runs Windows Server 2016. You need to configure the CA to support recovery of certificates. What should you do first?

- A. Modify the Recovery Agents settings from the properties of the CA.
B. Assign the Request Certificates permission to the user account that will be responsible for recovering certificates.
C. Configure the Key Recovery Agent template as a certificate template to issue.
D. Modify the extensions of the OCSP Response Signing template.

Answer: C


Explanation:

References:


<http://markgossa.blogspot.co.uk/2017/03/enable-key-archival-in-server-2012-r2.html>

NEW QUESTION 104

Your network contains an Active Directory forest named contoso.com. They connect to the forest by using ldp.exe and receive the output as shown in the following exhibit.




Use drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:**NEW QUESTION 109**

Your network contains an Active Directory forest named contoso.com. The forest contains several domains. An administrator named Admin01 installs Windows Server 2016 on a server named Server1 and then joins Server1 to the contoso.com domain. Admin01 plans to configure Server1 as an enterprise root certification authority (CA). You need to ensure that Admin01 can configure Server1 as an enterprise CA. The solution must use the principle of least privilege. To which group should you add Admin01?

- A. Server Operators in the contoso.com domain
- B. Cert Publishers on Server1
- C. Enterprise Key Admins in the contoso.com domain
- D. Enterprise Admins in the contoso.com domain.

Answer: D

NEW QUESTION 111

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1. You remove the global catalog server role from DC1. You need to decrease the size of the Active Directory database on DC1. Solution: You stop the NTDS service on DC1. You run ntdsutil.exe, use the metadata cleanup option, and then start the NTDS. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:


You need to run ntdsutil.exe with the 'compact to' option. References: <https://theitbros.com/active-directory-database-compact-defrag/>

NEW QUESTION 114

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1. The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You plan to enforce the GPO link for A6.

Which five GPOs will apply to User1 in sequence when the user signs in to Computer1 after the link is enforced? To answer, move the appropriate GPOs from the list of GPOs to the answer area and arrange them in the correct order.

GPOs

Answer Area

A1

A2

A3

A4

A5

A6

A7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

GPOs

Answer Area

A1

A2

A3

A4

A5

A6

A7

A3

A1

A5

A7

A6

NEW QUESTION 119

Your network contains an Active Directory domain named contoso.com. You need to create a central store for Group Policy administrative templates. What should you use?

- A. Dcgpofix.exe
- B. Group Policy Management Console (GPMC)
- C. Gpfixup.exe
- D. Copy-Item

Answer: D


NEW QUESTION 120

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you disable the Group Policy link for A6.

Which GPOs will apply to User2 when the user signs in to Computer1 after the link for A6 is disabled?

- A. A1 and A5 only
- B. A3, A1, and A5 only
- C. A3, A1, A5, and A4 only
- D. A3, A1, A5, and A7


Answer: D

NEW QUESTION 124


Your network contains an Active Directory domain named contoso.com.

A user named User1 and a computer named Computer1 are in an organizational unit OU1. A user named User2 and a computer named Computer 2 are in an OU named OU2.

A Group Policy object (GPO) named GPO1 is linked to the domain. GPO1 contains a user preference that is configured as shown in the Shortcut1 Properties exhibit. (Click the Exhibit button.)



Item-level targeting for the user preference is configured as shown in the Targeting exhibit. (Click the Exhibit button.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 signs in to Computer1, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
If User1 signs in to Computer2, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
If User2 signs in to Computer1, Shortcut1 will appear on the desktop.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc73075>

NEW QUESTION 127

Your network contains an Active Directory domain named contoso.com.

You have an application named App1 that is deployed to all the client computers in the domain. App1 writes a registry value named LocalStorage on all the client computers.

You need to delete the LocalStorage registry value from all the client computers in the domain that have less than 100 GB of free disk space on their system volume.

What should you do?

- A. Configure Software Settings in a Group Policy object (GPO) and enable a WMI filter.
B. Configure a Group Policy setting to modify the security of the LocalStorage registry value.
C. Create an administrative template file that contains the LocalStorage registry setting, and then add the administrative template to a Group Policy object (GPO).
D. Configure a Group Policy preference that uses item-level targeting.

Answer: D

Explanation:

In Windows Server 2008 Microsoft introduced a Group Policy extension, named Group Policy Preferences (GPP). GPP that includes registry settings, allows you to add, remove or modify key values.

References: <https://theitbros.com/add-modify-and-delete-registry-keys-using-group-policy/>

NEW QUESTION 128

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Windows PowerShell, You run Set-ADObject 'CN=User1, OU=OU1, DC=Contoso,DC=com'

–Add @ {UserPrincipalName='User1@Adatum.com'} –Remove

@{UserPrincipalName='User1@Contoso.com'},

Does this meet the goal?

- A. Yes
B. No

Answer: A


NEW QUESTION 131

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you block inheritance on OU4.

Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after block inheritance is configured?

- A. A1, A5, and A6
- B. A3, A1, A5, and A7
- C. A3 and A7 only
- D. A7 only

Answer: D

NEW QUESTION 135

Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016.

Server1 is located in the perimeter network.

You install the Active Directory Federation Services server role on Server1. You create an Active Directory Federation Services (AD FS) farm by using a certificate that has a subject name of sts.contoso.com.

You need to enable certificate authentication from the Internet on Server1.

Which two inbound TCP ports should you open on the firewall? Each correct answer presents part of the solution.

- A. 389
- B. 443
- C. 3389
- D. 8531
- E. 49443

Answer: BE


NEW QUESTION 138

Your network contains a single-domain Active Directory forest named contoso.com. The forest functional level is Windows Server 2016. The Active Directory Recycle Bin feature is enabled.

You need to design a procedure to restore the values of user object attributes if the values are changed accidentally.

Which cmdlets should you include in the procedure? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 141

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Web1 that runs Windows Server 2016.

You need to list all the SSL certificates on Web1 that will expire during the next 60 days. Solution: You run the following command.

Get-ChildItem Cert:\LocalMachine\My |? { \$_.NotAfter -lt (Get-Date).AddDays(60) } Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 145

Your network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named Server1.

On a standalone server named Server2, you install and configure the Web Application Proxy.

You have an internal web application named WebApp1. AD FS has a relying party trust for WebApp1. You need to provide external users with access to WebApp1. Authentication to WebApp1 must use AD FS pre-authentication.

Which tool should you use to publish WebApp1?

- A. Remote Access Management on Server1
- B. AD FS Management on Server2
- C. Remote Access Management on Server2
- D. Routing and Remote Access on Server1
- E. AD FS Management on Server1.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/web-application-proxy/publishing-appli>

NEW QUESTION 150

A technician named Tech1 is assigned the task of joining the laptops to the domain. The computer accounts of each laptop must be in an organizational unit (OU) that is associated to the department of the user who will use that laptop. The laptop names must start with four characters indicating the department followed by a four-digit number

Tech1 is a member of the Domain Users group only. Tech1 has the administrator logon credentials for all the laptops.

You need Tech1 to join the laptops to the domain. The solution must ensure that the laptops are named correctly, and that the computer accounts of the laptops are in the correct OUs.

Solution: You instruct Tech1 to sign in to each laptop, to rename each laptop by using System in Control Panel, and then to join each laptop to the domain by using the Netdom join command.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 155

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. You recently deleted 5,000 objects from the Active Directory database.

You need to reduce the amount of disk space used to store the Active Directory database on a domain controller.

- A. Dsadd quota
- B. Dsmod
- C. Active Directory Administrative Center
- D. DsacIs
- E. Domain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: G

NEW QUESTION 160

You have users that access web applications by using HTTPS. The web applications are located on the servers in your perimeter network. The servers use certificates obtained from an enterprise root certification authority (CA). The certificates are generated by using a custom template named WebApps. The certificate revocation list (CRL) is published to Active Directory.

When users attempt to access the web applications from the Internet, the users report that they receive a revocation warning message in their web browser. The users do not receive the message when they access the web applications from the intranet.

You need to ensure that the warning message is not generated when the users attempt to access the web applications from the Internet.

What should you do?


- A. Install the Certificate Enrollment Web Service role service on a server in the perimeter network.
- B. Modify the WebApps certificate template, and then issue the certificates used by the web application servers.
- C. Install the Web Application Proxy role service on a server in the perimeter network
- D. Create a publishing point for the CA.
- E. Modify the CRL distribution point, and then reissue the certificates used by the web application servers.

Answer: C

NEW QUESTION 162

Your network contains an Active Directory domain named contoso.com.

You open Group Policy Management as shown in the exhibit. (Click the Exhibit button.)



You discover that some of the settings configured in the A1 Group Policy object (GPO) fail to apply to the users in the OU1 organizational unit (OU). You need to ensure that all of the settings in A1 apply to the users in OU1. What should you do?

- A. Enable loopback policy processing in A1.
- B. Block inheritance on OU1.
- C. Modify the policy processing order for OU1.
- D. Modify the GPO Status of A1.

Answer: C

NEW QUESTION 167

You network contains an Active Directory domain named contoso.com. The domain contains an Active Directory Federation Services (AD FS) server named ADFS1, a Web Application Proxy server named WAP1, and a web server named Web1.

You need to publish a website on Web1 by using the Web Application Proxy. Users will authenticate by using OAuth2 preauthentication. What should you do first?

- A. On Web1, add site bindings.
- B. On Web1, add handler mappings.
- C. On ADFS1, enable an endpoint.
- D. On ADFS1, add a claims provider trust.

Answer: D

NEW QUESTION 170

Your network contains an Active Directory forest named contoso.com.

Your company has a custom application named ERP1. ERP1 uses an Active Directory Lightweight Directory Services (AD LDS) server named Server1 to authenticate users.

You have a member server named Server2 that runs Windows Server 2016. You install the Active Directory Federation Services (AD FS) server role on Server2 and create an AD FS farm.

You need to configure AD FS to authenticate users from the AD LDS server.

Which cmdlets should you run? To answer, select the appropriate options in the answer area.

Answer Area

First cmdlet to run:

	▼
Add-AdfsRelyingPartyTrust	
New-AdfsLdapServerConnection	
Set-AdfsEndpoint	

Second cmdlet to run:

	▼
Add-AdfsLocalClaimsProviderTrust	
Enable-AdfsRelyingPartyTrust	
Set-AdfsEndpoint	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To configure your AD FSfarm to authenticate users from an LDAP directory, you can complete the following steps:

Step 1: New-AdfsLdapServerConnection

First, configure a connection to your LDAP directory using the New-AdfsLdapServerConnection cmdlet:

\$DirectoryCred = Get-Credential

\$vendorDirectory = New-AdfsLdapServerConnection -HostName dirserver -Port 50000 -SslMode None

-AuthenticationMethod Basic -Credential \$DirectoryCred

Step 2 (optional):

Next, you can perform the optional step of mapping LDAP attributes to the existing AD FS claims using the New-AdfsLdapAttributeToClaimMapping cmdlet.

Step 3: Add-AdfsLocalClaimsProviderTrust

Finally, you must register the LDAP store with AD FS as a local claims provider trust using the Add-AdfsLocalClaimsProviderTrust cmdlet:

Add-AdfsLocalClaimsProviderTrust -Name "Vendors" -Identifier "urn:vendors" -Type L References: [https://technet.microsoft.com/en-us/library/dn823754\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/dn823754(v=ws.11).aspx)

NEW QUESTION 173

Your network contains an Active Directory domain. All client computers run Windows 10.

A client computer named Computer1 was in storage for five months and was unused during that time. You attempt to sign in to the domain from Computer1 and receive an error message.

You need to ensure that you can sign in to the domain from Computer1. What should you do?

- A. Unjoin Computer1 from the domain, and then join the computer to the domain.
- B. From Active Directory Administrative Center, reset the computer account of Computer1.
- C. From Active Directory Administrative Center, disable Computer1, and then enable the computer account of Computer1.
- D. From Active Directory Users and Computers, run the Delegation of Control Wizard.

Answer: B

NEW QUESTION 177

Your network contains an Active Directory forest. The forest contains two domains named litwarenc.com and contoso.com. The contoso.com domain contains two domain controllers named LON-DC01 and LON-DC02.

The domain controllers are located in a site named London that is associated to a subnet of 192.168.10.0/24

You discover that LON-DC02 is not a global catalog server. You need to configure LON-DC02 as a global catalog server.

What should you do?

- A. From the properties of the LON-DC02 computer account in Active Directory Users and Computers, modify the NTDS settings.
- B. From the properties of the LON-DC02 computer account in Active Directory Users and Computers, modify the City attribute.
- C. From Active Directory Sites and Services, modify the properties of the 192.168.10.0/24 IP subnet.
- D. From the properties of the Domain Controllers organizational unit (OU) in Active Directory Users and Computers, modify the Security settings.

Answer: A

NEW QUESTION 180

Your network contains an Active Directory domain named contoso.com.

The user account for a user named User1 is in an organizational unit (OU) named OU1. You need to enable User1 to sign in as user1@adatum.com.

Solution: From Active Directory Users and Computers, you set the E-mail property of User1 to user1@adatum.com.

Does this meet the goal?

- A. Yes

B. No

Answer: B

NEW QUESTION 181

Your company has a marketing department.
The network contains an Active Directory domain named contoso.com.
The main office contains three domain controllers. Each branch office contains one domain controller.
You discover that new settings in the Default Domain Policy are not applied on one of the branch offices, but all other Group Policy objects (GPOs) are applied.
You need to check the replication of the Default Domain Policy for the branch Office. What should you do from a domain controller in the main office?

- A. From Windows Power Shell, run the Get-GPO Report cmdlet.
- B. From a command prompt, run repadmin.exe.
- C. From a command prompt, run dcldage.exe.
- D. From Group Policy Management, click Default Domain Policy under Contoso.com

Answer: A


NEW QUESTION 183

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer1	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you set user Group Policy loopback processing mode to Replace in A4.
Which GPO or GPOs will apply to User2 when the user signs in to Computer1 after loopback processing is configured?

- A. A1, A5, A6 and A4
- B. A3, A1, A4, A6 and A7
- C. A3, A1, A5 and A4
- D. A4 only

Answer: A

NEW QUESTION 187

Note: This question is part of a series of questions that use the same or similar answer choice. An answer choice may be correct for more than one question in the series. Each question is Independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain functional level is Windows Server 2012 R2.

Your company hires 3 new security administrators to manage sensitive user data. You create a user account named Secury1 for the security administrator.

You need to ensure that the password for Secury1 has at least 12 characters and is modified every 10 days. The solution must apply to Security 1 only.

Which tool should you use?

- A. Dsadd quota
- B. Dsmmod
- C. Active Directory Administrative Center
- D. Dsacis
- E. Dsamain

Answer: C

Explanation:

Using Fine-Grained Password Policies you specify multiple password policies in a single domain and apply different restrictions for password and account lockout policies to different sets of users in a domain. You can apply stricter settings to privileged accounts and less strict settings to the accounts of other users. To enable Fine-Grained Password Policies (FGPP), you need to open the Active Directory Administrative Center (ADAC) <https://blogs.technet.microsoft.com/canitpro/2013/05/29/step-by-step-enabling-and-using-fine-grained->

NEW QUESTION 191

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DC1 and DC2.

DC1 holds the RID master operations role. DC1 fails and cannot be repaired. You need to move the RID role to DC2.

Solution: On DC2, you open Windows PowerShell and run

Move-AddirectoryServerOperationMasterRole -OperationMasterRidMaster -Identity DC2.Adatum.com Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You would need to use the -Force parameter because the server that held the role (DC1) is offline.

NEW QUESTION 194

Your network contains an Active Directory domain named contoso.com.

You plan to deploy a new Active Directory Rights Management Services (AD RMS) cluster on a server named Server1.

You need to create the AD RMS service account. The solution must use the principle of least privilege. What should you do?

- A. Create a domain user account and add the account to the Administrators group on Server1.
- B. Create a local user account on Server1 and add the account to the Administrators group on Server1.
- C. Create a domain user account and add the account to the Domain Users group in the domain
- D. Create a domain user account and add the account to the Account Operators group in the domain.

Answer: A

NEW QUESTION 197

Your network contains an Active Directory domain named contoso.com. The domain contains a web application that uses Kerberos authentication.

You change the domain name of the web application.

You need to ensure that the service principal name (SPN) for the application is registered. Which tool should you use?

- A. Rdsperf
- B. Active Directory Users and Computers
- C. Dnscmd
- D. Ldifde

Answer: B

NEW QUESTION 202

Your network contains two Active Directory forests named fabrikam.com and contoso.com. Each forest contains a single domain

Contoso.com has a Group Policy object (GPO) named Cont_GPO1.

You need to apply the settings from Cont_GPO1 to the computers in fabrikam.com. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Back up Cont_GPO1. In fabrikam.com, create and link a new GPO by using the Group Policy Management Console (GPMC), and then run the Import Setting Wizard.
- B. Back up Cont_GPO1. In fabrikam.com, run the Restore-GPO cmdlet, and then run the New-GPLinkcmdlet.
- C. Back up Cont_GPO1. In fabrikam.com run the Import-GPO cmdlet, and then run the New-GPLinkcmdlet.
- D. Copy \\contoso.com\SysVol\contoso.com\Policies to \\fabrikam.com\SysVol\fabrikam.com\Policies
- E. In fabrikam.com, run the New-GPLink cmdlet.
- F. Back up Cont_GPO1. In fabrikam.com, create and link a new GPO by using the Group Policy Management Console (GPMC), and then run the Restore Group

Policy Object Wizard.

Answer: AC


NEW QUESTION 206

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

You are evaluating what will occur when you remove the Authenticated Users group from the Security Filtering settings of A5.

Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after Security Filtering is configured?

- A. A1 and A7 only
- B. A3 and A1 only.
- C. A3, A1, A6 and A7
- D. A7 only

Answer: A

NEW QUESTION 208

Your network contains an Active Directory domain named contoso.com. The domain contains a user named User1, a group named Group1, and an organizational unit (OU) named OU1.

You need to enable User1 to link Group Policies to OU1.

Solution: From Active Directory Administrative Center, you add User1 to Group1 and grant Group1 Full Control permission to OU1.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 210

Your network contains an Active Directory domain.

Users do not have administrative privileges to their client computer. You modify a computer setting in a Group Policy object (GPO).

You need to ensure that the setting is applied to five client computers as soon as possible. What should you do?

- A. From a domain controller, run the gpupdate.exe command and specify the Force parameter.
- B. From each client computer, run the gpresult.exe command and specify the /r parameter.
- C. From each client computer, run the Get-Gpo cmdlet and specify the -alt parameter.
- D. From a domain controller, run the Invoke-GPUdate cmdlet.

Answer: D

Explanation:

[https://technet.microsoft.com/en-us/library/hh852337\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/hh852337(v=ws.11).aspx)

NEW QUESTION 213

You have a Nano Server named Nano1 that runs Windows Server 2016. Nano1 is deployed to a virtual machine and is a member of a workgroup.

You need to join Nano1 to a domain named contoso.com.

Which two commands should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

The screenshot shows a quiz interface with two dropdown menus. The first dropdown is labeled "First command to run:" and contains five options: "Add-Computer with the DomainName parameter", "Djoin.exe with the Provision parameter", "Netdom.exe with the JOIN parameter", "New-NanoServerImage with the DomainName parameter", and "Nltest.exe with the SC_RESET parameter". The second dropdown is labeled "Second command to run:" and contains four options: "Dism.exe with the Commit-Image parameter", "Djoin.exe with the RequestODJ parameter", "Restart-Computer with the Force parameter", and "Shutdown.exe with the r parameter".

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the same quiz interface as before, but with the correct answers highlighted in green. In the "First command to run:" dropdown, the correct answers are "Add-Computer with the DomainName parameter" and "New-NanoServerImage with the DomainName parameter". In the "Second command to run:" dropdown, the correct answers are "Dism.exe with the Commit-Image parameter" and "Djoin.exe with the RequestODJ parameter".

NEW QUESTION 218

You create a user account that will be used as a template for new user accounts.

Which setting will be copied when you copy the user account from Active Directory Users and Computers?

- A. Published Certificates
- B. the Member of attribute
- C. the Office attribute
- D. the Description attribute

Answer: B

NEW QUESTION 222

Your network contains an Active Directory forest named contoso.com. The forest contains 10 domains. The root domain contains a global catalog server named DC1.

You remove the global catalog server role from DC1.

You need to decrease the size of the Active Directory database on DC1.

Solution: You restart DC1 in Safe Mode. You run ntdsutil.exe, use the files option, and then restart DC1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 226

You have an enterprise certification authority (CA) named ContosoCA. Recovery agents are configured for ContosoCA.

You duplicate the User certificate template and name it Cont_User. You plan to issue the certificates based on Cont_User to provide users with the ability to encrypt email messages and files.

You need to ensure that the recovery agents can access any user-encrypted files and email messages if the users lose their certificate.

What should you do?

- A. Issue a certificate based on a key recovery agent certificate.
- B. Modify the Recovery Agents settings for ContosoCA.
- C. Modify the Request Handling settings for Cont_User.
- D. On ContosoCA, configure the Key Recovery Agent template as a certificate template to issue.

Answer: C

NEW QUESTION 227

Your network contains an Active Directory domain named contoso.com.

All the accounts of the users in the sales department are in an organizational unit (OU) named SalesOU. An application named App1 is deployed to the user accounts in SalesOU by using a Group Policy object

(GPO) named SalesGPO. You need to set the registry value of

\HKEY_CURRENT_USER\Software\App1\Collaboration to 0.

Solution: You add a user preference that has an Replace action. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

[https://technet.microsoft.com/en-us/library/cc753092\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc753092(v=ws.11).aspx)

NEW QUESTION 228

Your network contains an Active Directory domain. The domain contains an organizational unit (OU) named FileServersOU. A Group Policy object (GPO) named GPO1 is linked to FileServersOU. FileServersOU contains all the file servers in the domain.

You make an urgent security edit to GPO1.

You need to ensure that all the file servers receive the updated setting as soon as possible. What should you do?

- A. Right-click FileServersOU and click Group Policy Update...
- B. Right-click the GPO link for GPO1 and click Enforced.
- C. Right-click Group Policy Results and click Group Policy Results Wizard...
- D. Right-click FileServersOU and click Refresh.

Answer: A

NEW QUESTION 231

Your company has an office in Montreal.

The network contains an Active Directory domain named contoso.com.

You have an organizational unit (OU) named Montreal that contains all of the users accounts for the users in the Montreal office. An office manager in the Montreal office knows each user personally.

You need to ensure that the office manager can provide the users with a new password if the users forget their password. What should you do?

- A. From the Security settings of the Montreal OU, assign the office manager the Reset Password permission.
- B. From the Security settings of each user account in the Montreal OU, assign the office manager the Change Password permission.
- C. Create a Group Policy object (GPO) and link the GPO to the OU of the domain.
- D. Filter the GPO to the Montreal user.
- E. Assign the office manager the Apply Group Policy permission on the GP.
- F. Configure the Password Policy settings of the GPO.
- G. Create a Group Policy object (GPO) and link the GPO to the Montreal OU.

- H. Assign the office manager the Apply Group Policy permission on the GP
- I. Configure the Password Policy settings of the GPO.

Answer: B

NEW QUESTION 232

You have an internal web server that hosts websites. The websites use HTTP and HTTPS. You deploy a Web Application Proxy to your perimeter network. You need to ensure that users from the Internet can access the websites by using HTTPS only. Internet access to the websites must use the Web Application Proxy.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Remote Access Management Console, publish the website
- B. Configure pass-through authentication and select Enable HTTP to HTTPS redirection.
- C. Configure the Web Application Proxy to perform preauthentication by using OAuth2.
- D. On external DNS name servers, create DNS entries that point to the private IP address of the web server.
- E. From the web server, enable HTTP Redirect on the Web Application Proxy server.
- F. On external DNS name servers, create DNS entries that point to the public IP address of the Web Application Proxy.

Answer: AE

NEW QUESTION 236

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1 that runs Windows Server 2016.

You need to create a snapshot of the Active Directory database on DC1. Which tool should you use?

- A. Dsadd quota
- B. Dsmode
- C. Active Directory Administrative Center
- D. Dsacls
- E. Dsmain
- F. Active Directory Users and Computers
- G. Ntdsutil
- H. Group Policy Management Console

Answer: E

NEW QUESTION 241

Your network contains an Active Directory forest named contoso.com. You need to add a new domain named fabrikam.com to the forest.

What command should you run? To answer, select the appropriate options in the answer area.

Answer Area

<div><div></div><div>Install-ADDSDomain</div><div>Install-ADDSDomainController</div><div>Install-ADDSEForest</div></div>	-DomainType	<div><div></div><div>TreeDomain</div><div>ChildDomain</div></div>
--------------------------------------------------------------------------------------------------------------------------	-------------	-------------------------------------------------------------------

`-InstallDns:$true -NewDomainName fabrikam.com -ParentDomainName contoso.com`

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

[https://technet.microsoft.com/en-us/library/hh974722\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/hh974722(v=wps.630).aspx)

NEW QUESTION 243

Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The domain contains a server named Server1.

An administrator named Admin01 plans to configure Server1 as a standalone certification authority (CA). You need to identify to which group Admin01 must be a member to configure Server1 as a standalone CA.

The solution must use the principle of least privilege.

To which group should you add Admin01?

- A. Administrators on Server1.
- B. Domain Admins in contoso.com
- C. Cert Publishers on Server1
- D. Key Admins in contoso.com

Answer: A

NEW QUESTION 246

Your network contains an Active Directory domain named contoso.com. The domain contains an administrative workstation named WKS1 that runs Windows 10. You have a Group Policy object (GPO) named GPO1.

You download a custom administrative template that contains the following files:

You need to ensure that you can configure GPO1 by using the settings in the new administrative template. To where should you copy each file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

App1.adml:

▼

C:\Windows\PolicyDefinitions
C:\Windows\PolicyDefinitions\en-US
C:\Windows\System32\Configuration
C:\Windows\System32\en-US

App1.admx:

▼

C:\Windows\PolicyDefinitions
C:\Windows\PolicyDefinitions\en-US
C:\Windows\System32\Configuration
C:\Windows\System32\en-US

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://support.microsoft.com/en-us/help/918239/how-to-write-custom-adm-and-admx-administrative-template-f>


NEW QUESTION 251

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.

The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit. (Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario.

Which five GPOs will apply to User1 in sequence when the user signs in to Computer1? To answer, move the appropriate GPOs from the list to the answer area and arrange them in the correct order.

GPOs

Answer Area

A1

A3

A4

A5


A6

A7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 256

Your network contains an Active Directory forest named contoso.com.

A partner company has a forest named fabrikam.com. Each forest contains one domain.

You need to provide access for a group named Research in fabrikam.com to resources in contoso.com. The solution must use the principle of least privilege. What should you do?

- A. Create an external trust from fabrikam.com to contoso.co
- B. Enable Active Directory split permissions in fabrikam.com.
- C. Create an external trust from contoso.com to fabrikam.co
- D. Enable Active Directory split permissions in contoso.com.
- E. Create a one-way forest trust from contoso.com to fabrikam.com that uses selective authentication.
- F. Create a one-way forest trust from fabrikam.com to contoso.com that uses selective authentication.

Answer: C

NEW QUESTION 258

Your company has multiple branch offices.

The network contains an Active Directory domain named contoso.com.

In one of the branch offices, a new technician is hired to add computers to the domain.

After successfully joining multiple computers to the domain, the technician fails to join any more computers to the domain.

You need to ensure that the technician can join an unlimited number of computers to the domain. What should you do?

- A. Run the Delegation of Control Wizard on the Computers container.
- B. Run the redircmp.exe command.
- C. Modify the Security settings of the technician's user account.
- D. Add the technician to the Windows Authorization Access group.

Answer: A

NEW QUESTION 260

You have an enterprise certification authority (CA). You create a global security group named Group1.

You need to provide members of Group1 with the ability to issue and manage certificates. The solution must prevent the Group1 members from managing certificates requested by members of the Domain Admins group.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From the CA properties, modify the Policy Module settings.
- B. From the Certificate Templates console, modify the Security settings of the Administrator certificate template.
- C. From the CA properties, modify the security settings.
- D. From the CA properties, modify the Enrollment Agents settings.
- E. From the CA properties, modify the Certificate Managers Settings.
- F. From the Certificate Templates console, modify the Security settings of the User certificate template.

Answer: AE

NEW QUESTION 261

You have an Active Directory Rights Management Services (AD RMS) server named RMS1. Multiple documents are protected by using RMS1.

RMS1 fails and cannot be recovered.

You install the AD RMS server role on a new server named RMS2. You restore the AD RMS database from RMS1 to RMS2.

Users report that they fail to open the protected documents and to protect new documents. You need to ensure that the users can access the protected content. What should you do?

- A. From Active Directory Rights Management, update the Service Connection Point (SCP) for RMS1.
B. From DNS, create an alias (CNAME) record for RMS2.
C. From DNS, modify the service location (SRV) record for RMS1.
D. From RMS2, register a service principal name (SPN) in Active Directory.

Answer: D

NEW QUESTION 265

Your network contains an Active Directory domain named adatum.com. The domain contains the servers configured as shown in the following table:

Server name	Configuration
Server1	Domain controller
Server2	Network controller
Server3	Network Policy Server (NPS) server
Server4	Active Directory Federation Services (AD FS) server
Server5	Host Guardian Service (HSG) server

You have a server named Server6 in the perimeter network. Each server has the local users show in the following table.

User Name	Member of
User1	Administrators
User2	Power Users
User3	Network Configuration Operators
User4	Cryptographic Operators

The domain contains the users shown in the following table.

User Name	Member of
User1	Domain Admins
User2	Server Operators
User3	Network Configuration Operators
User4	Cryptographic Operators

You install a Web Application Proxy on Server6.

You need to configure the Web Application proxy on Server6. The solution must use the principle of least privilege.

Which account should you specify in the Web Application Proxy Configuration Wizard? To answer, select the appropriate options in the answer are.

NOTE: Each correct selection is worth one point.

Answer Area

	▼
Adatum\	
Server1\	
Server2\	
Server3\	
Server4\	
Server5\	

	▼
User1	
User2	
User3	
User4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The user account used to configure the web application proxy must have local Administrator permission on the WAP server(s), and have access to an account that have local Administrator permissions on the AD FS servers.

References:

<http://www.mistercloudtech.com/2015/11/25/how-to-install-and-configure-web-application-proxy-for-adfs/>

NEW QUESTION 266

Your network contains an Active Directory forest named contoso.com. The forest contains the root domain and two child domains named child1.contoso.com and child2.contoso.com. Child1 contains three domain controllers named DC1, DC2, and DC3. Child2 contains one domain controller named


You have two accounts named Child1\Admin1 and Child2\Admin2 that you use to perform administrative tasks. Currently, the accounts can manage only the member servers in their respective domain.

You plan to demote DC3 and to remove the Child2 domain.

You need to ensure that Admin1 can demote DC3 and that Admin2 can demote DC4. The solution must use the principle of least privilege.

To which groups should you add Admin1 and Admin2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Admin1: Contoso\Domain Admins Admin2: Child2\Server Operators

NEW QUESTION 271

Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2016. You install IP Address Management (IPAM) on Server1. You need to manually start discovery of servers that IPAM can manage in contoso.com. Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions

Start-ScheduledTask

Invoke-IpamServerProvisioning

Update-IpamServer

Add-IpamSubnet

Add-IpamAddress

Add-IpamDiscoveryDomain

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Invoke-IpamServerProvisioning Choose a provisioning method
The Invoke-IpamGpoProvisioning cmdlet creates and links three group policies specified in the Domain parameter for provisioningrequired access settingson the server roles managed by the computer running the IP Address Management (IPAM) server.
Step 2: Add-IpamDiscoveryDomain Configure the scope of discovery
The Add-IpamDiscoveryDomain cmdlet adds an Active Directory discovery domain for an IP AddressManagement (IPAM) server. A discovery domain is a domain that IPAM searches to find infrastructure servers. An IPAM server uses the list of discovery domains to determine what type of servers to add. By default, IPAM discovers all domain controllers, Dynamic Host Configuration Protocol (DHCP) servers, and Domain Name System (DNS) servers.
Step 3: Start-ScheduledTask Start server discovery
To begin discovering servers on the network, click Start server discovery to launch the IPAM ServerDiscovery task or use the Start-ScheduledTask command.

NEW QUESTION 276

Your network contains an Active Directory forest. The forest contains a domain named contoso.com. The domain contains three domain controllers. A domain controller named lon-dc1 fails. You are unable to repair lon-dc1. You need to prevent the other domain controllers from attempting to replicate to lon-dc1. Solution: From Active Directory Users and Computers, you remove the computer account of lon-dc1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To remove the failed server object from the domain controllers container, access Active Directory Users and Computers, expand the domain controllers container, and delete the computer object associated with the failed domain controller
References: https://www.petri.com/delete_failed_dcs_from_ad

NEW QUESTION 280

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You network contains an Active Directory forest named contoso.com. The forest contains an Active Directory Rights Management Services (AD RMS) deployment. Your company establishes a partnership with another company named Fabrikam, Inc. The network of Fabrikam contains an Active Directory forest named fabrikam.com and an AD RMS deployment.

You need to ensure that the users in contoso.com can access rights protected documents sent by the users in fabrikam.com.

Solution: From AD RMS in contoso.com, you configure fabrikam.com as a trusted user domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Contoso would need to be the Trusted User Domain.

NEW QUESTION 284

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-742 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-742-dumps.html>