

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

A customer has a single BladeSystem environment running Virtual Connect and VMware ESXi. The customer wants to manage the enclosure with HPE OneView. What must the customer consider?

- A. The Management Ring cannot talk to the production VLAN.
- B. The HPE OneView appliance cannot reside in an enclosure it manages.
- C. Virtual Connect Enterprise Manager (VCEM) is not supported with VMware.
- D. HPE OneView for VMware vCenter is licensed separately at an additional cost.

Answer: B

NEW QUESTION 2

Refer to the exhibit.

	Value
Name	ProdNet 100
VLAN ID	100
Type	Tagged

What is the PowerShell command to create an Ethernet Network resource?

- A. New-HPOVNetwork -Name "ProdNet 100" -VlanId 100
- B. New-HPOVuplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet 100")
- C. Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1-Name "ProdNet 100"
- D. New-HPOVNetworkSet -Name "ProdNet 100"

Answer: A

NEW QUESTION 3

Your customer reports receiving an error after re-configuring some uplink sets. The error states that their Logical Interconnects are non-compliant with the Logical Interconnect Group. What must they do to clear this error?

- A. Delete the affected Logical Interconnect Group and recreate it.
- B. Go to HPE OneView Dashboard to acknowledge the error.
- C. Update the Enclosure Group configuration with the new uplink set information.
- D. Go to Logical Interconnect and select "update" from the group options.

Answer: D

NEW QUESTION 4

What is the earliest Server generation supported in HPE OneView for Secure Boot configuration within the Server Profile Template?

- A. Gen7
- B. Gen9
- C. Gen10
- D. Gen8

Answer: B

NEW QUESTION 5

Which enhanced security feature is unavailable within HPE OneView?

- A. configure firewall rules
- B. role-based access control
- C. two-factor authentication
- D. SNMP v3

Answer: A

NEW QUESTION 6

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

The screenshot shows the HPE OneView interface. On the left, there is a list of server profiles: ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM_D. The main area displays the details for the 'ESX 4' profile, including its name, description, server profile template, server hardware, server hardware type, enclosure group, affinity, server power, serial number (v), UUID (v), and iSCSI initiator name (v). The 'Actions' button is highlighted with a red dashed box.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

This is a duplicate of the screenshot above, showing the HPE OneView interface with the 'ESX 4' profile selected and the 'Actions' button highlighted with a red dashed box.

NEW QUESTION 7

What must be disabled when strict two-factor authentication is enabled?

- A. emergency local login
- B. SSL certificates
- C. local login
- D. REST API

Answer: B

NEW QUESTION 8


You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What Is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 9


Where would a user click to get a Map View that will easily allow them to see the objects within HPE OneView that are associated with a specific enclosure?



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

Match the HPE OneView element to its function.

Element	Function
metric streaming message bus (MSMB)	Used by message bus consumers to carry out CRUD operations
RESTful API	Provide information about changes in managed resources
state change message bus (SCMB)	Provide temperature, power, or CPU utilization for managed resources

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Element	Function
metric streaming message bus (MSMB)	Used by message bus consumers to carry out CRUD operations
RESTful API	Provide information about changes in managed resources
state change message bus (SCMB)	Provide temperature, power, or CPU utilization for managed resources

NEW QUESTION 10

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
B. VLAN Type
C. CHAP Password
D. association with subnet ID
E. WWPN

Answer: AB

NEW QUESTION 12

A server administrator needs to add a new c7000 enclosure to their HPE Oneview management appliance. What information Is required? (Select two)

- A. login credentials for Onboard Administrator
B. Onboard Administrator IP address
C. login credentials for Virtual Conned
D. Virtual Connect IP address

Answer: AB

NEW QUESTION 15

You would like to assign permissions to an external authentication directory group that can create, delete, and update server profile templates. Which HPE OneView role should you assign to the user account?

- A. Server profile architect
B. Scope administrator
C. Server profile administrator
D. Server profile operator

Answer: C

NEW QUESTION 16

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want use HPE OneView Server Profile Templates to update the

firmware while the systems are online. Click on the place they should select within the server profile template to update the firmware while the systems are online.

Edit
ESXi on BL460c Gen9
Server Profile ▾

Server Profile

Firmware

Firmware baseline

Service Pack for ProLiant version 2017.04.0 ▾

☐ Force installation

Installation Method

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

Activate firmware

☒ Immediately
☐ At a scheduled date and time
☐ Not scheduled

OK
Cancel

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit
ESXi on BL460c Gen9
Server Profile ▾

Server Profile

Firmware

Firmware baseline

Service Pack for ProLiant version 2017.04.0 ▾

☐ Force installation

Installation Method

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

Activate firmware

☒ Immediately
☐ At a scheduled date and time
☐ Not scheduled

OK
Cancel

NEW QUESTION 19

When deploying an HPE OneView virtual appliance in a Microsoft Hyper-V environment, what is the HPE recommendation related to virtual machine disk properties?

- A. Convert the disk to fixed size.
- B. Create the disk as fixed size.
- C. Create the disk as dynamically expanding.
- D. Convert the disk to dynamically expanding.

Answer: B

NEW QUESTION 23

Which HPE OneView features are used by the HPE OneView for VMware vCenter plugin to simplify the process of deploying a complete vSphere cluster? (Choose two.)

- A. Smart Update Manager
- B. PowerShell Library
- C. Intelligent Provisioning
- D. Server Profile Templates
- E. REST API

Answer: BD

NEW QUESTION 28

You remove an HPE SY480 compute module from its bay and install a host bus adapter (HBA) into the compute module. When you install the module back into its original bay you notice that the server profile in HPE OneView is showing “unassigned”. What is the reason for this?

- A. There is no connection configured for the HBA in the “Connections” section of the Server profile.
- B. The server hardware type is invalid.
- C. The Server Profile is inconsistent with its Server Profile Template.
- D. The Affinity is configured to “Device bay + hardware”.

Answer: B

NEW QUESTION 33

Click where the server administrator can see the server profiles using the selected firmware Bundle.

The screenshot shows the HPE OneView interface. On the left, under 'Firmware Bundles', there is a table with the following data:

Name	Version	Size	Type
Service Pack for ProLiant	2017.04.0	6.57 GB	SPP
Service Pack for ProLiant	2017.07.1	4.65 GB	SPP

The right pane shows the details for the selected bundle 'Service Pack for ProLiant, 2017.04.0'. The 'General' tab is active. The 'Used by' field is highlighted with a red 'X' and contains the text: '16 server profiles' and '2 server profile templates'.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

16 server profiles

NEW QUESTION 35

Synergy Composer enables remote support of which components? (Choose two.)

- A. HPE Onboard Administrator
- B. HPE Virtual Connect FlexFabric-20/40 F8 Module
- C. HPE Synergy D3940 storage module
- D. HPE Synergy 12000 frames
- E. HPE Synergy compute modules

Answer: CE

NEW QUESTION 37


An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Answer: AC

NEW QUESTION 40


A solution architect needs to review the warning statuses before progressing their Synergy deployment. Where should the solution architect click on the HPE OneView interface to view the outstanding server alerts?



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 44

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. REST API
- B. VMware autodeploy
- C. Image Streamer
- D. Grow Cluster

Answer: D

NEW QUESTION 47

For multiple events to be identified as an SNMP trap storm, what criteria must the traps meet? (Choose three.)

- A. have the same trap identifier
- B. are within 1 second of the previous event
- C. have the same hostname
- D. are from the same device
- E. originate from the same MAC addresses
- F. have the same number of variable string values

Answer: ADF

NEW QUESTION 52

Where can an administrator select the firmware baseline for a specific Synergy compute node?

- A. Logical Interconnect Group
- B. Server Profile
- C. Image Streamer
- D. Intelligent Provisioning

Answer: B

NEW QUESTION 54

What public resource is available to help administrators who want to automate operations by using the PowerShell interface to the HPE OneView REST API and the Synergy Composable API?

- A. HPE OneView server templates
- B. GitHub library
- C. HPE Support Center
- D. HPE Software Depot

Answer: C

NEW QUESTION 59

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

Answer: C

NEW QUESTION 64

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.)

Answer Area

HPE OneView Standard

HPE OneView Advanced

HPE OneView License

Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Partner integration – HPE OneView Advanced Storage provisioning – HPE OneView Advanced Firmware management – HPE OneView Advanced Inventory – HPE OneView Standard
Health monitoring – HPE OneView Standard Remote support – HPE OneView Advanced

NEW QUESTION 69

Where would you go in the HPE OneView Main Menu to access information about the environment status that can be exported to csv?

- A. Reports
- B. Dashboard
- C. Data Centers
- D. Activity

Answer: A

NEW QUESTION 70

What tool can you use to provision hosts using server profiles to create or grow a Hyper-V cluster?

- A. HPE Insight Control Server Provisioning
- B. HPE OneView for Microsoft System Center
- C. HPE iLO Virtual Media
- D. Microsoft Operations Manager

Answer: B

NEW QUESTION 74

Refer to the exhibit.

Name	Server Name	Server Profile	Model
172.18.6.15	not set	n/a	DL360p Gen8
172.18.6.16	not set	none	DL380p Gen8
172.18.6.31	not set	n/a	DL360 Gen9
172.18.6.32	not set	none	DL380p Gen8
Enc1, bay1	not set	Splunk 1	BL660c Gen9
Enc1, bay2	not set	Splunk 2	BL660c Gen9
Enc1, bay3	not set	none	BL460c Gen8
Enc1, bay4	not set	none	BL460c Gen8
Enc1, bay5	not set	none	BL460c Gen8

Hardware
 Server name: not set
 State: No Profile Applied
 Server profile: [Create profile](#)
 Server power: On
 Model: ProLiant DL380p Gen8
 Server hardware type: DL380p Gen8 1
 Product ID: 603718-G21
 Serial number: MXQ1000307
 License: HPE OneView Advanced
 UUID: 37333036-3831-584D-5131-303030333037
 iLO
 Host name: 172.18.6.16
 IPv4: 172.18.6.16
 IPv6: fe80:0:0:2::fe03:10 Link-local

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

Answer: D

NEW QUESTION 75

Which HPE OneView integration points are available within System Center with the HPE OneView Advanced License? (Choose two.)

- A. Service Manager
- B. Azure Resource Manager
- C. Operations Manager
- D. Data Protection Manager
- E. Virtual Machine Manager

Answer: CE

NEW QUESTION 76

A customer would like to apply a server profile to the server in the exhibit. What is the first action they must take to successfully apply the server profile?

Model	Synergy 480 Gen10
Server hardware type	<u>SY 480 Gen10 - CNA + SmartArray</u>
Serial number	CN771102T9
iLO address	<u>ilOCN771102T9</u>

Ports >

Slot	Model	Port	Interconnect
Mezzanine 1	HPE Smart Array P416ie-m SR G10	1	<u>Rack2-Top-CN7YF38GZBGO.interconnect.1</u>
		2	<u>Rack2-Top-CN7YF38GZBGO.interconnect.4</u>
Mezzanine 2	empty		none
Mezzanine 3	Synergy 3820C 10/20Gb CNA	1	<u>Rack2-Top-CN7YF38GZBGO.interconnect.3</u>
		2	<u>Rack2-Top-CN7YF38GZBGO.interconnect.6</u>

- A. Apply the correct HPE OneView license
- B. Power off the server
- C. Click on the server hardware type.
- D. Click on the create profile hyperlink.

Answer: B

NEW QUESTION 79

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. MAC address virtualization
- B. OS deployment
- C. network connection definition
- D. BIOS configuration
- E. firmware update

Answer: BE

NEW QUESTION 80

Besides SPP's (Service Pack for HPE ProLiant), what else can be uploaded to the firmware repository section in the HPE OneView UI?

- A. operating system patch
- B. third party drivers
- C. Support Dump
- D. Smart Component

Answer: D

NEW QUESTION 81

Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Insight Control
- B. Central Management Console
- C. iLO Amplifier Pack
- D. Global Dashboard

Answer: D

NEW QUESTION 84

What does HPE OneView use for device authentication?

- A. server SSL certificate
- B. scope based access control
- C. two-factor authentication
- D. SSH

Answer: C

NEW QUESTION 88

An administrator is configuring a server profile template, but does not see the Ethernet network called "VLAN 210" that had been created earlier. What could be the cause?

- A. VLAN 210 was never configured in the Logical Interconnect Group.
- B. VLAN 210 is already in a Network Set.
- C. VLAN 210 does not exist on the upstream switches.
- D. VLAN 210 has Private Network enabled.

Answer: C

NEW QUESTION 90

Match the HPE OneView element to its function.

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	
server profile template	used to simplify and standardize server connections	
network set	specified server configuration that enables quickly bringing new server hardware under management	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	server profile
server profile template	used to simplify and standardize server connections	network set
network set	specified server configuration that enables quickly bringing new server hardware under management	server profile template

NEW QUESTION 91

Match the HPE OneView element to its definition.

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	
HPE OneView OVF	Information aggregation point for multiple HPE OneView environments.	
HPE OneView resource managers	Customizable graphical representation of the health and capacity of data center resources.	
HPE Synergy Composer		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	HPE Synergy Composer
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	HPE OneView resource managers
HPE OneView OVF		HPE OneView Global Dashboard
HPE OneView resource managers	Information aggregation point for multiple HPE OneView environments.	HPE OneView dashboard
HPE Synergy Composer	Customizable graphical representation of the health and capacity of data center resources.	

NEW QUESTION 94

For each REST API operation, match the appropriate HTTP method to accomplish each task.

Method	Task
DELETE	Create resource
GET	Delete resource
POST	Read resource
PUT	Update resource

- A. Mastered
- B. Not Mastered





Answer: A

Explanation:

Method	Task
DELETE	Create resource
GET	Delete resource
POST	Read resource
PUT	Update resource

NEW QUESTION 97









Match the HPE management tools to their function.

<u>TOOL</u>		<u>FUNCTION</u>
HPE SUT		Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard		Provides HPE OneView management for a Synergy environment
Composer		Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO		Provides hardware management of and remote console to a server

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<u>TOOL</u>		<u>FUNCTION</u>
 HPE SUT		Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
 HPE OneView Global Dashboard		Provides HPE OneView management for a Synergy environment
 Composer		Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
 HPE iLO		Provides hardware management of and remote console to a server

NEW QUESTION 101

How are HPE OneView Advanced licenses administered?

- A. per bay
B. per socket
C. per physical server
D. per Virtual Connect Domain

Answer: C

NEW QUESTION 103

What information is required to complete a first time setup of an HPE OneView appliance? (Select two.)

- A. Frame Link Module IP address subnet mask for Frame 1
B. Onboard Administrator IP address/subnet mask
C. appliance IP address/subnet mask
D. appliance host name
E. Virtual Connect IP address/subnet mask

Answer: CD

NEW QUESTION 104

Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
B. HPE Global Dashboard can be used to enable HPE OneView high availability
C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
D. HPE OneView can be connected to two different databases to provide high availability

Answer: C

NEW QUESTION 105

Why is HPE OneView periodic polling important?

- A. Because a “SNMP Get” request cannot read the management information base (MIB).
- B. To support different SNMP versions.
- C. To prevent SNMP trap storms.
- D. Because SNMP traps can be unreliable.

Answer: C

NEW QUESTION 108

A customer has forgotten the administrator to their HPE OneView appliance. What do they need to provide to HPE support during the password reset process?

- A. License key
- B. HPE Passport login
- C. Request code
- D. Composer serial number

Answer: C

NEW QUESTION 109

A server that is managed by HPE OneView is having issues, and HPE support has requested that you reapply the server profile. What action must first be executed?

- A. Delete the server profile template.
- B. The server hardware must be powered off.
- C. Reboot the HPE OneView appliance.
- D. Rename the server profile.

Answer: B

NEW QUESTION 113

Refer to the exhibit.

The screenshot shows the HPE OneView interface for managing server profile templates. On the left, a list of templates is displayed, with 'ESX BL460c Gen10 template' selected. The right pane shows the configuration for this template. Under the 'Connections' section, a table lists four connections. Connection 1 is named 'management' and is 'Not bootable'. Below the table, there are fields for 'Interconnect' (pending assignment), 'Type' (Ethernet), 'MAC address' (pending assignment), and 'Requested bandwidth' (2.5 Gb/s). Connections 2, 3, and 4 are also listed with names 'management', 'prod_13', and 'prod_13' respectively, all 'Not bootable'.

ID	Name	Network	Port	Boot
1	management	VLAN1	FlexibleLOM 1:1 -a	Not bootable
2	management	VLAN1	FlexibleLOM 1:2 -a	Not bootable
3	prod_13	VLAN13	FlexibleLOM 1:1 -c	Not bootable
4	prod_13	VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Answer: C

NEW QUESTION 116

Your customer is running ESXi on an HPE BladeSystem managed by HPE OneView. They want to be able to add networks to the ESXi system without modifying the Virtual Connect configuration. Which type of network should be used?


- A. mapped

- B. tagged
- C. tunnel
- D. untagged

Answer: C

NEW QUESTION 117

Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 120

What are benefits of the RESTful API for HPE OneView? (Choose two.)

- A. REST is a heavyweight toolkit that can create and modify just about any type of resource
- B. REST enables automating anything that can be done from the UI using a favorite scripting or programming language
- C. REST enables developers and users to create their own apps, or provide integration with other applications
- D. REST is an HPE invention built into HPE OneView and iLO that enables management of devices through the Red Fish standard

Answer: BC

NEW QUESTION 124

What does HPE OneView use to define the network connectivity for an Enclosure Group?

- A. Logical Switch Group
- B. Logical Interconnect Group
- C. Smart Link
- D. network set

Answer: B

NEW QUESTION 127

Match the security features of HPE OneView with their use cases.

Feature	Use Case
Certificate based trust	Identity validation for management network transactions.
Role based access control	Secure form of user authentication based on “what you know” and “what you have”.
Scope based access control	Restriction of user rights to a subset of resources within the infrastructure.
Two-factor authentication	Restriction of user rights to perform actions (create, read, update, delete, or use) to specific resources within a category.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Feature	Use Case
Certificate based trust	Identity validation for management network transactions.
Role based access control	Secure form of user authentication based on “what you know” and “what you have”.
Scope based access control	Restriction of user rights to a subset of resources within the infrastructure.
Two-factor authentication	Restriction of user rights to perform actions (create, read, update, delete, or use) to specific resources within a category.

NEW QUESTION 130

Which REST API headers are recommended when creating a new Ethernet network? (Choose two.)

- A. Content-Type
- B. X-API-Version
- C. Accept-Language
- D. Accept-CharSet

Answer: AD

NEW QUESTION 135

How does HPE OneView 4.0 along with HPE ProLiant Gen 10 benefit customers who are concerned about malware attacks?

- A. Continuously scans server firmware for malware code.
- B. Introduces Trusted Platform Module 2.0 support.
- C. Provides a Secure Boot option setting as part of the server profile.
- D. Forces secure boot for both Legacy and UEFI BIOS mode.

Answer: D

NEW QUESTION 140

What package type is used for HPE OneView Virtual Appliance deployment in a Red Hat Linux KVM hypervisor environment?

- A. rpm
- B. yum
- C. DNF
- D. qcow2

Answer: D

NEW QUESTION 142

In addition to the REST client what is another way to access the HPE REST APIs? (Select two.)

- A. cURL command line utility
- B. Unified Extensible Firmware Interface (UEFI)
- C. Windows PowerShell
- D. Native BASH Linux shell

Answer: AC

NEW QUESTION 146

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. Smartcard
- B. Self-signed certificate
- C. SMS
- D. One-time Passwords

Answer: A

NEW QUESTION 149

A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE

OneView setting at the Logical Interconnect Group level can help?

- A. SNMPv3
- B. loop protection
- C. storm control
- D. IGMP snooping

Answer: C

NEW QUESTION 152

Which actions can be taken on alerts in the Activity page in HPE OneView?

- A. re-send email notification for specific alerts
- B. delete alerts
- C. assigning alerts to a specific user
- D. mark an alert as fixed

Answer: C

NEW QUESTION 154

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Choose two.)

- A. Add the domain group in Users and Groups menu.
- B. Define the Active Directory domain and associated directory server(s) in Directory settings.
- C. Add the domain group as Base DN in Directory settings.
- D. Add the domain group as Organization Unit in Directory settings.
- E. Add the Active directory server in Users and Groups menu.

Answer: BE

NEW QUESTION 157

A system administrator needs to update the firmware in all Virtual Connect Flex-10/10D modules. This needs to be done during a maintenance window, when the servers are powered off. Which firmware activation setting performs the update in the shortest possible time?

- A. serial
- B. custom
- C. parallel
- D. odd/even

Answer: C

NEW QUESTION 159

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 160

A customer has HPE OneView 1.2 and wants to upgrade to 4.0. What is the correct procedure?

- A. import all virtual connect manager environments and then upgrade directly to 4.0
- B. upgrade directly to 4.0
- C. upgrade to 3.1, import all virtual connect manager environments, then upgrade to 4.0
- D. upgrade to 3.1 and then upgrade to 4.0

Answer: B

NEW QUESTION 164

Exhibit:

Refer to the exhibit.



A server administrator is creating a new SAN-attached volume as a part of a server profile definition. What will happen to the volume when the server administrator deletes the profile two weeks later?

- A. The volume will be deleted from HPE OneView and kept at the StoreVirtual array.
- B. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be removed from the array.
- C. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be kept at the array.
- D. The volume will be deleted from both HPE OneView and the StoreVirtual array.

Answer: A

NEW QUESTION 166

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. RBAC (Role Based Access Control)
- C. SBAC (Scope Based Access Control)
- D. CLI Only Access

Answer: C

NEW QUESTION 171

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to "Device Bay + Server Hardware". What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if the correct server hardware type is installed.
- B. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will apply the profile if a server with the correct serial number installed.

Answer: B

NEW QUESTION 175

A customer has a large environment with a mixture of HPE ProLiant DLs and BLs, and HPE Apollo devices all reporting to an HPE Oneview appliance in reviewing the devices in Map View, the administrator notices that two Gen6 devices aren't displaying as much information as other managed Gen7 and Gen8 devices. What is the most likely cause?

- A. The agent on the Gen6 device has stopped reporting data to HPE OneView.
- B. Gen6 devices aren't supported by HPE OneView.
- C. Remote support is not configured on the Gen6 devices.
- D. Gen6 devices are only monitored.

Answer: D

NEW QUESTION 179

In addition to the REST client, what is another way to access the HPE REST APIs? (Choose two.)

- A. Windows PowerShell
- B. Unified Extensible Firmware Interface (UEFI)
- C. Native BASH Linux shell
- D. cURL command line utility
- E. PuTTY client

Answer: CD

NEW QUESTION 184

Which string value attribute provides information to the REST client about a resource revision?

- A. client cache
- B. URI
- C. eTag
- D. request header

Answer: C

NEW QUESTION 186

A company wants to integrate an acquired company's infrastructure into their existing Synergy 3 frame environment. They currently have 286 VLANs in their operational network set. They want to add 153 new VLANs into the configuration. What would you recommend?

- A. Integrate the new networks into the existing network set.
- B. Purchase a second three frame configuration for the new company.
- C. Create a second network set for the new VLANs.
- D. Add a second fabric domain to the existing configuration to support the new networks.

Answer: A

NEW QUESTION 188

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>