

300-435 Dumps

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

<https://www.certleader.com/300-435-dumps.html>



NEW QUESTION 1

What are two characteristics of RPC API calls? (Choose two.)

- A. They can be used only on network devices.
- B. They use only UDP for communications.
- C. Parameters can be passed to the calls.
- D. They must use SSL/TLS.
- E. They call a single function or service.

Answer: AC

NEW QUESTION 2

```
module: ietf-ip
augment /if:interfaces/if:interface:
  +--rw ipv4!
  |   +--rw enabled?      boolean
  |   +--rw forwarding?   boolean
  |   +--rw mtu?           uint16
  |   +--rw address* [ip]
  |   |   +--rw ip                inet:ipv4-address-no-zone
  |   |   +--rw (subnet)
  |   |   |   +--:(prefix-length)
  |   |   |   |   +--rw prefix-length?      uint8
  |   |   |   +--:{netmask}
  |   |   |   +--rw netmask?                yang:dotted-guad (ipv4-non-contiguous-netmasks)?
  |   |   +--ro origin?                ip-address-origin
  |   +--rw neighbor* [ip]
  |   |   +--rw ip                inet:ipv4-address-no-zone
  |   +--rw link-layer-address      yang:phys-address
```

Refer to the exhibit. Which NETCONF statement type is represented by +--rw address* [ip]?

- A. list
- B. leaf-list
- C. container
- D. submodule

Answer: A

NEW QUESTION 3

FILL BLANK

Fill in the blank to complete the statement.

is a solution for automating the configuration of a device when it is first powered on, using DHCP and TFTP.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Zero touch provisioning (ZTP)

NEW QUESTION 4

When a Grafana dashboard is built to receive network events from Cisco DNA Center, which integration bundle is enabled to send notifications?

- A. Basic ITSM CMDB Synchronization
- B. DNA Center Rest API
- C. Network Events for REST API Endpoint
- D. Network Issue Monitor and Enrichment for ITSM

Answer: B

NEW QUESTION 5

Which field must be completed in Cisco DNA Center when a network discovery is initiated?

- A. SNMP read community string
- B. Enable password
- C. NETCONF port
- D. Discovery type

Answer: D

NEW QUESTION 6

In which direction does the Cisco DNA Center Intent API communicate?

- A. westbound
- B. eastbound
- C. northbound
- D. southbound

Answer: C

NEW QUESTION 7

```
1 {
2   'data':
3   [
4     {
5       'count': 4,
6       'detailsURL': '',
7       'name': 'vEdge Hardware Health',
8       'status': 'error',
9       'statusList':
10      [
11        {
12          'count': 4,
13          'detailsURL': '/dataservice/device/hardwarehealth/detail?state=normal',
14          'message': '4 {normal=4, warning=0, error=0}',
15          'name': 'normal',
16          'status': 'up'
17        }
18      ]
19    }
20  ]
21 }
```

Refer to the exhibit. Cisco SD-WAN deployment must be troubleshooted using vManage APIs. A call to vEdge Hardware Health API returns the data in the exhibit (only a portion is shown). If this JSON is converted to a Python dictionary and assigned to the variable “d”, how the status is accessed that is indicated on line 16?

- A. d[data][0][statusList][0][status]
- B. d['data']['statusList']['status']
- C. d{'data'}[0]['statusList'][0]['status']
- D. d['data'][0]['statusList'][0]['status']

Answer: B

NEW QUESTION 8

What is the purpose of using the Cisco SD-WAN vManage Certificate Management API?

- A. to generate a CSR
- B. to allocate resources to the certificate server
- C. to request a certificate from the certificate server
- D. to enable vManage Center

Answer: A

NEW QUESTION 9

FILL BLANK

Fill in the blank to complete the URL for an API call to Cisco SD-WAN to display the history of the Bidirectional Forwarding Detection sessions that run on a vEdge router.

`https://<vmanage-ip-address>/dataservice/device/` **`deviceid=<deviceid>`**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

bfd/synced/sessions?

NEW QUESTION 10

Which two types of solution are built with the Meraki Location Scanning API? (Choose two.)

- A. networking automation
- B. mapping
- C. guest Wi-Fi
- D. Sense

E. wayfinder

Answer: BE

NEW QUESTION 10

Which REST endpoint is used to create a Cisco Meraki network?

- A. POST /organizations/{organizationId}/networks
- B. PATCH /networks{networkId}
- C. PUT /organizations/{organizationId}/networks
- D. POST /networks{networkId}

Answer: A

NEW QUESTION 14

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-435 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-435-dumps.html>