

# HPE2-T36 Dumps

## Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



#### NEW QUESTION 1

A customer has a mixture of Gen8 and newer DL and BL devices. They want to enable support automation and run inventory reports on their devices. They are currently using Insight Control but are considering HPE OneView. They can't have any downtime on the devices if they change management strategies. What option is most efficient for them?

- A. Move to HPE OneView Advanced with Remote Support enabled.
- B. Move to HPE OneView Standard with Remote Support enabled.
- C. Stay on Insight Control and activate a Proactive Care contract.
- D. Stay on Insight Control and enable Insight Online.

**Answer:** A

#### NEW QUESTION 2

When deploying the HPE OneView virtual appliance in a VMware ESXi environment, what disk format does HPE recommend to use?

- A. Thick Provision Lazy Zeroed
- B. Full Provision
- C. Thick Provision Eager Zeroed
- D. Thin Provision

**Answer:** C

#### NEW QUESTION 3

What is the recommended process order for configuring a c-Class BladeSystem in HPE OneView?

Processes	Correct Order
add enclosure	1
create and assign Server Profiles from template	6
create Enclosure Group (EG)	3
create Logical Interconnect Group (LIG)	4
create networks	2
create Server Profile Template	5

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Processes	Correct Order
add enclosure	4
create and assign Server Profiles from template	6
create Enclosure Group (EG)	3
create Logical Interconnect Group (LIG)	2
create networks	1
create Server Profile Template	5

#### NEW QUESTION 4

Match the HPE OneView element to its function.

Element	Function	
enclosure group	conceptual view of a single enclosure within a group.	
logical enclosure		
logical interconnect	provides fabric configurations which are pre-selected before enclosures are added.	
logical interconnect group	template that defines a consistent configuration for a logical enclosure.	
	represents the available networks, uplink sets, and stacking links for a set of physical interconnects.	

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Element	Function	
enclosure group	conceptual view of a single enclosure within a group.	logical enclosure
logical enclosure		
logical interconnect	provides fabric configurations which are pre-selected before enclosures are added	logical interconnect group
logical interconnect group	template that defines a consistent configuration for a logical enclosure.	enclosure group
	represents the available networks, uplink sets, and stacking links for a set of physical interconnects.	logical interconnect

#### NEW QUESTION 5

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

The screenshot shows the HPE OneView interface. On the left, a list of server profiles is displayed: ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM\_D. The main area shows the details for the 'ESX 4' profile, including a 'General' tab. The 'Actions' button in the top right corner of the profile details is highlighted with a red dashed box.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

This is a duplicate of the screenshot above, showing the HPE OneView interface with the 'ESX 4' profile selected and the 'Actions' button highlighted with a red dashed box.

**NEW QUESTION 6**

A customer has deployed the HPE OneView virtual appliance and is getting an error message when they attempt to import a Synergy frame for management. What is the most likely cause of the problem?

- A. Synergy frames require additional HA requirements for the virtual appliance.
- B. Synergy frames are managed by the HPE Composer.
- C. The backup IPv6 address of the Frame Link module was used during the import.
- D. The HPE OneView virtual appliance has the wrong database size.



**Answer:** B

**NEW QUESTION 7**

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
- B. VLAN Type
- C. CHAP Password
- D. association with subnet ID
- E. WWPN

**Answer:** AB

**NEW QUESTION 8**

A server administrator needs to add a new c7000 enclosure to their HPE Oneview management appliance. What information is required? (Select two)

- A. login credentials for Onboard Administrator
- B. Onboard Administrator IP address
- C. login credentials for Virtual Conned
- D. Virtual Connect IP address

**Answer:** AB

**NEW QUESTION 9**

You remove an HPE SY480 compute module from its bay and install a host bus adapter (HBA) into the compute module. When you install the module back into its original bay you notice that the server profile in HPE OneView is showing “unassigned”. What is the reason for this?

- A. There is no connection configured for the HBA in the “Connections” section of the Server profile.
- B. The server hardware type is invalid.
- C. The Server Profile is inconsistent with its Server Profile Template.
- D. The Affinity is configured to “Device bay + hardware”.

**Answer:** B

**NEW QUESTION 10**

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. QoS
- B. M-LAG
- C. Smart Link
- D. VxLAN

**Answer:** C

**NEW QUESTION 10**

Click where the server administrator can see the server profiles using the selected firmware Bundle.

The screenshot shows the HP OneView 'Firmware Bundles' page. A table lists two bundles:

Name	Version	Size	Type
Service Pack for ProLiant	2017.04.0	6.57 GB	SPP
Service Pack for ProLiant	2017.07.1	4.65 GB	SPP

The right-hand pane shows the details for 'Service Pack for ProLiant, 2017.04.0'.

**General**

- Version: 2017.04.0
- Size: 6.57 GB
- Type: SPP
- Description: The Service Pack for ProLiant (SPP) is a comprehensive systems software and firmware update solution, which is delivered as a single ISO image. This solution uses HP Smart Update Manager (HP SUM) as the deployment tool and is tested on all HPE ProLiant Gen9, Gen8 and earlier servers as defined in the Service Pack for ProLiant Server Support Guide found at [www.hpe.com/servers/spp/documentation](http://www.hpe.com/servers/spp/documentation).
- Used by: ~~16 server profiles~~ 2 server profile templates
- Locations: Internal

**Release Date**

8/30/18

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
16 server profiles

#### NEW QUESTION 12

You want to create a Support Dump file using REST: How would you accomplish this?

- A. POST /rest/backups/support-dumps
- B. PUT /rest/appliance/support-dumps
- C. GET /rest/appliance/support-dumps
- D. POST /rest/appliance/support-dumps

**Answer:** D

#### NEW QUESTION 17

After a HPE BL460c Gen10 server failure, the system operator quickly replaces the failed server with a new one in the same Bay. However, the server profile does not get applied automatically. What may have prevented the profile from being applied?

- A. The Volume Template properties are locked.
- B. The server profile attribute is set to "Occupied".
- C. The firmware "Force installation" option is selected.
- D. The affinity value is set to "device bay + server hardware".

**Answer:** D

#### NEW QUESTION 22

A customer wants to restrict certain business units from accessing resources owned by other groups, click the area where you would begin to configure this type of security measure.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



#### NEW QUESTION 26

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

**Answer: AC**

**NEW QUESTION 29**

A systems administrator needs to add a VLAN to a network set to support a new application. They have added the network to the upstream switch and the Logical Interconnect Group in HPE OneView but traffic is not passing. What is the most likely cause of the problem?

- A. Intelligent Management Center (IMG) has not been updated via REST.
- B. The administrator failed to update the state change message bus.
- C. The administrator needs to update the Logical Interconnects from the Logical Interconnect Group.
- D. The upstream switch doesn't have the VLAN enabled.

**Answer:** D

**NEW QUESTION 32**

An SY480 compute module is having issues and needs to have the motherboard replaced in the interest of time, you decide to move the hard drives to a spare compute module. To prevent losing data, what do you need to do before applying the same profile to the new blade?

- A. Check "Re-initialize controller on next profile application" in the "Local Storage" section of the ServerProfile.
- B. Check "Import existing logical drives" in the "Local Storage" section of the Server Profile.
- C. Ensure that the RAC level is configured "or RAID1 then select the "Boot" checkbox in the "Local Storage" section of the Server profile.
- D. Select "Create logical drive" in the "Local Storage" section of the Server Profile, then uncheck "Manage integrated storage controller".

**Answer:** B

**NEW QUESTION 36**

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

**Answer:** AB

**NEW QUESTION 38**

What public resource is available to help administrators who want to automate operations by using the PowerShell interface to the HPE OneView REST API and the Synergy Composable API?

- A. HPE OneView server templates
- B. GitHub library
- C. HPE Support Center
- D. HPE Software Depot

**Answer:** C

**NEW QUESTION 39**

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

**Answer:** C

**NEW QUESTION 41**

Which component of HPE OneView provides information about temperature and CPU utilization for managed resources?

- A. insight online (IO)
- B. integrated lights out (iLO)
- C. state change message bus (SCMB)
- D. metric streaming message bus (MSMB)

**Answer:** C

**NEW QUESTION 42**

What mechanism does HPE OneView use to get status data from devices as a fail-safe approach to SNMP traps?

- A. SNMP trap storms
- B. Dashboard charts
- C. REST API
- D. Periodic Polling

**Answer:** A

**NEW QUESTION 43**



What tool can you use to provision hosts using server profiles to create or grow a Hyper-V cluster?

- A. HPE Insight Control Server Provisioning
- B. HPE OneView for Microsoft System Center
- C. HPE iLO Virtual Media
- D. Microsoft Operations Manager

**Answer: B**

#### NEW QUESTION 45

Refer to the exhibit.

The screenshot shows the HPE OneView interface. At the top, there's a search bar and navigation tabs for 'Server Hardware', 'All statuses', 'All scopes', and 'All labels'. Below this, there's a '+ Add server hardware' button and a filter bar showing '172.18.6.16 Hardware'. The main area displays a table of server hardware with columns: Name, Server Name, Server Profile, and Model. One row is highlighted in blue, showing a server with IP 172.18.6.16, Server Name 'not set', Server Profile 'none', and Model 'DL380p Gen8'. To the right of the table, a 'Hardware' panel shows details for the selected server: Server name (not set), State (No Profile Applied), Server profile (Create profile), Server power (On), Model (ProLiant DL380p Gen8), Server hardware type (DL380p Gen8 1), Product ID (603718-G21), Serial number (MXQ1000307), License (HPE OneView Advanced), UUID (37333036-3831-584D-5131-303030333037), and iLO details (Host name: 172.18.6.16, IPv4: 172.18.6.16, IPv6: fe80:0:0:2::fe03:10 Link-local).

Name	Server Name	Server Profile	Model
172.18.6.15	not set	n/a	DL360p Gen8
172.18.6.16	not set	none	DL380p Gen8
172.18.6.31	not set	n/a	DL360 Gen9
172.18.6.32	not set	none	DL380p Gen8
Enc1, bay1	not set	Splunk 1	BL660c Gen9
Enc1, bay2	not set	Splunk 2	BL660c Gen9
Enc1, bay3	not set	none	BL460c Gen8
Enc1, bay4	not set	none	BL460c Gen8
Enc1, bay5	not set	none	BL460c Gen8

Hardware	
Server name	not set
State	No Profile Applied
Server profile	<a href="#">Create profile</a>
Server power	On
Model	ProLiant DL380p Gen8
Server hardware type	<u>DL380p Gen8 1</u>
Product ID	603718-G21
Serial number	MXQ1000307
License	HPE OneView Advanced
UUID	37333036-3831-584D-5131-303030333037
iLO	<div>Host name</div> <div>172.18.6.16</div> <div>IPv4</div> <div>172.18.6.16</div> <div>IPv6</div> <div>fe80:0:0:2::fe03:10 Link-local</div>

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

**Answer: D**

#### NEW QUESTION 47

Which attributes are required to create a blade server profile? (Choose two.)

- A. BIOS settings
- B. Enclosure Group
- C. local storage configuration
- D. uplink set
- E. server hardware type

**Answer: AC**

#### Explanation:

You can assign an unassigned profile only to server hardware that matches the server hardware type and enclosure group. After the profile is created, you cannot change the server hardware type and enclosure group.

#### NEW QUESTION 48

Which information is required to integrate HPE OneView authentication with OpenLDAP server? (Choose two.)

- A. organizational unit
- B. domain component
- C. common name
- D. base DN
- E. group CN

**Answer:** AD

#### NEW QUESTION 50

Besides SPP's (Service Pack for HPE ProLiant), what else can be uploaded to the firmware repository section in the HPE OneView UI?

- A. operating system patch
- B. third party drivers
- C. Support Dump
- D. Smart Component

**Answer:** D

#### NEW QUESTION 54

Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Insight Control
- B. Central Management Console
- C. iLO Amplifier Pack
- D. Global Dashboard

**Answer:** D

#### NEW QUESTION 59

Identify the HPE OneView object you would use to accomplish each task.

<u>OBJECT</u>		<u>TASK</u>
Enclosure Group		Quickly add/remove associated Ethernet networks across one or more server profiles.
Logical Interconnect		Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings.
Logical Interconnect Groups		Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links.
Network Set		Add a BladeSystem c7000 and configure according to a common template.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

<u>OBJECT</u>		<u>TASK</u>
Enclosure Group	Network Set	Quickly add/remove associated Ethernet networks across one or more server profiles.
Logical Interconnect	Logical Interconnect Groups	Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings.
Logical Interconnect Groups	Logical Interconnect	Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links.
Network Set	Enclosure Group	Add a BladeSystem c7000 and configure according to a common template.

#### NEW QUESTION 64

An administrator is configuring a server profile template, but does not see the Ethernet network called "VLAN 210" that had been created earlier. What could be the cause?

- A. VLAN 210 was never configured in the Logical Interconnect Group.
- B. VLAN 210 is already in a Network Set.
- C. VLAN 210 does not exist on the upstream switches.
- D. VLAN 210 has Private Network enabled.

**Answer:** C

#### NEW QUESTION 66

Match each task or environment with the most common approach for using HPE OneView. (Matches may be used more than once.)

#### Answer Area

API	GUI	<div style="margin-bottom: 10px;">Traditional NetOps business model simplifying infrastructure lifecycle management. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle;"></span></div> <div style="margin-bottom: 10px;">DevOps environment that wants to accelerate application delivery. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle;"></span></div> <div style="margin-bottom: 10px;">Automating management tasks through scripting. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle;"></span></div> <div style="margin-bottom: 10px;">Enhancing the interaction and collaboration between IT staff. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle;"></span></div> <div style="margin-bottom: 10px;">Integrating with service desk ticketing function <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle;"></span></div>
-----	-----	---

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

API	GUI	<div style="margin-bottom: 10px;">Traditional NetOps business model simplifying infrastructure lifecycle management. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle; text-align: center;">GUI</span></div> <div style="margin-bottom: 10px;">DevOps environment that wants to accelerate application delivery. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle; text-align: center;">API</span></div> <div style="margin-bottom: 10px;">Automating management tasks through scripting. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle; text-align: center;">API</span></div> <div style="margin-bottom: 10px;">Enhancing the interaction and collaboration between IT staff. <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle; text-align: center;">GUI</span></div> <div style="margin-bottom: 10px;">Integrating with service desk ticketing function <span style="border: 1px solid black; display: inline-block; width: 80px; height: 25px; vertical-align: middle; text-align: center;">GUI</span></div>
-----	-----	--

#### NEW QUESTION 70

An administrator wants to create new volumes using a server profile. What limitations must the administrator consider?

- A. Only private volumes can be created through a server profile.
- B. Volumes created through the server profile cannot be bigger than 1TB.
- C. A volume template must be used to create new volumes using server profile.
- D. Creating shared volumes using server profiles is possible only with Flat SAN implementation.

**Answer:** A

#### NEW QUESTION 73



Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
- B. HPE Global Dashboard can be used to enable HPE OneView high availability
- C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
- D. HPE OneView can be connected to two different databases to provide high availability

**Answer:** C

**NEW QUESTION 74**

A customer has forgotten the administrator to their HPE OneView appliance. What do they need to provide to HPE support during the password reset process?

- A. License key
- B. HPE Passport login
- C. Request code
- D. Composer serial number

**Answer:** C

**NEW QUESTION 77**

When creating a Server Profile Template, what are advantages or creating an unassigned Ethernet type connection during template creation? (Choose two.)

- A. It enables auto-zoning of SAN connections
- B. It avoids re-enumeration when assigning a network to existing connections
- C. It eliminates the need to power off the server when adding connectivity to the production networks or disabling a profile connection
- D. Template creation is the only time that new network adapters can be created

**Answer:** BC

**NEW QUESTION 78**

You need to remove 25 unassigned Server Profiles from HPE OneView. What’s the most efficient way to accomplish this?

- A. Use REST API with the POST method
- B. Use REST API with the DELETE method
- C. Select the Server Profile Template for each server and click “Delete” from the “Actions” menu
- D. Edit each Server Profile and change the Server Profile Template to “none”

**Answer:** B

**NEW QUESTION 81**

Match the HPE OneView interconnect module state to its definition.

Object	Task	
Enclosure Group	Quickly add/remove associated Ethernet networks across one or more server profiles.	
Logical Interconnect	Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings.	
Logical Interconnect Groups	Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links.	
Network Set	Add a BladeSystem c7000 and configure according to a common template.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Network Set Logical Interconnect  
Logical Interconnect Groups Enclosure Group

**NEW QUESTION 86**

Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



**NEW QUESTION 88**

Your customer wants to acquire HPE OneView Advanced licenses for servers they plan to purchase in the future. They would like a pay-as –you-go approach in which they only pay for the licenses as they are used. Which HPE licensing feature addresses this customer’s request?

- A. Activation Key Agreement



- B. iLO Advanced
- C. Tracking license
- D. GNU license

**Answer:** A

**NEW QUESTION 89**

Which HPE tool can be integrated with HPE OneView to provision ToR switch ports automatically for newly added BladeSystem enclosures?

- A. StoreServ Management Console
- B. Synergy Composer
- C. Onboard Administrator
- D. Global Dashboard
- E. Intelligent Management Console

**Answer:** E

**NEW QUESTION 90**

When the HPE OneView appliance starts up for the very first time, what is the administrator required to do immediately after logging in for the first time?

- A. Create a backup
- B. Add licenses
- C. Configure the management IP
- D. Change the Administrator password

**Answer:** B

**NEW QUESTION 91**

What tool provides a unified view of aggregated information from multiple OneView appliances?

- A. Redfish management
- B. Intelligent Management Console
- C. Global Dashboard
- D. Integrated Lights Out

**Answer:** C

**NEW QUESTION 95**

What package type is used for HPE OneView Virtual Appliance deployment in a Red Hat Linux KVM hypervisor environment?

- A. rpm
- B. yum
- C. DNF
- D. qcow2

**Answer:** D

**NEW QUESTION 99**

In addition to the REST client what is another way to access the HPE REST APIs? (Select two.)

- A. cURLcormand line utility
- B. Unified Extensible Firrwate Interface (U£FI)
- C. Windows PowerShell D Native BASH Linux shell
- D. PuTTY client

**Answer:** AC

**NEW QUESTION 100**

Refer to the exhibit.

## Add Alert Email Filter

As alerts arrive, if they match the filter search criteria, they are sent to the destination email addresses.

Name

Alert email ☒ Enabled

Alert criteria ☐ Pre-defined ☐ Guided ☒ Advanced

Resource scope

☒ Match any ☐ Match all

Email addresses

Changed: Email addresses to "admin-dayshift..."

A server administrator wants to receive all the critical and warning alerts related to server using the profile “APPSRV 2”. What needs to be entered into the “Alert criteria” textbox to receive the right email alerts?

- A. status: critical or status: warning profile:”APPSRV 2”
- B. status:critical status:warning “APPSRV 2”
- C. status: critical or warning “APPSRV 2”
- D. “APPSRV 2”.” needs attention”

**Answer: B**

#### NEW QUESTION 102

Before applying server profiles to a group of servers. What is the first thing you should check?

- A. The servers are powered down.
- B. The servers have the correct firmware installed.
- C. The servers are all Synergy compute modules.
- D. The servers are all the same server hardware type.

**Answer: D**

#### NEW QUESTION 104

Which condition will prevent HPE OneView from reapplying a server profile?

- A. The server hardware matches the server hardware type defined in the profile.
- B. The server profile is assigned to the server hardware.
- C. The server hardware is in a degraded state.
- D. The server hardware is powered off.

**Answer: B**

#### NEW QUESTION 109

Which actions can be taken on alerts in the Activity page in HPE OneView?

- A. re-send email notification for specific alerts
- B. delete alerts
- C. assigning alerts to a specific user
- D. mark an alert as fixed

**Answer: C**

#### NEW QUESTION 110

A customer has HPE OneView 1.2 and wants to upgrade to 4.0. What is the correct procedure?

- A. import all virtual connect manager environments and then upgrade directly to 4.0
- B. upgrade directly to 4.0
- C. upgrade to 3.1, import all virtual connect manager environments, then upgrade to 4.0
- D. upgrade to 3.1 and then upgrade to 4.0

**Answer: B**

#### NEW QUESTION 115

A customer has a strict change control environment. How do Server Profile Templates help with change control policies?

- A. They allow users to define configurations once and within minutes.
- B. They help to monitor, flag, and update server profiles in HPE OneView.
- C. They allow server profile mobility.
- D. They provision hardware quickly.

**Answer: B**

#### NEW QUESTION 117

A server administrator needs to expand a VMware vSphere farm and use an already existing server profile as a baseline. Click the area where new server profile templates can be created from a selected server profile.

The screenshot shows the HPE OneView interface. At the top, there's a navigation bar with the OneView logo, a search bar, and icons for settings, notifications (3), user, and help. Below the navigation bar, the 'Server Profiles' section is active, showing a list of profiles: ESX 3, ESX 4 (selected), HYPERV 1, HYPERV 2, and HYPERV FARM\_D 5. To the right of the list, there's a table showing details for the selected 'ESX 4' profile. The table has two tabs: 'General' and 'Firmware'. The 'General' tab is active, showing fields like Description (not set), Server profile template (none), Server hardware (Encl1, bay 4), Server hardware type (BL460c Gen10 1), Enclosure group (default), Affinity (Device bay), Server power (Off), Serial number (v) (VCGOEEI001), UUID (v) (51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3), and iSCSI initiator name (v) (iqn.2015-02.com.hpe:oneview-vcgoeei001). To the right of the table, there's an 'Actions' button with a plus sign, indicating where to click to create new server profile templates from a selected profile.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the HPE OneView interface. At the top, there's a navigation bar with the OneView logo, a search bar, and user icons. Below this, the 'Server Profiles' section is active, showing 5 profiles. A red box highlights the '+ Create profile' button. The 'ESX 4' profile is selected, and its details are shown in the 'General' tab. The details include:

General >	
Description	not set
Server profile template	none
Server hardware	Encl1, bay 4
Server hardware type	BL460c Gen10 1
Enclosure group	default
Affinity	Device bay
Server power	Off
Serial number (v)	VCGOEEI001
UUID (v)	51ad0a7b-ad5c-44d8-83c6-f2acf42ce8e3
iSCSI initiator name (v)	iqn.2015-02.com.hpe:oneview-vcgoeei001

Below the details, there's a 'Firmware >' section.

**NEW QUESTION 120**

A customer is performing lifecycle management on their existing ESXi cluster. They edit the Server Profile Template for the ESXi cluster.

**Edit ESXi on BL460c Gen9 Server Profile**

**Server Profile**

Affinity Device bay

**Firmware**

Firmware baseline managed manually  
**Service Pack for ProLiant version 2017.04.0**  
 Service Pack for ProLiant version 2017.07.1

Installation Method ☒ Firmware and OS Drivers using Smart Update Tools  
☐ Firmware only using Smart Update Tools  
☐ Firmware only

Activate firmware ☒ Immediately ☐ At a scheduled date and time ☐ Not scheduled

**Connections**

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK Cancel

What will happen to all of the server profiles associated with the template after selecting the "Service Pack for HPE ProLiant 2017.07.1" and clicking OK?

- A. All server hardware associated with the profiles will immediately do a graceful shutdown and boot into Intelligent Provisioning to update the firmware.
- B. The Smart Update Tools will immediately begin to update the firmware and drivers on the systems while the ESXi hosts are still online.
- C. All server profiles associated with the template will be marked as inconsistent with the template.
- D. HPE OneView for vCenter will launch vCenter Update manager to begin updating the systems within the ESXi cluster.

**Answer: B**

#### NEW QUESTION 121

What permissions are included with the user role: "Server profile architect"? (select two.)

- A. delete server profile templates
- B. delete scopes
- C. perform firmware updates
- D. update scopes
- E. create server profile templates

**Answer: AE**

#### NEW QUESTION 122

A customer has a large environment with a mixture of HPE ProLiant DLs and BLs. and HPE Apollo devices all reporting to an HPE Oneview appliance in reviewing the devices in Map View, the administrator notices that two Gen6 devices aren't displaying as much information as other managed Gen7 and Gen8 devices. What is the most likely cause?

- A. The agent on the Gen6 device has stopped reporting data to HPE OneView.
- B. Gen6 devices aren't supported by HPE OneView.
- C. Remote support is not configured on the Gen6 devices.
- D. Gen6 devices are only monitored.

**Answer: D**

#### NEW QUESTION 123

How can a server administrator present a 3PAR volume to the server managed by HPE OneView?

- A. in the volume properties
- B. in the CPG configuration
- C. through supported SAN manager
- D. using a server profile



**Answer:** D

**NEW QUESTION 128**

What types of activities can be displayed in the Activity section of the HPE OneView UI? (Choose two.)

- A. tasks
- B. alerts
- C. connections
- D. deployments
- E. email notifications

**Answer:** AB

**NEW QUESTION 130**

What is the eTag attribute of resource objects used for?

- A. to identify the version of the IP protocol
- B. to identify the current revision of the resource
- C. to identify the server in a bay
- D. to identify the server profile assigned to a bay

**Answer:** B

**NEW QUESTION 132**

A company wants to integrate an acquired company's infrastructure into their existing Synergy 3 frame environment. They currently have 286 VLANs in their operational network set. They want to add 153 new VLANs into the configuration. What would you recommend?

- A. Integrate the new networks into the existing network set.
- B. Purchase a second three frame configuration for the new company.
- C. Create a second network set for the new VLANs.
- D. Add a second fabric domain to the existing configuration to support the new networks.

**Answer:** A

**NEW QUESTION 134**

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. in an unmanaged state
- B. with the same state (monitored or managed) as the iPDU
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

**Answer:** C

**NEW QUESTION 136**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/HPE2-T36-dumps.html>