

AZ-303 Dumps

Microsoft Azure Architect Technologies (beta)

<https://www.certleader.com/AZ-303-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to recommend a solution for App1. The solution must meet the technical requirements. What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of virtual networks:

	▼
1	
2	
3	

Number of subnets per virtual network:

	▼
1	
2	
3	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 3

One virtual network for every tier Box 2: 1

Only one subnet for each tier, to minimize the number of open ports.

Scenario: You have a public-facing application named App1. App1 is comprised of the following three tiers: ➤ A SQL database

➤ A web front end

➤ A processing middle tier

Each tier is comprised of five virtual machines. Users access the web front end by using HTTPS only. Technical requirements:

➤ Move all the virtual machines for App1 to Azure.

➤ Minimize the number of open ports between the App1 tiers.

NEW QUESTION 2

- (Exam Topic 2)

You have an Azure SQL database named Db1 that runs on an Azure SQL server named SQLserver1. You need to ensure that you can use the query editor on the Azure portal to query Db1.

What should you do?

- A. Modify the Advanced Data Security settings of Db1
B. Configure the Firewalls and virtual networks settings for SQLserver1
C. Copy the ADO.NET connection string of Db1 and paste the string to the query editor
D. Approve private endpoint connections for SQLserver1

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-connect-query-portal>

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Container1
B. VM1
C. Storage2
D. RG1

Answer: D

NEW QUESTION 4

- (Exam Topic 2)

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

Create availability set

X

*Name

AS1

V

*Subscription

Azure Pass

V

*Resource group

RG1

V

Create new

*Location

West Europe

V

Fault domains

2

Update domains

3

Use managed disks

No(Classic)

Yes(Alignet)

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

During planned maintenance, at least [answer choice] virtual machines will be available.

4
5
6
8

To add another virtual machines to AS1, the virtual machines must be added to [answer choice].

any region and the RG1 resource group
the West Europe region and any resource group
the West Europe region and the RG1 resource group

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named `File1.txt` from `Server1` to a folder named `C:\Folder1` in the container image. Solution: You add the following line to the `Dockerfile`.

ADD File1.txt C:/Folder1/

You then build the container image. Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. The ADD command can also be used. However, the root directory is specified as '/' and not as

'C:/'.

Reference:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 6

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From the Azure portal, you configure an authentication method policy. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).




Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 7

- (Exam Topic 2)

You have a virtual network named VNet1 as shown in the exhibit.

 Refresh  Move  Delete	
Resource group (change) Production	Address space 10.2.0.0/16
Location West US	DNS servers Azure provided DNS service
Subscription (change) Production subscription	
Subscription ID 14d26092-8e42-4ea7-b770-9dcef70fb1ea	
Tags (change) Click here to add tags	
Connected devices <input type="text" value="Search connected devices"/>	
Device	Type
Ip Address	Subnet
No results.	

No devices are connected to VNet1.

You plan to peer VNet1 to another virtual network named Vnet2 in the same region. VNet2 has an address space of 10.2.0.0/16.

You need to create the peering. What should you do first?

A. Modify the address space of VNet1.

B. Configure a service endpoint on VNet2

C. Add a gateway subnet to VNet1.

D. Create a subnet on VNet1 and VNet2.

Answer: A

Explanation:

The virtual networks you peer must have non-overlapping IP address spaces. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-cons>

NEW QUESTION 8

- (Exam Topic 2)

You have an Azure subscription that contains the Azure SQL servers shown in the following table.

Name	Region	In resource group
Sql1	West US	RG1
Sql2	West US	RG1

The subscription contains the elastic pool shown in the following table.

Name	On Azure SQL server
Pool1	Sql1
Pool2	Sql1
Pool3	Sql2

The subscription contains the Azure SQL databases shown in the following table.

Name	On Azure SQL server	Pool
DB1	Sql1	Pool1
DB2	Sql1	Pool2
DB3	Sql1	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
DB1 can be removed from Pool1 and added to Pool2.	<input type="radio"/>	<input type="radio"/>
DB2 can be removed from Pool2 and added to Pool3.	<input type="radio"/>	<input type="radio"/>
DB3 can be added to Pool1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Note: You cannot add databases from different servers into the same pool
Box 1: Yes

Pool2 contains DB2 but DB1 and DB2 are on Sql1. DB1 can thus be added to Pool2. Box 2: Yes

Pool3 is empty. Box 3: Yes

Pool1 contains DB1 but DB3 and DB1 are on Sql1. DB3 can thus be added to Pool1. References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-pool>

NEW QUESTION 9

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. You have a group named Group1 that is assigned the Contributor role for RG1.

You need to enhance security for the virtual machines in RG1 to meet the following requirements:

- Prevent Group1 from assigning external IP addresses to the virtual machines.
- Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Prevent Group1 from assigning external IP addresses to the virtual machines:

Azure Policy
Azure Bastion
Virtual network service endpoints
Azure Firewall
Azure Web Application Firewall (WAF)

Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address:

Azure Policy
Azure Bastion
Virtual network service endpoints
Azure Firewall
Azure Web Application Firewall (WAF)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Prevent Group1 from assigning external IP addresses to the virtual machines:

Azure Policy
Azure Bastion
Virtual network service endpoints
Azure Firewall
Azure Web Application Firewall (WAF)

Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address:

Azure Policy
Azure Bastion
Virtual network service endpoints
Azure Firewall
Azure Web Application Firewall (WAF)

NEW QUESTION 10

- (Exam Topic 2)

You plan to automate the deployment of a virtual machine scale set that uses the Windows Server 2016 Datacenter image. You need to ensure that when the scale set virtual machines are provisioned, they have web server components installed. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a new virtual machine scale set in the Azure portal.
- B. Create an automation account.
- C. Upload a configuration script.
- D. Modify the extensionProfile section of the Azure Resource Manager template.
- E. Create an Azure policy.

Answer: AD

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/tutorial-install-apps-template>

NEW QUESTION 10

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
- B. 6
- C. 1
- D. 2

Answer: A

NEW QUESTION 15

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins. You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription. What should you do?

- A. From Azure AD, configure the User settings.

- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 19

- (Exam Topic 2)

You have an Azure subscription that contains 100 virtual machines.

You have a set of Pester tests in PowerShell that validate the virtual machine environment.

You need to run the tests whenever there is an operating system update on the virtual machines. The solution must minimize implementation time and recurring costs.

D18912E1457D5D1DDCBD40AB3BF70D5D

Which three resources should you use to implement the tests? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Automation runbook
- B. an alert rule
- C. an Azure Monitor query
- D. a virtual machine that has network access to the 100 virtual machines
- E. an alert action group

Answer: ABE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-create-alert-triggered-runbook> <https://techsnips.io/snips/how-to-create-and-test-azure-monitor-alerts/?page=13>

NEW QUESTION 23

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

➤ Conduct access reviews to ensure users still need roles References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 25

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains an Azure virtual network named VNet1. VNet1 connects to your on-premises network by using Azure ExpressRoute.

You need to connect VNet1 to the on-premises network by using a site-to-site VPN. The solution must minimize cost.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a VPN gateway that uses the VpnGw1 SKU.
- B. Create a connection.
- C. Create a local site VPN gateway.
- D. Create a gateway subnet.
- E. Create a VPN gateway that uses the Basic SKU.

Answer: ABC

Explanation:

References:

<https://docs.microsoft.com/en-za/archive/blogs/canitpro/step-by-step-configuring-a-site-to-site-vpn-gateway-bet>

NEW QUESTION 29

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named Appl. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in

Azure Active Directory (Azure AD) and publish Appl by using the Azure AD Application Proxy. You need to ensure that Appl appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 34

- (Exam Topic 2)

: 292 HOTSPOT

From Azure Cosmos DB, you create the containers shown in the following table.

Container ID	Partition key	Unique key
Container1	/category	None
Container2	/id	/importance

You add the following item to Container1.

```
{
  "id": "1",
  "category": "personal",
  "name": "Name1",
  "description": "Description1"
}
```

You plan to add items to Azure Cosmos DB as shown in the following table.

Name	Content
Item1	{ "id": "1", "category": "personal", "name": "Name1", "description": "Description1" }
Item2	{ "category": "business", "name": "Name2", "description": "Description2" "importance": "High" }
Item3	{ "id": "3", "name": "Name3", "description": "Description3" }
Item4	{ "id": "4", "importance": "Low" }

You need to identify which items can be added successfully to Container1 and Container2.

What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

NEW QUESTION 37

- (Exam Topic 2)

You have an Azure virtual machine named VM1 and an Azure Active Directory (Azure AD) tenant named adatum.com.

D18912E1457D5D1DDCBD40AB3BF70D5D

VM1 has the following settings:

- IP address: 10.10.0.10
- System-assigned managed identity: On

You need to create a script that will run from within VM1 to retrieve the authentication token of VM1. Which address should you use in the script?

- A. vm1.adatum.com.onmicrosoft.com
- B. 169.254.169.254
- C. 10.10.0.10

D. vm1.adatum.com

Answer: B

Explanation:

Your code that's

running on the VM can request a token from the Azure Instance Metadata Service identity endpoint, accessible only from within the VM:

<http://169.254.169.254/metadata/identity/oauth2/token>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>


NEW QUESTION 41

- (Exam Topic 2)

Your company hosts multiple websites by using Azure virtual machine scale sets (VMSS) that run Internet Information Server (IIS).

All network communications must be secured by using end to end Secure Socket Layer (SSL) encryption. User sessions must be routed to the same server by using cookie-based session affinity.

The image shown depicts the network traffic flow for the websites to the VMSS.



Use the drop-down menus to select the answer choice that answers each question.

NOTE: Each correct selection is worth one point.

Which Azure solution should you create to route the web application traffic to the VMSS?

	▼
Azure VPN Gateway	
Azure Application Gateway	
Azure ExpressRoute	
Azure Network Watcher	

What should you configure to make sure web traffic arrives at the appropriate server in the VMSS?

	▼
Routing rules and backend listeners	
CNAME and A records	
Routing method and DNS time to live (TTL)	
Path-based redirection and WebSockets	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Application Gateway

You can create an application gateway with URL path-based redirection using Azure PowerShell. Box 2: Path-based redirection and Websockets

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/application-gateway/tutorial-url-redirect-powershell>

NEW QUESTION 42

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 47

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. RG1 contains multiple resources. You need to trigger an alert when the resources in RG1 consume \$1,000 USD.


What should you do?

- A. From Cost Management + Billing, add a cloud connector.
- B. From the subscription, create an event subscription.
- C. From Cost Management + Billing create a budget.
- D. From RG1, create an event subscription.

Answer: C

Explanation:

Create budgets to manage costs and create alerts that automatically notify you and your stakeholders of spending anomalies and overspending. To set it up, go to the Azure Portal, select 'Cost Management + Billing' -> 'Cost Management' -> 'Go to Cost Management'.



Note: Cost alerts are automatically generated based when Azure resources are consumed. Alerts show all active cost management and billing alerts together in one place. When your consumption reaches a given threshold, alerts are generated by Cost Management. There are three types of cost alerts: budget alerts, credit alerts, and department spending quota alerts.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/getting-started>

NEW QUESTION 51

- (Exam Topic 2)

You have an application named App1 that does not support Azure Active Directory (Azure AD) authentication.

You need to ensure that App1 can send messages to an Azure Service Bus queue. The solution must prevent App1 from listening to the queue.

What should you do?

- A. Modify the locks of the Queue
- B. Configure Access control (IAM) for the Service Bus
- C. Configure Access control (IAM) for the queue.
- D. Add a shared access policy to the queue

Answer: D

Explanation:

There are two ways to authenticate and authorize access to Azure Service Bus resources: Azure Activity Directory (Azure AD) and Shared Access Signatures (SAS).

Each Service Bus namespace and each Service Bus entity has a Shared Access Authorization policy made up of rules.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-authentication-and-authorization> <https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-sas>

NEW QUESTION 53

- (Exam Topic 2)

You are developing an Azure Web App. You configure TLS mutual authentication for the web app.

You need to validate the client certificate in the web app. To answer, select the appropriate options in the answer area.

Property	Value
Client certificate location	<div><div></div><div>HTTP request header</div><div>Client cookie</div><div>HTTP message body</div><div>URL query string</div></div>
Encoding type	<div><div></div><div>HTML</div><div>URL</div><div>Unicode</div><div>Base64</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Property	Value
Client certificate location	<div><div></div><div>HTTP request header</div><div>Client cookie</div><div>HTTP message body</div><div>URL query string</div></div>
Encoding type	<div><div></div><div>HTML</div><div>URL</div><div>Unicode</div><div>Base64</div></div>

NEW QUESTION 54

- (Exam Topic 2)

You plan to create an Azure Storage account in the Azure region of East US 2. You need to create a storage account that meets the following requirements:

- > Replicates synchronously
- > Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Replication:	<div><div></div><div>Geo-redundant storage (GRS)</div><div>Locally-redundant storage (LRS)</div><div>Read-access geo-redundant storage (RA GRS)</div><div>Zone-redundant storage (ZRS)</div></div>
Account kind:	<div><div></div><div>Blob storage</div><div>Storage (general purpose v1)</div><div>StorageV2 (general purpose v2)</div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2) ZRS only support GPv2.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

NEW QUESTION 55

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.
XCOPY File1.txt C:\Folder1\
You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. Furthermore, the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 57

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-303 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-303-dumps.html>