

Exam Questions AZ-120

Planning and Administering Microsoft Azure for SAP Workloads

<https://www.2passeasy.com/dumps/AZ-120/>



NEW QUESTION 1

- (Exam Topic 1)

What should you use to perform load testing as part of the migration plan?

- A. JMeter
- B. SAP LoadRunner by Micro Focus
- C. Azure Application Insights
- D. Azure Monitor

Answer: B

Explanation:

Scenario: Upgrade and migrate SAP ECC to SAP Business Suite on HANA Enhancement Pack 8.

With the SAP LoadRunner application by Micro Focus, you can accelerate testing and development, reduce slowdowns and expenses, and gain a better understanding of performance issues. Validate software performance, virtualize your network, simulate workloads, benchmark production system performance, and optimize your deployment of SAP HANA software

References: <https://www.sap.com/products/loadrunner.html>

NEW QUESTION 2

- (Exam Topic 1)

You are evaluating the migration plan.

Licensing for which SAP product can be affected by changing the size of the virtual machines?

- A. SAP Solution Manager
- B. PI
- C. SAP SCM
- D. SAP ECC

Answer: D

Explanation:

Scenario: Increase the performance of SAP ECC applications by moving to SAP HANA. References:

<https://azure.microsoft.com/en-us/pricing/details/virtual-machines/rhel-sap-hana/>

NEW QUESTION 3

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The SAP Azure Enhanced Monitoring Extension builds on top of the Azure Diagnostic extension, which stores its data in an Azure Storage account that you specify.

Box 2: Yes

The Set-AzVMAEMExtension cmdlet updates the configuration of a virtual machine to enable or update the support for monitoring for SAP systems that are installed on the virtual machine. The cmdlet installs the Azure Enhanced Monitoring (AEM) extension that collects the performance data and makes it discoverable for the SAP system.

The -OSType specifies the OS. Either Windows or Linux.

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostics-extension-overview> <https://docs.microsoft.com/en-us/powershell/module/az.compute/set-azvmaemextension>

NEW QUESTION 4

- (Exam Topic 2)

You are deploying SAP Fiori to an SAP environment on Azure.

You are configuring SAML 2.0 for an SAP Fiori instance named FPP that uses client 100 to authenticate to an Azure Active Directory (Azure AD) tenant. Which provider name should you use to ensure that the Azure AD tenant recognizes the SAP fiori instance?

- A. Idap://FPP
- B. https://FPP
- C. Idap://FPP-100
- D. https://FPP100

Answer: D

Explanation:

By default, the provider name is in the format <sid><client>. Azure AD expects the name in the format <protocol>://<name>. We recommend that you maintain the provider name as https://<sid><client> so you can configure multiple SAP Fiori ABAP engines in Azure AD.

Example:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/saas-apps/sap-fiori-tutorial>

NEW QUESTION 5

- (Exam Topic 2)

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You have an Azure resource group that contains the virtual machines for an SAP environment.

You must be assigned the Contributor role to grant permissions to the resource group.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. User Access Administrator
- C. Managed Identity Contributor
- D. Security Admin

Answer: B

Explanation:

Contributor - Can create and manage all types of Azure resources but can't grant access to others. User Access Administrator - Lets you manage user access to Azure resources.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/overview>

NEW QUESTION 6

- (Exam Topic 2)

You have an SAP environment that contains the following components:

- * Enhancement Package 6 for SAP ERP Central Component 6.0 (SAP ECC 6.0)
- * Servers that runs SUSE Linux Enterprise Server 12 (SLES 12)
- * Databases on IBM DB2 10.5
- * SAP Solution Manager 7.1

You plan to migrate the SAP environment to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The version of SAP Solution Manager supports deployment to Azure.	<input type="radio"/>	<input type="radio"/>
The version of SAP ECC supports deployment to Azure.	<input type="radio"/>	<input type="radio"/>
The DB2 databases must be migrated to a different database platform before migrating to Azure.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: No

Upgrade to ECC 7.01 or later. Box 3: No

With Microsoft Azure, you can migrate your existing SAP application running on IBM Db2 for Linux, UNIX, and Windows (LUW) to Azure virtual machines. With SAP on IBM Db2 for LUW, administrators and developers can still use the same development and administration tools, which are available on-premises.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-sap-table> https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_ibm

NEW QUESTION 7

- (Exam Topic 2)

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs). What should you do?

- A. Run SAP HAN A sizing report.
- B. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.
- C. Run the SAP Report from ABAPMeter.
- D. From the SAP EarlyWatch Alert report, compare the services to the reference objects

Answer: C

NEW QUESTION 8

- (Exam Topic 2)

You have an Azure subscription.

Your company has an SAP environment that runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA. The environment has a primary site and a disaster recovery site. Disaster recovery is based on SAP HANA system replication. The SAP ERP environment is 4 TB and has a projected growth of 5% per month. The company has an uptime Service Level Agreement (SLA) of 99.99%, a maximum recovery time objective (RTO) of four hours, and a recovery point objective (RPO) of 10 minutes.

You plan to migrate to Azure.

You need to design an SAP landscape for the company. Which options meet the company's requirements?

- A. Azure virtual machines and SLES for SAP application serversSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for high availability anddisaster recovery
- B. ASCS/ERS and SLES clustering that uses the Pacemaker fence agent SAP application servers deployed to an Azure Availability ZoneSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery
- C. SAP application instances deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery
- D. ASCS/ERS and SLES clustering that uses the Azure fence agent SAP application servers deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

Answer: B

Explanation:

With Availability Zones, Azure offers industry best 99.99% VM uptime SLA. References:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-faqs>

NEW QUESTION 9

- (Exam Topic 2)

You deploy SAP HANA by using SAP HANA on Azure (Large Instances).

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can use SAP HANA Studio to monitor CPU, memory, network, and storage usage for SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>
Azure Enhanced Monitoring is required to monitor the performance of SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>
You can use the SAP HANA HW Configuration Check Tool (HWCCT) to monitor SAP HANA running on SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The SAP Azure Enhanced Monitoring Extension allows for collecting diagnostic data including OS and Application performance counters from Azure VMs running SAP workloads.

Box 3: No References:

<http://www.deployazure.com/compute/virtual-machines/sap-azure-enhanced-monitoring-extension/>

NEW QUESTION 10

- (Exam Topic 2)

You plan to migrate an SAP environment to Azure.

You need to recommend a solution to migrate the SAP application servers to Azure. The solution must minimize downtime and changes to the environments.

What should you include in the recommendation?

- A. Azure Storage Explorer
 B. Azure Import/Export service
 C. AzCopy
 D. Azure Site Recovery

Answer: D

Explanation:

Site Recovery is used to manage and orchestrate disaster recovery of on-premises machines and Azure VMs. However, it can also be used for migration.

Migration uses the same steps as disaster recovery with one exception. In a migration, failing machines over from your on-premises site is the final step. Unlike disaster recovery, you can't fail back to on-premises in a migration scenario.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-on-premises-azure>

NEW QUESTION 10

- (Exam Topic 2)

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You configure a user-defined route table. Does this meet the goal?

- A. Yes
 B. No

Answer: B

NEW QUESTION 14

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more

than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You migrate SAP to Azure by using Azure Site Recovery, and then you upgrade to SAP NetWeaver 7.4.

Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

We need upgrade to SAP NetWeaver 7.4 before the migration. Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION 19

- (Exam Topic 2)

You have SAP ERP on Azure.

For SAP high availability, you plan to deploy ASCS/ERS instances across Azure Availability Zones and to use failover clusters.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
To create a failover solution, you can use an Azure Basic Load Balancer for Azure virtual machines deployed across the Azure Availability Zones.	<input type="radio"/>	<input type="radio"/>
You can deploy Azure Availability Sets within an Azure Availability Zone.	<input type="radio"/>	<input type="radio"/>
The solution must use Azure managed disks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server

Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU. Box 2: Yes

Azure Availability Zones is one of the high-availability features that Azure provides. Using Availability Zones improves the overall availability of SAP workloads on Azure.

The SAP application layer is deployed across one Azure availability set. For high availability of SAP Central Services, you can deploy two VMs in a separate availability set.

Box 3: Yes

You must use Azure Managed Disks when you deploy to Azure Availability Zones. Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

NEW QUESTION 21

- (Exam Topic 2)

You plan to migrate an SAP environment to Azure.

You need to create a design to facilitate end-user access to SAP applications over the Internet, while


restricting user access to the virtual machines of the SAP application servers. What should you include in the design?

- A. Configure a public IP address for each SAP application server
- B. Deploy an internal Azure Standard Load Balancer for incoming connections
- C. Use an SAP Web Dispatcher to route all incoming connections
- D. Configure point-to-site VPN connections for each user

Answer: C

Explanation:

- A public internet user can reach the SAP Web-Dispatcher over port 443
- The SAP Web-Dispatcher can reach the SAP Application server over port 443
- The App Subnet accepts traffic on port 443 from 10.0.0.0/24
- The SAP Application server sends traffic on port 30015 to the SAP DB server
- The DB subnet accepts traffic on port 30015 from 10.0.1.0/24.
- Public Internet Access is blocked on both App Subnet and DB Subnet.



References:
https://azure.microsoft.com/en-in/blog/sap-on-azure-architecture-designing-for-security/

NEW QUESTION 23

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances). You need to back up the SAP HANA database to Azure.

Solution: You create a Recovery Services vault and a backup policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Backup architecture

- The backup process begins by creating a Recovery services vault in Azure. This vault will be used to store the backups and recovery points created over time.
- The Azure VM running SAP HANA server is registered with the vault, and the databases to be backed-up are discovered. To enable the Azure Backup service to discover databases, a preregistration script must be run on the HANA server as a root user.
- This script creates AZUREWLBACKUPHANAUSER DB user and a corresponding key with the same name in hdbuserstore. Refer to the setting up permissions section to understand more about what the script does.
- Azure Backup Service now installs the Azure Backup Plugin for HANA on the registered SAP HANA server.
- The AZUREWLBACKUPHANAUSER DB user created by the preregistration script is used by the Azure Backup Plugin for HANA to perform all backup and restore operations. If you attempt to configure backup for SAP HANA DBs without running this script, you might receive the following error: UserErrorHanaScriptNotRun.
- To configure backup on the databases that are discovered, choose the required backup policy and enable backups.
- Once the backup is configured, Azure Backup service sets up the Backint parameters at the DATABASE level on the protected SAP HANA server.
- The Azure Backup Plugin for HANA maintains all the backup schedules and policy details. It triggers the scheduled backups and communicates with the HANA Backup Engine through the Backint APIs.
- The HANA Backup Engine returns a Backint stream with the data to be backed up.
- All the scheduled backups and on-demand backups (triggered from the Azure portal) that are either full or differential are initiated by the Azure Backup Plugin for HANA. However, log backups are managed and triggered by HANA Backup Engine itself.

References:

https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about

https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup

NEW QUESTION 25

- (Exam Topic 2)

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP. You implement Azure Availability Zones that have the following components: Redundant SAP application servers

ASCS/ERS instances that use a failover cluster

Database high availability that has a primary instance and a secondary instance You need to validate the high availability configuration of the ASCS/ERS cluster.

What should you use?

- A. SAP Web Dispatcher
- B. Azure Traffic Manager
- C. SAPControl

D. SAP Solution Manager

Answer: B

Explanation:

C: You can use SAPControl to start or stop an SAP system from the command line. References:
<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION 26

- (Exam Topic 2)

You deploy an SAP environment on Azure by following the SAP workload on Azure planning and deployment checklist.

You need to verify whether Azure Diagnostics is enabled. Which cmdlet should you run?

- A. Get-AzureVMAvailableExtension
- B. Get-AzVmDiagnosticsExtension
- C. Test-AzDeployment
- D. Test-VMConfigForSAP

Answer: B

Explanation:

The Get-AzVMDiagnosticsExtension cmdlet gets the settings of the Azure Diagnostics extension on a virtual machine.

NEW QUESTION 27

- (Exam Topic 2)

You have a large and complex SAP environment on Azure.

You are designing a training landscape that will be used 10 times a year.

You need to recommend a solution to create the training landscape. The solution must meet the following requirements:

- > Minimize the effort to build the training landscape.
- > Minimize costs.

In which order should you recommend the actions be performed for the first training session? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Build the training landscape

Create a custom image by using the snapshot

Deliver the training

Take a snapshot of the virtual machine disks

Shut down and delete the virtual machines

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide>

NEW QUESTION 32

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You must split data files and database logs between different Azure virtual disks to increase the database read/write performance.	<input type="radio"/>	<input type="radio"/>
Enabling Accelerate Networking on virtual NICs for all SAP servers will reduce network latency between the servers.	<input type="radio"/>	<input type="radio"/>
When you use SAP HANA on Azure (Large Instances), you should set the MTU on the primary network interface to match the MTU on SAP application servers to reduce CPU utilization and network latency.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area	
Statements	
You must split data files and database logs between different Azure virtual disks to increase the database read/write performance.	<div><div></div><div></div></div>
Enabling Accelerate Networking on virtual NICs for all SAP servers will reduce network latency between the servers.	<div><div></div><div></div></div>
When you use SAP HANA on Azure (Large Instances), you should set the MTU on the primary network interface to match the MTU on SAP application servers to reduce CPU utilization and network latency.	<div><div></div><div></div></div>

NEW QUESTION 36

- (Exam Topic 2)

You are planning high availability for an SAP environment on Azure. The SAP environment will use datacenters in to different zones. Testing shows that the latency between the two zones supports synchronous DBMS replication. You need to design a solution to ensure that SAP services are available if an Azure datacenter within a zone fails. The solution must meet the following requirements:

- * Provide automatic failover
- * Minimize costs

Which high availability configuration meet the requirements?

- A. Azure Availability Zones with an active/passive deployment
- B. Azure Site Recovery
- C. Azure Availability Sets with active/passive clustering
- D. Azure Availability Sets with active/active clustering

Answer: D

NEW QUESTION 37

- (Exam Topic 2)

You have an Azure Availability Set that is configured as shown in the following exhibit.

PS Azure:\> get-azavailabilityset Select Sku, PlatformFaultDomainCount, PlatformUpdateDomainCount, name, type FL	
Sku	: Aligned
PlatformFaultDomainCount	: 2
PlatformUpdateDomainCount	: 4
Name	: SAP-Databases-AS
Type	: Microsoft.Compute/availabilitySets

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Virtual machines that share [answer choice] will be susceptible to a storage outage.

aligned SKUs

the same fault domain

the same update domain

Virtual machines in the Azure Availability Set can support [answer choice].

datacenter outages

managed disks

regional outages

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: the same fault domain

Fault domains define the group of virtual machines that share a common power source and network switch. If a storage fault domain fails due to hardware or software failure, only the VM instance with disks on the storage fault domain fails.

Box 2: managed disks

Managed disks provide better reliability for Availability Sets by ensuring that the disks of VMs in an Availability Set are sufficiently isolated from each other to avoid single points of failure. It does this by automatically placing the disks in different storage fault domains (storage clusters) and aligning them with the VM fault domain.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION 38

- (Exam Topic 2)

You are building an SAP environment by using Azure Resource Manager templates. The SAP environment will use Linux virtual machines.

You need to correlate the LUN of the data disks in the template to the volume of the virtual machines. Which command should you run/

- A. Is /dev/ disk/azure/root
- B. Is /dev/ disk/azure/scsil
- C. Tree /dev/ disk/azure/root
- D. Tree /dev/disk/azure/resource

Answer: C

NEW QUESTION 42

- (Exam Topic 2)

You have an SAP environment on Azure that contains a single-tenant SAP NANA server at instance 03. You need to monitor the network throughput from an SAP application server to the SAP HANA server. How should you complete the script? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
$HANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$APP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress (($HANA).IpConfigurations.PrivateIpAddress)
-DestinationPort 1433 -SourceResourceId $APP.Id
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

```
$HANA = Get-AzNetworkInterface -Name HANAP01-NIC -ResourceGroupName Production
$APP = Get-AzNetworkUsage -ResourceGroupName Production
Get-AzNetworkWatcher
Get-AzVM

New-AzNetworkWatcherConnectionMonitor -NetworkWatcher (Get-AzNetworkWatcher)
-Name HANA - DestinationAddress (($HANA).IpConfigurations.PrivateIpAddress)
-DestinationPort 1433 -SourceResourceId $APP.Id
```

NEW QUESTION 44

- (Exam Topic 2)

Your on-premises network contains SAP and non-SAP applications.

You have JAVA-based SAP systems that use SPNEGO for single-sign on (SSO) authentication. Your external portal uses multi-factor authentication (MFA) to authenticate users.

You plan to extend the on-premises authentication features to Azure and to migrate the SAP applications to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Need AD FS for MFA. See box 3.

Note: Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications using the same passwords. This feature is an alternative to Azure AD Password Hash Synchronization (see Box 2).

Box 2: Yes

Password hash synchronization is one of the sign-in methods used to accomplish hybrid identity. Azure AD Connect synchronizes a hash, of the hash, of a users password from an on-premises Active Directory instance to a cloud-based Azure AD instance.

Password hash synchronization is an extension to the directory synchronization feature implemented by Azure AD Connect sync. You can use this feature to sign in to Azure AD services like Office 365. You sign in to the service by using the same password you use to sign in to your on-premises Active Directory instance.

Box 3: Yes

If your organization is federated with Azure AD, you can use Azure Multi-Factor Authentication to secure AD FS resources, both on-premises and in the cloud.

Azure MFA enables you to eliminate passwords and provide a more secure way to authenticate.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-phs>

<https://docs.microsoft.com/en-us/windows-server/identity/ad-fs/operations/configure-ad-fs-and-azure-mfa>

NEW QUESTION 46

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-120 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-120 Product From:

<https://www.2passeasy.com/dumps/AZ-120/>

Money Back Guarantee

AZ-120 Practice Exam Features:

- * AZ-120 Questions and Answers Updated Frequently
- * AZ-120 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-120 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-120 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year