

EMC

Exam Questions DES-6322

Specialist - Implementation Engineer-VxRail Exam



NEW QUESTION 1

What is a valid 2-node VxRail cluster configuration?

- A. Series with 4x 25 GbE in a direct-connect configuration
- B. Series with 4x 10 GbE in a switch configuration
- C. Series with 4x 1 GbE in a direct-connect configuration
- D. Series with 2x 25 GbE in a switch configuration

Answer: B

NEW QUESTION 2

A VxRail Test Plan has been completed What is the protocol for recording the results'?

- A. With the implementation team, complete and document each test, test date, and a screenshot of results
- B. In front of a customer, complete each test and document the test date
- C. With the implementation team, complete each test and document the test date
- D. In front of a customer, complete and document each test, test date, and a screenshot of results

Answer: A

NEW QUESTION 3

An implementation engineer is configuring External SRS. Where can they find the installation files for SRS VE?

- A. VxRail Support Matrix
- B. VxRail Manager
- C. SolVe Online
- D. Dell Support Page

Answer: B

NEW QUESTION 4

What is the minimum number of VxRail nodes required for a vSAN storage policy with RAID-5 (Erasure Coding)?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: B

NEW QUESTION 5

Which series of VxRail nodes supports either Intel or AMD processors and either hybrid or All-Flash storage?

- A. G Series
- B. D Series
- C. E Series
- D. V Series

Answer: A

NEW QUESTION 6

In addition to hardware monitoring, what is the purpose of the Dell PTAgent service on a VxRail node?

- A. Hardware discovery and firmware installation
- B. VxRail node discovery and software upgrades
- C. BOSS upgrade and firmware installation
- D. Hardware discovery and VxRail VIB installation

Answer: A

NEW QUESTION 7

What is the basis used for VMware vSAN licensing?

- A. TB capacity per node
- B. TB capacity per cluster
- C. Per disk group
- D. Per CPU socket

Answer: D

NEW QUESTION 8

A systems engineer is deploying a VxRail cluster. They want to ensure that configuration issues can be avoided when expanding this cluster. Which actions need to be performed?

- A. Verify VxRail nodes are racked and connected to the ToR switches Validate the network environment
- B. Validate that no pending and unfinished jobs are running on the servers Verify that the server and storage components are working properly
- C. Validate that the latest updates and patches are installed in the system Validate that no pending and unfinished jobs are running on the servers
- D. Verify the configuration settings initially captured in PEQ Validate the storage environment

Answer: C

NEW QUESTION 9

What is a consideration when implementing a custom VDS on a VxRail cluster?

- A. Used by multiple clusters managed by a single vCenter instance
- B. Supported with external and internal vCenter Servers
- C. Supports only four NIC uplinks
- D. Supports only two NIC uplinks

Answer: B

NEW QUESTION 10

A VxRail Cluster has just been deployed. Use the VxRail simulator to determine the Service Tag, Model, and ESXJ IP Address of the first node - vcluster730.esx01.edu.local.

Note: It is necessary to dose (x) the simulator window before you can select a response to this question.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 10

A VxRail 7.0.100 environment is managed by the internal vCenter Server. The customer asks the implementation engineer to deploy a new VxRail cluster using the existing vCenter Server.

What should the response of the engineer?

- A. Not supported for internal vCenter Server
- B. Not supported on VxRail software 7.0.100
- C. Supported by neither the internal vCenter Server nor external vCenter Server
- D. Only supported on VxRail software 4.7.xxx

Answer: D

NEW QUESTION 11

What is a characteristic of the VxRail S Series node?

- A. Form factor of 2U4N
- B. Large form factor drives
- C. Dense Flash disks
- D. Form factor of 1U1N

Answer: D

NEW QUESTION 15

Which two files are used to automate VxRail deployment and validate the network configuration?

- A. Appliance JSON file PEQ data file
- B. VxRail Configuration Portal PEQ data file
- C. VxRail Test Plan SPEQ
- D. Appliance JSON file SPEQ

Answer: A

NEW QUESTION 20

Match each VxRail data protection solution with its functionality.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 21

A customer has decided that they will be using the Spanning Tree protocol in their Dell EMC ToR switches How should the switch ports used for VxRail be configured to achieve a successful deployment?

- A. Set the port type to edge
- B. Enable link aggregation for all ports
- C. Set the port mode to access
- D. Enable MLD snooping and querier

Answer: A

NEW QUESTION 23

From what location should NVT for VxRail be run?

- A. Jump server on a different network
- B. Workstation on the same network as VxRail Manager
- C. VxRail network Top of Rack switch
- D. Laptop connected to the first VxRail ESXi node

Answer: B

NEW QUESTION 27

According to the VxRail PEQ Engagement Details worksheet, links to what resources should the SE send to the customer?

- A. VxRail vCenter Server Planning Guide Network Validation Tool
- B. VxRail vCenter Server Planning Guide VxRail Network Planning Guide
- C. VxRail QuickStart Guide VxRail Network Planning Guide

D. VxRail QuickStart Guide Network Validation Tool

Answer: D

NEW QUESTION 31

Which command is used to restart the Loudmouth process on an ESXi node?

- A. /usr/libAmiware/loudmouth/bin/loudmouthd restart
- B. systemcti restart loudmouth
- C. /etc/int.d/loudmouth restart
- D. systemcti restart vmware-loudmouth

Answer: C

NEW QUESTION 34

An implementation engineer is working with a customer to prepare an external vCenter Server for a new VxRail deployment with the VxRail-deployed VDS. What vCenter objects must exist for a successful VxRail deployment?

- A. Cluster and VxRail Management user only
- B. Datacenter Cluster, and VxRail Management user
- C. Datacenter and Cluster only
- D. Datacenter and VxRail Management user only

Answer: D

NEW QUESTION 35

Which vSAN rules are configured for the VXRAIL-SYSTEM-STORAGE-PROFILE?

- A. Failures to tolerate - 2 failures RAID-1 (Mirroring) Object space reservation - Thin provisioning
- B. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thin provisioning
- C. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thick provisioning
- D. Failures to tolerate - 1 failure RAID-5 (Erasure Coding) Object space reservation - Thick provisioning

Answer: A

NEW QUESTION 36

How should an administrator manually validate the DNS readiness of a customer network?

- A. Run a traceroute to the DNS server
- B. Generate a Network PEQ
- C. Ping the default gateway of the management VLAN
- D. Run nslookup on server FQDN and IP

Answer: A

NEW QUESTION 38

What are the requirements for a customer-supplied VDS in a VxRail deployment?

- A. 4 or 8 uplinksPort groups for Discovery, Management, vMotion, and vSAN only
- B. 2 or 4 uplinksPort groups for Discovery, Management, vMotion, and vSAN only
- C. 2 or 4 uplinksPort groups for Discovery, Management vCenter Server, vMotion, and vSAN
- D. 4 or 8 uplinksPort groups for Discovery, Management, vCenter Server, vMotion, and vSAN

Answer: D

NEW QUESTION 43

A systems engineer is tasked to configure a VxRail cluster and notices that the VxRail Deployment Wizard fails to launch. The engineer discovers that the software is corrupted.

What should the engineer do to address the issue?

- A. Use the VMware Host Client and iDRAC to access the nodes for troubleshooting
- B. Verify that the JSON file is not corrupted and has all the required values
- C. Return the nodes to the original build state
- D. Check vCenter and troubleshoot the build failure

Answer: C

NEW QUESTION 46

An implementation engineer is performing a precheck on a VxRail cluster before expansion. During validation, they find out that the host is not compatible. Use the VxRail simulator to describe why the host is Incompatible.

Note: It is necessary to close (x) the simulator window before you can select a response to this question.

- A. bmc and bios are running older versions
- B. Insufficient number of vSphere licenses
- C. Firmware of ESXi host needs to be updated
- D. Invalid vCenter 5server license

Answer: D

NEW QUESTION 49

What is a benefit of using the VxRail REST API?

- A. Remote upgrades of iDRAC related software only
- B. Automated security audit of VxRail clusters
- C. Automated log collection for VxRail clusters
- D. Polling for vSAN performance statistics

Answer: C

NEW QUESTION 53

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

DES-6322 Practice Exam Features:

- * DES-6322 Questions and Answers Updated Frequently
- * DES-6322 Practice Questions Verified by Expert Senior Certified Staff
- * DES-6322 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DES-6322 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The DES-6322 Practice Test Here](#)