

Microsoft

Exam Questions AZ-303

Microsoft Azure Architect Technologies (beta)





NEW QUESTION 1

- (Exam Topic 1)

You need to configure the Device settings to meet the technical requirements and the user requirements. Which two settings should you modify? To answer, select the appropriate settings in the answer area.

Answer Area

 Save  Discard

Users may join devices to Azure AD ⓘ

All Selected None

Selected

No member selected

Additional local administrators on Azure AD joined devices ⓘ

Selected None

Selected

No member selected

Users may register their devices with Azure AD ⓘ

All None

Require Multi-Factor Auth to join devices ⓘ

Yes No

Maximum number of devices per user ⓘ

50

Users may sync settings and app data across devices ⓘ

All Selected None

Selected

No member selected

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Selected

NEW QUESTION 2

- (Exam Topic 2)

You have an Azure SQL database named Db1 that runs on an Azure SQL server named SQLserver1. You need to ensure that you can use the query editor on the Azure portal to query Db1.

What should you do?

- A. Modify the Advanced Data Security settings of Db1
- B. Configure the Firewalls and virtual networks settings for SQLserver1
- C. Copy the ADO.NET connection string of Db1 and paste the string to the query editor
- D. Approve private endpoint connections for SQLserver1

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-connect-query-portal>

NEW QUESTION 3

- (Exam Topic 2)

You create a new Azure subscription. You create a resource group named RG1. In RG1, you create the resources shown in the following table.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 5

- (Exam Topic 2)

Your company has an office in Seattle.

You have an Azure subscription that contains a virtual network named VNET1. You create a site-to-site VPN between the Seattle office and VNET1.

VNET1 contains the subnets shown in the following table.

Name	IP address space
Subnet1	10.1.1.0/24
GatewaySubnet	10.1.200.0/28

You need to redirect all Internet-bound traffic from Subnet1 to the Seattle office. What should you create?

- A. a route for Subnet1 That uses the virtual network gateway as the next hop
- B. a route for GatewaySubnet that uses the virtual network gateway as the next hop
- C. a route for GatewaySubnet that uses the local network gateway as the next hop
- D. a route for Subnet1 that uses The local network gateway as the next hop

Answer: B

Explanation:

A route with the 0.0.0.0/0 address prefix instructs Azure how to route traffic destined for an IP address that is not within the address prefix of any other route in a subnet's route table. When a subnet is created, Azure creates a default route to the 0.0.0.0/0 address prefix, with the Internet next hop type. We need to create a custom route in Azure to use a virtual network gateway in the Seattle office as the next hop.


References:


<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>


NEW QUESTION 6

- (Exam Topic 2)

You have a virtual network named VNet1 as shown in the exhibit.

 Refresh

 Move

 Delete

Resource group [\(change\)](#)
Production

Address space
10.2.0.0/16

Location
West US


DNS servers
Azure provided DNS service

Subscription [\(change\)](#)
Production subscription

Subscription ID
14d26092-8e42-4ea7-b770-9dcef70fb1ea

Tags [\(change\)](#)
[Click here to add tags](#)

Connected devices

 Search connected devices

Device	Type	Ip Address	Subnet
No results.			

No devices are connected to VNet1.

You plan to peer VNet1 to another virtual network named Vnet2 in the same region. VNet2 has an address space of 10.2.0.0/16.

You need to create the peering. What should you do first?

- A. Modify the address space of VNet1.
- B. Configure a service endpoint on VNet2
- C. Add a gateway subnet to VNet1.
- D. Create a subnet on VNet1 and VNet2.

Answer: A

Explanation:

The virtual networks you peer must have non-overlapping IP address spaces. References:
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-cons>

NEW QUESTION 7

- (Exam Topic 2)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Contains
storagecontoso1	A blob service and a table service
storagecontoso2	A blob service and a file service
storagecontoso3	A queue service
storagecontoso4	A file service and a queue service
storagecontoso5	A table service


You enable Azure Advanced Threat Protection (ATP) for all the storage accounts. You need to identify which storage accounts will generate Azure ATP alerts. Which two storage accounts should you identify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. storagecontoso1
- B. storagecontoso2
- C. storagecontoso3
- D. storagecontoso4
- E. storaaecontoso5

Answer: AB

Explanation:

Advanced threat protection for Azure Storage is currently available only for Blob Storage.



<https://docs.microsoft.com/en-us/azure/storage/common/storage-advanced-threat-protection?tabs=azure-portal>

NEW QUESTION 8

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. You have a group named Group1 that is assigned the Contributor role for RG1.

You need to enhance security for the virtual machines in RG1 to meet the following requirements:

- Prevent Group1 from assigning external IP addresses to the virtual machines.
- Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address.

What should you use to meet each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Prevent Group1 from assigning external IP addresses to the virtual machines:

Azure Policy
 Azure Bastion
 Virtual network service endpoints
 Azure Firewall
 Azure Web Application Firewall (WAF)

Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address:

Azure Policy
 Azure Bastion
 Virtual network service endpoints
 Azure Firewall
 Azure Web Application Firewall (WAF)

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Prevent Group1 from assigning external IP addresses to the virtual machines:

Azure Policy
 Azure Bastion
 Virtual network service endpoints
 Azure Firewall
 Azure Web Application Firewall (WAF)

Ensure that Group1 can establish an RDP connection to the virtual machines through a shared external IP address:

Azure Policy
 Azure Bastion
 Virtual network service endpoints
 Azure Firewall
 Azure Web Application Firewall (WAF)

NEW QUESTION 9

- (Exam Topic 2)

Your company has a virtualization environment that contains the virtualization hosts shown in the following table.

Name	Hypervisor	Guest
Server1	VMware	VM1, VM2, VM3
Server2	Hyper-V	VMA, VMB, VMC

The virtual machines are configured as shown in the following table.

Name	Generation	Memory	Operating system (OS)	OS disk	Data disk
VM1	Not applicable	4 GB	Windows Server 2016	200 GB	800 GB
VM2	Not applicable	12 GB	Red Hat Enterprise Linux 7.2	3 TB	200 GB
VM3	Not applicable	32 GB	Windows Server 2012 R2	200 GB	1 TB
VMA	1	8 GB	Windows Server 2012	100 GB	2 TB
VMB	1	16 GB	Red Hat Enterprise Linux 7.2	150 GB	3 TB
VMC	2	24 GB	Windows Server 2016	500 GB	6 TB

All the virtual machines use basic disks. VM1 is protected by using BitLocker Drive Encryption (BitLocker). You plan to migrate the virtual machines to Azure by using Azure Site Recovery.

You need to identify which virtual machines can be migrated.

Which virtual machines should you identify for each server? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The virtual machines that can be migrated from Server1.

VM1 only
VM2 only
VM3 only
VM1 and VM2 only
VM1 and VM3 only
VM1, VM2, and VM3

The virtual machines that can be migrated from Server2.

VMA only
VMB only
VMC only
VMA and VMB only
VMA and VMC only
VMA, VMB, and VMC

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The virtual machines that can be migrated from Server1.

VM1 only
VM2 only
VM3 only
VM1 and VM2 only
VM1 and VM3 only
VM1, VM2, and VM3

The virtual machines that can be migrated from Server2.

VMA only
VMB only
VMC only
VMA and VMB only
VMA and VMC only
VMA, VMB, and VMC

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- > Usage trends
- > AJAX call responses
- > Page load speed by browser
- > Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

Answer: D

Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies. Note: Some of the things you can track or collect are: What are the most popular webpages in your application, at what time of day and where is that traffic coming from? Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance. Exceptions for both server and browser information, as well as page views and load performance from the end users' side.
 Reference:
<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/> <https://blog.pragmaticworks.com/what-is-application-insights>

NEW QUESTION 10

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a member server named Server1. You have the accounts shown in the following table.

Name	Member of
CONTOSO\User1	Domain Admins
CONTOSO\User2	Domain Users
CONTOSO\User3	Enterprise Admin
SERVER1\User4	Users

You are installing Azure AD Connect on Server1.

You need to specify the account for Azure AD Connect synchronization.

The solution must use the principle of least privilege.

Which account should you specify?

- A. CONTOSO\User2
- B. SERVER1\User4
- C. CONTOSO\User1
- D. CONTOSO\User3

Answer: A

Explanation:

The default Domain User permissions are sufficient Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-accounts-permissions>

NEW QUESTION 12

- (Exam Topic 2)

An administrator plans to create a function app in Azure that will have the following settings:

- Runtime stack: .NET Core
- Operating System: Linux
- Plan type: Consumption
- Enable Application Insights: Yes

You need to ensure that you can back up the function app.

Which settings should you recommend changing before creating the function app? D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Runtime stack
- B. Enable Application Insights
- C. Operating System
- D. Plan type

Answer: D

Explanation:

The Backup and Restore feature requires the App Service plan to be in the Standard, Premium or Isolated tier. Reference:

<https://docs.microsoft.com/en-us/azure/app-service/manage-backup#requirements-and-restrictions>

NEW QUESTION 17

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

The tenant contains computers that run Windows 10. The computers are configured as shown in the following table.

Name	Member of
Computer1	GroupA
Computer2	GroupA
Computer3	GroupB

You enable Enterprise State Roaming in contoso.com for Group1 and GroupA.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 modifies the desktop background of Computer1, User1 will see the changed background when signing in to Computer3.	<input type="radio"/>	<input type="radio"/>
If User2 modifies the desktop background of Computer1, User2 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input type="radio"/>
If User1 modifies the desktop background of Computer3, User1 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Enterprise State Roaming provides users with a unified experience across their Windows devices and reduces the time needed for configuring a new device.

Box 1: Yes

Box 2: No

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/enterprise-state-roaming-overview>

NEW QUESTION 19

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
B. 6
C. 1
D. 2

Answer: A

NEW QUESTION 21

- (Exam Topic 2)

You are implementing authentication for applications in your company. You plan to implement self-service password reset (SSPR) and multifactor authentication (MFA) in Azure Active Directory (Azure AD).

You need to select authentication mechanisms that can be used for both MFA and SSPR.

Which two authentication methods should you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Short Message Service (SMS) messages
B. Authentication app
C. Email addresses
D. Security questions
E. App passwords

Answer: AB

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

NEW QUESTION 26

- (Exam Topic 2)

You plan to create an Azure Storage account named storage1 that will store blobs and be accessed by Azure Databricks.

You need to ensure that you can set permissions for individual blobs by using Azure Active Directory (Azure AD) authentication.

Which Advanced setting should you enable for storage1?

- A. Hierarchical namespace
- B. Large file shares
- C. Blob soft delete
- D. NFSv3

Answer: C

NEW QUESTION 30

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins. You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription. What should you do?

- A. From Azure AD, configure the User settings.
- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 31

- (Exam Topic 2)

You have an Azure subscription named Subscription1. Subscription1 contains the resources in the following table:

Name	Type
RG1	Resource group
RG2	Resource group
VNet1	Virtual network
VNet2	Virtual network

VNet1 is in RG1. VNet2 is in RG2. There is no connectivity between VNet1 and VNet2. An administrator named Admin1 creates an Azure virtual machine VM1 in RG1. VM1 uses a disk named Disk1 and connects to VNet1. Admin1 then installs a custom application in VM1. You need to move the custom application to VNet2. The solution must minimize administrative effort. Which two actions should you perform? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

First action:

	v
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	v
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

We cannot just move a virtual machine between networks. What we need to do is identify the disk used by the VM, delete the VM itself while retaining the disk, and recreate the VM in the target virtual network and then attach the original disk to it.
Reference:
<https://blogs.technet.microsoft.com/canitpro/2014/06/16/step-by-step-move-a-vm-to-a-different-vnet-on-azure/>
<https://4sysops.com/archives/move-an-azure-vm-to-another-virtual-network-vnet/#migrate-an-azure-vm-between-virtual-networks>

NEW QUESTION 34

- (Exam Topic 2)

You have three Azure SQL Database servers shown in the following table.

Name	Resource group	Location
sqlserver1	RG1	West US
sqlserver2	RG1	West US
sqlserver3	RG2	West US
sqlserver4	RG1	West Europe
sqlserver5	RG2	West Europe

You plan to specify sqlserver1 as the primary server in a failover group. Which servers can be used as a secondary server?

- A. sqlserver4 and sqlserver5 only
- B. sqlserver2 and sqlserver3 only
- C. sqlserver1 and sqlserver3 only
- D. sqlserver2 and sqlserver4 only

Answer: D

Explanation:

The Resource Group must be the same.
The secondary server can have another location.
The secondary server cannot be the same as the primary server. Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-configure>

NEW QUESTION 39

- (Exam Topic 2)
Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure Active Directory (Azure AD) tenant named contoso.com.
A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.
Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.
Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.
Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:
> Conduct access reviews to ensure users still need roles References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 43

- (Exam Topic 2)
You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User1 and User3 only.

The Owner Role lets you manage everything, including access to resources.

The Network Contributor role lets you manage networks, but not access to them. Box 2: User1

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 47

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named Appl. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish Appl by using the Azure AD Application Proxy. You need to ensure that Appl appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 51

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

COPY File1.txt C:/Folder1/

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image but the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 56

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From Multi-Factor Authentication, you select Bulk update, and you provide a CSV file that contains the members of Group1.

Does this meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).

Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 58

- (Exam Topic 2)

Your company has an Azure subscription.

You enable multi-factor authentication (MFA) for all users.

The company's help desk reports an increase in calls from users who receive MFA requests while they work from the company's main office.

You need to prevent the users from receiving MFA requests when they sign in from the main office. What should you do?

- A. From Azure Active Directory (Azure AD), configure organizational relationships.
- B. From the MFA service settings, create a trusted IP range.
- C. From Conditional access in Azure Active Directory (Azure AD), create a custom control.
- D. From Conditional access in Azure Active Directory (Azure AD), create a named location.

Answer: B

Explanation:

The first thing you may want to do, before enabling Multi-Factor Authentication for any users, is to consider configuring some of the available settings. One of the most important features is a trusted IPs list. This will allow you to whitelist a range of IPs for your network. This way, when users are in the office, they will not get prompted with MFA, and when they take their devices elsewhere, they will. Here's how to do it:

Log in to your Azure Portal.

Navigate to Azure AD > Conditional Access > Named locations. From the top toolbar select Configure MFA trusted IPs. References:

<https://www.kraftkennedy.com/implementing-azure-multi-factor-authentication/>

NEW QUESTION 59

- (Exam Topic 2)

You have the virtual machines shown in the following table.

Name	Operating system	Connected to
VM1	Red Hat Enterprise Linux 7.7	VNET1
VM2	Windows Server 2019	VNET2
VM3	Windows Server 2019	VNET3

You deploy an Azure bastion named Bastion1 to VNET1.

To which virtual machines can you connect by using Bastion1?

- A. VM1 only
- B. VM1 and VM2 only
- C. VM2 and VM3 only
- D. VM1, VM2, and VM3

Answer: C

NEW QUESTION 60

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

COPY File1.txt /Folder1/

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Copy is the correct command to copy a file to the container image. References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 65

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 67

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. RG1 contains multiple resources. You need to trigger an alert when the resources in RG1 consume \$1,000 USD.


What should you do?

- A. From Cost Management + Billing, add a cloud connector.
- B. From the subscription, create an event subscription.
- C. From Cost Management + Billing create a budget.
- D. From RG1, create an event subscription.

Answer: C

Explanation:

Create budgets to manage costs and create alerts that automatically notify you and your stakeholders of spending anomalies and overspending. To set it up, go to the Azure Portal, select 'Cost Management + Billing' -> 'Cost Management' -> 'Go to Cost Management'.



Note: Cost alerts are automatically generated based when Azure resources are consumed. Alerts show all active cost management and billing alerts together in one place. When your consumption reaches a given threshold, alerts are generated by Cost Management. There are three types of cost alerts: budget alerts, credit alerts, and department spending quota alerts.

Reference:
<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/getting-started>


NEW QUESTION 70

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant.

You need to create a conditional access policy that requires all users to use multi-factor authentication when they access the Azure portal.

Which three settings should you configure? To answer, select the appropriate settings to the answer area. NOTE: Each correct selection is worth one point.



***Name**
 Policy1 ✓

Assignments

Users and groups ⓘ
 0 users and groups selected >

Cloud apps ⓘ
 0 cloud apps selected >

Conditions ⓘ
 0 cloud apps selected >

Access controls

Grant ⓘ
 0 controls selected >

Session ⓘ
 0 controls selected >

Enable Policy

ON OFF

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-policies>

NEW QUESTION 74

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin 1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned The User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com. .

Solution: You assign the Global administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

- Conduct access reviews to ensure users still need roles
- References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 75

- (Exam Topic 2)

You have a web server app named App1 that is hosted in three Azure regions. You plan to use Azure Traffic Manager to distribute traffic optimally for App1. You need to enable Real User Measurements to monitor the network latency data for App1. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From the Traffic Manager profile:

Select Generate key.
Enable Traffic view.
Configure the Diagnostics settings.
Add a custom header.

From App1:

Embed the Traffic Manager JavaScript code snippet.
Embed the Azure Application Insights JavaScript code snippet.
Configure the Diagnostics settings.
Configure the Application settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select Generate key

You can configure your web pages to send Real User Measurements to Traffic Manager by obtaining a Real User Measurements (RUM) key and embedding the generated code to web page.

Obtain a Real User Measurements key

The measurements you take and send to Traffic Manager from your client application are identified by the service using a unique string, called the Real User Measurements (RUM) Key. You can get a RUM key using the Azure portal, a REST API, or by using the PowerShell or Azure CLI.

To obtain the RUM Key using Azure portal:

- From a browser, sign in to the Azure portal. If you don't already have an account, you can sign up for a free one-month trial.
- In the portal's search bar, search for the Traffic Manager profile name that you want to modify, and then click the Traffic Manager profile in the results that the displayed.
- In the Traffic Manager profile blade, click Real User Measurements under Settings.
- Click Generate Key to create a new RUM Key.

Box 2: Embed the Traffic Manager JavaScript code snippet. Embed the code to an HTML web page

After you have obtained the RUM key, the next step is to embed this copied JavaScript into an HTML page that your end users visit.

This example shows how to update an HTML page to add this script. You can use this guidance to adapt it to your HTML source management workflow.

- Open the HTML page in a text editor
- Paste the JavaScript code you had copied in the earlier step to the BODY section of the HTML (the copied code is on line 8 & 9, see figure 3).

```

1 <HTML>
2 <HEAD>
3 <TITLE>Webpage powered by Azure</TITLE>
4 </HEAD>
5 <BODY BGCOLOR="FFFFFF">
6 <H1>Welcome</H1>
7 <P> <B>Hello!</B>
8 <script src="//www.atmrum.net/rum.js"></script>
9 <script>rum.start("0123456789abcdef0123456789abcdff");</script>
10 </BODY>
11 </HTML>

```

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-create-rum-web-pages>

NEW QUESTION 76


- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a user named User1. The domain syncs to Azure Active Directory (Azure AD). You have the Windows 10 devices shown in the following table.

Name	Joined to
Device1	On-premises Active Directory
Device2	Azure AD
Device3	Workgroup

The User Sign-In settings are configured as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status

Enabled


Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled

USER SIGN-IN



Federation

Disabled

0 domains

Seamless single sign-on

Enabled

1 domain

Pass-through authentication

Disabled

0 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input checked="" type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 78

- (Exam Topic 2)

You have two Azure SQL Database managed instances in different Azure regions. You plan to configure the managed instances in an instance failover group. What should you configure before you can add the managed instances to the instance failover group?

- A. Azure Private Link that has endpoints on two virtual networks
- B. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

Answer: D

Explanation:

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication.

You create the two VPN gateways and connect them.

➤ Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=az>

NEW QUESTION 80

- (Exam Topic 2)

The developers at your company request that you create databases in Azure Cosmos DB as shown in the following table.

Name	Requirement
CosmosDB1	<ul style="list-style-type: none"> Provides a throughput of 1,200 RU/s Has multiple write regions Uses the Core (SQL) API
CosmosDB2	<ul style="list-style-type: none"> Provides a throughput of 800 RU/s Uses the MongoDB API
CosmosDB3	<ul style="list-style-type: none"> Provides a throughput of 1,200 RU/s Has only one write region Uses the Core (SQL) API
CosmosDB4	<ul style="list-style-type: none"> Provides a throughput of 2,000 RU/s Uses the MongoDB API

You need to create the Azure Cosmos DB databases to meet the developer request. The solution must minimize costs.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create three Azure Cosmos DB accounts, one for the databases that use the Core (SQL) API, one for CosmosDB2, and one for CosmosDB4.
- B. Create two Azure Cosmos DB accounts, one for CosmosDB2 and CosmosDB4 and one for CosmosDB1 and CosmosDB3.
- C. Create one Azure Cosmos DB account for each database.
- D. Create three Azure Cosmos DB accounts, one for the databases that use the MongoDB API, one for CosmosDB1, and one for CosmosDB3.

Answer: BD

Explanation:

Note:

Microsoft recommends using the same API for all access to the data in a given account.

One throughput provisioned container per subscription for SQL, Gremlin API, and Table accounts. Up to three throughput provisioned collections per subscription for MongoDB accounts.

The throughput provisioned on an Azure Cosmos container is exclusively reserved for that container. The container receives the provisioned throughput all the time.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/set-throughput#set-throughput-on-a-container>

NEW QUESTION 84

- (Exam Topic 2)

A company plans to use third-party application software to perform complex data analysis processes. The software will use up to 500 identical virtual machines (VMs) based on an Azure Marketplace VM image.

You need to design the infrastructure for the third-party application server. The solution must meet the following requirements:

- The number of VMs that are running at any given point in time must change when the user workload changes.
- When a new version of the application is available in Azure Marketplace it must be deployed without causing application downtime.
- Use VM scale sets.
- Minimize the need for ongoing maintenance.

Which two technologies should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. single storage account
- B. autoscale
- C. single placement group
- D. managed disks

Answer: BD

Explanation:

Introduction to Azure managed disks

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/managed-disks-overview> "Using managed disks, you can create up to 50,000 VM disks of a type in a subscription per region, allowing you to create thousands of VMs in a single subscription. This feature also further increases the scalability of virtual machine scale sets by allowing you to create up to 1,000 VMs in a virtual machine scale set using a Marketplace image."

NEW QUESTION 85

- (Exam Topic 2)

You have an Azure subscription that contains two virtual networks named VNet1 and VNet2. Virtual machines connect to the virtual networks. The virtual networks have the address spaces and the subnets configured as shown in the following table.

Virtual network	Address space	Subnet	Peering
VNet1	10.1.0.0/16	10.1.0.0/24 10.1.1.0/26	VNet2
VNet2	10.2.0.0/26	10.2.0.0/24	VNet1

You need to add the address space of 10.33.0.0/16 to VNet1. The solution must ensure that the hosts on VNet1 and VNet2 can communicate. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Remove peering between VNet1 and VNet2.

Recreate peering between VNet1 and VNet2.

On the peering connection in VNet1, allow gateway transit.

Add the 10.33.0.0/16 address space to VNet1.

On the peering conenction in VNet2, allow gateway transit.

Create a new virtual network named VNet1.

Remove VNet1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Remove peering between Vnet1 and VNet2.

You can't add address ranges to, or delete address ranges from a virtual network's address space once a virtual network is peered with another virtual network. To add or remove address ranges, delete the peering, add or remove the address ranges, then re-create the peering. Step 2: Add the 10.44.0.0/16 address space to VNet1. Step 3: Recreate peering between VNet1 and VNet2 References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering>

NEW QUESTION 87

- (Exam Topic 2)

You plan to create an Azure Storage account in the Azure region of East US 2. You need to create a storage account that meets the following requirements:

- > Replicates synchronously
- > Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Replication:

	▼
Geo-redundant storage (GRS)	
Locally-redundant storage (LRS)	
Read-access geo-redundant storage (RA GRS)	
Zone-redundant storage (ZRS)	

Account kind:

	▼
Blob storage	
Storage (general purpose v1)	
StorageV2 (general purpose v2)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2) ZRS only support GPv2.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy> <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

NEW QUESTION 88

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

XCOPY File1.txt C:\Folder1\

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. Furthermore, the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 91

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

Copy-Item File1.txt C:\Folder1\File1.txt You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy-Item is not supported. Copy is the correct command to copy a file to the container image. References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 95

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-303 Practice Exam Features:

- * AZ-303 Questions and Answers Updated Frequently
- * AZ-303 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-303 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-303 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-303 Practice Test Here](#)