

156-315.80 Dumps

Check Point Certified Security Expert - R80

<https://www.certleader.com/156-315.80-dumps.html>



NEW QUESTION 1

In the Check Point Firewall Kernel Module, each Kernel is associated with a key, which specifies the type of traffic applicable to the chain module. For Wire Mode configuration, chain modules marked with _____ will not apply.

- A. ffff
- B. 1
- C. 2
- D. 3

Answer: B

NEW QUESTION 2

How many interfaces can you configure to use the Multi-Queue feature?

- A. 10 interfaces
- B. 3 interfaces
- C. 4 interfaces
- D. 5 interfaces

Answer: D

Explanation:

Note - References:

NEW QUESTION 3

What is the default size of NAT table fw_x_alloc?

- A. 20000
- B. 35000
- C. 25000
- D. 10000

Answer: C

NEW QUESTION 4

In a Client to Server scenario, which represents that the packet has already checked against the tables and the Rule Base?

- A. Big I
- B. Little o
- C. Little i
- D. Big O

Answer: D

NEW QUESTION 5

From SecureXL perspective, what are the tree paths of traffic flow:

- A. Initial Path; Medium Path; Accelerated Path
- B. Layer Path; Blade Path; Rule Path
- C. Firewall Path; Accept Path; Drop Path
- D. Firewall Path; Accelerated Path; Medium Path

Answer: D

NEW QUESTION 6

SmartEvent provides a convenient way to run common command line executables that can assist in investigating events. Right-clicking the IP address, source or destination, in an event provides a list of default and customized commands. They appear only on cells that refer to IP addresses because the IP address of the active cell is used as the destination of the command when run. The default commands are:

- A. ping, traceroute, netstat, and route
- B. ping, nslookup, Telnet, and route
- C. ping, whois, nslookup, and Telnet
- D. ping, traceroute, netstat, and nslookup

Answer: C

NEW QUESTION 7

In the Check Point Security Management Architecture, which component(s) can store logs?

- A. SmartConsole
- B. Security Management Server and Security Gateway
- C. Security Management Server
- D. SmartConsole and Security Management Server

Answer: B

NEW QUESTION 8

Fill in the blanks: A _____ license requires an administrator to designate a gateway for attachment whereas a _____ license is automatically attached to a Security Gateway.

- A. Formal; corporate
- B. Local; formal
- C. Local; central
- D. Central; local

Answer: D

NEW QUESTION 9

You are working with multiple Security Gateways enforcing an extensive number of rules. To simplify security administration, which action would you choose?

- A. Eliminate all possible contradictory rules such as the Stealth or Cleanup rules.
- B. Create a separate Security Policy package for each remote Security Gateway.
- C. Create network objects that restricts all applicable rules to only certain networks.
- D. Run separate SmartConsole instances to login and configure each Security Gateway directly.

Answer: B

NEW QUESTION 10

What command would show the API server status?

- A. cpm status
- B. api restart
- C. api status
- D. show api status

Answer: C

NEW QUESTION 10

Which one of the following is true about Threat Emulation?

- A. Takes less than a second to complete
- B. Works on MS Office and PDF files only
- C. Always delivers a file
- D. Takes minutes to complete (less than 3 minutes)

Answer: D

NEW QUESTION 12

What is the correct order of the default “fw monitor” inspection points?

- A. i, l, o, O
- B. 1, 2, 3, 4
- C. i, o, l, O
- D. l, i, O, o

Answer: C

NEW QUESTION 13

You need to change the number of firewall Instances used by CoreXL. How can you achieve this goal?

- A. edit fwaffinity.conf; reboot required
- B. cpconfig; reboot required
- C. edit fwaffinity.conf; reboot not required
- D. cpconfig; reboot not required

Answer: B

NEW QUESTION 14

What processes does CPM control?

- A. Object-Store, Database changes, CPM Process and web-services
- B. web-services, CPML process, DLEserver, CPM process
- C. DLEServer, Object-Store, CP Process and database changes
- D. web_services, dle_server and object_Store

Answer: D

NEW QUESTION 15

Which statement is true about ClusterXL?

- A. Supports Dynamic Routing (Unicast and Multicast)
- B. Supports Dynamic Routing (Unicast Only)
- C. Supports Dynamic Routing (Multicast Only)
- D. Does not support Dynamic Routing

Answer: A

NEW QUESTION 18

There are two R77.30 Security Gateways in the Firewall Cluster. They are named FW_A and FW_B. The cluster is configured to work as HA (High availability) with default cluster configuration. FW_A is configured to have higher priority than FW_B. FW_A was active and processing the traffic in the morning. FW_B was standby. Around 1100 am, its interfaces went down and this caused a failover. FW_B became active. After an hour, FW_A's interface issues were resolved and it became operational.

When it re-joins the cluster, will it become active automatically?

- A. No, since 'maintain' current active cluster member' option on the cluster object properties is enabled by default.
- B. No, since 'maintain' current active cluster member' option is enabled by default on the Global Properties.
- C. Yes, since 'Switch to higher priority cluster member' option on the cluster object properties is enabled by default.
- D. Yes, since 'Switch to higher priority cluster member' option is enabled by default on the Global Properties.

Answer: A

NEW QUESTION 23

What is the command to check the status of the SmartEvent Correlation Unit?

- A. fw ctl get int cpsead_stat
- B. cpstat cpsead
- C. fw ctl stat cpsemd
- D. cp_conf get_stat cpsemd

Answer: B

NEW QUESTION 25

Which process handles connection from SmartConsole R80?

- A. fwm
- B. cpmd
- C. cpm
- D. cpd

Answer: C

NEW QUESTION 28

In order to get info about assignment (FW, SND) of all CPUs in your SGW, what is the most accurate CLI command?

- A. fw ctl sdstat
- B. fw ctl affinity -l -a -r -v
- C. fw ctl multik stat
- D. cpinfo

Answer: B

NEW QUESTION 32

Fill in the blank: The "fw monitor" tool can be best used to troubleshoot _____.

- A. AV issues
- B. VPN errors
- C. Network issues
- D. Authentication issues

Answer: C

NEW QUESTION 35

What needs to be configured if the NAT property 'Translate destination or client side' is not enabled in Global Properties?

- A. A host route to route to the destination IP.
- B. Use the file local.arp to add the ARP entries for NAT to work.
- C. Nothing, the Gateway takes care of all details necessary.
- D. Enabling 'Allow bi-directional NAT' for NAT to work correctly.

Answer: C

NEW QUESTION 40

Session unique identifiers are passed to the web api using which http header option?

- A. X-chkp-sid
- B. Accept-Charset
- C. Proxy-Authorization
- D. Application

Answer: C

NEW QUESTION 45

When doing a Stand-Alone Installation, you would install the Security Management Server with which other Check Point architecture component?

- A. None, Security Management Server would be installed by itself.
- B. SmartConsole
- C. SecureClient
- D. Security Gateway
- E. SmartEvent

Answer: D

NEW QUESTION 47

How often does Threat Emulation download packages by default?

- A. Once a week
- B. Once an hour
- C. Twice per day
- D. Once per day

Answer: D

NEW QUESTION 52

You have successfully backed up Check Point configurations without the OS information. What command would you use to restore this backup?

- A. restore_backup
- B. import backup
- C. cp_merge
- D. migrate import

Answer: D

NEW QUESTION 57

What are the three components for Check Point Capsule?

- A. Capsule Docs, Capsule Cloud, Capsule Connect
- B. Capsule Workspace, Capsule Cloud, Capsule Connect
- C. Capsule Workspace, Capsule Docs, Capsule Connect
- D. Capsule Workspace, Capsule Docs, Capsule Cloud

Answer: D

NEW QUESTION 60

What component of R80 Management is used for indexing?

- A. DBSync
- B. API Server
- C. fwm
- D. SOLR

Answer: D

NEW QUESTION 63

On R80.10 when configuring Third-Party devices to read the logs using the LEA (Log Export API) the default Log Server uses port:

- A. 18210
- B. 18184
- C. 257
- D. 18191

Answer: B

NEW QUESTION 65

On R80.10 the IPS Blade is managed by:

- A. Threat Protection policy
- B. Anti-Bot Blade
- C. Threat Prevention policy
- D. Layers on Firewall policy

Answer: C

NEW QUESTION 70

SandBlast has several functional components that work together to ensure that attacks are prevented in real-time. Which the following is NOT part of the SandBlast component?

- A. Threat Emulation
- B. Mobile Access
- C. Mail Transfer Agent
- D. Threat Cloud

Answer: C

NEW QUESTION 75

Which statement is most correct regarding about “CoreXL Dynamic Dispatcher”?

- A. The CoreXL FW instances assignment mechanism is based on Source MAC addresses, Destination MAC addresses
- B. The CoreXL FW instances assignment mechanism is based on the utilization of CPU cores
- C. The CoreXL FW instances assignment mechanism is based on IP Protocol type
- D. The CoreXI FW instances assignment mechanism is based on Source IP addresses, Destination IP addresses, and the IP ‘Protocol’ type

Answer: B

NEW QUESTION 80

When configuring SmartEvent Initial settings, you must specify a basic topology for SmartEvent to help it calculate traffic direction for events. What is this setting called and what are you defining?

- A. Network, and defining your Class A space
- B. Topology, and you are defining the Internal network
- C. Internal addresses you are defining the gateways
- D. Internal network(s) you are defining your networks

Answer: B

NEW QUESTION 84

What command can you use to have cpinfo display all installed hotfixes?

- A. cpinfo -hf
- B. cpinfo -y all
- C. cpinfo -get hf
- D. cpinfo installed_jumbo

Answer: B

NEW QUESTION 85

After the initial installation on Check Point appliance, you notice that the Management-interface and default gateway are incorrect. Which commands could you use to set the IP to 192.168.80.200/24 and default gateway to 192.168.80.1.

- A. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24set static-route default nexthop gateway address 192.168.80.1 onsave config
- B. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0add static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config
- C. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0set static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config
- D. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24add static-route default nexthop gateway address 192.168.80.1 onsave config

Answer: A

NEW QUESTION 86

Pamela is Cyber Security Engineer working for Global Instance Firm with large scale deployment of Check Point Enterprise Appliances using GAiA/R80.10. Company’s Developer Team is having random access issue to newly deployed Application Server in DMZ’s Application Server Farm Tier and blames DMZ Security Gateway as root cause. The ticket has been created and issue is at Pamela’s desk for an investigation. Pamela decides to use Check Point’s Packet Analyzer Tool-fw monitor to iron out the issue during approved Maintenance window.

What do you recommend as the best suggestion for Pamela to make sure she successfully captures entire traffic in context of Firewall and problematic traffic?

- A. Pamela should check SecureXL status on DMZ Security gateway and if it’s turned O
- B. She should turn OFF SecureXL before using fw monitor to avoid misleading traffic captures.
- C. Pamela should check SecureXL status on DMZ Security Gateway and if it’s turned OF
- D. She should turn ON SecureXL before using fw monitor to avoid misleading traffic captures.
- E. Pamela should use tcpdump over fw monitor tool as tcpdump works at OS-level and captures entire traffic.
- F. Pamela should use snoop over fw monitor tool as snoop works at NIC driver level and captures entire traffic.

Answer: A

NEW QUESTION 91

DLP and Geo Policy are examples of what type of Policy?

- A. Standard Policies

- B. Shared Policies
- C. Inspection Policies
- D. Unified Policies

Answer: B

NEW QUESTION 96

Which web services protocol is used to communicate to the Check Point R80 Identity Awareness Web API?

- A. SOAP
- B. REST
- C. XLANG
- D. XML-RPC

Answer: B

Explanation:

The Identity Web API uses the REST protocol over SSL. The requests and responses are HTTP and in JSON format.

NEW QUESTION 99

Check Point security components are divided into the following components:

- A. GUI Client, Security Gateway, WebUI Interface
- B. GUI Client, Security Management, Security Gateway
- C. Security Gateway, WebUI Interface, Consolidated Security Logs
- D. Security Management, Security Gateway, Consolidate Security Logs

Answer: B

NEW QUESTION 104

What is the main difference between Threat Extraction and Threat Emulation?

- A. Threat Emulation never delivers a file and takes more than 3 minutes to complete.
- B. Threat Extraction always delivers a file and takes less than a second to complete.
- C. Threat Emulation never delivers a file that takes less than a second to complete.
- D. Threat Extraction never delivers a file and takes more than 3 minutes to complete.

Answer: B

NEW QUESTION 105

Which statement is true regarding redundancy?

- A. System Administrators know when their cluster has failed over and can also see why it failed over by using the `cphaprob -f` if command.
- B. ClusterXL offers three different Load Sharing solutions: Unicast, Broadcast, and Multicast.
- C. Machines in a ClusterXL High Availability configuration must be synchronized.
- D. Both ClusterXL and VRRP are fully supported by Gaia and available to all Check Point appliances, open servers, and virtualized environments.

Answer: D

NEW QUESTION 106

You have created a rule at the top of your Rule Base to permit Guest Wireless access to the Internet. However, when guest users attempt to reach the Internet, they are not seeing the splash page to accept your Terms of Service, and cannot access the Internet. How can you fix this?

- A. Right click Accept in the rule, select “More”, and then check ‘Enable Identity Captive Portal’.
- B. On the firewall object, Legacy Authentication screen, check ‘Enable Identity Captive Portal’.
- C. In the Captive Portal screen of Global Properties, check ‘Enable Identity Captive Portal’.
- D. On the Security Management Server object, check the box ‘Identity Logging’.

Answer: A

NEW QUESTION 111

To fully enable Dynamic Dispatcher with Firewall Priority Queues on a Security Gateway, run the following command in Expert mode then reboot:

- A. `fw ctl multik set_mode 1`
- B. `fw ctl Dynamic_Priority_Queue on`
- C. `fw ctl Dynamic_Priority_Queue enable`
- D. `fw ctl multik set_mode 9`

Answer: D

NEW QUESTION 113

Which Check Point software blade provides Application Security and identity control?

- A. Identity Awareness
- B. Data Loss Prevention
- C. URL Filtering
- D. Application Control

Answer: D

NEW QUESTION 116

In SmartEvent, what are the different types of automatic reactions that the administrator can configure?

- A. Mail, Block Source, Block Event Activity, External Script, SNMP Trap
- B. Mail, Block Source, Block Destination, Block Services, SNMP Trap
- C. Mail, Block Source, Block Destination, External Script, SNMP Trap
- D. Mail, Block Source, Block Event Activity, Packet Capture, SNMP Trap

Answer: A

NEW QUESTION 119

What command lists all interfaces using Multi-Queue?

- A. cpmq get
- B. show interface all
- C. cpmq set
- D. show multiqueue all

Answer: A

NEW QUESTION 124

What SmartEvent component creates events?

- A. Consolidation Policy
- B. Correlation Unit
- C. SmartEvent Policy
- D. SmartEvent GUI

Answer: B

NEW QUESTION 126

What does the Log "Views" tab show when SmartEvent is Correlating events?

- A. A list of common reports
- B. Reports for customization
- C. Top events with charts and graphs
- D. Details of a selected logs

Answer: C

NEW QUESTION 129

SmartEvent does NOT use which of the following procedures to identify events:

- A. Matching a log against each event definition
- B. Create an event candidate
- C. Matching a log against local exclusions
- D. Matching a log against global exclusions

Answer: C

Explanation:

Events are detected by the SmartEvent Correlation Unit. The Correlation Unit task is to scan logs for criteria that match an Event Definition. SmartEvent uses these procedures to identify events:

- Matching a Log Against Global Exclusions
- Matching a Log Against Each Event Definition
- Creating an Event Candidate
- When a Candidate Becomes an Event References:

NEW QUESTION 130

Which of the following type of authentication on Mobile Access can NOT be used as the first authentication method?

- A. Dynamic ID
- B. RADIUS

- C. Username and Password
- D. Certificate

Answer: A

NEW QUESTION 132

To ensure that VMAC mode is enabled, which CLI command should you run on all cluster members?

- A. fw ctl set int fwha vmac global param enabled
- B. fw ctl get int vmac global param enabled; result of command should return value 1
- C. cphaprob-a if
- D. fw ctl get int fwha_vmac_global_param_enabled; result of command should return value 1

Answer: D

NEW QUESTION 136

What cloud-based SandBlast Mobile application is used to register new devices and users?

- A. Check Point Protect Application
- B. Management Dashboard
- C. Behavior Risk Engine
- D. Check Point Gateway

Answer: D

NEW QUESTION 138

Which two of these Check Point Protocols are used by SmartEvent Processes?

- A. ELA and CPD
- B. FWD and LEA
- C. FWD and CPLOG
- D. ELA and CPLOG

Answer: D

NEW QUESTION 141

What is the most recommended way to install patches and hotfixes?

- A. CPUSE Check Point Update Service Engine
- B. rpm -Uv
- C. Software Update Service
- D. UnixinstallScript

Answer: A

NEW QUESTION 142

In what way is Secure Network Distributor (SND) a relevant feature of the Security Gateway?

- A. SND is a feature to accelerate multiple SSL VPN connections
- B. SND is an alternative to IPSec Main Mode, using only 3 packets
- C. SND is used to distribute packets among Firewall instances
- D. SND is a feature of fw monitor to capture accelerated packets

Answer: C

NEW QUESTION 143

What is the recommended number of physical network interfaces in a Mobile Access cluster deployment?

- A. 4 Interfaces – an interface leading to the organization, a second interface leading to the internet, a third interface for synchronization, a fourth interface leading to the Security Management Server.
- B. 3 Interfaces – an interface leading to the organization, a second interface leading to the Internet, a third interface for synchronization.
- C. 1 Interface – an interface leading to the organization and the Internet, and configure for synchronization.
- D. 2 Interfaces – a data interface leading to the organization and the Internet, a second interface for synchronization.

Answer: B

NEW QUESTION 144

An administrator would like to troubleshoot why templating is not working for some traffic. How can he determine at which rule templating is disabled?

- A. He can use the fw accel stat command on the gateway.
- B. He can use the fw accel statistics command on the gateway.
- C. He can use the fwaccel stat command on the Security Management Server.
- D. He can use the fwaccel stat command on the gateway

Answer: D

NEW QUESTION 145

Sticky Decision Function (SDF) is required to prevent which of the following? Assume you set up an Active-Active cluster.

- A. Symmetric routing
- B. Failovers
- C. Asymmetric routing
- D. Anti-Spoofing

Answer: C

NEW QUESTION 149

Which one of the following is true about Threat Extraction?

- A. Always delivers a file to user
- B. Works on all MS Office, Executables, and PDF files
- C. Can take up to 3 minutes to complete
- D. Delivers file only if no threats found

Answer: A

NEW QUESTION 152

Joey want to configure NTP on R80 Security Management Server. He decided to do this via WebUI. What is the correct address to access the Web UI for Gaia platform via browser?

- A. https://<Device_IP_Address>
- B. http://<Device_IP_Address>:443
- C. https://<Device_IP_Address>:10000
- D. https://<Device_IP_Address>:4434

Answer: A

NEW QUESTION 155

Which tool is used to enable ClusterXL?

- A. SmartUpdate
- B. cpconfig
- C. SmartConsole
- D. sysconfig

Answer: B

NEW QUESTION 160

fwssd is a child process of which of the following Check Point daemons?

- A. fwd
- B. cpwd
- C. fwm
- D. cpd

Answer: A

NEW QUESTION 165

What is the difference between an event and a log?

- A. Events are generated at gateway according to Event Policy
- B. A log entry becomes an event when it matches any rule defined in Event Policy
- C. Events are collected with SmartWorkflow form Trouble Ticket systems
- D. Log and Events are synonyms

Answer: B

NEW QUESTION 170

What information is NOT collected from a Security Gateway in a Cpinfo?

- A. Firewall logs
- B. Configuration and database files
- C. System message logs
- D. OS and network statistics

Answer: A

NEW QUESTION 171

Which pre-defined Permission Profile should be assigned to an administrator that requires full access to audit all configurations without modifying them?

- A. Auditor
- B. Read Only All
- C. Super User
- D. Full Access

Answer: B

NEW QUESTION 176

What is the purpose of a SmartEvent Correlation Unit?

- A. The SmartEvent Correlation Unit is designed to check the connection reliability from SmartConsole to the SmartEvent Server.
- B. The SmartEvent Correlation Unit's task it to assign severity levels to the identified events.
- C. The Correlation unit role is to evaluate logs from the log server component to identify patterns/threats and convert them to events.
- D. The SmartEvent Correlation Unit is designed to check the availability of the SmartReporter Server.

Answer: C

NEW QUESTION 178

Which method below is NOT one of the ways to communicate using the Management API's?

- A. Typing API commands using the "mgmt_cli" command
- B. Typing API commands from a dialog box inside the SmartConsole GUI application
- C. Typing API commands using Gaia's secure shell(clish)19+
- D. Sending API commands over an http connection using web-services

Answer: D

NEW QUESTION 182

Which Check Point daemon monitors the other daemons?

- A. fwm
- B. cpd
- C. cpwd
- D. fwssd

Answer: C

NEW QUESTION 187

What is the order of NAT priorities?

- A. Static NAT, IP pool NAT, hide NAT
- B. IP pool NAT, static NAT, hide NAT
- C. Static NAT, automatic NAT, hide NAT
- D. Static NAT, hide NAT, IP pool NAT

Answer: A

NEW QUESTION 191

You have a Geo-Protection policy blocking Australia and a number of other countries. Your network now requires a Check Point Firewall to be installed in Sydney, Australia.

What must you do to get SIC to work?

- A. Remove Geo-Protection, as the IP-to-country database is updated externally, and you have no control of this.
- B. Create a rule at the top in the Sydney firewall to allow control traffic from your network
- C. Nothing - Check Point control connections function regardless of Geo-Protection policy
- D. Create a rule at the top in your Check Point firewall to bypass the Geo-Protection

Answer: C

NEW QUESTION 195

Joey wants to upgrade from R75.40 to R80 version of Security management. He will use Advanced Upgrade with Database Migration method to achieve this. What is one of the requirements for his success?

- A. Size of the /var/log folder of the source machine must be at least 25% of the size of the /var/log directory on the target machine
- B. Size of the /var/log folder of the target machine must be at least 25% of the size of the /var/log directory on the source machine
- C. Size of the \$FWDIR/log folder of the target machine must be at least 30% of the size of the \$FWDIR/log directory on the source machine
- D. Size of the /var/log folder of the target machine must be at least 25GB or more

Answer: B

NEW QUESTION 197

You have a Gateway is running with 2 cores. You plan to add a second gateway to build a cluster and used a device with 4 cores. How many cores can be used in a Cluster for Firewall-kernel on the new device?

- A. 3

- B. 2
- C. 1
- D. 4

Answer: D

NEW QUESTION 198

When installing a dedicated R80 SmartEvent server. What is the recommended size of the root partition?

- A. Any size
- B. Less than 20GB
- C. More than 10GB and less than 20GB
- D. At least 20GB

Answer: D

NEW QUESTION 201

Where you can see and search records of action done by R80 SmartConsole administrators?

- A. In SmartView Tracker, open active log
- B. In the Logs & Monitor view, select “Open Audit Log View”
- C. In SmartAuditLog View
- D. In Smartlog, all logs

Answer: B

NEW QUESTION 204

What are the blades of Threat Prevention?

- A. IPS, DLP, AntiVirus, AntiBot, Sandblast Threat Emulation/Extraction
- B. DLP, AntiVirus, QoS, AntiBot, Sandblast Threat Emulation/Extraction
- C. IPS, AntiVirus, AntiBot
- D. IPS, AntiVirus, AntiBot, Sandblast Threat Emulation/Extraction

Answer: D

NEW QUESTION 209

Check Point APIs allow system engineers and developers to make changes to their organization's security policy with CLI tools and Web Services for all the following except:

- A. Create new dashboards to manage 3rd party task
- B. Create products that use and enhance 3rd party solutions
- C. Execute automated scripts to perform common tasks
- D. Create products that use and enhance the Check Point Solution

Answer: A

Explanation:

Check Point APIs let system administrators and developers make changes to the security policy with CLI tools and web-services. You can use an API to:

- Use an automated script to perform common tasks
 - Integrate Check Point products with 3rd party solutions
 - Create products that use and enhance the Check Point solution
- References:

NEW QUESTION 210

When an encrypted packet is decrypted, where does this happen?

- A. Security policy
- B. Inbound chain
- C. Outbound chain
- D. Decryption is not supported

Answer: A

NEW QUESTION 211

What has to be taken into consideration when configuring Management HA?

- A. The Database revisions will not be synchronized between the management servers
- B. SmartConsole must be closed prior to synchronized changes in the objects database
- C. If you wanted to use Full Connectivity Upgrade, you must change the Implied Rules to allow FW1_cpredundant to pass before the Firewall Control Connections.
- D. For Management Server synchronization, only External Virtual Switches are supported
- E. So, if you wanted to employ Virtual Routers instead, you have to reconsider your design.

Answer: A

NEW QUESTION 213

Customer's R80 management server needs to be upgraded to R80.10. What is the best upgrade method when the management server is not connected to the Internet?

- A. Export R80 configuration, clean install R80.10 and import the configuration
- B. CPUSE offline upgrade
- C. CPUSE online upgrade
- D. SmartUpdate upgrade

Answer: C

NEW QUESTION 215

Your manager asked you to check the status of SecureXL, and its enabled templates and features. What command will you use to provide such information to manager?

- A. fw accel stat
- B. fwaccel stat
- C. fw acces stats
- D. fwaccel stats

Answer: B

NEW QUESTION 219

Check Point Management (cpm) is the main management process in that it provides the architecture for a consolidated management console. CPM allows the GUI client and management server to communicate via web services using _____. .

- A. TCP port 19009
- B. TCP Port 18190
- C. TCP Port 18191
- D. TCP Port 18209

Answer: A

NEW QUESTION 222

What is a feature that enables VPN connections to successfully maintain a private and secure VPN session without employing Stateful Inspection?

- A. Stateful Mode
- B. VPN Routing Mode
- C. Wire Mode
- D. Stateless Mode

Answer: C

Explanation:

Wire Mode is a VPN-1 NGX feature that enables VPN connections to successfully fail over, bypassing Security Gateway enforcement. This improves performance and reduces downtime. Based on a trusted source and destination, Wire Mode uses internal interfaces and VPN Communities to maintain a private and secure VPN session, without employing Stateful Inspection. Since Stateful Inspection no longer takes place, dynamic-routing protocols that do not survive state verification in non-Wire Mode configurations can now be deployed. The VPN connection is no different from any other connections along a dedicated wire, thus the meaning of "Wire Mode".

NEW QUESTION 226

What is the benefit of "tw monitor" over "tcpdump"?

- A. "fw monitor" reveals Layer 2 information, while "tcpdump" acts at Layer 3.
- B. "fw monitor" is also available for 64-Bit operating systems.
- C. With "fw monitor", you can see the inspection points, which cannot be seen in "tcpdump"
- D. "fw monitor" can be used from the CLI of the Management Server to collect information from multiple gateways.

Answer: C

NEW QUESTION 230

You have existing dbedit scripts from R77. Can you use them with R80.10?

- A. dbedit is not supported in R80.10
- B. dbedit is fully supported in R80.10
- C. You can use dbedit to modify threat prevention or access policies, but not create or modify layers
- D. dbedit scripts are being replaced by mgmt_cli in R80.10

Answer: D

NEW QUESTION 235

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 156-315.80 Exam with Our Prep Materials Via below:

<https://www.certleader.com/156-315.80-dumps.html>