

HPE2-T37 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T37-dumps.html>



NEW QUESTION 1

Refer to the exhibit.

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Answer: B

NEW QUESTION 2

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. iLO IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Answer: CE

NEW QUESTION 3

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.
- B. whether the appropriate license for HPE Primera is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

Answer: A

NEW QUESTION 4

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Answer: B

NEW QUESTION 5

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.

How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneVtew Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView tor VMware vCenter Server.
- D. As long as the server is managed using HPE OneVie
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

Answer: B

NEW QUESTION 6

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Fabric Type

NEW QUESTION 7

How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

Answer: D

NEW QUESTION 8

Refer to the exhibit.

A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 9

A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup. How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

Answer: A

NEW QUESTION 10

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Networks

NEW QUESTION 10

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 12

What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

Answer: B

NEW QUESTION 13

what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Answer: D

NEW QUESTION 17

Refer to the exhibit.

You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and iLO did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.
- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

Answer: D

NEW QUESTION 22

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 23

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

Answer: B

NEW QUESTION 25

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

Answer: A

NEW QUESTION 30

Which statement about managing an HPE BioeSystem sever is true?

- A. A multi-enclosure Virtuai Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystems enclosures can be imported to HPE Oneview for monitoring

Answer: B

NEW QUESTION 34

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump
- E. Maintenance console support dump

Answer: BD

NEW QUESTION 36

Refer to the exhibit.

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 37

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 42

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 45

Which components require an HPE OneView license for management?

- A. HPE Virtual Connect modules
- B. HPE Apollo XL 170r
- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

Answer: A

NEW QUESTION 47

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

Answer: B

NEW QUESTION 52

You want to add the latest iLO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload iLO firmware to the Internal or external firmware repository.
- B. A custom SPP iso Image must be created with the new iLO firmware version and uploaded to therepository.
- C. An external repository must be created, because standalone components are supported only In an external repository.
- D. iLO firmware can be marked as a hotfix and uploaded directly to the Internal or external firmware repository.

Answer: B

NEW QUESTION 56

Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group is automatically selected

Answer: A

NEW QUESTION 59

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 60

Which statement about an HPE OneView server profile is true?

- A. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.
- B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type.
- C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage.
- D. A server profile can be used to update firmware and drivers when the operating system on the server is up and running.

Answer: B

NEW QUESTION 64

Which statement about the presented storage pools is true?

- A. Storage pools in discovered state can be removed from HPE OneView.
- B. HPE OneView can be used to configure replication only between managed storage pools
- C. All storage pools from the system named ThreePAR-1 can be used for volume provisioning
- D. All storage pools in managed state have a valid HPE OneView license applied

Answer: C

NEW QUESTION 67

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

Answer: A

NEW QUESTION 72

Refer to the exhibit.

Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.
- B. The maximum supported number of the internal networks for logical interconnect is configured.
- C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.
- D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

Answer: C

NEW QUESTION 75

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 79

Your customer wants to optimize GenIO servers for a virtualization workload by configuring all of them with a specific workload profile in the BIOS. All of the servers are managed using HPE OneView.

How can this task be completed?

- A. Set a specific workload profile within Logical Interconnect Group and update all servers.
- B. Set a specific workload profile for all managed servers as an HPE OneView global setting.
- C. Set a specific workload profile within server profile template and update all profiles.
- D. Set a specific workload profile using iLO interface for each individual server.

Answer: C

NEW QUESTION 82

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T37 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T37-dumps.html>