


HPE2-T37 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T37-dumps.html>



NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

Answer: A

NEW QUESTION 2

Which statement about M-LAG setup is true?

- A. When combined with IRF, M-LAG will allow you to aggregate ports coming from clustered HPE Synergy Virtual Connect modules.
- B. M-LAG for HPE Synergy can be either single-homed or multi-homed, while for HPE BladeSystem only single-homed.
- C. sFLOW cannot be enabled if M-LAG is configured between HPE Synergy Virtual Connect modules in the same frame.
- D. M-LAG has to be defined manually for HPE BladeSystem, but it is automatically configured for HPE Synergy.

Answer: A

NEW QUESTION 3

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. IL0 IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Answer: CE

NEW QUESTION 4

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

Answer: A

NEW QUESTION 5

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.
- B. whether the appropriate license for HPE Primera is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

Answer: A

NEW QUESTION 6

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

Answer: C

NEW QUESTION 7

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

Answer: A

NEW QUESTION 8

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

Answer: B

NEW QUESTION 9

Which statement regarding HPE OneView backup restore is true?

- A. During backup restore, users with Administrator privileges can still login to HPE OneView
- B. An HPE OneView backup can be used to restore individual components like server profile
- C. Users with Backup Administrator privileges can restore an HPE OneView backup
- D. Only users with Infrastructure Administrator privileges can restore an HPE OneView backup

Answer: D

Explanation:

Only an Infrastructure administrator can restore an appliance from a backup file.

NEW QUESTION 10

Refer to the exhibit.

A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 10

A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup. How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

Answer: A

NEW QUESTION 13

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Networks

NEW QUESTION 16

Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

NEW QUESTION 20

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Connections

NEW QUESTION 22

Which locations are supported for HPE OneView remote scheduled backup? (Choose two.)

- A. SCP
- B. HTTPS
- C. SFTP
- D. HTTP
- E. FTP

Answer: AC

Explanation:
Scheduled to be uploaded to the remote location.

NEW QUESTION 25

Refer to the exhibit.

You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and IL0 did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.

- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

Answer: D

NEW QUESTION 28

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 29

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity

Answer: A

NEW QUESTION 30

Which connection type can be defined within a server profile for an MPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

Answer: C

NEW QUESTION 33

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

Answer: D

Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

NEW QUESTION 36

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components. When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

Answer: A

NEW QUESTION 37

Which statement about managing an HPE Bioactive System server is true?

- A. A multi-enclosure Virtual Connect domain can be imported to HPE OneView without disrupting servers.
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section.
- C. An HPE server blade cannot be deleted from HPE OneView. It must be physically removed from the enclosure.
- D. Both c3000 and C7000 HPE BladeSystem enclosures can be imported to HPE OneView for monitoring.

Answer: B

NEW QUESTION 42

Which types of support dump can be created using HPE OneView? (Select two.)

- A. Enclosure group support dump
- B. Appliance support dump
- C. Firmware deployment support dump
- D. Logical enclosure support dump
- E. Maintenance console support dump

Answer: BD

NEW QUESTION 45

You are deploying HPE OneView to manage a customer's HPE ProLiant servers. Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During HPE OneView deployment, customer may select to configure proprietary HA mode.

Answer: C

NEW QUESTION 50

Your customer built a server profile for HPE Synergy Gen10 server and configured boot mode to Legacy BIOS. Which feature is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

Answer: C

NEW QUESTION 55

Refer to the exhibit.

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 58

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 59

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

NEW QUESTION 63

Which components require an HPE OneView license for management?

- A. HPE Virtual Connect modules
- B. HPE Apollo XL 170r
- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

Answer: A

NEW QUESTION 65

Which statement about a server profile for an Apollo system is true?

- A. Fibre Channel connections can be defined
- B. UEFI optimized is the only available boot mode
- C. Virtual WWNs and MAC addresses can be defined
- D. Enclosure Group is automatically selected

Answer: A

NEW QUESTION 67

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 68

What is required to add remote frame link topology to HPE OneView?

- A. The HPE OneView certificate from the primary site must be added to HPE OneView in the remote site.
- B. The IP address assigned to HPE Composer installed in a remote site must be registered in a primary site.
- C. Multi-site licenses must be added to HPE OneView and activate for all available HPE Synergy frames.
- D. Management ports of the remote frame link topology must be connected to the management LAN.

Answer: D

NEW QUESTION 72

How will setting the Purpose field within the network definition of a server profile impact the network traffic?

- A. network purpose can give higher priority for a specific type of traffic
- B. network purpose will impact the traffic only if Virtual Connect modules are used
- C. network purpose will define QoS within Logical Interconnect
- D. network purpose does not affect the behavior of the network

Answer: C

NEW QUESTION 75

Your customer wants to optimize GenIO servers for a virtualization workload by configuring all of them with a specific workload profile in the BIOS. All of the servers are managed using HPE OneView.

How can this task be completed?

- A. Set a specific workload profile within Logical Interconnect Group and update all servers.
- B. Set a specific workload profile for all managed servers as an HPE OneView global setting.
- C. Set a specific workload profile within server profile template and update all profiles.
- D. Set a specific workload profile using iLO interface for each individual server.

Answer: C

NEW QUESTION 78

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T37 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T37-dumps.html>